ONGO WEIGHT LOSS · BOOK FOUR

Ongo Weight Loss

On-Page SEO.

for Next.js · the 22-point launch standard

For every Ongo Weight Loss teammate who writes, builds, designs or measures a page: make every page complete, compliant and measurable.



PREPARED BY

Ashish Osten

Team Lead, Ongo Weight Loss

Edition: October 2026 · Book Four

ONGO WEIGHT LOSS · ONBOARDING SERIES

On-Page SEO for Next.js

Making every page on ongoweightloss.com complete
Book Four of the Ongo Weight Loss onboarding series

Prepared by	Ashish Osten, Team Lead, Ongo Weight Loss
Edition	October 2026 (first edition)
Written for	SEO, content, design, development, analytics and leadership
Read first	Book One: The Foundation and Book Three: Site Architecture & the Master Content Map
Inside	44 chapters in 4 levels · 440 practice MCQs · live-site baseline audit (30 October 2026) · on-page specs for all 69 Phase 1 pages · 22-point launch checklist · Next.js snippet library · event dictionary · design tokens · A–Z glossary · dated sources

Important

This book is internal orientation material. It is not medical, legal or regulatory advice for you or for any patient. Real medical questions go to Ongo Weight Loss's licensed providers; legal and regulatory questions go to compliance and counsel.

Search engine policies, frameworks, drug approvals and regulations change often. Every claim carries a dated source and an evidence label so you can recheck it. When this book and a newer official source disagree, the official source wins. Code examples follow the Next.js App Router documentation as of 2026 and are patterns for your developer, not production code.

Wegovy, Ozempic, Rybelsus, Saxenda, Victoza, Zepbound, Mounjaro, Foundayo, Trulicity and the other medication and product names in this book are trademarks of their owners. Ongo Weight Loss does not offer these brand-name medications and is not affiliated with their makers. Next.js, Google, Microsoft Clarity and other product names are trademarks of their owners. They are named only to educate and to explain what can and cannot be said.

© 2026 Ongo Weight Loss. Prepared for team training and onboarding.

CONTENTS

Contents

Click any line to jump to it. Page numbers match the page footers.

START HERE

About this book 6

Before you begin 9

- A Letter to the Reader 9
- How to Read This Book 10
- The Evidence Label Legend 11
- How the Answer Keys Work 11

LEVEL 1 · FOUNDATION

1 What On-Page SEO Means for Ongo Weight Loss 13

2 How Google Reads a Next.js Page 21

3 The 22-Point On-Page Launch Standard 29

4 The Live-Site Baseline: ongoweightloss.com on 30 October 2026 37

LEVEL 2 · PAGE CONTENT

5 Title Tags That Earn the Click 48

6 Meta Descriptions That Summarise, Not Sell 57

7 H1, H2, H3: The Page Outline 65

8 The First Screen: Opening Paragraph and Intent Match 73

9 Body Content: Helpful, Readable, Compliant 80

10 Trust on the Page: Bylines, Reviewers and Dates 88

11 Internal Links and Anchor Text on the Page 96

12 Breadcrumbs: Visible Trail and BreadcrumbList 104

13 Image SEO and Alt Text 112

14 Video on the Page 119

15 FAQs After the End of FAQ Rich Results 126

16 Tables, Lists and Comparison Content 134

17 Answer-Ready Pages for AI Overviews and AI Mode 141

18 External Links and Citations 148

LEVEL 3 · NEXT.JS AND MEASUREMENT

19 The Next.js Metadata API 156
20 Canonical Tags 165
21 Robots Meta, noindex and X-Robots-Tag 172
22 Open Graph and Social Cards 180
23 JSON-LD Structured Data in Next.js 188
24 next/link, Navigation and Crawlable Menus 197
25 next/image and the SVG Logo 205
26 Fonts, Text Sizes and Colours 213
27 XML Sitemaps and the HTML Sitemap 222
28 robots.txt 230
29 Semantic HTML and Page Landmarks 237
30 Head Basics: Charset, Viewport, Language and Favicons 244
31 W3C HTML Validation 251
32 URL Normalisation and Redirects 258
33 The 404 Page 266
34 Accessibility and ARIA Labels 274
35 Connecting Google Tag Manager 279
36 Setting Up GA4 for Ongo Weight Loss 285
37 Connecting Google Search Console 290
38 Microsoft Clarity: Useful, Installed, and Risky 294
39 Custom Events and the Ongo Weight Loss Event Dictionary 299

LEVEL 4 · SPECS, AUDITS AND RISK

40 On-Page Templates by Page Type 305
41 On-Page Specs for All 69 Phase 1 Pages 310
42 On-Page Audits and Pre-Launch QA 383
43 Refreshing Pages Without Faking Freshness 390
44 The ZETA Model for On-Page SEO 397

BACK MATTER

Appendix A: The 22-Point Launch Checklist 404

Appendix B: Next.js Snippet Library 405

Appendix C: Event Dictionary (Book Four version) 407

Appendix D: Design Tokens from the Baseline Audit 408

Appendix E: Formulas and Limits 409

Templates and Checklists 410

Glossary (A to Z) 411

MCQ Answer Keys (all chapters) 420

Sources Index (by chapter) 423

ABOUT THIS BOOK

What's inside

> **Before you start:** read **Book One: The Foundation** (what Ongo Weight Loss is and what the rules allow) and **Book Three: Site Architecture & the Master Content Map** (which pages exist and why). Book Four makes every one of those pages complete: content, code, tags, accessibility and measurement. Off-page SEO lives in Book Two; deep technical SEO and Core Web Vitals will live in the Technical SEO book.

How every chapter is built

Part of chapter	What it gives you
Trivia hook	One surprising, sourced fact that shows why the topic matters
Plain explanation	The concept in very easy English, with short code examples where useful
Desi analogy (Hinglish)	Rotates between restaurant, IT office, cricket, wedding and mohalla
Ongo Weight Loss example	Real findings from the live-site audit of 30 October 2026
Tables and diagrams	Rules, patterns and checklists at a glance
Evidence labels	Official, Google spokesperson, industry, or expert/internal
Do's and Don'ts	Quick rules
Pros and Cons	Honest trade-offs
Where freshers go wrong	Common mistake, why it happens, how to avoid it, how to fix it
Thumb rules + Notes to remember	One-line rules to keep
Glossary	Every new term in the chapter
10 MCQs	Answer key at the foot of the chapter, flipped upside down
Sources	Every claim linked to where it came from, with dates

The four levels

Level	Chapters	What you'll learn
Level 1 · Foundation	1–4	What on-page SEO means here, how Google reads a Next.js page, the 22-point launch standard, and the live-site baseline (including fonts, sizes and colours)
Level 2 · Page Content	5–18	Titles, descriptions, headings, the first screen, body content, trust and dates, internal links, breadcrumbs, images and alt text, video, FAQs, tables, AI answers, citations
Level 3 · Next.js and Measurement	19–39	Metadata API, canonicals, robots, Open Graph, JSON-LD, links, images and the SVG logo, fonts and colours, XML and HTML sitemaps, robots.txt, semantic HTML, head basics and favicons, W3C, URL normalisation, 404s, accessibility and ARIA, GTM, GA4, Search Console, Clarity, custom events
Level 4 · Specs, Audits and Risk	40–44	Page templates, full specs for all 69 Phase 1 pages, audits and QA, honest refreshes, ZETA for on-page

Your 22 points: where to find them

Point	Chapter	Point	Chapter
Meta data	5, 6, 19	ARIA labels	34
Alt tags	13, 25	GA4	36
H1 / H2 / H3	7, 29	GSC connect	37
W3C validation	31	GTM connect	35
XML sitemap (pages, types, host)	27	Clarity	38
robots.txt	28	Custom events	39
Canonical	20	Breadcrumbs	12
OG cards	22	Date published / modified	10, 43

Point	Chapter	Point	Chapter
Viewport	30	Favicon	30
Schema	23	Logo to SVG	25
404 page	33	sitemap.html	27
URL normalisation	32		

What's new compared with Books One to Three

Topic	Book One	Book Two	Book Three	Book Four
Which pages exist	Overview	—	✅ Master map	Uses it
Titles, descriptions, headings	—	—	Draft fields	✅ Final, per page
Next.js Metadata API, canonical, robots	—	—	Mentioned	✅ With code
Open Graph, favicons, logo files	—	—	—	✅
JSON-LD	—	—	By page type	✅ Implementation + live trim plan
XML sitemap + sitemap.html	—	—	Plan	✅ Built from page data
Accessibility and ARIA	—	—	—	✅ WCAG 2.2 AA
Fonts, sizes, colours	—	—	—	✅ Live audit + proposal
GTM, GA4, GSC, Clarity	—	—	Overview	✅ Setup and safety
Live-site audit	—	—	—	✅ 30 October 2026 baseline

BEFORE YOU BEGIN

Front Matter

A Letter to the Reader

Welcome to Book Four.

Book One told you **what** Ongo Weight Loss is. Book Two showed how other websites come to trust us. Book Three drew the blueprint: every page, its parent, its purpose and its place in the patient's journey.

This book is about building each of those pages properly.

A page can be in exactly the right place in the architecture and still fail. It might have a vague title, no canonical, a missing breadcrumb, an image nobody can describe, a button a screen reader can't name, or an event that quietly collects data it never should. Each of these is small. Together they decide whether a worried patient trusts the page, and whether Google understands it.

So in this book we go page by page and tag by tag:

- what the patient sees: titles, headings, the first screen, trust details and dates,
- what Google reads: canonicals, robots rules, sitemaps, structured data,
- what Next.js does for us, and where it can trip us up,
- who can and can't use the page, and how to fix that,
- and how we measure everything without ever touching patient health data.

We started by auditing the live ongoweightloss.com on **30 October 2026**, including its fonts, text sizes and colours, so every example in this book is real. Then we wrote a complete on-page spec for all **69 Phase 1 pages**.

Same promise as before: every important claim has a source, a date and a label. Nothing from 2012. Only what works in **October 2026**.

Let's build it right the first time.

How to Read This Book

The four levels

Level	Who it's for	What you can do after
Level 1 – Foundation	Everyone on day one	Explain the 22-point standard and read the baseline
Level 2 – Page Content	Writers, SEOs, editors, medical reviewers	Write titles, headings, trust blocks and alt text that pass
Level 3 – Next.js and Measurement	SEOs, developers, analytics	Specify and check every tag, file and event
Level 4 – Specs, Audits and Risk	Leads, and eventually everyone	Build from specs, run QA, refresh honestly, avoid ZETA mistakes

The boxes you'll see

> 💡 **Trivia** – a surprising fact that shows why the topic matters.
>
> 🍛 **Desi analogy** – the idea explained in Hinglish with an everyday example.
>
> 🟧 **Ongo Weight Loss example** – what we found on the live site, and what to do.
>
> ⚠️ **Where freshers go wrong** – the common mistake and how to avoid or fix it.
>
> 👍 **Thumb rule** – one line to remember forever.
>
> 📝 **Note to remember** – a key fact to keep.

Code in this book

Code examples are short and written for SEOs: enough to recognise the right pattern and specify it to a developer. They follow the Next.js App Router (Next.js 16 documentation, 2026). Your developer adapts them to the real codebase.

Using the MCQs for onboarding

- Each chapter ends with 10 multiple-choice questions.
- Team leads can use them after each level; 8/10 or better means ready to move on.

The Evidence Label Legend

Source labels: where the claim comes from

Label	Meaning
🟢 **Official**	Google's own documentation, or the official owner of the tool or standard (Next.js, W3C, Microsoft, Open Graph, Schema.org, FDA)
🟡 **Google spokesperson**	A public statement by a Google employee (e.g. John Mueller)
🟠 **Industry**	Reputable SEO press, community answers or common platform practice
🔵 **Expert / Ongo Weight Loss internal**	Expert judgment, our audits, Playbook and leadership decisions

How much to trust each label

Label	Trust	Before you rely on it
🟢	Highest	Check it's still current (dates are given)
🟡	High	Remember it's one person's statement
🟠	Medium	Prefer the original source when possible
🔵	Varies	Confirm with the map owner or leadership

Risk level: what can go wrong

Most on-page risk comes from five places: **PHI in analytics or URLs**, **a site-wide noindex or canonical mistake**, **brand drug names on commercial pages**, **false or unseen structured data**, and **session recording on private pages**. Chapter 44 (ZETA) lists them all.

How the Answer Keys Work

Every chapter's answer key sits at the foot of the chapter, printed **upside down**. Try the quiz first, then turn the page around to check. All 44 keys are also collected in the back matter.

01

LEVEL 1

Foundation

What on-page SEO means for Ongo Weight Loss, how Google reads a Next.js page, the 22-point standard and the live-site baseline.

1 · What On-Page SEO Means for Ongo Weight Loss

2 · How Google Reads a Next.js Page

3 · The 22-Point On-Page Launch Standard

4 · The Live-Site Baseline: ongoweightloss.com on 30 October 2026

LEVEL 1 · CHAPTER 1

Chapter 1: What On-Page SEO Means for Ongo Weight Loss

Book Three decided which pages exist. Book Four makes each of those pages readable, trustworthy and measurable, for patients and for Google.

> 💡 **Trivia**
>
> Google's own SEO Starter Guide says that in most cases, SEO changes can take anywhere from **a few hours to several months** to show an effect, and that you should wait a few weeks before judging whether a change helped. [1] ● Google official
>
> On-page SEO is not a switch. It is a standard you apply to every page, every time, and then measure patiently.

1.1 The three layers of SEO, revisited

Layer	Question it answers	Book
Architecture	Which pages exist, where they live, how they connect	Book Three
On-page	Is each page clear, correct, trustworthy and technically sound?	**Book Four**
Off-page	Does the rest of the web vouch for us?	Book Two
Technical (deep)	Speed, rendering, Core Web Vitals, crawl budget, infrastructure	Future Technical SEO book

On-page SEO is everything **on the page and in its code** that helps a person and a search engine understand it: the title, the description, the headings, the words, the images, the links, the structured data, the canonical tag, the robots rules, the tracking, the accessibility labels.

1.2 What on-page SEO is, and what it isn't

On-page SEO is	On-page SEO is not
Writing a clear, unique title for every page	Repeating "semaglutide" 40 times
Making the H1 match what the page actually delivers	Hiding text for Google
Telling Google the preferred URL with a canonical	Hoping Google guesses
Describing images for people who can't see them	Stuffing keywords into alt text
Measuring what users do, without collecting health data	Recording everything "just in case"
Following Ongo Weight Loss compliance rules on every page	Copying a competitor's claims

> 🍛 **Desi analogy: restaurant ka menu card**
>
> Book Three ne decide kiya ki restaurant mein kaun-kaun si dishes banengi. Book Four menu card hai: **har dish ka sahi naam, saaf description, photo, price, aur "contains nuts" ki warning**. Dish kitni bhi achhi ho, agar menu mein naam galat likha hai toh customer order hi nahi karega.

1.3 Why on-page matters more for a telehealth brand

Ongo Weight Loss sits in **Your Money or Your Life (YMYL)** territory: health decisions, prescription medication, payments. Google's Search Quality Rater Guidelines say **Trust is the most important member of E-E-A-T**. [2] ● Google official

On a YMYL page, on-page details carry trust signals:

On-page element	Trust signal it carries
Byline + medical reviewer + dates	Who wrote it, who checked it, when
Clear H1 and opening paragraph	The page does what the title promises
Citations to FDA, NIH, peer-reviewed sources	Claims are checkable
Required disclaimers	Honest limits ("compounded medications are not FDA-approved")

On-page element	Trust signal it carries
Accurate structured data	Machine-readable facts that match the page
Accessible design	Every patient can use the site

1.4 The Ongo Weight Loss on-page promise

Every indexable page on ongoweightloss.com must be:

1. **Unique** – its own title, description, H1 and purpose (no near-copies).
2. **Clear** – a patient understands in five seconds what the page is and what to do next.
3. **Correct** – medically reviewed, dated, with sources and disclaimers.
4. **Compliant** – compounded semaglutide and tirzepatide only; no brand drug names in commercial titles, URLs, ads or CTAs during the launch phase; no outcome claims borrowed from brand trials.
5. **Technically sound** – canonical, robots, schema, Open Graph, sitemap entry, valid HTML.
6. **Accessible** – headings in order, alt text, named buttons, sufficient contrast.
7. **Measured** – page metadata and named events in GA4 via GTM, **with zero PHI**.

> 🟧 **Ongo Weight Loss example**
>
> The live compounded semaglutide page has a strong H1 ("Compounded Semaglutide Vial") and good image alt text on its hero, but on 30 October 2026 it had **no canonical, no Open Graph tags, no structured data, no breadcrumbs and no reviewer or date line**, and it was set to `noindex, nofollow`. Architecture put the page in the right place; on-page work is what's still missing. (Chapter 4 has the full audit.) 🔵 Ongo Weight Loss internal

1.5 Who owns what

Task	SEO	Content	Medical	Dev	Analytics
Title, description, H1	✅ owns	drafts	reviews claims	implements	—
Body copy and headings	reviews	✅ owns	✅ approves	—	—

Task	SEO	Content	Medical	Dev	Analytics
Canonical, robots, sitemap	✅ specifies	—	—	✅ builds	—
Schema	✅ specifies	—	checks facts	✅ builds	—
Alt text	reviews	✅ writes	—	implements	—
GTM, GA4, Clarity	specifies needs	—	—	installs	✅ owns
Accessibility	reviews	writes labels	—	✅ builds	—

1.6 Do's and Don'ts

✅ Do	❌ Don't
Treat every page as a product with a spec	Publish and "fix SEO later"
Start from the page record in the master map	Invent titles on the fly
Check compliance rules before writing a title	Put brand drug names in commercial titles
Measure after a few weeks, not a few hours	Panic over one day of data

1.7 Pros and cons of a strict on-page standard

✅ Pros	❌ Cons
Every page launches complete	Slower first launch
Fewer rewrites and fixes later	Needs checklists and discipline
Consistent trust signals across the site	Developers need clear specs
Clean analytics from day one	Requires cross-team sign-off

1.8 Where freshers go wrong in Chapter 1 topics

Mistake	Why it happens	Avoid it by	Fix it by
Thinking on-page = keywords	Old SEO advice	Using the seven-part promise	Re-reading 1.4
Ignoring code-level tags	"That's the developer's job"	Owning the spec	Adding tag checks to your review
Judging a change after two days	Impatience	Setting a check date	Waiting a few weeks

1.9 Thumb rules

👍 Architecture decides the page; on-page makes the page work.

👍 Unique, clear, correct, compliant, sound, accessible, measured.

👍 On a health site, every on-page detail is a trust detail.

1.10 Notes to remember

📝 Trust is the most important part of E-E-A-T (Rater Guidelines).

📝 SEO impact can take hours to months; wait weeks before judging.

Chapter 1 Glossary

Term	Simple meaning
On-page SEO	Everything on a page and in its code that helps people and search engines understand it
YMYL	Your Money or Your Life: topics that can affect health, money or safety
E-E-A-T	Experience, Expertise, Authoritativeness, Trust

Term	Simple meaning
Page record	The master-map row that defines a page (Book Three)
PHI	Protected health information

Chapter 1 Quiz

1. Which book covers on-page SEO?

- A) Book Four
- B) Book Three
- C) Book One
- D) Book Two

2. What is the most important part of E-E-A-T?

- A) Authoritativeness
- B) Trust
- C) Experience
- D) Expertise

3. Which is NOT on-page SEO?

- A) Writing a unique title
- B) Adding alt text
- C) Setting a canonical
- D) Hiding text for Google

4. How long can SEO changes take to show, per Google?

- A) Never
- B) Ten years
- C) Exactly 24 hours
- D) A few hours to several months

5. Which medications does Ongo Weight Loss offer?

- A) All brand GLP-1s
- B) Only brand tirzepatide

- C) Any weight-loss drug
- D) Compounded semaglutide and tirzepatide only

6. What must never be sent to analytics?

- A) Funnel stage
- B) Page type
- C) CTA names
- D) PHI

7. Who owns body copy and headings?

- A) The ad agency
- B) Content (with medical approval)
- C) Analytics
- D) Nobody

8. Where does deep Core Web Vitals work live?

- A) The future Technical SEO book
- B) It's not needed
- C) Chapter 1
- D) Book Two

9. What is YMYL?

- A) A Google penalty
- B) A Next.js feature
- C) Topics that can affect health, money or safety
- D) A schema type

10. In the restaurant analogy, Book Four is…

- A) The kitchen
- B) The menu card
- C) The delivery bike
- D) The parking lot

Sources

1. Google Search Central, SEO Starter Guide (last updated December 10, 2025)
2. Google, Search Quality Rater Guidelines (version of September 11, 2025)
3. Ongo Weight Loss, live-site audit of ongoweightloss.com, 30 October 2026 (internal)

Answer key, Chapter 1: 1-A · 2-B · 3-D · 4-D · 5-D · 6-D · 7-B · 8-A · 9-C · 10-B

LEVEL 1 · CHAPTER 2

Chapter 2: How Google Reads a Next.js Page

Before you optimize a page, understand the journey Google takes from URL to search result, and where a Next.js site can help or hurt.


> 💡 **Trivia**
>
> Next.js can now **stream** metadata: for bots that run JavaScript, such as Googlebot, the metadata tags may be appended to the `<body>` after the first HTML is sent. For "HTML-limited" bots that can't run JavaScript (for example, Facebook's link-preview crawler), Next.js still blocks rendering so the tags appear in the `<head>`. [1] ● Next.js official
>
> The same page can be delivered two different ways depending on who is asking. That's why we always test with real tools, not assumptions.

2.1 The four stages

Stage	What Google does	What can go wrong on a Next.js site
1. Crawl	Googlebot fetches the URL	robots.txt blocks it; server errors; redirect loops
2. Render	Google runs JavaScript to see the final page	Content only appears after a click; client-only components with no server HTML
3. Index	Google stores and understands the page	`noindex`, duplicate content, canonical pointing elsewhere, soft 404
4. Serve	Google shows the page for a query	Weak title, unclear content, no trust signals

> 🪔 **Desi analogy: shaadi ka invitation card**
>
> Pehle card ghar tak pahunchna chahiye (crawl). Phir envelope khol ke padha jaana chahiye (render). Phir family yaad rakhe ki shaadi kab aur kahan hai (index). Aur shaadi ke din log sahi venue pe pahunchein (serve). **Kisi bhi step pe galti hui, toh mehmaan nahi aayenge.**

How Google Reads a Page



Find the broken stage first.

2.2 Why Next.js is a good starting point

The Next.js **App Router** renders pages on the server by default (Server Components). That means the first HTML response already contains the text, headings, links and metadata. Google can read server HTML without waiting for JavaScript.

Rendering style	What Google receives first	SEO risk
Static (prerendered)	Complete HTML built at deploy time	Lowest
Server-rendered on request	Complete HTML built per request	Low
Client-only (`'use client'` everything)	A mostly empty shell + JavaScript	Higher: content depends on rendering

> 📝 **Note to remember:** `metadata` and `generateMetadata` work **only in Server Components**. [1] 🟢 If someone marks a whole page `'use client'`, they've broken the metadata route. Keep `page.tsx` as a Server Component and move interactive parts into separate client components.

2.3 What lives where in a Next.js App Router project

File	Job	On-page SEO role
`app/layout.tsx`	Root layout wrapping every page	Site-wide metadata defaults, `<html lang>`, fonts, GTM
`app/page.tsx`	The homepage	Homepage metadata and content
`app/[segment]/page.tsx`	Each route	Page-level metadata and content
`app/sitemap.ts`	Generates sitemap.xml	Discovery
`app/robots.ts`	Generates robots.txt	Crawl rules
`app/not-found.tsx`	Custom 404 UI	Helpful dead-end handling
`app/icon.svg`, `app/apple-icon.png`, `app/favicon.ico`	File-based icons	Favicons
`app/opengraph-image.png`	File-based OG image	Social cards
`next.config.ts`	Redirects, headers, trailing slash	URL normalization

2.4 Server HTML vs. rendered DOM: test both

Test	Tool	What it proves
View page source (Ctrl+U)	Browser	What's in the **initial HTML**
Inspect element	DevTools	What's in the **rendered DOM**
URL Inspection → View crawled page	Google Search Console	What **Google** actually saw
Rich Results Test	Google	Structured data Google can read

> 🟧 **Ongo Weight Loss example**
>
> On ongoweightloss.com, the homepage's title, description, canonical and Open Graph tags are present in the HTML. A link-preview tool that reads only HTML will see them. Always confirm money pages with **URL Inspection** after each release. 🔵

2.5 Indexing signals Google weighs

Signal	Where it lives	Chapter
HTTP status (200, 301, 404, 410)	Server / Next.js	32, 33
`robots` meta / `X-Robots-Tag`	Metadata API / headers	21
Canonical tag	`alternates.canonical`	20
Sitemap inclusion	`sitemap.ts`	27
Internal links	`next/link` in content and navigation	11, 24
Content quality and uniqueness	The page itself	8, 9

2.6 Do's and Don'ts

✅ Do	❌ Don't
Keep pages as Server Components by default	Wrap whole pages in `'use client'`
Check URL Inspection after releases	Assume "it works on my laptop"
Put important text in server HTML	Load main content only after a click
Know which file owns which tag	Hard-code `<title>` in random components

2.7 Pros and cons of the App Router for SEO

✅ Pros	❌ Cons
Server HTML by default	Learning curve for content teams
Built-in Metadata API, sitemap and robots files	Shallow metadata merging can surprise you (Chapter 19)
File-based icons and OG images	Streaming metadata behaves differently per bot
Fast navigation with `next/link`	Client components can hide content if misused

2.8 Where freshers go wrong in Chapter 2 topics

Mistake	Why it happens	Avoid it by	Fix it by
Checking only the rendered DOM	DevTools is easier	Also viewing source	Using URL Inspection
Making a page a client component for one button	Convenience	Splitting the button into its own file	Refactoring
Thinking indexed = ranking	Confusing stages	The four-stage table	Working on "serve" signals

2.9 Thumb rules

> 👍 Crawl, render, index, serve: find the broken stage first.
>
> 👍 Pages stay server-side; buttons go client-side.
>
> 👍 Trust URL Inspection over your own browser.

2.10 Notes to remember

> 📝 Metadata exports work only in Server Components.
>
> 📝 Streaming metadata: appended to the body for JS-capable bots; kept in the head for HTML-limited bots.

Chapter 2 Glossary

Term	Simple meaning
Crawl	Google fetching a URL
Render	Running the page's code to see the final content
Index	Storing and understanding a page
Server Component	A Next.js component rendered on the server
Client Component	A component that runs in the browser (`'use client'`)
App Router	Next.js routing system based on the `app/` folder
Streaming metadata	Sending metadata after the first HTML

Chapter 2 Quiz

1. What are Google's four stages, in order?

- A) Serve, render, crawl, index
- B) Render, serve, index, crawl
- C) Crawl, render, index, serve
- D) Index, crawl, serve, render

2. Where can `generateMetadata` be used?

- A) In robots.txt
- B) In CSS files

- C) Only in Client Components
- D) Only in Server Components

3. Which file generates sitemap.xml in the App Router?

- A) app/sitemap.ts
- B) public/index.css
- C) app/footer.tsx
- D) package.json

4. Which tool shows what Google actually saw?

- A) A screenshot on your phone
- B) URL Inspection in Search Console
- C) The design file
- D) Slack

5. Which rendering style has the highest SEO risk?

- A) Client-only pages
- B) Server-rendered pages
- C) Static prerendered pages
- D) None have risk

6. Which bot gets metadata in the head even with streaming?

- A) Every bot gets it in the footer
- B) Googlebot only
- C) HTML-limited bots like Facebook's preview crawler
- D) No bot

7. A page marked `'use client'` for one button should…

- A) Stay that way
- B) Move the button into its own client component
- C) Be deleted
- D) Be noindexed

8. Which signal lives in `alternates.canonical`?

- A) The GA4 ID
- B) The font

- C) The canonical URL
- D) The favicon

9. Which file holds the custom 404 UI?

- A) app/icon.svg
- B) app/404.css
- C) app/not-found.tsx
- D) app/robots.ts

10. In the wedding-card analogy, "render" means…

- A) Eating the food
- B) Opening and reading the card
- C) Choosing the venue
- D) Printing the card

Sources

1. Next.js Docs, generateMetadata (last updated August 19, 2026)
2. Google Search Central, In-depth guide to how Google Search works
3. Google Search Central, Understand JavaScript SEO basics

Answer key, Chapter 2: 1-C · 2-D · 3-A · 4-B · 5-A · 6-C · 7-B · 8-C · 9-C · 10-B

LEVEL 1 · CHAPTER 3

Chapter 3: The 22-Point On-Page Launch Standard

Twenty-two checks that every Ongo Weight Loss page must pass before it goes live. This chapter is the map; the rest of the book is the territory.

> 💡 **Trivia**
>
> Google treats URLs as **case sensitive**: `/APPLE` and `/apple` are two different URLs to Google. [1] 🟢 Google official
>
> On 30 October 2026, `ongoweightloss.com/About/` returned a 404 while `/about/` worked. Small details like this are exactly why the standard has 22 points, not 5.

3.1 The 22 points and where they live in this book


#	Point	What "pass" means	Chapter
1	**Meta data** (title + description)	Unique, accurate, brand-safe title and description	5, 6, 19
2	**Alt tags**	Every meaningful image described; decorative images `alt=""`	13, 25
3	**H1 / H2 / H3**	One H1; logical, nested outline; no headings used for styling	7, 29
4	**W3C validation**	No critical HTML errors (duplicate IDs, invalid nesting)	31
5	**XML sitemap** (pages, types, host)	Only canonical, indexable 200 URLs; one host; accurate lastmod	27
6	**robots.txt**	Blocks only what must not be crawled; lists the sitemap	28

#	Point	What "pass" means	Chapter
7	**Canonical**	Self-referencing absolute canonical on every indexable page	20
8	**OG cards**	og:title, type, image, url (+ description, alt) on every page	22
9	**Viewport**	`width=device-width, initial-scale=1`; zoom not disabled	30
10	**Schema**	Correct JSON-LD that matches visible content	23
11	**404 page**	True 404 status, helpful links, branded title	33
12	**URL normalisation**	One URL per page: https, non-www, lowercase, trailing slash	32
13	**ARIA labels**	Every control has an accessible name; ARIA used only when needed	34
14	**GA4**	Data stream live; key events defined; no PHI	36
15	**GSC connected**	Domain property verified via DNS; linked to GA4	37
16	**GTM connected**	One container on every page; data layer before GTM	35
17	**Clarity**	Installed with strict masking; excluded from portal and forms	38
18	**Custom events**	Named events per the Ongo Weight Loss event dictionary	39
19	**Breadcrumbs**	Visible trail + BreadcrumbList on every non-home page	12
20	**Date published / modified**	Visible dates + matching `datePublished` / `dateModified`	10, 43
21	**Favicon**	Square raster favicon (≥ 48 px) + `/favicon.ico` + apple-touch-icon	30
22	**Logo to SVG**	Header logo as accessible SVG; raster logo for structured data	25

> **Desi analogy: cricket team selection**
>
> Selector ek player ko sirf batting dekh ke nahi chunta. **Fitness test, fielding, running between wickets, discipline: sab check hota hai.** 22-point standard wahi fitness test hai. Ek bhi point fail, toh page playing eleven mein nahi.

3.2 How the 22 points group together

Group	Points	Owner
Content signals	1, 2, 3, 19, 20	SEO + content + medical
Index control	5, 6, 7, 11, 12	SEO + dev
Presentation and sharing	8, 9, 21, 22	Dev + design
Machine-readable meaning	10, 4	SEO + dev
Accessibility	13 (and 2, 3)	Dev + content
Measurement	14, 15, 16, 17, 18	Analytics + dev



3.3 Severity levels

Not every failure is equal. Use these levels when you report issues.

Level	Meaning	Examples	Fix within
🔴 **Blocker**	Page must not launch	PHI in analytics; brand name in a commercial title; wrong canonical; accidental noindex on a money page	Before launch
🟠 **High**	Launch only with an owner and date	Missing schema; missing OG; no breadcrumbs; no dates	1 sprint
🟢 **Normal**	Fix in the next batch	Minor W3C warnings; alt text could be more specific	1 month

> 🟧 **Ongo Weight Loss example**
>
> A missing canonical on `/services/glp-1/compounded-semaglutide/` is 🟠 High. But if that page were meant to be indexed and is accidentally `noindex, nofollow`, that is 🔴 Blocker, because the most important money page can't appear in Google at all. 🔵

3.4 The page "definition of done"

A page is done only when:

1. Its master-map record exists and matches the page.
2. All 22 points pass (or each failure has an owner and date).
3. Medical and compliance have signed off.
4. URL Inspection shows the page as Google sees it.
5. Events fire correctly in GA4 DebugView.

3.5 Do's and Don'ts

✅ Do	❌ Don't
Run all 22 checks on every new page	Check only titles
Report failures with a severity level	Report everything as "urgent"
Re-run the checks after every release	Assume old pages stay correct
Keep the checklist in the shared tracker	Keep it in your head

3.6 Pros and cons of a fixed checklist

✅ Pros	❌ Cons
Nothing important is forgotten	Can feel mechanical
Freshers can contribute on day one	Needs updating as Google changes
Easy to audit and report	Doesn't replace judgment

3.7 Where freshers go wrong in Chapter 3 topics

Mistake	Why it happens	Avoid it by	Fix it by
Ticking boxes without testing	Rushing	Testing each point with a tool	Re-testing
Treating a noindexed money page as "normal"	Not knowing the plan	Checking the indexing plan	Escalating as a blocker
Ignoring measurement points	"SEO isn't analytics"	Remembering points 14–18	Adding them to QA

3.8 Thumb rules

> 👍 Twenty-two points, every page, every release.
>
> 👍 Blockers stop launches; highs get owners and dates.
>
> 👍 Done means tested, not ticked.

3.9 Notes to remember

📝 Google treats URLs as case sensitive.

📝 Three severity levels: blocker, high, normal.

Chapter 3 Glossary

Term	Simple meaning
Launch standard	The checks a page must pass before going live
Blocker	A failure that stops a launch
Definition of done	The conditions that make a page complete
DebugView	GA4's live view for testing events
Case sensitive	Upper and lower case letters are treated as different

Chapter 3 Quiz

1. How many points are in the on-page launch standard?

- A) 5
- B) 10
- C) 22
- D) 100

2. Does Google treat URLs as case sensitive?

- A) Yes
- B) Only for images
- C) No
- D) Only on weekends

3. Which severity stops a launch?

- A) Normal
- B) Blocker
- C) Cosmetic
- D) Low

4. Which chapter covers canonicals?

- A) 44
- B) 5
- C) 20
- D) 38

5. A brand drug name in a commercial title is…

- A) A W3C warning
- B) Encouraged
- C) A blocker
- D) Normal

6. Which tool tests events before launch?

- A) A spreadsheet
- B) GA4 DebugView
- C) Photoshop
- D) robots.txt

7. Which group includes GTM, GA4 and Clarity?

- A) Content signals
- B) Accessibility
- C) Presentation
- D) Measurement

8. What should a decorative image's alt be?

- A) "image"
- B) Empty: alt=""
- C) The file name
- D) A keyword list

9. What does point 12 require?

- A) Uppercase URLs
- B) Random parameters
- C) Many URLs per page
- D) One URL per page (https, non-www, lowercase, trailing slash)

10. In the cricket analogy, the 22 points are…

- A) The trophy
- B) The toss
- C) The stadium
- D) The fitness test

Sources

1. Google Search Central, URL structure best practices (last updated October 21, 2026) 🟢
2. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 3: 1-C · 2-A · 3-B · 4-C · 5-C · 6-B · 7-D · 8-B · 9-D · 10-D

LEVEL 1 · CHAPTER 4

Chapter 4: The Live-Site Baseline: ongoweightloss.com on 30 October 2026

Before improving anything, record where we start. This chapter is a dated snapshot of the live site against the 22-point standard, including its fonts, sizes and colours.

> 💡 **Trivia**
>
> On 30 October 2026, every one of the 34 URLs in ongoweightloss.com's sitemap.xml carried the **same lastmod timestamp**, down to the millisecond. Google says it uses `lastmod` only if it is **consistently and verifiably accurate**. [1] ● Google official
>
> A date that changes on every build tells Google nothing, so Google learns to ignore it.

4.1 How the audit was done

Item	Detail
Date	30 October 2026
Tools	Chrome (desktop, 1536 px), DevTools computed styles, page source, Google's fetch of key URLs
Pages checked	Homepage; `/services/glp-1/compounded-semaglutide/`; `/blog/semaglutide/semaglutide-dosing-guide/`; a missing URL (404 test); `/robots.txt`; `/sitemap.xml`; `/sitemap.html`
Limits	One viewport size; no Lighthouse or Core Web Vitals run (that belongs to the Technical SEO book)

● Ongo Weight Loss internal. Recheck before quoting: the site changes weekly.

4.2 Scorecard against the 22 points

#	Point	Status	Finding
1	Meta data	🟡 Partial	Homepage title and description good. Money page has a title, but the description is weak and there's no OG
2	Alt tags	🟡 Partial	75 images on the homepage; 0 missing alt attributes, but 52 have `alt=""`. Some (vial thumbnails, author photo) are meaningful and need real alt text
3	H1/H2/H3	🟡 Partial	One H1 per page ✔️. H4 used as a 12 px label (styling, not structure). Line breaks inside headings run words together for crawlers ("inAll 50 States")
4	W3C	⚪ Not run	Run the validator in the first audit sprint
5	XML sitemap	🟠 Issues	34 URLs, one host ✔️, but identical lastmod; includes a `noindex` page
6	robots.txt	✅ Pass	Blocks account, admin, portals, onboarding, API; lists sitemap
7	Canonical	🟠 Issues	Homepage and blog ✔️; compounded semaglutide money page has **none**
8	OG cards	🟡 Partial	Homepage complete (title, type, image, alt, url, locale); money page has none
9	Viewport	✅ Pass	`width=device-width, initial-scale=1`
10	Schema	🟠 Issues	Homepage carries one very large graph (37 items, incl. HowTo, FAQPage, 13 SiteNavigationElement, Drug+Product); money page has none; blog has MedicalWebPage+Article (good) + FAQPage
11	404 page	🟡 Partial	True 404 status ✔️, noindex ✔️; but title is just "Not found" and only one link is offered
12	URL normalisation	🟡 Partial	No-slash URLs redirect to trailing slash ✔️; `/About/` (uppercase) returns 404 instead of redirecting
13	ARIA	🟡 Partial	One link/button with no accessible name on the homepage
14	GA4	✅ Present	gtag loaded

#	Point	Status	Finding
15	GSC	✅ Present	Verification meta tag present (DNS verification recommended too)
16	GTM	✅ Present	Container loaded; data layer has entries on load
17	Clarity	✅ Present	Clarity running; masking settings must be verified (Chapter 38)
18	Custom events	⚪ Unknown	Needs a GTM container review
19	Breadcrumbs	🔴 Missing	No visible breadcrumb trail on the money page or blog (blog shows a home icon only); no BreadcrumbList on those pages
20	Dates	🟡 Partial	Blog shows published and "Last Updated" and has matching schema ✔️; no `article:modified_time` meta; money page has no reviewed/updated date
21	Favicon	🟠 Issues	Only `/icon.svg`; `/favicon.ico` returns 404; no apple-touch-icon; **SVG is not in Google's list of supported favicon formats**
22	Logo to SVG	✅ Pass	Header logo is an inline SVG (163 × 48); confirm the link has an accessible name

4.3 Typography: fonts and sizes

Item	Finding
Main family	One family site-wide, self-hosted through `next/font` (exposed as `__siteFont`), weights 400–800, `font-display: swap`. The CSS names **Plus Jakarta Sans** as the fallback family, so that is very likely the face in use. Confirm with the developer.
Second font	**Great Vibes** (script) is loaded, but no visible homepage text uses it: an unnecessary download
Body	16 px, line-height 24 px (1.5), weight 400, ink #1A1A1A on cream #FFFBF5
H1	52 px, weight 700, line-height 1.1
H2	45.6 px, weight 700, line-height 1.2

Item	Finding
H3	20.48 px, weight 700, brand green
Hero paragraph	13 px white on green
Distinct sizes on homepage	**18** (16.8, 16, 20.48, 14, 13.12, 45.6, 12.48, 12, 11.2, 18, 52, 14.08, 15, 11.84, 10, 13.76, 10.88, 15.2 px)

⚠️ **Where freshers go wrong: too many sizes.** Eighteen sizes, several below 12 px, make a page harder to read and harder to maintain. A design system normally uses a short type scale. Chapter 26 proposes one. 🔵

4.4 Colours

Role	Hex	Where
Brand green	**#1B4332**	Headings (H3), most coloured text
Deep green	#16352C	Dark sections
Mid green	#347E5D	Accents
Mint tint	#D8F3DC	Card backgrounds
Cream	**#FFFBF5**	Page background
Coral (CTA)	**#E76F51**	Main "See If I'm Eligible" button, highlights
Orange accent	#EE8A4F	Secondary accents
Gold	#E4B23A	Stars, labels
Ink	#1A1A1A	Body text
Slate	#5C6B73	Secondary text
Light grey	#8A9A9E	Small captions

4.5 Contrast check (WCAG 2.2 AA)

Pair	Ratio (approx.)	Needed	Result
Brand green on cream	~10.7:1	4.5:1	✅
Slate on cream	~5.4:1	4.5:1	✅
Gold on brand green	~5.7:1	4.5:1	✅
White on coral (main CTA, 15.2 px bold)	**~3.1:1**	4.5:1 (text under 18.5 px bold)	❌
Light grey on white	**~2.9:1**	4.5:1	❌

WCAG defines large text as at least 18 pt (about 24 px), or 14 pt bold (about 18.5 px). [2] ● W3C. The CTA text is smaller than that, so it needs 4.5:1.

> 🪔 **Desi analogy: mohalla ki dukaan ka board**
>
> Dukaan ka board sundar orange pe white likha hai, lekin door se padha hi nahi jaata. **Sundar hona aur padha jaana, dono zaroori hain.** Contrast wahi "door se padhne wala" test hai.

4.6 Top ten fixes from the baseline

Priority	Fix	Chapter
1	Decide whether the compounded semaglutide/tirzepatide pages should be indexed; if yes, remove `noindex, nofollow` after the checklist passes	21
2	Add self-canonicals, OG and page-level schema to money pages	20, 22, 23
3	Add visible breadcrumbs + BreadcrumbList to every non-home page	12
4	Add a raster favicon (48 × 48 multiple), `/favicon.ico` and apple-touch-icon	30
5	Make sitemap lastmod reflect real content changes; remove noindex URLs from the sitemap	27
6	Build `/sitemap.html`	27
7	Darken the coral CTA (or enlarge/bolden text) to reach 4.5:1	26, 34

Priority	Fix	Chapter
8	Trim the homepage schema to what's true and useful	23
9	Lowercase-redirect uppercase URLs	32
10	Brand the 404 title and add helpful links	33

4.7 Do's and Don'ts

✅ Do	❌ Don't
Date every audit	Quote an audit months later as current
Record what you couldn't test	Pretend you tested everything
Prioritise by impact	Fix cosmetics before blockers
Share findings with dev and design together	Send fixes one by one in chat

4.8 Pros and cons of a baseline snapshot

✅ Pros	❌ Cons
Shows progress over time	Goes stale quickly
Gives the team one shared list	One viewport only
Turns opinions into evidence	Needs repeating every quarter

4.9 Where freshers go wrong in Chapter 4 topics

Mistake	Why it happens	Avoid it by	Fix it by
Treating every empty alt as an error	Tools flag them	Checking if the image is decorative	Writing alt only for meaningful images

Mistake	Why it happens	Avoid it by	Fix it by
Guessing font names from screenshots	No DevTools habit	Reading computed styles	Asking the developer
Reporting contrast "looks fine"	Viewing on a bright monitor	Using a contrast checker	Measuring ratios

4.10 Thumb rules

👍 No date, no audit.

👍 Fix what blocks indexing before what looks untidy.

👍 Beautiful but unreadable is still unreadable.

4.11 Notes to remember

📝 Baseline: one font family, 18 text sizes, coral CTA at about 3.1:1 contrast.

📝 SVG is not a supported favicon format for Google Search; supported formats include ICO and PNG.

Chapter 4 Glossary

Term	Simple meaning
Baseline	The starting snapshot you compare against later
Computed style	The final CSS value the browser actually applies
Contrast ratio	How different two colours are in brightness
Type scale	A small, fixed set of text sizes
lastmod	The "last modified" date in a sitemap

Chapter 4 Quiz

1. How many URLs were in the sitemap on 30 October 2026?

- A) 340
- B) 0
- C) 34
- D) 3

2. Why is an identical lastmod on every URL a problem?

- A) It stops GA4
- B) It's illegal
- C) It breaks the font
- D) Google uses lastmod only if it's consistently accurate

3. What contrast does the main coral CTA have?

- A) 21:1
- B) About 3.1:1
- C) 12:1
- D) 7:1

4. What contrast does normal-size text need under WCAG AA?

- A) 4.5:1
- B) 10:1
- C) 1:1
- D) 2:1

5. Which favicon issue was found?

- A) A GIF favicon
- B) No issue
- C) Five favicons
- D) Only an SVG icon; /favicon.ico returned 404

6. How many distinct text sizes were on the homepage?

- A) 18
- B) 4
- C) 2

- D) 50

7. Which font was loaded but unused?

- A) Arial
- B) Inter
- C) Plus Jakarta Sans
- D) Great Vibes

8. What happened at /About/ (uppercase)?

- A) It showed the homepage
- B) It redirected to /about/
- C) It crashed the server
- D) It returned 404

9. Which point was fully missing on money and blog pages?

- A) Breadcrumbs
- B) robots.txt
- C) Viewport
- D) GTM

10. In the dukaan board analogy, contrast is…

- A) The shopkeeper's name
- B) The shop's rent
- C) The "can you read it from far away" test
- D) The opening time

Sources

1. Google Search Central, Build and submit a sitemap (last updated July 8, 2026) 🟢
2. W3C, Understanding SC 1.4.3: Contrast (Minimum) 🟢
3. Google Search Central, Define a favicon to show in search results (last updated October 27, 2026) 🟢
4. Ongo Weight Loss, live-site audit of ongoweightloss.com, 30 October 2026 (internal) 🔵

Answer key, Chapter 4: 1-C · 2-D · 3-B · 4-A · 5-D · 6-A · 7-D · 8-D · 9-A · 10-C

02

LEVEL 2

Page Content

Everything the patient reads: titles, descriptions, headings, trust, links, breadcrumbs, images, FAQs and citations.

5 · Title Tags That Earn the Click

6 · Meta Descriptions That Summarise, Not Sell

7 · H1, H2, H3: The Page Outline

8 · The First Screen: Opening Paragraph and Intent Match

9 · Body Content: Helpful, Readable, Compliant

10 · Trust on the Page: Bylines, Reviewers and Dates

11 · Internal Links and Anchor Text on the Page

12 · Breadcrumbs: Visible Trail and BreadcrumbList

13 · Image SEO and Alt Text

14 · Video on the Page

15 · FAQs After the End of FAQ Rich Results

16 · Tables, Lists and Comparison Content

17 · Answer-Ready Pages for AI Overviews and AI Mode

18 · External Links and Citations

LEVEL 2 · CHAPTER 5

Chapter 5: Title Tags That Earn the Click

The title is the first thing a patient reads in Google. It must be unique, honest, brand-safe and short enough to survive truncation.

> 💡 **Trivia**
>
> Google doesn't only use your `<title>` element to build the title link in search results. It can also use the page's main visual title, the H1, `og:title`, other large prominent text, anchor text from links pointing at the page, and `WebSite` structured data. [1] 🟢 Google official
>
> If your title and your H1 disagree, Google may pick the one it thinks is more accurate, and it might not be yours.

5.1 What Google says about titles

Google guidance	What it means for Ongo Weight Loss
Every page should have a title	No page ships with the default "Create Next App"
Titles should be **descriptive and concise**	Say what the page is, not everything it contains
Avoid **vague** titles like "Home" or "Profile"	"Home" is not a title
Avoid **keyword stuffing**	One natural phrase, not five variants
Avoid **boilerplate** across many pages	No 30 pages that differ by one word
Brand your titles concisely	Site name at the end, after a separator
There's **no set length limit**, but titles get truncated to fit the device	Aim for about 50–60 characters so the important part shows

[1] 🟢 Google official. The 50–60 character range is an industry rule of thumb, not a Google limit. 🟠

5.2 The Ongo Weight Loss title formula

> **[What the page is] + [one qualifier that matters to the patient] | Ongo Weight Loss**

Page type	Pattern	Example
Homepage	Brand first + promise	Ongo Weight Loss | Doctor-Led Medical Weight Loss Care
Money page	Treatment + trust qualifier + brand	Compounded Semaglutide Online | Ongo Weight Loss
Service hub	Service + scope + brand	Medical Weight Loss Program | Ongo Weight Loss
Blog article	Question or topic (no brand needed if long)	How Long Does Semaglutide Take to Work?
Condition page	Condition + overview + brand	Obesity: Causes, Risks and Treatment | Ongo Weight Loss
Tool page	Tool + benefit + brand	BMI Calculator: Free and Instant | Ongo Weight Loss
Policy page	Policy name + brand	Refund Policy | Ongo Weight Loss
Person page	Name, credential + role + brand	Dr. Jonathan C. Miller, MD | Ongo Weight Loss

📝 **Note to remember:** the brand name is **Ongo Weight Loss**, not "Ongo". Every title, OG site name and schema `name` uses the full brand.

5.3 Compliance rules for titles

Rule	✅ Allowed	❌ Not allowed (launch phase)
No brand drug names in commercial titles	Compounded Semaglutide Online	Wegovy Online | Ongo Weight Loss

Rule	✅ Allowed	❌ Not allowed (launch phase)
No unproven outcome claims	Compounded Tirzepatide | Licensed Providers	Lose 20% Body Weight with Tirzepatide
No "FDA-approved" for compounded drugs	Compounded Semaglutide	FDA-Approved Semaglutide
No guaranteed prescriptions	See If You're Eligible	Get Semaglutide Today, Guaranteed
No price claims that can go stale	(price on page, updated)	Semaglutide $99/Month (if price changes)

⚠️ **Where freshers go wrong: chasing brand-name search volume.** "Ozempic" has more searches, but Ongo Weight Loss doesn't offer it. A commercial title using it is a trademark and trust risk (Book One, Chapter 9). Brand names may appear only in compliance-reviewed education, with "Ongo Weight Loss does not offer this medication." 🔵

5.4 Writing the title: step by step

Step	Action
1	Open the page record; read the primary keyword and intent
2	Write what the page **is** in 3–6 words
3	Add one qualifier a patient cares about (online, licensed providers, free, guide)
4	Add `| Ongo Weight Loss` (skip on long blog titles if the template adds it)
5	Check length (about 60 characters) and read it aloud
6	Check every compliance rule in 5.3
7	Check uniqueness against all other titles in the master map
8	Make sure the H1 says the same thing in different words

> 🪔 **Desi analogy: dukaan ka naam aur board**
>
> Board pe "Sharma Store" likhne se kuch pata nahi chalta. "Sharma Medical Store | 24 Ghante Khula" se customer turant samajh jaata hai. **Title wahi board hai: kya milta hai, kyun aao, aur kiski dukaan hai.**

5.5 Titles in Next.js (preview)

The root layout sets a template, and each page sets its own title. Chapter 19 covers this in detail.

```
// app/layout.tsx
export const metadata = {
  title: {
    default: 'Ongo Weight Loss | Doctor-Led Medical Weight Loss Care',
    template: '%s | Ongo Weight Loss',
  },
}

// app/services/glp-1/compounded-semaglutide/page.tsx
export const metadata = {
  title: 'Compounded Semaglutide Online', // → "Compounded Semaglutide Online | Ongo
Weight Loss"
}
```

> 🟧 **Ongo Weight Loss example**
>
> Live money-page title on 30 October 2026: **"Compounded Semaglutide Vials | Ongo Weight Loss"**. It's brand-safe and branded. Book Four's spec makes it intent-led: **"Compounded Semaglutide Online | Ongo Weight Loss"** (47 characters), because patients search for the treatment, not the vial. The vial detail moves into the H1 and body. 🔵

5.6 Title audit checklist

☐	Check
☐	Unique across the whole site
☐	Describes the page in the first 40 characters

☐	Check
☐	About 60 characters or fewer
☐	Ends with "| Ongo Weight Loss" (unless an approved exception)
☐	No brand drug names on commercial pages
☐	No outcome, guarantee or "FDA-approved" claims
☐	Matches the H1's meaning
☐	Not stuffed with keyword variants

5.7 Do's and Don'ts

✅ Do	❌ Don't
Lead with what the page is	Lead with the brand on every page
Use one natural keyword phrase	Repeat "semaglutide" three times
Keep titles unique	Copy a template title across pages
Use the full brand "Ongo Weight Loss"	Shorten to "Ongo"

5.8 Pros and cons of templated titles

✅ Pros	❌ Cons
Consistent branding	Risk of boilerplate titles
Fewer missing titles	Template may double the brand ("... | Ongo Weight Loss | Ongo Weight Loss")
Easy to update brand once	Long brand suffix eats space

5.9 Where freshers go wrong in Chapter 5 topics

Mistake	Why it happens	Avoid it by	Fix it by
Brand twice in the title	Page title already includes the brand and the template adds it again	Using `title.absolute` when the page writes its own full title	Removing one
Title and H1 about different things	Written by different people	Step 8 of 5.4	Aligning both
Titles over 70 characters	Trying to fit every keyword	The formula	Cutting qualifiers

5.10 Thumb rules

👍 What it is, why it matters, whose it is.

👍 One page, one title, one meaning.

👍 Brand names stay out of commercial titles in the launch phase.

5.11 Notes to remember

📝 Google can rewrite title links using the H1, og:title, prominent text and anchors.

📝 Google sets no length limit; truncation depends on device width.

Chapter 5 Glossary

Term	Simple meaning
Title element	The `<title>` tag in the page head
Title link	The clickable headline Google shows in results
Boilerplate	Repeated text that barely changes between pages

Term	Simple meaning
Title template	A pattern like "%s | Ongo Weight Loss" applied to child pages
Truncation	Cutting off text that doesn't fit

Chapter 5 Quiz

1. Which source can Google use for a title link besides the title element?

- A) The H1 and og:title
- B) The favicon
- C) The CSS file
- D) The robots.txt file

2. Does Google set a strict title length limit?

- A) Yes, 10 characters
- B) No; titles are truncated to fit the device
- C) Yes, 100 words
- D) Yes, exactly 50 characters

3. What brand name goes in Ongo Weight Loss titles?

- A) OWL
- B) Ongo Weight Loss
- C) No brand
- D) Ongo

4. Which commercial title is allowed in the launch phase?

- A) Guaranteed Ozempic Prescription
- B) Wegovy Online | Ongo Weight Loss
- C) FDA-Approved Semaglutide
- D) Compounded Semaglutide Online | Ongo Weight Loss

5. What does Google say about vague titles like "Home"?

- A) They're required
- B) Use them everywhere

- C) Avoid them
- D) They boost rankings

6. What is a title template?

- A) A pattern like "%s | Ongo Weight Loss" for child pages
- B) A schema type
- C) A sitemap
- D) A font

7. Why avoid stale price claims in titles?

- A) Prices change and the title becomes inaccurate
- B) Prices are PHI
- C) Titles can't contain digits
- D) Google bans numbers

8. How should the H1 relate to the title?

- A) Same meaning, different words
- B) No relation
- C) Identical keyword list
- D) Completely different topic

9. Which Next.js option ignores a parent title template?

- A) title.ignore
- B) title.absolute
- C) title.raw
- D) title.none

10. In the shop-board analogy, a good title says…

- A) The rent amount
- B) Only the owner's name
- C) What's sold, why come, and whose shop it is
- D) Nothing

Sources

1. Google Search Central, Influencing your title links in search results (last updated December 10, 2025)
2. Next.js Docs, generateMetadata: title (last updated August 19, 2026)
3. Ongo Weight Loss, Book One: The Foundation, Chapter 9 (brand-name rule), internal

Answer key, Chapter 5: 1-A · 2-B · 3-B · 4-D · 5-C · 6-A · 7-A · 8-A · 9-B · 10-C

LEVEL 2 · CHAPTER 6

Chapter 6: Meta Descriptions That Summarise, Not Sell

The meta description is your suggested snippet. Google may use it, rewrite it or ignore it, so write one that deserves to be used.

> 💡 **Trivia**
>
> Google says snippets are created **automatically**, mainly from the page's own content, and can differ by query. Google **sometimes** uses the meta description when it describes the page more accurately than the on-page text. [1] 🟢 Google official
>
> A description stuffed with keywords is less likely to be shown. A specific, honest summary is more likely to be.

6.1 Google's guidance in one table

Google says	Ongo Weight Loss rule
Write a **unique** description for each page	No two pages share a description
Use a **site-level** description on the homepage, page-level elsewhere	Homepage describes the brand; inner pages describe themselves
Include **useful details** (author, date, price, manufacturer) where relevant	Mention who provides care, what's included, how it works
Programmatic descriptions are fine if **readable and varied**	Templates for tool and policy pages, but hand-written for money pages
Avoid **keyword lists**	Write sentences
No length limit, but snippets are truncated to fit the device	Aim for about 140–160 characters (industry habit 🟠)

[1] ● Google official

6.2 The Ongo Weight Loss description formula

> **[What the page gives the patient] + [how / who] + [a soft next step or reassurance].**

Page type	Example
Homepage	Ongo Weight Loss offers doctor-led, online medical weight loss care with licensed providers, personalised GLP-1 plans and support in every step.
Money page	Learn how compounded semaglutide works, who may be eligible, dosing, safety and pricing, with care from licensed U.S. providers at Ongo Weight Loss.
Blog article	How long does semaglutide take to work? See what to expect week by week, why doses start low, and when to talk to your provider.
Tool	Calculate your BMI in seconds with our free calculator, then learn what your result means and what options may fit you.
Policy	Read Ongo Weight Loss's refund policy: what's refundable, timelines, and how to request a refund for your plan.

6.3 Compliance rules for descriptions

Rule	✅	❌
Compounded ≠ FDA-approved	"compounded semaglutide prescribed by licensed providers"	"FDA-approved semaglutide shipped to you"
No guaranteed outcomes	"may help with weight management as part of a plan"	"lose 15% of your weight"
No guaranteed prescription	"see if you may be eligible"	"get your prescription today"
No brand names on commercial pages	"compounded tirzepatide"	"cheaper than Zepbound"
No PHI or personal data	—	Personalised text with patient details

> 🪔 **Desi analogy: IT office ka email subject line**
>
> Office mein "Urgent!!! Read now!!!" subject wale email log ignore kar dete hain. "Q3 invoice for Project Alpha, due Friday" turant khulta hai. **Meta description bhi wahi subject line hai: saaf, specific, aur sach.**

6.4 In Next.js

```
// app/services/glp-1/compounded-tirzepatide/page.tsx
export const metadata = {
  title: 'Compounded Tirzepatide Online',
  description:
    'Learn how compounded tirzepatide works, who may be eligible, dosing, safety and
pricing, with care from licensed U.S. providers at Ongo Weight Loss.',
}
```

If a page doesn't set `description`, it inherits the parent layout's description, which creates **duplicates**. Every indexable page should set its own.

> 🟧 **Ongo Weight Loss example**
>
> The live blog "Semaglutide Dosing Guide" has a strong description: it promises mg, mL and syringe units, a titration chart, vial sizes, missed-dose guidance and safety tips. That's specific and matches the page. The money page's description was cut off in our audit tools and needs a rewrite to summarise the whole page. 🔵

6.5 Snippet controls (use rarely)

Control	What it does	Use at Ongo Weight Loss?
`nosnippet` (robots meta)	No snippet at all	No: hurts click-through
`max-snippet:[n]`	Caps snippet length	Rarely
`data-nosnippet` (HTML attribute)	Keeps a section out of snippets	Yes, for long disclaimers you don't want shown as the snippet

[1] 🟢

6.6 Description checklist

☐	Check
☐	Unique across the site
☐	Summarises the whole page, in sentences
☐	About 140–160 characters
☐	Mentions Ongo Weight Loss once where natural
☐	Passes every compliance rule in 6.3
☐	Matches what the page actually contains

6.7 Do's and Don'ts

✅ Do	❌ Don't
Summarise the page honestly	Write ad copy with exclamation marks
Include useful specifics	List keywords
Set a description on every indexable page	Let pages inherit the homepage description
Use `data-nosnippet` on long legal blocks	Use `nosnippet` on whole pages

6.8 Pros and cons of hand-written descriptions

✅ Pros	❌ Cons
Better click-through on key pages	Time-consuming at scale
Compliance-checked wording	Google may still rewrite
Consistent brand voice	Needs updating when the page changes

6.9 Where freshers go wrong in Chapter 6 topics

Mistake	Why it happens	Avoid it by	Fix it by
Same description on 20 tool pages	Copy-paste	Writing per-tool benefits	Rewriting each
Promising results	Sales habit	The compliance table	Medical review
Description doesn't match the page	Page changed later	Refresh checks (Chapter 43)	Updating both

6.10 Thumb rules

👍 Summarise, don't shout.

👍 Unique on every page, honest on every page.

👍 If Google rewrites it, check whether your page or your description is unclear.

6.11 Notes to remember

📝 Google generates snippets automatically and may use the meta description.

📝 `data-nosnippet` hides a section from snippets; `nosnippet` hides all snippets.

Chapter 6 Glossary

Term	Simple meaning
Meta description	A short page summary in the page head
Snippet	The text under the title link in results
nosnippet	A robots rule that stops snippets
data-nosnippet	An HTML attribute that hides one section from snippets

Term	Simple meaning
Click-through rate (CTR)	Clicks divided by impressions

Chapter 6 Quiz

1. Who creates Google's snippets?

- A) Advertisers
- B) Google, automatically, mainly from page content
- C) Only the site owner
- D) Nobody; there are no snippets

2. Is there a Google length limit for descriptions?

- A) Yes, 50 characters
- B) Yes, one word
- C) Yes, 500 words
- D) No; snippets are truncated to fit the device

3. What should the homepage description describe?

- A) A policy page
- B) One blog post
- C) The site as a whole
- D) Nothing

4. Which description is compliant?

- A) "Cheaper than Zepbound."
- B) "See if you may be eligible for compounded semaglutide from licensed providers."
- C) "Get FDA-approved semaglutide today."
- D) "Lose 15% guaranteed."

5. What happens if a page doesn't set its own description in Next.js?

- A) Nothing is shown anywhere
- B) Google writes one into your code
- C) It inherits the parent's, creating duplicates

- D) The page crashes

6. Which control hides one section from snippets?

- A) nosnippet
- B) data-nosnippet
- C) nofollow
- D) noindex

7. What does Google say about keyword lists?

- A) They are required
- B) Use them always
- C) They improve trust
- D) Avoid them

8. Can programmatic descriptions work?

- A) Only in Spanish
- B) Only on policies
- C) Never
- D) Yes, if readable and varied

9. A description should be written in…

- A) Sentences that summarise the page
- B) Emojis only
- C) Code
- D) Single keywords

10. In the email analogy, a good description is like…

- A) A spam email
- B) "URGENT!!!"
- C) A clear, specific subject line
- D) An empty subject

Sources

1. Google Search Central, Control your snippets in search results (last updated April 20, 2026)

2. Next.js Docs, generateMetadata: description (last updated August 19, 2026) ●

Answer key, Chapter 6: 1-B · 2-D · 3-C · 4-B · 5-C · 6-B · 7-D · 8-D · 9-A · 10-C

LEVEL 2 · CHAPTER 7

Chapter 7: H1, H2, H3: The Page Outline

Headings are the skeleton of a page. Patients scan them, screen readers navigate by them, and Google uses them to understand what each section covers.

> 💡 **Trivia**
>
> Google lists **heading elements such as** `<h1>` among the sources it uses to create title links in search results. [1] 🟢 Google official
>
> Google's John Mueller has also said publicly that you can have more than one H1 and Google will cope. But for a screen-reader user, one clear H1 is the page's name tag. Ongo Weight Loss uses **one H1 per page**. 🟡 Google spokesperson + 🔵 Ongo Weight Loss rule

7.1 The heading rules

Rule	Why
One H1 per page, describing the whole page	Clear page name for people, assistive tech and Google
H2s for **main sections**	Each H2 is one topic the patient might scan for
H3s **inside** an H2 for sub-points	Nesting shows structure
Don't skip levels (H2 → H4)	Screen-reader users navigate by level
Never use headings for styling	Use CSS classes for big or small text instead
Never put non-headings in headings (labels, prices, buttons)	Pollutes the outline
Headings should make sense **on their own**	Patients and screen readers read them out of context

> 🪔 **Desi analogy: shaadi ka card aur function list**
>
> Card ke upar bada naam: "Rahul weds Priya" (H1). Neeche functions: Mehendi, Sangeet, Shaadi, Reception (H2). Har function ke neeche date, time, venue (H3). **Agar "Reception" ko card ka sabse bada heading bana do, toh mehmaan confuse ho jaayenge ki shaadi kiski hai.**

7.2 The H1 formula

Page type	H1 pattern	Example
Money page	Treatment + format/benefit	Compounded Semaglutide, Prescribed Online by Licensed Providers
Service hub	Service + what's included	Doctor-Supervised Medical Weight Loss
Blog article	The question or topic, in full	How Long Does Semaglutide Take to Work?
Condition	Condition name + scope	Obesity: Causes, Health Risks and Treatment Options
Tool	Tool name	BMI Calculator
Person	Full name + credential	Dr. Jonathan C. Miller, MD
Policy	Policy name	Refund Policy

Title vs. H1: same meaning, different words. The title is short for search results; the H1 can be a little longer and more natural.

7.3 An example outline: compounded semaglutide money page

```
H1  Compounded Semaglutide, Prescribed Online by Licensed Providers
  H2  What Is Compounded Semaglutide?
  H2  How Compounded Semaglutide Works
  H2  Who May Be Eligible
  H2  What's Included in Your Plan
      H3  Your provider consultation
      H3  Your medication and supplies
      H3  Ongoing support
  H2  Dosing and Titration
  H2  Side Effects and Safety
  H2  Pricing
  H2  Compounded vs. FDA-Approved Medications: What's the Difference?
  H2  How to Get Started
  H2  Frequently Asked Questions
  H2  References
```

7.4 Headings and the run-together problem

> 🟧 **Ongo Weight Loss example**
>
> When crawlers extracted the live homepage, some H2s came out as **"Shipping & Delivery inAll 50 States"** and **"How We Ensure YourEligibility and Safety?"** The design inserts a line break (`<br>`) for layout, and some tools read the words without a space. Google is usually fine with `<br>` , but the safer pattern is to keep a real space in the text and control line breaks with CSS (`max-width` or `text-wrap: balance`). 🔵

```
{/* ❌ Risky */}
<h2>Shipping &amp;amp; Delivery in<br/>All 50 States</h2>

{/* ✅ Safer */}
<h2 className="max-w-[18ch] text-balance">Shipping &amp;amp; Delivery in All 50 States</h2>
```

7.5 Headings used for styling: the live example

On the live homepage, an **H4 is used as a 12 px white label**. If it's a label, it should be a `<p>` or `<span>` with a class. Headings are for structure.

Element	Correct tag
"Online Medical Weight Loss Clinic" eyebrow above the H1	`<p class="eyebrow">`
Star rating line	`<p>`
Card titles inside a section	`<h3>` (if they introduce content)
Button text	`<button>` / `<a>`, never a heading

7.6 Writing good H2s

❌ Weak H2	✅ Strong H2
Overview	What Is Compounded Tirzepatide?
More Info	Who May Be Eligible for Compounded Tirzepatide
Step 3	Step 3: Meet Your Provider Online
Why Us	Why Patients Choose Ongo Weight Loss
Results	What Clinical Trials of Tirzepatide Showed (Brand Product)

7.7 Do's and Don'ts

✅ Do	❌ Don't
One H1 that names the page	Two competing H1s
Nest H2 → H3 logically	Jump from H2 to H5
Write headings that make sense alone	Use "Overview", "More"
Style with CSS classes	Pick a heading level for its font size

7.8 Pros and cons of a strict outline

✅ Pros	❌ Cons
Easy scanning for patients	Designers lose "use H4 because it's small"
Better screen-reader navigation	Needs a design system with text classes
Clear section topics for Google	Requires content planning before design

7.9 Where freshers go wrong in Chapter 7 topics

Mistake	Why it happens	Avoid it by	Fix it by
Logo or site name wrapped in H1 on every page	Old themes	One page-specific H1	Changing the logo to a link with an accessible name
Headings in the footer ("Quick Links" as H2 everywhere)	Template habit	Using `<p>` or `<h2>` only when it introduces content	Reviewing the template
Keyword-stuffed headings	Old SEO habit	Writing for scanning	Rewriting naturally

7.10 Thumb rules

> 👍 One H1, many H2s, H3s inside them.
>
> 👍 Headings are structure, not style.
>
> 👍 Read only the headings: does the page still make sense?

7.11 Notes to remember

> 📝 Google can use the H1 when it creates title links.
>
> 📝 Line breaks inside headings can run words together for some crawlers; keep real spaces.

Chapter 7 Glossary

Term	Simple meaning
H1	The main page heading
Outline	The nested list of headings on a page
Eyebrow	Small label text above a heading
Screen reader	Software that reads pages aloud
text-wrap: balance	CSS that evens out line lengths in headings

---

Chapter 7 Quiz

1. How many H1s does Ongo Weight Loss use per page?

- A) Three
- B) One
- C) As many as possible
- D) Zero

2. Can Google use the H1 when creating title links?

- A) Only for images
- B) Yes
- C) No
- D) Only on mobile

3. What's wrong with an H4 used as a 12 px label?

- A) Headings are for structure, not styling
- B) Nothing
- C) It breaks GA4
- D) H4 is illegal

4. Which H2 is strongest?

- A) More Info
- B) Section 2
- C) Overview
- D) Who May Be Eligible for Compounded Tirzepatide

5. What's the safer way to break a heading across lines?

- A) Use five `<br>` tags
- B) Keep real spaces and use CSS for wrapping
- C) Put each word in its own H2
- D) Remove all spaces

6. Should you skip from H2 to H5?

- A) Only in footers
- B) No
- C) Yes, always
- D) Only on blogs

7. How should the title and H1 relate?

- A) Unrelated
- B) Same meaning, different words
- C) Opposite meanings
- D) Identical keyword lists

8. What tag fits a star-rating line?

- A) `<p>`
- B) `<h1>`
- C) `<title>`
- D) `<h2>`

9. Who navigates pages by heading level?

- A) Only designers
- B) Nobody
- C) Screen-reader users
- D) Payment processors

10. In the wedding-card analogy, the H1 is…

- A) The Sangeet time
- B) "Rahul weds Priya"
- C) The venue address
- D) The caterer's phone

Sources

1. Google Search Central, Influencing your title links in search results (last updated December 10, 2025) 🟢
2. W3C WAI, Headings tutorial 🟢
3. John Mueller (Google), public comments on multiple H1s, Search Central office hours and social posts 🟡
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 7: 1-B · 2-B · 3-A · 4-D · 5-B · 6-B · 7-B · 8-A · 9-C · 10-B

LEVEL 2 · CHAPTER 8

Chapter 8: The First Screen: Opening Paragraph and Intent Match

A patient decides in seconds whether a page answers their question. The first screen must prove the page matches what they searched for.

> 💡 **Trivia**
>
> Google's Search Quality Rater Guidelines describe four broad query intents: **Know**, **Do**, **Website** and **Visit-in-Person**. Raters judge whether a page meets the needs behind the query, not whether it contains the keyword. [1] ● Google official
>
> A page about compounded semaglutide pricing fails a "how does semaglutide work" searcher, even if both pages mention semaglutide 30 times.

8.1 Match the page to the intent

Searcher types…	Intent	What the first screen must show
"how does semaglutide work"	Know	A plain answer in the first 2–3 sentences
"compounded semaglutide online"	Do (commercial)	What it is, who provides it, price-from, eligibility button
"ongo weight loss reviews"	Website / Know	Verified ratings and real stories, immediately
"bmi calculator"	Do	The calculator itself, above the fold
"weight loss clinic houston"	Visit-in-Person / Do	Whether we serve Texas, how telehealth works there

> 🪔 **Desi analogy: mohalla ka chaiwala**
>
> Customer ne "ek cutting chai" bola. Chaiwala agar samose ki kahani sunane lage, customer chala jaayega. **Pehle chai do, phir samosa offer karo.** Page pe bhi pehle wahi jawab do jo poocha gaya, phir agla step.

8.2 The opening paragraph formula

> **Sentence 1:** answer or define (what it is). **Sentence 2:** who it's for or how it works. **Sentence 3:** what this page will help you do, or the next step.

Page	Opening paragraph
Money page: compounded tirzepatide	Compounded tirzepatide is a prescription medication that acts on two gut hormones, GIP and GLP-1, to help reduce appetite. At Ongo Weight Loss, a licensed U.S. provider reviews your health history online and decides whether it's right for you. Below, you'll find how it works, who may be eligible, dosing, safety and pricing.
Blog: how long does semaglutide take to work	Most people notice reduced appetite within the first few weeks of semaglutide, but weight changes build slowly because doses start low and increase over months. This guide explains what to expect week by week and when to talk to your provider.
Condition: obesity	Obesity is a chronic disease in which excess body fat affects health. It's usually screened with BMI, but your provider looks at your whole health picture. Here's how it's diagnosed, why it matters and what treatment options exist.

8.3 What belongs in the first screen

Element	Money page	Blog	Tool
H1	✅	✅	✅
Opening paragraph that answers	✅	✅	short
Byline / reviewer line	reviewed-by + date	author + reviewer + dates	optional

Element	Money page	Blog	Tool
Primary CTA	✅ "See If I'm Eligible"	❌ (contextual link later)	❌
Price-from	✅ (if the price is current)	❌	❌
The tool itself	—	—	✅
Hero image	optional; must not push content off-screen	optional	❌

8.4 First-screen warning signs

Warning sign	Why it hurts
A full-screen image with only a slogan	Patient can't tell what the page is
A pop-up before any content	Annoys users; intrusive interstitials hurt the page experience
A wall of trust badges before the answer	Proof before the answer feels like a sales pitch
A hard CTA on an informational blog	Mismatches Know intent (Book Three, Chapter 15)

> 🟧 **Ongo Weight Loss example**
>
> The live homepage first screen works well: H1 "Doctor-Supervised Virtual GLP-1 Weight Loss Program", a short explanation, a rating line and one clear "See If I'm Eligible" button. One improvement: the hero paragraph is **13 px white on green**, smaller than the body's 16 px. The most important paragraph on the page shouldn't be the smallest. 🔵

8.5 Do's and Don'ts

✅ Do	❌ Don't
Answer the query in the first 2–3 sentences	Start with "Welcome to our website"
Put the tool above the fold on tool pages	Make users scroll past an essay to use the calculator

✅ Do	❌ Don't
Show a reviewed-by line early on medical pages	Hide trust details in the footer
Keep hero text at body size or larger	Shrink the key paragraph to 13 px

8.6 Pros and cons of "answer first"

✅ Pros	❌ Cons
Patients find what they need fast	Some may leave after getting the answer
Better chance of being quoted in AI answers	Requires tight writing
Clear intent match for Google	Needs editors to cut long intros

8.7 Where freshers go wrong in Chapter 8 topics

Mistake	Why it happens	Avoid it by	Fix it by
Long "storytelling" intro	Copying lifestyle blogs	The three-sentence formula	Moving the story lower
Same intro on every money page	Templates	Writing per treatment	Rewriting
Hard CTA on Know pages	Sales pressure	Intent table	Contextual link instead

8.8 Thumb rules

> 👍 Answer first, then guide.
>
> 👍 The first screen proves the click was worth it.
>
> 👍 The tool page's tool goes at the top.

8.9 Notes to remember

📝 Four query intents: Know, Do, Website, Visit-in-Person.

📝 Opening formula: define, who/how, what this page helps you do.

Chapter 8 Glossary

Term	Simple meaning
Above the fold	Visible without scrolling
Intent match	The page meets what the searcher wanted
Interstitial	A pop-up or overlay that covers content
Know query	A query looking for information
Do query	A query looking to complete an action

Chapter 8 Quiz

1. How many query intents do the Rater Guidelines describe?

- A) Four
- B) One
- C) Two
- D) Ten

2. What should sentence 1 of the opening paragraph do?

- A) List awards
- B) Answer or define
- C) Welcome the visitor
- D) Show the price only

3. Which first-screen element belongs on a tool page?

- A) The tool itself
- B) A pop-up
- C) A video autoplay
- D) A 1,000-word essay

4. Which CTA fits an informational blog?

- A) A pop-up form
- B) No links at all
- C) A contextual link later in the article
- D) A hard "Get Started" banner at the top

5. What was the live homepage hero paragraph size?

- A) 52 px
- B) 24 px
- C) 13 px
- D) 9 px

6. "ongo weight loss reviews" is mainly which intent?

- A) Visit-in-Person only
- B) Website / Know
- C) None
- D) Do: buy now

7. What's the problem with a full-screen slogan image?

- A) The patient can't tell what the page is
- B) Nothing
- C) It improves speed
- D) Images are illegal

8. Where should a reviewed-by line appear on medical pages?

- A) Only in the footer
- B) Nowhere
- C) In the robots.txt
- D) Early, near the top

9. What happens to a Know searcher who lands on a pricing page?

- A) They're always satisfied
- B) Google rewards it
- C) Their need isn't met
- D) They must buy

10. In the chaiwala analogy, you should…

- A) Serve the chai first, then offer a samosa
- B) Tell a samosa story first
- C) Raise the price
- D) Close the shop

Sources

1. Google, Search Quality Rater Guidelines (version of September 11, 2025) 🟢
2. Google Search Central, Avoid intrusive interstitials and dialogs 🟢
3. Ongo Weight Loss, Book Three, Chapters 4 and 15 (intent and separation rules), internal 🔵

Answer key, Chapter 8: 1-A · 2-B · 3-A · 4-C · 5-C · 6-B · 7-A · 8-D · 9-C · 10-A

LEVEL 2 · CHAPTER 9

Chapter 9: Body Content: Helpful, Readable, Compliant

The body is where the page earns trust. Write for a worried patient reading on a phone, not for a word-count target.

> 💡 **Trivia**
>
> Google says there's **no preferred word count** for content, and that adding words just to reach a target isn't helpful. Its people-first content guidance asks whether readers would leave feeling they've learned enough to reach their goal. [1] 🟢 Google official
>
> The page records in the master map give word ranges as a planning aid, not as a ranking rule.

9.1 Google's people-first questions, applied to Ongo Weight Loss

Google asks	Ongo Weight Loss check
Does the content provide original information or analysis?	Our own process, pricing, provider details, patient journey
Is it written by someone who knows the topic well?	Named author + named medical reviewer
Would you trust it for issues relating to health?	Sources, disclaimers, dates, no hype
Does it leave readers satisfied?	Answers the next question too
Was it made mainly to attract search visits?	If yes, rewrite or don't publish

[1] 🟢 Google official

9.2 Readability rules for patients

Rule	Target
Plain English	Explain medical terms the first time ("titration: slowly increasing the dose")
Short paragraphs	2–4 sentences on mobile
Short sentences	Average under 20 words
Active voice	"Your provider reviews your history", not "Your history is reviewed"
Lists and tables	For steps, comparisons, doses, schedules
Second person	"you", not "the patient"
One idea per paragraph	Makes scanning easy

> 🍛 **Desi analogy: doctor sahab ka parcha**
>
> Achha doctor sirf dawai ka naam nahi likhta: "subah khaane ke baad ek goli, 7 din." **Saaf, chhota, aur samajh mein aane wala.** Page ka body bhi aisa hi hona chahiye; patient ko medical dictionary kholni na pade.

9.3 Compliance language library

Situation	Approved wording	Never write
Describing compounded drugs	"Compounded medications are prepared by a licensed pharmacy and are not FDA-approved."	"FDA-approved compounded semaglutide"
Outcomes	"Clinical trials of the brand product [name, trial] showed…; results with compounded versions have not been studied in the same way."	"You'll lose 15% with our semaglutide"
Prescription	"A licensed provider decides whether treatment is appropriate."	"Get your prescription guaranteed"
Safety	"Common side effects include nausea… Talk to your provider."	"No side effects"

Situation	Approved wording	Never write
Pharmacy	"a licensed U.S. compounding pharmacy"	The partner pharmacy's name

- Ongo Weight Loss compliance rules (Book One, Chapters 5 and 9)

9.4 Structure of a strong body

Section	Purpose
Opening answer	Matches intent (Chapter 8)
Core explanation	How it works, in plain words
Practical detail	Doses, steps, costs, timelines (tables)
Safety and limits	Side effects, who shouldn't use it, disclaimers
Next step	Soft or hard CTA depending on page type
FAQs	Real patient questions (Chapter 15)
References	Linked sources (Chapter 18)

9.5 Avoid these content patterns

Pattern	Why
Rewriting a competitor's page	Adds nothing original; legal risk
Mass-produced AI pages with no review	Google's spam policies target scaled content abuse
"Ultimate guide" with 5,000 words of filler	Unhelpful; buries the answer
Same paragraph on 20 pages	Duplicate, boilerplate
Hidden or tiny text	Spam policy violation

🟧 **Ongo Weight Loss example**

The live "Semaglutide Dosing Guide" is a good model: it explains vial size vs. weekly dose, has a dosing chart image with the note "actual dosing may vary", covers missed doses and storage, and includes a medical disclaimer and references. One improvement: the guide has 37 H2s. Grouping related questions under fewer H2s with H3s would make it easier to scan. 🔵

9.6 Do's and Don'ts

✅ Do	❌ Don't
Write for the patient's next question	Pad to hit a word count
Use approved compliance wording	Improvise claims
Use tables for doses and schedules	Bury numbers in paragraphs
Explain medical terms once	Assume medical knowledge

9.7 Pros and cons of shorter, focused pages

✅ Pros	❌ Cons
Faster answers	May miss related questions
Easier medical review	More pages to manage
Better on mobile	Needs strong internal links

9.8 Where freshers go wrong in Chapter 9 topics

Mistake	Why it happens	Avoid it by	Fix it by
Writing to a word count	Brief says "1,500 words"	Treating ranges as guides	Cutting filler

Mistake	Why it happens	Avoid it by	Fix it by
Attributing brand trial results to compounded drugs	Wanting proof	The compliance library	Medical review
Naming the partner pharmacy	Being transparent	Standing rule	Using "licensed U.S. compounding pharmacy"

9.9 Thumb rules

👍 Helpful beats long.

👍 Plain words, short paragraphs, real sources.

👍 Approved wording only for drugs, outcomes and prescriptions.

9.10 Notes to remember

📝 Google has no preferred word count.

📝 Scaled content abuse is a spam policy violation.

Chapter 9 Glossary

Term	Simple meaning
People-first content	Content made mainly to help people, not to attract search visits
Scaled content abuse	Mass-producing pages mainly to manipulate rankings
Titration	Slowly increasing a medication dose
Active voice	The subject does the action
Boilerplate	Text repeated with little change across pages

Chapter 9 Quiz

1. Does Google prefer a specific word count?

- A) Yes, 1,000 words
- B) No
- C) Yes, 5,000 words
- D) Yes, 300 words

2. How should compounded medications be described?

- A) Identical to Wegovy
- B) FDA-approved
- C) Prepared by a licensed pharmacy and not FDA-approved
- D) Risk-free

3. What's the target paragraph length on mobile?

- A) 20 sentences
- B) One word
- C) 2–4 sentences
- D) A full page

4. Which pattern violates Google's spam policies?

- A) Scaled content abuse
- B) Plain English
- C) Citing NIH
- D) Using tables

5. How should the partner pharmacy be named?

- A) By its owner's name
- B) "a licensed U.S. compounding pharmacy"
- C) By its company name
- D) As "our secret pharmacy"

6. Where do doses and schedules belong?

- A) In images only
- B) In tables
- C) Nowhere

- D) Hidden in footnotes

7. How should brand trial outcomes be presented?

- A) Round up the numbers
- B) Name the brand product and trial; note compounded versions weren't studied the same way
- C) Claim them for compounded drugs
- D) Hide the trial name

8. Which voice is preferred?

- A) Third person only
- B) Legal jargon
- C) Passive
- D) Active

9. What did the dosing guide do well?

- A) Promised results
- B) Named the pharmacy
- C) Hid the references
- D) Explained vial size vs. dose and included a disclaimer

10. In the parcha analogy, good body content is…

- A) Unreadable handwriting
- B) As long as possible
- C) Written in medical jargon
- D) Short, clear and easy to follow

Sources

1. Google Search Central, Creating helpful, reliable, people-first content 🟢
2. Google Search Central, Spam policies for Google web search (last updated August 28, 2026) 🟢
3. Ongo Weight Loss, Book One, Chapters 5 and 9 (compliance language), internal 🔵

Answer key, Chapter 9: 1-B · 2-C · 3-C · 4-A · 5-B · 6-B · 7-B · 8-D · 9-D · 10-D

LEVEL 2 · CHAPTER 10

Chapter 10: Trust on the Page: Bylines, Reviewers and Dates

On a health site, "who wrote this, who checked it, and when" is not decoration. It's the page's credentials.

> 💡 **Trivia**
>
> Google recommends showing a **visible, labelled date** ("Published", "Last updated") and adding `datePublished` and/or `dateModified` in structured data, with the visible and structured dates **matching**. It recommends including a **time and timezone** in the markup. [1]
> ● Google official
>
> Dates should reflect when the page itself was published or significantly updated, not when the topic happened, and never a future date.

10.1 The trust block

Every medical page on ongoweightloss.com carries a trust block near the top:

Element	Blog article	Money page	Condition page	Policy page
Written by (name + credential + link to bio)	✅	optional	✅	—
Medically reviewed by (name + credential + link)	✅	✅	✅	—
Published date	✅	—	✅	—
Last updated / reviewed date	✅	✅ "Last reviewed"	✅	✅ "Effective" / "Last updated"
Editorial policy link	✅	✅	✅	—

> 🪔 **Desi analogy: dawai ka label**
>
> Dawai ke dabbe pe manufacturer ka naam, batch number, manufacturing date aur expiry likhi hoti hai. **Bina label ki dawai koi nahi khareedta.** Health page ka trust block wahi label hai.

10.2 Reviewer rules

Rule	Why
The reviewer must be a licensed clinician relevant to the topic	Expertise must match the claim
The reviewer should be a **different person** from the author	An independent check means more than self-review
Link both names to real bio pages (`/medical-team/…`, `/contributors/…`)	Lets readers and Google verify them
"Reviewed" date changes only when the reviewer actually reviews	Honest dates
Never invent reviewers or credentials	Deception; legal risk

> 🟧 **Ongo Weight Loss example**
>
> The live "Semaglutide Dosing Guide" shows author **Dr. Benjamin Krasne, MD**, medical reviewers **Dr. Jonathan C. Miller, MD and Dr. Benjamin Krasne, MD**, and editor Deepanki Dutta, with "26 October 2026" as both published and last-updated dates. Good: named clinicians with bios. Improve: when the author is also listed as a reviewer, show only the independent reviewer (Dr. Miller) under "Medically reviewed by", so the check reads as independent. 🔵

10.3 Dates: the five places they must agree

Place	Example	Owner
Visible text	"Published October 26, 2026 · Last updated November 14, 2026"	Content

Place	Example	Owner
JSON-LD `datePublished` / `dateModified`	`"2026-10-26T09:00:00-05:00"`	Dev (from CMS)
Open Graph `article:published_time` / `article:modified_time`	same values	Dev
Sitemap `<lastmod>`	`2026-11-14`	Dev (from CMS)
CMS record	published_at, updated_at	Content system

One source of truth: the CMS stores the dates; every other place reads from it. Nobody types dates in four places.

10.4 What counts as an "update"?

Change	Update `dateModified`?
New section, new data, corrected dose information	✅ Yes
Medical re-review with changes	✅ Yes
Medical re-review, no changes	Update "Last reviewed" only
Typo fix, image swap, footer change	❌ No
Copyright year change	❌ No

Google's sitemap guidance makes the same point: `lastmod` should reflect significant changes, such as main content, structured data or links, not minor edits like the copyright year. [2] ●

10.5 In Next.js

```
// app/blog/semaglutide/[slug]/page.tsx (simplified)
export async function generateMetadata({ params }) {
  const { slug } = await params
  const post = await getPost(slug)
  return {
    title: post.title,
    openGraph: {
      type: 'article',
      publishedTime: post.publishedAt, // ISO 8601 with timezone
      modifiedTime: post.updatedAt,
      authors: [post.author.url],
    },
  }
}
```

```
// JSON-LD (see Chapter 23)
const jsonLd = {
  '@context': 'https://schema.org',
  '@type': 'MedicalWebPage',
  headline: post.title,
  datePublished: post.publishedAt,
  dateModified: post.updatedAt,
  author: { '@type': 'Person', name: post.author.name, url: post.author.url },
  reviewedBy: { '@type': 'Person', name: post.reviewer.name, url: post.reviewer.url },
  lastReviewed: post.reviewedAt,
}
```

📝 **Note to remember:** the live blog had `article:published_time` but **no** `article:modified_time`. Adding `openGraph.modifiedTime` fixes it.

10.6 Do's and Don'ts

✅ Do	❌ Don't
Show labelled dates ("Published", "Last updated")	Show an unlabelled date
Keep all five date places in sync from the CMS	Type dates by hand

✅ Do	❌ Don't
Update dateModified only for real changes	"Refresh" dates to look fresh
Use an independent medical reviewer	List the author as their own reviewer

10.7 Pros and cons of visible dates

✅ Pros	❌ Cons
Patients know the info is current	Old dates can look stale
Google can show accurate byline dates	Requires a refresh process
Supports trust on YMYL pages	Every update needs real review

10.8 Where freshers go wrong in Chapter 10 topics

Mistake	Why it happens	Avoid it by	Fix it by
Changing the date without changing content	"Freshness" myths	The 10.4 table	Reverting the date
Visible date and schema date differ	Two systems	One CMS source	Wiring both to the CMS
Missing timezone in schema	Date-only strings	ISO 8601 with offset	Adding the offset

10.9 Thumb rules

> 👍 Who wrote it, who checked it, when.
>
> 👍 One date source, five matching places.
>
> 👍 Change the date only when the page really changed.

10.10 Notes to remember

> 📝 Google: visible labelled date + matching datePublished/dateModified, time and timezone recommended.
>
> 📝 lastmod should reflect significant changes, not the copyright year.

Chapter 10 Glossary

Term	Simple meaning
Byline	The "written by" line
datePublished	Structured-data date when a page was first published
dateModified	Structured-data date when a page was last significantly changed
reviewedBy	Schema.org property naming who reviewed a page
ISO 8601	Standard date format, e.g. 2026-10-26T09:00:00-05:00

Chapter 10 Quiz

1. What does Google recommend for dates?

- A) Future dates
- B) No dates at all
- C) Dates only in the footer
- D) A visible labelled date plus matching structured data

2. Should a typo fix change dateModified?

- A) Only on Mondays
- B) No
- C) Only for policies
- D) Yes, always

3. Who should be the medical reviewer?

- A) The designer
- B) A licensed clinician different from the author
- C) The author reviewing themselves
- D) Anyone

4. Which Next.js field sets article:modified_time?

- A) openGraph.modifiedTime
- B) icons.apple
- C) title.template
- D) robots.index

5. Where should dates come from?

- A) One CMS source of truth
- B) Random generation
- C) Typed separately in each place
- D) The developer's memory

6. Does Google recommend a time and timezone in markup?

- A) Only for events
- B) Only for images
- C) No
- D) Yes

7. What was missing on the live blog?

- A) A title
- B) An H1
- C) article:modified_time
- D) A canonical

8. Which change should update dateModified?

- A) An image file rename
- B) Corrected dose information
- C) A new footer link
- D) Copyright year

9. Should you ever invent a reviewer?

- A) Only for new pages
- B) Yes, for speed
- C) Never
- D) Only on blogs

10. In the dawai analogy, the trust block is…

- A) The delivery box
- B) The price sticker only
- C) The pharmacy's rent
- D) The medicine label

Sources

1. Google Search Central, Influencing byline dates in Google Search
2. Google Search Central, Build and submit a sitemap (last updated July 8, 2026)
3. Schema.org, MedicalWebPage and WebPage: reviewedBy, lastReviewed
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Answer key, Chapter 10: 1-D · 2-B · 3-B · 4-A · 5-A · 6-D · 7-C · 8-B · 9-C · 10-D

LEVEL 2 · CHAPTER 11

Chapter 11: Internal Links and Anchor Text on the Page

Book Three planned which pages link to which. This chapter is about the link itself: where it sits, what it says, and how it's built.

> 💡 **Trivia**
>
> Google says that **every page you care about should have a link from at least one other page** on your site, and that anchor text should be **descriptive, reasonably concise and relevant** to the page it links to. [1] ● Google official
>
> "Click here" tells Google and screen-reader users nothing. "compounded tirzepatide pricing" tells both exactly where they're going.

11.1 What Google needs from a link

Requirement	Why	✅	❌
A real `<a>` element with an `href`	Google follows `href` URLs	`<a href="/pricing/">`	`<span onClick=…>`
A resolvable URL	Google must reach it	`/services/glp-1/`	`javascript:goTo()`
Descriptive anchor text	Explains the target	"how compounded semaglutide works"	"click here", "read more"
Concise	Long anchors read as spam	2–6 words	a whole sentence linked

[1] ●

11.2 Anchor text rules for Ongo Weight Loss

Rule	Example
Describe the target page	"see our compounded semaglutide plans"
Vary naturally; don't repeat one exact phrase site-wide	"semaglutide dosing guide", "how to measure your dose"
Never use brand drug names to point at compounded pages	❌ "Ozempic alternative" → compounded page
Don't link the same target twice in one paragraph	One is enough
Avoid generic "Read more"	If a card needs "Read more", give it an accessible name (Chapter 34)

> 🍛 **Desi analogy: mohalla mein rasta batana**
>
> Koi poochhe "station kaise jaayein?" aur aap bolo "udhar", toh woh bhatak jaayega. "Seedha jaake mandir ke baad left, phir petrol pump ke saamne station" — yeh kaam ka rasta hai. **Anchor text bhi wahi direction hai: saaf batao kahan le ja rahe ho.**

11.3 Where links sit on the page

Position	Purpose	Tracking value (`link_position`)
In the opening paragraph	Strongest contextual signal; use for the commercial partner on blogs	`body_intro`
In the body	Supporting explanations	`body`
In tables (e.g. comparison rows)	Navigation between options	`table`
Related-articles block	Cluster siblings	`related`
Breadcrumb	Hierarchy	`breadcrumb`
Navigation and footer	Site-wide access	`nav` / `footer`

Position	Purpose	Tracking value (`link_position`)
End box (soft CTA)	Next step	`end_box`

Book Three's `internal_link_click` event records source, target and position for every internal click (Chapter 39).

11.4 Building links in Next.js

```
import Link from 'next/link'

<p>
  Compounded semaglutide is prescribed after a provider review. See{' '}
  <Link href="/services/glp-1/compounded-semaglutide/" data-link-position="body_intro">
    how compounded semaglutide treatment works
  </Link>.
</p>
```

Do in code	Why
Use `next/link` for internal pages	Renders a real `<a href>`; adds client-side navigation
Use the **canonical** URL (with trailing slash)	Avoids an extra redirect hop on every click
Use a plain `<a>` for external links	Not routed by Next.js
Add a `data-link-position` attribute	Lets GTM read the link position without guessing

> 🟧 **Ongo Weight Loss example**
>
> The live dosing guide uses good descriptive anchors: "Read more about semaglutide side effects", "Read more about nutrition while taking semaglutide". The blog cards below it use plain "Read More" three times. Screen-reader users hear "Read More, Read More, Read More". Fix: make the card title the link, or add an accessible name like "Read more about tirzepatide dosing". 🔵

11.5 Internal link checklist per page

☐	Check
☐	Every link required by the master-map record is present
☐	Anchors are descriptive and varied
☐	No links to redirected or 404 URLs
☐	Internal links use the canonical form (https, lowercase, trailing slash)
☐	No links into the portal's mid-flow steps
☐	Blog → money page via one contextual link, not a hard banner
☐	`data-link-position` set for tracking

11.6 Do's and Don'ts

✅ Do	❌ Don't
Use `next/link` with real hrefs	Use `onClick` navigation on divs
Describe the destination	Write "click here"
Link to canonical URLs	Link to `/about` (no slash) and force a redirect
Keep anchors short	Link full sentences

11.7 Pros and cons of contextual links vs. link blocks

✅ Contextual links	❌ Trade-off
Strong meaning from surrounding text	Harder to manage at scale
Higher click intent	Writers need the link map
Link blocks (related articles)	

✅ Contextual links	❌ Trade-off
Easy to automate	Weaker context; can feel like boilerplate

11.8 Where freshers go wrong in Chapter 11 topics

Mistake	Why it happens	Avoid it by	Fix it by
Linking to a URL without the trailing slash	Typing from memory	Copying from the master map	Search-and-replace
Exact-match anchors everywhere	Old SEO habit	Varying naturally	Rewriting anchors
Buttons styled as links with no href	Design component misuse	Using `<Link>`	Refactoring the component

11.9 Thumb rules

> 👍 Real href, real words, canonical URL.
>
> 👍 Say where the link goes.
>
> 👍 Every important page gets at least one contextual link.

11.10 Notes to remember

> 📝 Google: every page you care about should have a link from at least one other page.
>
> 📝 `next/link` renders a crawlable `<a href>`.

Chapter 11 Glossary

Term	Simple meaning
Anchor text	The clickable words of a link
Contextual link	A link inside body text
next/link	The Next.js component for internal links
link_position	The tracked location of a link on the page
Redirect hop	An extra step when a link points to a redirected URL

Chapter 11 Quiz

1. What should every page you care about have, per Google?

- A) No internal links
- B) Only footer links
- C) Fifty links
- D) A link from at least one other page

2. Which anchor is best?

- A) click here
- B) this
- C) how compounded semaglutide treatment works
- D) read more

3. What does next/link render?

- A) Nothing crawlable
- B) An image
- C) A div with onClick
- D) A real `<a href>` element

4. Why link to the canonical URL?

- A) It's required by GA4
- B) To slow the site

- C) To avoid an extra redirect hop
- D) It hides the link

5. Can brand drug names point at compounded pages?

- A) Only in footers
- B) Only on Sundays
- C) No
- D) Yes

6. How should a blog link to a money page?

- A) A pop-up
- B) It shouldn't link at all
- C) One contextual link
- D) A hard banner on top

7. What problem did the blog cards have?

- A) Too many H1s
- B) No images
- C) Repeated "Read More" with no accessible name
- D) Missing canonical

8. What does data-link-position help with?

- A) Schema
- B) Tracking where the link sits
- C) Page speed
- D) Fonts

9. Should you link into mid-flow portal steps?

- A) Only in sitemaps
- B) No
- C) Only from blogs
- D) Yes

10. In the mohalla analogy, anchor text is…

- A) The bus fare
- B) Clear directions to the destination

- C) Pointing "over there"
- D) The shopkeeper's name

Sources

1. Google Search Central, Link best practices for Google 🟢
2. Next.js Docs, Link component 🟢
3. Ongo Weight Loss, Book Three, Chapters 23–24 (linking rules and link map), internal 🔵

Answer key, Chapter 11: 1-D · 2-C · 3-D · 4-C · 5-C · 6-C · 7-C · 8-B · 9-B · 10-B

LEVEL 2 · CHAPTER 12

Chapter 12: Breadcrumbs: Visible Trail and BreadcrumbList

A breadcrumb tells a patient where they are and how to step back. Done properly, it also tells Google how the site is organised.

> 💡 **Trivia**
>
> Google recommends breadcrumbs that **represent a typical user path** to a page, rather than simply mirroring the URL structure. In BreadcrumbList markup, the **last item doesn't need a URL**: if it's omitted, Google uses the URL of the page that contains the markup. [1] ● Google official
>
> Breadcrumbs follow the patient's journey, not the developer's folder names.

12.1 Why breadcrumbs matter

For whom	Benefit
Patients	"Where am I?" and one-click way back to the hub
Screen-reader users	A labelled navigation landmark
Google	Hierarchy signal; breadcrumb text can appear in results on desktop
Ongo Weight Loss analytics	`link_position = breadcrumb` shows how people move up the tree

> 🍛 **Desi analogy: shaadi hall ke signboards**
>
> Bade banquet hall mein boards lage hote hain: "Main Gate → Lawn → Hall B → Mehendi Area". **Mehmaan kahin bhi ho, use pata hai woh kahan hai aur wapas kaise jaana hai.** Breadcrumb website ka wahi signboard hai.

12.2 Ongo Weight Loss breadcrumb patterns

Page	Visible trail
Money page	Home › Services › Weight Loss › GLP-1 Medications › Compounded Semaglutide
Service sub-page	Home › Services › Weight Loss › Nutrition Therapy
Blog article	Home › Blog › Semaglutide › How Long Does Semaglutide Take to Work?
Condition	Home › Conditions › Obesity
Tool	Home › Free Tools › BMI Calculator
Provider bio	Home › Medical Team › Dr. Jonathan C. Miller, MD
Policy	Home › Policies › Refund Policy
Homepage	No breadcrumb

Rules

Rule	Why
Show on every page except the homepage	Consistency
Every crumb except the last is a link	Lets users step back
The last crumb is plain text (current page), with `aria-current="page"`	Accessibility
Labels are short human names, not slugs	"GLP-1 Medications", not "glp-1"
Visible trail and BreadcrumbList must match	Structured data must reflect visible content

12.3 The accessible HTML pattern

```
<nav aria-label="Breadcrumb">
  <ol>
    <li><Link href="/">Home</Link></li>
    <li><Link href="/services/">Services</Link></li>
    <li><Link href="/services/weight-loss/">Weight Loss</Link></li>
    <li><Link href="/services/glp-1/">GLP-1 Medications</Link></li>
    <li aria-current="page">Compounded Semaglutide</li>
  </ol>
</nav>
```

The separators (›) should be added with CSS so screen readers don't read "greater than" between every item.

12.4 The BreadcrumbList JSON-LD

```
{
  "@context": "https://schema.org",
  "@type": "BreadcrumbList",
  "itemListElement": [
    { "@type": "ListItem", "position": 1, "name": "Home", "item":
"https://ongoweightloss.com/" },
    { "@type": "ListItem", "position": 2, "name": "Services", "item":
"https://ongoweightloss.com/services/" },
    { "@type": "ListItem", "position": 3, "name": "Weight Loss", "item":
"https://ongoweightloss.com/services/weight-loss/" },
    { "@type": "ListItem", "position": 4, "name": "GLP-1 Medications", "item":
"https://ongoweightloss.com/services/glp-1/" },
    { "@type": "ListItem", "position": 5, "name": "Compounded Semaglutide" }
  ]
}
```

Required: at least two `ListItem`s; each has `position` and `name` (and `item`, except the last). [1]

12.5 One component, two outputs

Build one `<Breadcrumbs items={…} />` component that renders **both** the visible `<nav>` and the JSON-LD from the same array. Then the trail and the markup can never disagree.

```
type Crumb = { name: string; href?: string }

export function Breadcrumbs({ items }: { items: Crumb[] }) {
  const base = 'https://ongoweightloss.com'
  const jsonLd = {
    '@context': 'https://schema.org',
    '@type': 'BreadcrumbList',
    itemListElement: items.map((c, i) => ({
      '@type': 'ListItem',
      position: i + 1,
      name: c.name,
      ...(c.href ? { item: base + c.href } : {}),
    })),
  }
  return (
    <>
      <nav aria-label="Breadcrumb">{/* visible <ol> built from items */}</nav>
      <script type="application/ld+json"
        dangerouslySetInnerHTML={{ __html: JSON.stringify(jsonLd).replace(/</g,
'\\u003c') }} />
    </>
  )
}
```

🟧 **Ongo Weight Loss example**

On 30 October 2026, the money page had **no breadcrumb**, and the blog showed only a home icon. Meanwhile the **homepage** carried a BreadcrumbList inside its big schema graph, the one page that doesn't need one. Fix: remove BreadcrumbList from the homepage, and add the shared component to every inner page. 🔵

12.6 Do's and Don'ts

✅ Do	❌ Don't
Follow the patient's path	Copy folder names like "glp-1"
Generate visible trail and JSON-LD from one array	Hand-write them separately
Mark the current page with aria-current	Make the current page a link to itself

✅ Do	❌ Don't
Add separators with CSS	Type ">" characters into the list

12.7 Pros and cons of breadcrumbs

✅ Pros	❌ Cons
Better orientation	Takes a line of space on mobile
Hierarchy signal for Google	Must be kept in sync with the tree
Useful navigation analytics	Wrong trails confuse users

12.8 Where freshers go wrong in Chapter 12 topics

Mistake	Why it happens	Avoid it by	Fix it by
BreadcrumbList on the homepage	Copying a site-wide schema block	Inner pages only	Removing it
Trail and markup disagree	Built separately	One component	Refactoring
Using slugs as labels	Auto-generation from URLs	A label map	Adding human names

12.9 Thumb rules

> 👍 Every inner page gets a trail; the homepage doesn't.
>
> 👍 One array, two outputs: visible and JSON-LD.
>
> 👍 The patient's path, not the folder path.

12.10 Notes to remember

> 📝 BreadcrumbList needs at least two ListItems; the last can omit `item`.
>
> 📝 Google recommends breadcrumbs that reflect a typical user path.

Chapter 12 Glossary

Term	Simple meaning
Breadcrumb	A trail of links showing where a page sits
BreadcrumbList	Schema.org type for breadcrumb markup
ListItem	One step in a BreadcrumbList
aria-current="page"	Marks the current page for assistive technology
Landmark	A labelled page region, like navigation

Chapter 12 Quiz

1. What should breadcrumbs represent, per Google?

- A) The server's folder names only
- B) Random links
- C) A typical user path
- D) The sitemap order

2. Does the last breadcrumb item need a URL in the markup?

- A) No; Google uses the containing page's URL
- B) It must be external
- C) It must be the homepage
- D) Yes, always

3. Which page should NOT show a breadcrumb?

- A) A blog article
- B) A policy page
- C) A money page
- D) The homepage

4. How many ListItems does a BreadcrumbList need at minimum?

- A) Two
- B) Ten
- C) Zero
- D) One

5. How do you keep the visible trail and JSON-LD in sync?

- A) Use two different components
- B) Write them on different days
- C) Generate both from one array
- D) Skip the JSON-LD

6. What attribute marks the current page?

- A) aria-current="page"
- B) alt="current"
- C) rel="nofollow"
- D) hidden

7. What breadcrumb issue did the live site have?

- A) Breadcrumbs in the title tag
- B) None
- C) Too many breadcrumbs
- D) Missing on inner pages but present on the homepage schema

8. How should separators be added?

- A) As typed characters inside the list
- B) As H2s
- C) With CSS
- D) As images with no alt

9. Which label is better?

- A) page-14
- B) GLP-1 Medications
- C) glp-1
- D) svc-2

10. In the banquet-hall analogy, breadcrumbs are…

- A) The signboards showing where you are
- B) The DJ
- C) The food counter
- D) The parking fee

Sources

1. Google Search Central, Breadcrumb (BreadcrumbList) structured data (last updated September 8, 2026) 🟢
2. W3C WAI-ARIA Authoring Practices, Breadcrumb pattern 🟢
3. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 12: 1-C · 2-A · 3-D · 4-A · 5-C · 6-A · 7-D · 8-C · 9-B · 10-A

LEVEL 2 · CHAPTER 13

Chapter 13: Image SEO and Alt Text

Alt text is written first for a person who can't see the image. When it's written well for them, it's written well for Google too.

> 💡 **Trivia**
>
> Google can read images in standard `<img>` elements, but it **doesn't index images set as CSS backgrounds**. It supports BMP, GIF, JPEG, PNG, WebP, SVG and AVIF in `src`, and warns against filling alt attributes with keywords. [1] ● Google official
>
> If a vial photo matters, it belongs in an `<img>` with real alt text, not in a CSS background.

13.1 Decide first: meaningful or decorative?

Image type	Alt text	Example
Informative (adds information)	Describe what it shows and why it matters	"Compounded semaglutide multi-dose vial with an insulin syringe"
Functional (inside a link or button)	Describe the action/destination	Logo link: "Ongo Weight Loss home"
Complex (chart, dosing schedule)	Short alt + full explanation in text or table nearby	"Example semaglutide dosing chart; see the table below"
Decorative (pure styling)	`alt=""` (empty, but present)	Background swirl, divider icon next to a text label
Text in image	Repeat the text	Badge reading "LegitScript Certified" → "LegitScript certified"

13.2 Writing alt text: the rules

Rule	✅	❌
Describe, don't stuff	"Person tracking weight progress on a phone"	"semaglutide weight loss online semaglutide"
Be specific	"0.5 mL, 1 mL and 2 mL compounded semaglutide vials"	"vials"
Skip "image of"	"Licensed provider on a video call"	"Image of a provider"
Keep it short	about 125 characters or less (screen-reader habit)	a paragraph
Match the page's compliance rules	"compounded semaglutide vial"	"Ozempic pen" on a commercial page
No PHI	Generic models only	Real patient's name or details

> 🍛 **Desi analogy: radio commentary**
>
> Radio pe cricket commentator dekh nahi sakne waalon ke liye match "dikhata" hai: "Kohli ne cover drive maara, ball boundary ke paar." **Alt text wahi commentary hai.** Woh "ek photo hai" nahi bolta; woh batata hai photo mein kya ho raha hai.

13.3 The Ongo Weight Loss image standard

Item	Standard
Format	WebP or AVIF for photos; SVG for logos and icons
File name	Short, descriptive, hyphenated: `compounded-semaglutide-vial.webp` (not `IMG_4421.webp`)
Dimensions	Always set width and height (prevents layout shift)
Responsive	`srcset` / `sizes` via `next/image` (Chapter 25)
Hero image	Preloaded (`priority`) only if it's the largest element on first screen
Before/after photos	Only with written consent, real and unedited, plus "individual results vary"

Item	Standard
Stock photos of "patients"	Never imply they are real Ongo Weight Loss patients
Medication images	Compounded vials only; no brand pens on commercial pages

13.4 The empty-alt audit

> 🟧 **Ongo Weight Loss example**
>
> The live homepage had **75 images: none missing the alt attribute, but 52 with `alt=""`**. On the money page, the hero vial had excellent alt text, but extra vial thumbnails, step images and benefit icons were empty. The dosing guide's author photo was also empty.
>
> Audit each one: icons next to a text label → keep `alt=""`. Vial thumbnails that show different sizes → describe them. Author photo → "Dr. Benjamin Krasne, MD". 🔵

13.5 Image sitemaps and discovery

Google says image sitemaps help it find images it might otherwise miss, including images on a CDN. [1] 🟢 In Next.js, `sitemap.ts` supports an `images` array per URL (Chapter 27). Use it for the key images on money pages and blog guides.

13.6 Alt text in code

```
import Image from 'next/image'

<Image
  src="/images/products/compounded-semaglutide-vial.webp"
  alt="Compounded semaglutide multi-dose vial with an insulin syringe on a table"
  width={1200}
  height={800}
/>

{/* Decorative icon next to a text label */}
<Image src="/icons/shield.svg" alt="" width={24} height={24} />
```

`next/image` requires the `alt` prop. Use `alt=""` deliberately for decoration; never leave a meaningful image empty to silence a warning.

13.7 Do's and Don'ts

✅ Do	❌ Don't
Describe what the image shows	Stuff keywords
Use `alt=""` for decoration	Describe swirls and dividers
Name files descriptively	Upload `IMG_4421.jpg`
Use `<img>` for content images	Put meaningful images in CSS backgrounds

13.8 Pros and cons of descriptive alt text

✅ Pros	❌ Cons
Accessible to blind and low-vision users	Takes time per image
Helps image search understanding	Needs review for compliance
Shows when images fail to load	Easy to over-write

13.9 Where freshers go wrong in Chapter 13 topics

Mistake	Why it happens	Avoid it by	Fix it by
Same alt on every image	Copy-paste	Writing per image	Auditing
Empty alt on meaningful images	Silencing warnings	The 13.1 table	Writing descriptions
Brand pens in commercial imagery	Stock libraries	Image standard	Replacing images

13.10 Thumb rules

👍 Describe it for someone who can't see it.

👍 Decorative means `alt=""`, not missing.

👍 Content images in `<img>`, never in CSS backgrounds.

13.11 Notes to remember

📝 Google doesn't index CSS background images.

📝 Supported in src: BMP, GIF, JPEG, PNG, WebP, SVG, AVIF.

Chapter 13 Glossary

Term	Simple meaning
Alt text	Text alternative describing an image
Decorative image	An image that adds no information
Image sitemap	A sitemap listing images for discovery
srcset	Lets the browser pick the right image size
Layout shift	Content jumping as images load

Chapter 13 Quiz

1. Does Google index CSS background images?

- A) Only PNGs
- B) Only on mobile
- C) Yes, always
- D) No

2. What alt should a purely decorative image have?

- A) alt=""
- B) A keyword list
- C) "decoration"
- D) No alt attribute at all

3. Which alt text is best?

- A) IMG_4421
- B) Compounded semaglutide multi-dose vial with an insulin syringe
- C) image of vial
- D) semaglutide semaglutide online

4. Which format is best for logos and icons?

- A) TIFF
- B) GIF
- C) BMP
- D) SVG

5. What alt fits a logo link to the homepage?

- A) logo.png
- B) Empty
- C) image
- D) Ongo Weight Loss home

6. How many homepage images had empty alt on 30 October 2026?

- A) 0
- B) 5
- C) 75
- D) 52

7. What should a complex dosing chart have?

- A) Short alt plus a full explanation nearby
- B) No alt
- C) Only a caption in Latin
- D) A 500-word alt

8. Can stock photos imply they're real patients?

- A) Yes
- B) No
- C) Only on blogs
- D) Only with filters

9. Which file name is better?

- A) a.webp
- B) compounded-semaglutide-vial.webp
- C) IMG_4421.webp
- D) final_FINAL2.webp

10. In the radio-commentary analogy, alt text…

- A) Plays music
- B) Reads the score only
- C) Describes what is happening in the image
- D) Says "there is a photo"

Sources

1. Google Search Central, Google image SEO best practices (last updated March 2, 2026) 🟢
2. W3C WAI, Images tutorial: decision tree 🟢
3. Next.js Docs, Image component 🟢
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 13: 1-D · 2-A · 3-B · 4-D · 5-D · 6-D · 7-A · 8-B · 9-B · 10-C

LEVEL 2 · CHAPTER 14

Chapter 14: Video on the Page

Videos help patients learn to inject, store and dose safely. To be found and understood, a video needs a proper home, a description and a transcript.

> 💡 **Trivia**
>
> Google's video guidance asks for a **watch page**: a page whose main purpose is the video. Google says it can show video features in results more reliably when the video is **prominent** on the page and when it can find a thumbnail and the video file or player. [1] 🟢 Google official
>
> A video hidden in a slider at the bottom of a sales page is rarely treated as a video result.

14.1 Where videos fit at Ongo Weight Loss

Video	Best home	Purpose
How to inject compounded semaglutide	Its own guide page (e.g. `/blog/semaglutide/how-to-inject-semaglutide/`) embedded on the money page too	Safety education
How Ongo Weight Loss works (2 min)	`/how-it-works/`	Explain the process
Provider introductions	Provider bio pages	Trust
Patient stories	`/success-stories/` (with written consent)	Social proof

> 📝 **Note to remember:** injection, dosing and storage videos are **medical content**. They need medical review, a reviewed date and the same disclaimers as text pages.

14.2 The video page checklist

☐	Element	Why
☐	Video is near the top and clearly the main content	Watch-page signal
☐	Descriptive title and H1	"How to Inject Compounded Semaglutide: Step-by-Step Video"
☐	Unique thumbnail (a real frame or designed cover)	Shown in results and players
☐	Captions (closed captions)	Accessibility; sound-off viewing
☐	Full transcript on the page	Readable by everyone and by Google
☐	Key steps also written as a numbered list	Patients can follow without replaying
☐	`VideoObject` JSON-LD	Machine-readable details
☐	Video listed in the sitemap (`videos`)	Discovery
☐	Reviewer and date	Medical trust

> 🍛 **Desi analogy: cooking show aur recipe card**
>
> TV pe chef dish banata hai, lekin neeche recipe card bhi deta hai: "2 cup chawal, 1 chammach namak". **Video dekhne ke baad bhi recipe card chahiye hota hai.** Injection video ke saath likhe hue steps wahi recipe card hain.

14.3 VideoObject JSON-LD

```
{
  "@context": "https://schema.org",
  "@type": "VideoObject",
  "name": "How to Inject Compounded Semaglutide: Step-by-Step",
  "description": "A licensed provider shows how to prepare and inject a weekly dose from
a multi-dose vial, plus storage and safety tips.",
  "thumbnailUrl": "https://ongoweightloss.com/images/video/inject-semaglutide-
thumb.webp",
  "uploadDate": "2026-11-02T10:00:00-05:00",
  "duration": "PT3M40S",
  "contentUrl": "https://ongoweightloss.com/videos/inject-semaglutide.mp4"
}
```

Required by Google for video rich results: `name`, `thumbnailUrl`, `uploadDate`. [2] 🟢

14.4 Embedding without hurting the page

Approach	Note
YouTube embed	Easy and free hosting; use a lightweight "facade" (thumbnail first, load the player on click) so the page isn't slowed
Self-hosted MP4	Full control; needs a CDN and a poster image
Autoplay with sound	❌ Never
Autoplay muted background video	Avoid on medical pages; it distracts and costs data

> **🟧 Ongo Weight Loss example**
>
> The live compounded semaglutide page offers "View Injection Guide" and "Watch Injection Video" buttons. That's useful for patients. To make the video findable, give it its own watch page with a transcript and VideoObject markup, and link to it from the money page with the anchor "watch how to inject compounded semaglutide". 🔵

14.5 Do's and Don'ts

✅ Do	❌ Don't
Give key videos their own watch page	Hide videos in carousels
Add captions and a transcript	Rely on audio only
Medically review clinical videos	Publish an injection video without review
Use a facade for embeds	Load heavy players on page load

14.6 Pros and cons of video

✅ Pros	❌ Cons
Shows, not tells: great for injections	Costly to produce and update
Builds trust with real providers	Needs medical review like text
Can appear in video results	Can slow pages if embedded badly

14.7 Where freshers go wrong in Chapter 14 topics

Mistake	Why it happens	Avoid it by	Fix it by
No transcript	"The video says it all"	The checklist	Adding the transcript
VideoObject on a page where the video isn't visible	Copying schema	Only marking visible videos	Removing the markup
Patient videos without consent	Excitement	Written consent rule	Taking them down

14.8 Thumb rules

👍 One important video, one watch page.

👍 Captions, transcript, written steps.

👍 Clinical video = clinical review.

14.9 Notes to remember

📝 VideoObject needs name, thumbnailUrl and uploadDate for rich results.

📝 Videos must be prominent on the page to be treated as video results.

Chapter 14 Glossary

Term	Simple meaning
Watch page	A page whose main purpose is a video
VideoObject	Schema.org type describing a video
Transcript	The full text of what's said in a video
Facade	A thumbnail placeholder that loads the player on click
Closed captions	On-screen text of the audio, toggled on or off

---

Chapter 14 Quiz

1. What is a watch page?

- A) A page whose main purpose is the video
- B) Any page with a clock
- C) A policy page
- D) The homepage

2. Which properties are required for video rich results?

- A) None
- B) name, thumbnailUrl, uploadDate
- C) author, ISBN
- D) price, rating, color

3. Why add a transcript?

- A) It's illegal not to
- B) To slow the page
- C) Accessibility and readable content for everyone
- D) To hide the video

4. Should injection videos be medically reviewed?

- A) Only on YouTube
- B) Only if long
- C) Yes
- D) No

5. What's a facade?

- A) A thumbnail that loads the player on click
- B) A schema error
- C) A fake review
- D) A font

6. Should medical videos autoplay with sound?

- A) Never
- B) Only at night
- C) Always
- D) Only for providers

7. Where should a key video sit on its page?

- A) At the bottom of a slider
- B) Near the top, clearly the main content
- C) Behind a login
- D) In the footer

8. Patient-story videos need…

- A) A coupon
- B) Nothing
- C) Written consent
- D) A brand drug name

9. Can VideoObject be used where the video isn't visible?

- A) Only in sitemaps
- B) Yes
- C) Only on blogs
- D) No

10. In the cooking-show analogy, written steps are…

- A) The chef's apron
- B) The stove
- C) The TV remote
- D) The recipe card

Sources

1. Google Search Central, Video SEO best practices 🟢
2. Google Search Central, Video (VideoObject) structured data 🟢
3. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 14: 1-A · 2-B · 3-C · 4-C · 5-A · 6-A · 7-B · 8-C · 9-D · 10-D

LEVEL 2 · CHAPTER 15

Chapter 15: FAQs After the End of FAQ Rich Results

FAQ rich results are gone from Google Search. Good FAQ sections are not. Write them for patients, and treat the markup as optional.

> 💡 **Trivia**
>
> FAQ rich results stopped appearing in Google Search on **May 7, 2026**. HowTo rich results were already retired in 2023. [1] ● Industry reporting of Google's announcement (see Book Three, Chapter 26)
>
> The questions patients ask didn't disappear. Only the expandable snippet in search results did.

15.1 What changed and what didn't

Before May 2026	After May 2026
FAQPage markup could show expandable Q&As under your result	No FAQ rich results in Google Search
Teams added FAQs mainly for SERP space	FAQs exist only if they help patients
FAQPage markup "required" in many briefs	FAQPage markup is **optional**; harmless if accurate
Long FAQ lists everywhere	Short, real, page-specific FAQs

15.2 When a page should have an FAQ section

Page type	FAQ?	Typical questions
Money page	✅ 5–8	Who's eligible? How is it shipped? What if I miss a dose? Is compounded semaglutide FDA-approved?
Service hub	✅ 4–6	What's included? How long is the program?
Pricing	✅ 4–6	What's included in the price? Are there extra fees? Refunds?
Blog article	Only if real follow-up questions exist	—
Tool page	✅ 2–4	How is BMI calculated? What does my result mean?
/faq/ hub	✅ grouped by topic	Links to deeper pages
Policy pages	❌	Policies are already Q&A-like

> 🪔 **Desi analogy: shaadi mein "kuch puchhna hai?" counter**
>
> Shaadi mein help desk pe log wahi puchhte hain: "washroom kahan hai?", "khana kab lagega?", "parking kahan hai?" **Woh desk real sawaalon ke liye hai, dikhawe ke liye nahi.** FAQ section bhi wahi help desk hai.

15.3 Where FAQ questions come from

Source	How
Patient support tickets and chat logs	Most common questions (remove all personal details)
Provider feedback	What patients ask in consultations
Search Console queries	Question-style queries landing on the page
"People also ask" in Google	Ideas only, never copy answers

15.4 Writing FAQ answers

Rule	Example
Start with the direct answer	"No. Compounded semaglutide is not FDA-approved. It is prepared by a licensed pharmacy..."
40–80 words; link to the full page for more	"...See our [semaglutide side effects guide]."
Same compliance rules as body copy	No outcome or approval claims
Unique to the page	Don't repeat the same 10 FAQs on every page
Visible on the page	Never hidden only in markup

15.5 Accessible FAQ markup

Use native disclosure elements so they work without JavaScript and with screen readers:

```
<section aria-labelledby="faq-heading">
  <h2 id="faq-heading">Frequently Asked Questions</h2>
  <details>
    <summary>Is compounded semaglutide FDA-approved?</summary>
    <p>No. Compounded medications are prepared by a licensed pharmacy and are not FDA-approved…</p>
  </details>
</section>
```

15.6 FAQPage JSON-LD: keep or remove?

Situation	Decision
Existing accurate FAQPage markup that matches visible Q&As	Keep or remove: no rich result either way; low priority
FAQPage markup with questions not on the page	❌ Remove (markup must reflect visible content)
New pages	Optional; don't let it delay launch
Homepage with FAQPage inside a giant graph	Simplify (Chapter 23)

> 🟧 **Ongo Weight Loss example**
>
> The live homepage and the dosing guide both carry FAQPage markup. That's acceptable if every question is visible on the page. The bigger win now is writing better answers and linking each one to the deeper page that fully answers it. 🔵

15.7 Do's and Don'ts

✅ Do	❌ Don't
Use real patient questions	Invent questions to fit keywords
Answer directly, then link deeper	Write 300-word answers
Use `<details>` / `<summary>`	Hide answers in JavaScript-only accordions
Treat FAQPage markup as optional	Delay launches for FAQ markup

15.8 Pros and cons of FAQ sections now

✅ Pros	❌ Cons
Answer objections before the CTA	No extra SERP space anymore
Good source text for AI answers	Can bloat pages
Reduce support tickets	Need upkeep as policies change

15.9 Where freshers go wrong in Chapter 15 topics

Mistake	Why it happens	Avoid it by	Fix it by
Same FAQs everywhere	One template	Page-specific questions	Rewriting per page
Markup for invisible questions	Copying schema	Visible-content rule	Removing extras

Mistake	Why it happens	Avoid it by	Fix it by
Including personal details from tickets	Copying real messages	Anonymising	Rewriting

15.10 Thumb rules

> 👍 FAQs are for patients, not for SERP space.
>
> 👍 Direct answer, then a link deeper.
>
> 👍 Markup optional; accuracy mandatory.

15.11 Notes to remember

> 📝 FAQ rich results ended May 7, 2026; HowTo rich results ended in 2023.
>
> 📝 Structured data must match visible content.

Chapter 15 Glossary

Term	Simple meaning
FAQ rich result	Expandable Q&As under a search result (retired)
FAQPage	Schema.org type for FAQ content
details/summary	Native HTML show/hide elements
People also ask	Google's box of related questions
Anonymise	Remove anything that identifies a person

Chapter 15 Quiz

1. When did FAQ rich results stop appearing in Google Search?

- A) January 1, 2020
- B) They never existed
- C) May 7, 2026
- D) They still appear

2. Is FAQPage markup still required?

- A) Yes, on every page
- B) No, it's optional
- C) Only on policies
- D) Only on the homepage

3. Where should FAQ questions come from?

- A) Keyword tools only
- B) Random guesses
- C) Competitors' answers copied
- D) Real patient questions (anonymised)

4. Which HTML elements make accessible FAQs?

- A) details and summary
- B) table only
- C) blink
- D) marquee

5. How long should an FAQ answer usually be?

- A) One word
- B) 40–80 words with a link deeper
- C) No answer
- D) 1,000 words

6. Can FAQPage markup include questions not on the page?

- A) Only in Spanish
- B) Yes
- C) No

- D) Only five

7. Which page usually doesn't need an FAQ section?

- A) Policy pages
- B) Money pages
- C) Pricing
- D) Tool pages

8. What should an answer start with?

- A) The direct answer
- B) A sales pitch
- C) A disclaimer only
- D) A joke

9. When were HowTo rich results retired?

- A) 2010
- B) 2023
- C) Never
- D) 2030

10. In the shaadi help-desk analogy, FAQs are for…

- A) Showing off
- B) The DJ's playlist
- C) Real questions guests ask
- D) Selling gifts

Sources

1. Industry coverage of Google ending FAQ rich results, e.g. PPC Land 🟠; Ongo Weight Loss, Book Three, Chapter 26 🔵
2. Google Search Central, General structured data guidelines 🟢
3. W3C WAI, Disclosure (show/hide) pattern 🟢

Answer key, Chapter 15: 1-C · 2-B · 3-D · 4-A · 5-B · 6-C · 7-A · 8-A · 9-B · 10-C

LEVEL 2 · CHAPTER 16

Chapter 16: Tables, Lists and Comparison Content

Doses, prices, schedules and comparisons are easier to understand, and easier for machines to read, when they're in real HTML tables and lists.

> 💡 **Trivia**
>
> Google's image guidance says it can't read text locked inside images the way it reads HTML text, which is why it recommends real HTML for important text. [1] ● Google official
>
> A dosing chart that exists only as a picture is invisible to search and to screen readers. The same chart as an HTML table works for everyone.

16.1 When to use what

Content	Best format	Example
Steps in order	Ordered list `<ol>`	How to get started: 1 Assessment, 2 Provider review, 3 Delivery
Items with no order	Unordered list `<ul>`	What's included in your plan
Data with two or more attributes	Table `<table>`	Dose by week
Two options compared	Comparison table	Compounded semaglutide vs. compounded tirzepatide
Definitions	Description list `<dl>`	Glossary of terms

> 🍛 **Desi analogy: railway time-table**
>
> Station pe time-table paragraph mein likha ho — "Rajdhani 4 baje aati hai, phir Shatabdi 5:30 pe, aur Duronto..." — toh koi padh nahi paayega. **Table mein train, platform, time: ek nazar mein samajh aa jaata hai.**

16.2 Accessible tables

```
<table>
  <caption>Example compounded semaglutide titration schedule (your provider sets your actual dose)</caption>
  <thead>
    <tr><th scope="col">Weeks</th><th scope="col">Weekly dose</th></tr>
  </thead>
  <tbody>
    <tr><td>1–4</td><td>0.25 mg</td></tr>
    <tr><td>5–8</td><td>0.5 mg</td></tr>
  </tbody>
</table>
```

Rule	Why
Use `<caption>`	Tells everyone what the table is
Use `<th scope="col">` for headers	Screen readers announce column names
Keep tables simple (no merged cells)	Easier to read on phones and with assistive tech
Make wide tables scroll horizontally on mobile	Prevents squashed text
Add "example only" notes on dose tables	Medical safety

16.3 The Phase 1 comparison rule

Book Three set the rule: Phase 1 comparison tables cover **compounded semaglutide vs. compounded tirzepatide only**, both labelled not FDA-approved. Brand rows move to Phase 2 educational content.

	Compounded semaglutide	Compounded tirzepatide
How it works	Acts on GLP-1 receptors	Acts on GIP and GLP-1 receptors
How often	Once weekly injection	Once weekly injection
FDA approval	Not FDA-approved (compounded)	Not FDA-approved (compounded)
Prescribed by	Licensed provider after review	Licensed provider after review
Price from	See /pricing/	See /pricing/

16.4 Numbers that go stale

Number	Rule
Prices	Pull from one source (pricing config) so every page updates together
Trial results	Name the brand product and trial (e.g. STEP 1, SURMOUNT-1); never attribute to compounded drugs
"Patients served", ratings	Use real, dated figures with a source
Doses	Medical review; "example only" label

> 🟧 **Ongo Weight Loss example**
>
> The live dosing guide shows the titration schedule as an image with good alt text ("...from 0.20 mg in weeks 1–4 up to 2.20 mg from week 17 onward. Actual dosing may vary."). Better still: keep the image, and add the same schedule as an HTML table below it. The table is searchable, accessible and easy to update. 🔵

16.5 Do's and Don'ts

✅ Do	❌ Don't
Use real HTML tables for data	Paste screenshots of spreadsheets

✅ Do	❌ Don't
Add captions and header scopes	Use tables for page layout
Pull prices from one source	Type prices on every page
Label dose tables "example only"	Present examples as prescriptions

16.6 Pros and cons of tables

✅ Pros	❌ Cons
Fast comparison	Hard on small screens if wide
Machine-readable	Need careful accessibility markup
Easy to update	Can hide nuance

16.7 Where freshers go wrong in Chapter 16 topics

Mistake	Why it happens	Avoid it by	Fix it by
Brand rows in Phase 1 comparisons	Copying competitor tables	Phase 1 rule	Removing brand rows
Prices out of sync	Typed by hand	Pricing config	Central source
Using `<div>` grids for data	Design tools	Semantic tables	Rebuilding

16.8 Thumb rules

> 👍 Steps in lists, data in tables, text in HTML.
>
> 👍 Every table gets a caption.
>
> 👍 One price source for the whole site.

16.9 Notes to remember

📝 Phase 1 comparisons: compounded semaglutide vs. compounded tirzepatide only.

📝 Important text belongs in HTML, not inside images.

Chapter 16 Glossary

Term	Simple meaning
caption	The title of a table
scope	Tells assistive tech which cells a header describes
Ordered list	A numbered list for steps
Description list	Term-and-definition pairs
Pricing config	One data file that holds all prices

Chapter 16 Quiz

1. Which format is best for steps in order?

- A) A paragraph
- B) Ordered list
- C) A table with merged cells
- D) An image

2. What does a table caption do?

- A) Hides the table
- B) Sets the price
- C) Adds colour
- D) Says what the table is

3. What does Phase 1 compare?

- A) Compounded semaglutide vs. compounded tirzepatide
- B) Nothing
- C) Wegovy vs. Zepbound
- D) All brand GLP-1s

4. Where should prices come from?

- A) Old screenshots
- B) One central source
- C) Competitor sites
- D) Typed on each page

5. Why add an HTML table under a dosing image?

- A) It's searchable, accessible and easy to update
- B) It's required by GTM
- C) To slow the page
- D) To hide the image

6. What attribute marks column headers?

- A) alt="col"
- B) href="col"
- C) scope="col"
- D) rel="col"

7. How should trial results be presented?

- A) Round up
- B) Claim them for compounded drugs
- C) Hide the source
- D) Name the brand product and trial; never attribute them to compounded drugs

8. Should tables be used for page layout?

- A) Yes
- B) Only headers
- C) Only footers
- D) No

9. What label do dose tables need?

- A) Example only; your provider sets your dose
- B) Guaranteed dose
- C) No label
- D) FDA-approved dose

10. In the railway analogy, a table...

- A) Is the station's name
- B) Is the ticket price only
- C) Shows train, platform and time at a glance
- D) Is a long paragraph

Sources

1. Google Search Central, Google image SEO best practices (last updated March 2, 2026) 🟢
2. W3C WAI, Tables tutorial 🟢
3. Ongo Weight Loss, Book Three, Chapter 19 and the Phase 1 comparison rule, internal 🔵

Answer key, Chapter 16: 1-B · 2-D · 3-A · 4-B · 5-A · 6-C · 7-D · 8-D · 9-A · 10-C

LEVEL 2 · CHAPTER 17

Chapter 17: Answer-Ready Pages for AI Overviews and AI Mode

AI features in Google Search are built on the same index. There's no secret AI tag. Clear, trustworthy, well-structured pages are what get cited.

> 💡 **Trivia**
>
> Google's guidance on AI features says there are **no additional requirements** to appear in AI Overviews or AI Mode, and **no special optimisation** needed: the same SEO best practices apply. To be shown as a supporting link, a page must be **indexed and eligible to be shown with a snippet**. [1] ● Google official
>
> A page that's `noindex` or `nosnippet` can't be a source. A clear, indexed page with a good answer can.

17.1 What helps a page be useful to AI answers

Practice	Why	Chapter
Direct answers in the first sentences	Easy to quote accurately	8
One topic per section, clear H2s	Easy to find the right passage	7
Tables and lists for facts	Clean, extractable data	16
Named author, reviewer, dates, sources	Trust signals	10, 18
Consistent facts across pages	Avoids contradictory answers	9
Text, not images, for key facts	Machine-readable	13, 16
Indexed, snippet-eligible pages	Required to be shown	21

> 🍛 **Desi analogy: IT office ka knowledge base**
>
> Naya employee office ke wiki se jawab dhoondhta hai. Jo article saaf heading, seedha jawab aur updated date ke saath likha ho, wahi sabse zyada use hota hai. **AI bhi wahi naya employee hai: saaf likha hua page uthata hai.**

17.2 The Ongo Weight Loss "answer block" pattern

For every key question a page answers, write a 40–60 word answer directly under the H2, then expand.

H2	Answer block (first 2 sentences)
Is compounded semaglutide FDA-approved?	No. Compounded semaglutide is prepared by a licensed compounding pharmacy and is not FDA-approved. A licensed provider decides whether it's appropriate for you.
How long does tirzepatide take to work?	Many people notice less appetite within the first few weeks. Weight changes build gradually because doses start low and increase over several months under a provider's guidance.

17.3 Consistency is a safety issue

If one page says "most people start at 0.25 mg" and another says "0.2 mg", an AI answer may combine them wrongly.

Fact type	Single source of truth
Prices	Pricing config
Dose examples	One medical-approved dosing table, reused
Eligibility criteria	One approved eligibility statement
Shipping states and times	Shipping policy
Provider credentials	Medical team data file

17.4 What not to do

❌ Don't	Why
Write content "for AI" that differs from what users see	Cloaking; spam policy
Add hidden "AI summary" text	Hidden text; spam policy
Mass-generate Q&A pages	Scaled content abuse
Block Google from snippets to "protect content"	Removes the page as an AI source

📝 **Note to remember:** Google-Extended (a robots.txt user agent) controls use of content for some Google AI model training and grounding outside Search. It doesn't control whether a page appears in Search or AI Overviews. Discuss any change with leadership first. [2] 🟢

🟧 Ongo Weight Loss example

The live money page is `noindex, nofollow`. As long as that's true, it can't appear in AI Overviews either, no matter how good the content is. The dosing guide is indexed and has a clear structure, so it's already a candidate source. 🔵

17.5 Do's and Don'ts

✅ Do	❌ Don't
Answer questions directly under H2s	Hide answers deep in paragraphs
Keep facts consistent across pages	Let doses or prices differ
Keep key pages indexable and snippet-eligible	Use nosnippet on money pages
Show authorship and dates	Publish anonymous medical content

17.6 Pros and cons of answer-first writing

✅ Pros	❌ Cons
Better chance of being cited	Some users may not click
Better for people scanning	Needs disciplined editing
Consistent brand facts	Requires central data sources

17.7 Where freshers go wrong in Chapter 17 topics

Mistake	Why it happens	Avoid it by	Fix it by
Believing in "AI SEO tags"	Hype	Google's guidance	Focusing on clarity
Different dose examples on different pages	Many writers	One dosing table	Consolidating
Hidden summaries for bots	Misguided tactics	Spam policy awareness	Removing them

17.8 Thumb rules

👍 No secret AI tag: clear, indexed, trustworthy pages win.

👍 Answer in 40–60 words, then explain.

👍 One fact, one source, every page.

17.9 Notes to remember

📝 AI features: no extra requirements; page must be indexed and snippet-eligible.

📝 Google-Extended doesn't control appearance in Search.

Chapter 17 Glossary

Term	Simple meaning
AI Overview	An AI-generated summary at the top of some Google results
AI Mode	Google's conversational AI search experience
Answer block	A short direct answer under a heading
Google-Extended	robots.txt token controlling some AI uses of content outside Search
Cloaking	Showing different content to users and to search engines

Chapter 17 Quiz

1. Are there special requirements to appear in AI Overviews?

- A) Yes, a paid listing
- B) Yes, a special sitemap
- C) No; normal SEO best practices apply
- D) Yes, an AI meta tag

2. What must a page be to appear as a supporting link?

- A) Noindexed
- B) Behind a login
- C) Indexed and snippet-eligible
- D) Written in JSON

3. How long should an answer block be?

- A) 500 words
- B) No limit
- C) 40–60 words
- D) One word

4. Why does fact consistency matter?

- A) It improves fonts

- B) It's a GA4 rule
- C) AI answers may combine contradictory facts wrongly
- D) It doesn't

5. Does Google-Extended control appearance in Search?

- A) No
- B) Only on mobile
- C) Yes
- D) Only for images

6. Hidden "AI summary" text is...

- A) Recommended
- B) Invisible to Google so fine
- C) Required
- D) A spam policy risk

7. Can a noindexed money page appear in AI Overviews?

- A) Only in AI Mode
- B) No
- C) Yes
- D) Only on weekends

8. Where should dose examples come from?

- A) One medical-approved dosing table
- B) Each writer's memory
- C) Competitors
- D) Forums

9. What is cloaking?

- A) A caching method
- B) A font style
- C) Showing different content to users and search engines
- D) A schema type

10. In the knowledge-base analogy, AI is like...

- A) The office printer

- B) A new employee who uses the clearest article
- C) The canteen
- D) The CEO

Sources

1. Google Search Central, AI features and your website
2. Google Search Central, Google's common crawlers: Google-Extended
3. Google Search Central, Spam policies for Google web search (last updated August 28, 2026)

Answer key, Chapter 17: 1-C · 2-C · 3-C · 4-C · 5-A · 6-D · 7-B · 8-A · 9-C · 10-B

LEVEL 2 · CHAPTER 18

Chapter 18: External Links and Citations

Every medical claim on ongoweightloss.com should be checkable. Citations show your work, and the right link attributes keep you honest with Google.

> 💡 **Trivia**
>
> Google asks site owners to qualify outbound links with `rel` values: `sponsored` for paid or affiliate links, `ugc` for user-generated content, and `nofollow` when you don't want to associate your site with the target. Editorial citations you trust need **no special attribute**. [1]
> 🟢 Google official
>
> Citing the FDA or a peer-reviewed study with a normal link is exactly what a trustworthy health page should do.

18.1 The Ongo Weight Loss source hierarchy

Tier	Sources	Use for
1	FDA, NIH/NLM (PubMed, MedlinePlus), CDC, peer-reviewed journals (NEJM, Lancet, JAMA)	Drug facts, safety, trial results
2	Professional bodies (Obesity Medicine Association, ADA, Endocrine Society)	Guidelines, definitions
3	Reputable health systems (Mayo Clinic, Cleveland Clinic)	Plain-language background
❌	Competitor telehealth sites, forums, social posts, AI chat answers	Never as evidence

18.2 How to cite on the page

Element	Pattern
In-text	"In the STEP 1 trial of brand semaglutide (Wegovy), participants... [1]"
References section (H2 "References")	Numbered list: author/organisation, title, publication, year, link
Link text	The source title, not "here"
Opening in a new tab	Optional; if used, indicate it ("opens in a new tab") for accessibility

> 🍛 **Desi analogy: cricket mein third umpire**
>
> Close run-out pe field umpire apne andaaze pe faisla nahi deta; third umpire replay dekhta hai. **Citation wahi replay hai: "yeh raha saboot, khud dekh lo."**

18.3 Link attributes

Link type	Attribute	Example at Ongo Weight Loss
Editorial citation	none	FDA, PubMed, journals
Paid or affiliate	`rel="sponsored"`	(none planned)
User-generated (reviews, comments)	`rel="ugc"`	Links inside patient review text
Untrusted or unvetted	`rel="nofollow"`	Rare
Opening a new tab	`target="_blank"` `rel="noopener"`	Optional for citations

```
<a href="https://www.fda.gov/drugs/human-drug-compounding" >
  FDA: Human Drug Compounding
</a>
```

18.4 Tracking outbound clicks

Book Three defined `outbound_click_*` events for citations (e.g. `outbound_click_citation`) with parameters for the destination domain and the source page. Chapter 39 shows the GTM setup.

> **🟧 Ongo Weight Loss example**
>
> The live dosing guide has a "References" H2 and a medical disclaimer. Good. On money pages, add 3–5 Tier 1 citations near the claims they support (how it works, safety, compounding rules), not only at the bottom. 🔵

18.5 Citation checklist

☐	Check
☐	Every clinical claim has a Tier 1 or Tier 2 source
☐	Brand trial results name the brand product and trial
☐	Links work (no 404s) and point to the original source
☐	Link text is the source name
☐	No competitor or forum sources
☐	Correct `rel` values for UGC and paid links

18.6 Do's and Don'ts

✅ Do	❌ Don't
Cite FDA, NIH, journals	Cite competitors or forums
Use descriptive link text	Write "source" or "here"
Check links each quarter	Leave broken citations
Mark UGC links `rel="ugc"`	Nofollow every citation out of fear

18.7 Pros and cons of heavy citation

✅ Pros	❌ Cons
Verifiable claims	More review work
Signals expertise and trust	Links can break over time
Supports medical reviewers	Can clutter if overdone

18.8 Where freshers go wrong in Chapter 18 topics

Mistake	Why it happens	Avoid it by	Fix it by
Nofollow on every external link	"Leaking link equity" myth	Google's rel guidance	Removing unneeded nofollow
Citing a news article instead of the study	Easier to find	Tier list	Linking the original
Using brand trial data for compounded claims	Wanting proof	Compliance rule	Rewording

18.9 Thumb rules

> 👍 Claim, source, link.
>
> 👍 Original studies over news about studies.
>
> 👍 Trusted citations need no nofollow.

18.10 Notes to remember

> 📝 rel values: sponsored, ugc, nofollow.
>
> 📝 Tier 1 sources: FDA, NIH, CDC, peer-reviewed journals.

Chapter 18 Glossary

Term	Simple meaning
Citation	A reference to the source of a claim
rel="sponsored"	Marks paid or affiliate links
rel="ugc"	Marks links in user-generated content
rel="nofollow"	Asks Google not to associate your site with the target
noopener	Security attribute for links opening new tabs

Chapter 18 Quiz

1. Which rel value marks paid links?

- A) ugc
- B) canonical
- C) alternate
- D) sponsored

2. Do trusted editorial citations need nofollow?

- A) Only on blogs
- B) Only for FDA links
- C) No
- D) Yes, always

3. Which is a Tier 1 source?

- A) A competitor's blog
- B) FDA
- C) A forum thread
- D) An AI chat answer

4. What should link text be?

- A) "source"

- B) The source name
- C) A URL only
- D) "here"

5. Which rel value marks user-generated content?

- A) prev
- B) ugc
- C) sponsored
- D) next

6. How should brand trial results be cited?

- A) Hide the trial name
- B) Don't cite
- C) Attribute to compounded drugs
- D) Name the brand product and trial

7. Which event tracks citation clicks?

- A) page_view only
- B) outbound_click_citation
- C) none
- D) button_click

8. Where should money-page citations go?

- A) Only in the footer
- B) In robots.txt
- C) Near the claims they support
- D) Nowhere

9. What attribute protects new-tab links?

- A) alt
- B) lang
- C) rel="canonical"
- D) rel="noopener"

10. In the third-umpire analogy, a citation is…

- A) The replay that shows the proof

- B) The scoreboard sponsor
- C) The toss
- D) The crowd noise

Sources

1. Google Search Central, Qualify your outbound links to Google
2. U.S. FDA, Human Drug Compounding
3. Ongo Weight Loss, Book Three, Chapter 20 (outbound tracking), internal

Answer key, Chapter 18: 1-D · 2-C · 3-B · 4-B · 5-B · 6-D · 7-B · 8-C · 9-D · 10-A

03

LEVEL 3

Next.js and Measurement

Everything the code says: metadata, canonicals, robots, schema, sitemaps, accessibility, GTM, GA4, Search Console and Clarity.

19 · The Next.js Metadata API

20 · Canonical Tags

21 · Robots Meta, noindex and X-Robots-Tag

22 · Open Graph and Social Cards

23 · JSON-LD Structured Data in Next.js

24 · next/link, Navigation and Crawlable Menus

25 · next/image and the SVG Logo

26 · Fonts, Text Sizes and Colours

27 · XML Sitemaps and the HTML Sitemap

28 · robots.txt

29 · Semantic HTML and Page Landmarks

30 · Head Basics: Charset, Viewport, Language and Favicons

31 · W3C HTML Validation

32 · URL Normalisation and Redirects

33 · The 404 Page

34 · Accessibility and ARIA Labels

35 · Connecting Google Tag Manager

36 · Setting Up GA4 for Ongo Weight Loss

37 · Connecting Google Search Console

38 · Microsoft Clarity: Useful, Installed, and Risky

39 · Custom Events and the Ongo Weight Loss Event Dictionary

LEVEL 3 · CHAPTER 19

Chapter 19: The Next.js Metadata API

Titles, descriptions, canonicals, robots, Open Graph and icons all come from one place in Next.js. Learn how it inherits and merges, and most metadata bugs disappear.

> 💡 **Trivia**
>
> Next.js merges metadata from layouts and pages **shallowly**. If a page sets `openGraph` at all, **every** `openGraph` field from the parent layout is replaced, including the image. [1] ● Next.js official
>
> That's how a page ends up with a perfect `og:title` and no `og:image`.

19.1 Two ways to set metadata

Method	Use when	Example
`export const metadata`	Values are fixed	Policy pages, hubs, tools
`export async function generateMetadata()`	Values come from data (CMS, params)	Blog posts, provider bios

You can't export both from the same file. Both work **only in Server Components**. [1] ●

19.2 The root layout: site-wide defaults

```
// app/layout.tsx
import type { Metadata } from 'next'

export const metadata: Metadata = {
  metadataBase: new URL('https://ongoweightloss.com'),
  title: {
    default: 'Ongo Weight Loss | Doctor-Led Medical Weight Loss Care',
    template: '%s | Ongo Weight Loss',
  },
  description:
    'Ongo Weight Loss offers doctor-led, online medical weight loss care with licensed
U.S. providers and personalised GLP-1 plans.',
  applicationName: 'Ongo Weight Loss',
  openGraph: {
    siteName: 'Ongo Weight Loss',
    locale: 'en_US',
    type: 'website',
  },
  twitter: { card: 'summary_large_image' },
  robots: { index: true, follow: true },
}
```

Field	Why it's in the root
`metadataBase`	Lets every page use relative URLs for canonical and OG images
`title.template`	Adds " | Ongo Weight Loss" to every child title
`title.default`	Fallback for pages without a title (required with a template)
`openGraph.siteName`	Brand on every social card


19.3 A page: overriding correctly

```
// app/services/glp-1/compounded-semaglutide/page.tsx
import type { Metadata } from 'next'
import { sharedOpenGraph } from '@/lib/seo'

export const metadata: Metadata = {
  title: 'Compounded Semaglutide Online',
  description:
    'Learn how compounded semaglutide works, who may be eligible, dosing, safety and
pricing, with care from licensed U.S. providers at Ongo Weight Loss.',
  alternates: { canonical: '/services/glp-1/compounded-semaglutide/' },
  openGraph: {
    ...sharedOpenGraph, // siteName, locale, default image
    title: 'Compounded Semaglutide Online | Ongo Weight Loss',
    url: '/services/glp-1/compounded-semaglutide/',
    images: [{ url: '/og/compounded-semaglutide.png', width: 1200, height: 630,
               alt: 'Compounded semaglutide vial and syringe, Ongo Weight Loss' }],
  },
}
```

📝 **Note to remember:** because merging is shallow, keep shared Open Graph values in one object (`sharedOpenGraph`) and spread it into every page that sets `openGraph` .

How Next.js Merges Metadata



Override an object, lose the whole object.

19.4 Inheritance cheat sheet

If the page…	Result
Sets no `title`	Uses the closest parent's title (or `title.default`)
Sets `title: 'X'`	Becomes "X | Ongo Weight Loss" via the template

If the page…	Result
Sets `title: { absolute: 'X' }`	Becomes exactly "X" (no template)
Sets no `description`	Inherits the parent's description (**duplicate risk**)
Sets `openGraph: { title }` only	Loses all parent OG fields (shallow merge)
Sets no `openGraph`	Inherits all parent OG fields (with the parent's title and URL: **wrong for this page**)

> 🪔 **Desi analogy: joint family ki almari**
>
> Dadaji ki almari mein sabke kapde hain (root layout). Agar beta apni nayi almari lagata hai aur sirf ek shirt rakhta hai, toh **poori almari usi ek shirt wali ho jaati hai**; dadaji ke kapde wahan nahi aate. Shallow merge bilkul aisa hi hai: jo object override karo, poora replace hota hai.

19.5 Dynamic metadata for blog posts

```
// app/blog/[cluster]/[slug]/page.tsx
export async function generateMetadata({ params }): Promise<Metadata> {
  const { cluster, slug } = await params
  const post = await getPost(cluster, slug)
  if (!post) notFound()
  const path = `/blog/${cluster}/${slug}/`
  return {
    title: post.seoTitle,
    description: post.seoDescription,
    alternates: { canonical: path },
    robots: post.indexable ? undefined : { index: false, follow: true },
    openGraph: {
      ...sharedOpenGraph,
      type: 'article',
      title: post.seoTitle,
      url: path,
      publishedTime: post.publishedAt,
      modifiedTime: post.updatedAt,
      images: [{ url: post.ogImage, width: 1200, height: 630, alt: post.ogImageAlt }],
    },
  }
}
```

`fetch` calls in `generateMetadata` are memoised with the page's own fetches, so fetching the post twice doesn't cost twice. [1] 🟢

19.6 Viewport and theme colour live elsewhere

Since Next.js 14, `viewport`, `themeColor` and `colorScheme` are set with the separate `viewport` export (or `generateViewport`), not inside `metadata`. [1] 🟢 Chapter 30 covers this.

> **🟧 Ongo Weight Loss example**
>
> The live homepage outputs both `<meta name="robots" content="index, follow">` and a `googlebot` meta with the same value. That's harmless but redundant. A single `robots` value in the root layout is enough unless Googlebot needs different rules. 🔵

19.7 Do's and Don'ts

✅ Do	❌ Don't
Set `metadataBase` once in the root	Hard-code full URLs everywhere
Give every indexable page its own title, description, canonical	Rely on inheritance for these
Spread a shared OG object	Set partial `openGraph` and lose the image
Keep pages as Server Components	Export metadata from client components

19.8 Pros and cons of the Metadata API

✅ Pros	❌ Cons
Typed, central, consistent	Shallow merge surprises
Relative URLs via metadataBase	Inheritance hides missing values
Works with dynamic data	Streaming metadata needs testing

19.9 Where freshers go wrong in Chapter 19 topics

Mistake	Why it happens	Avoid it by	Fix it by
OG image missing on some pages	Shallow merge	Shared OG object	Spreading it in
Duplicate descriptions	Inheritance	Required-field check in QA	Adding descriptions
"Brand | Ongo Weight Loss | Ongo Weight Loss"	Template + full title	`title.absolute`	Fixing the page title

19.10 Thumb rules

👍 Root sets defaults; pages set specifics.

👍 Override an object, lose the whole object.

👍 Title, description, canonical, OG: set them on every indexable page.

19.11 Notes to remember

📝 Metadata merges shallowly, in order from root layout to page.

📝 You can't export both `metadata` and `generateMetadata` from one segment.

Chapter 19 Glossary

Term	Simple meaning
Metadata API	Next.js system that generates head tags
metadataBase	Base URL used to resolve relative metadata URLs
Shallow merge	Nested objects are replaced, not combined
title.template	Pattern for child titles
title.absolute	A title that ignores the template

Chapter 19 Quiz

1. How does Next.js merge metadata?

- A) It doesn't merge
- B) Shallowly, from root to page
- C) Randomly
- D) Deeply, combining every field

2. What happens if a page sets openGraph with only a title?

- A) It loses the parent's other OG fields
- B) The page is noindexed
- C) It keeps all parent fields
- D) The build fails

3. Where should metadataBase be set?

- A) robots.txt
- B) The footer
- C) Every component
- D) The root layout

4. Can you export metadata and generateMetadata from one file?

- A) Only on Sundays
- B) No
- C) Yes
- D) Only in layouts

5. Which option ignores the title template?

- A) title.parent
- B) title.default
- C) title.absolute
- D) title.template

6. When should you use generateMetadata?

- A) When values come from data like a CMS
- B) Only for the homepage
- C) Only for CSS
- D) Never

7. Where do viewport and themeColor go since Next.js 14?

- A) The metadata object
- B) GTM
- C) The sitemap
- D) The viewport export

8. Why share a sharedOpenGraph object?

- A) To slow the build
- B) To hide the image
- C) It's required by Google
- D) To avoid losing fields with shallow merging

9. What does a missing page description cause?

- A) A faster site
- B) A canonical error
- C) Duplicate descriptions inherited from the parent
- D) A 404

10. In the almari analogy, shallow merge means…

- A) Clothes are mixed together
- B) Nothing changes
- C) A new almari replaces the old one entirely
- D) The almari is locked

Sources

1. Next.js Docs, generateMetadata and the metadata object (last updated August 19, 2026) 🟢
2. Next.js Docs, Metadata files 🟢
3. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 19: 1-B · 2-A · 3-D · 4-B · 5-C · 6-A · 7-D · 8-D · 9-C · 10-C

LEVEL 3 · CHAPTER 20

Chapter 20: Canonical Tags

A canonical tag tells Google which URL is the "real" version of a page. One wrong canonical can quietly remove a page from search.

> 💡 **Trivia**
>
> Google treats a canonical tag as a **strong hint, not a command**. It weighs it alongside redirects, sitemaps and internal links, and a permanent redirect is a **strong signal** that the target should become canonical. [1] ● Google official
>
> When all your signals agree, Google follows them. When they disagree, Google chooses for you.

20.1 Why duplicates happen

Duplicate source	Example
Trailing slash	`/pricing` and `/pricing/`
Case	`/About/` and `/about/`
Protocol and host	`http://`, `https://www.`
Parameters	`/pricing/?utm_source=facebook`, `?ref=email`
Index files	`/pricing/index.html`
Same content in two sections	`/blog/tirzepatide/tirzepatide-vs-semaglutide/` and `/blog/semaglutide/semaglutide-vs-tirzepatide/`

20.2 The Ongo Weight Loss canonical rules

Rule	Detail
Every indexable page has a **self-referencing** canonical	The page points to itself
Always **absolute**, https, non-www, lowercase, trailing slash	`https://ongoweightloss.com/pricing/`
Canonical URL returns **200** (not a redirect, not a 404)	Never canonicalise to a dead URL
Canonical URL is **indexable** (no noindex)	Don't point to a noindexed page
Canonical = sitemap URL = internal link URL	All signals agree
Parameters canonicalise to the clean URL	UTM links point to the clean canonical
Never canonicalise across different topics	A blog doesn't canonicalise to a money page
Merged duplicates get a **301 redirect**, not just a canonical	Chapter 32

> 🪔 **Desi analogy: aadhaar card ka address**
>
> Ek aadmi ke chaar address ho sakte hain (ghar, office, gaon, PG), lekin aadhaar pe ek hi likha hota hai. **Canonical wahi "official address" hai** jahan Google saari chitthiyan bhejta hai.

20.3 In Next.js

```
// Root layout: metadataBase makes relative canonicals absolute
export const metadata = { metadataBase: new URL('https://ongoweightloss.com') }

// Each page:
export const metadata = {
  alternates: { canonical: '/services/glp-1/compounded-tirzepatide/' },
}
// Output: <link rel="canonical" href="https://ongoweightloss.com/services/glp-
1/compounded-tirzepatide/" />
```

> ⚠️ **Where freshers go wrong: canonical in the root layout.** If you set `alternates.canonical: '/'` in the root layout and a page forgets its own, **every page canonicalises to the homepage**. That tells Google all pages are copies of the homepage. Never set a page-specific canonical in a layout. 🔵

A safe helper:

```
// lib/seo.ts
export const canonical = (path: string) => ({
  alternates: { canonical: path.endsWith('/') ? path : `${path}/` },
})
```

20.4 Canonical vs. noindex vs. redirect

Situation	Use
Two URLs, same content, both must stay reachable (e.g. UTM variants)	Canonical
Old URL replaced by a new one	301 redirect
Page should never appear in search (portal, thank-you page)	noindex
Page is a duplicate and also not wanted	301 to the better page

Never combine `noindex` with a canonical pointing to another page; they send opposite messages.

> 🟧 **Ongo Weight Loss example**
>
> On 30 October 2026, the homepage and the dosing guide had correct self-canonicals. The compounded semaglutide money page had **none**. Before that page is opened to Google, add `alternates: { canonical: '/services/glp-1/compounded-semaglutide/' }` . The duplicate comparison blog in Book Three (`tirzepatide-vs-semaglutide`) should be merged and **301-redirected**, not just canonicalised. 🔵

20.5 How to check canonicals

Tool	What to look for
View source	One `<link rel="canonical">`, absolute, correct
Search Console URL Inspection	"User-declared canonical" vs. "Google-selected canonical"
Crawler (Screaming Frog etc.)	Missing, non-200, non-indexable, or mismatched canonicals

20.6 Do's and Don'ts

✅ Do	❌ Don't
Self-canonicalise every indexable page	Leave pages without canonicals
Use absolute URLs	Use relative URLs without metadataBase
Align canonical, sitemap and links	Let them disagree
Redirect merged duplicates	Rely on canonical alone for retired pages

20.7 Pros and cons of canonicals

✅ Pros	❌ Cons
Consolidates duplicate signals	Only a hint
Handles parameter variants	One mistake can deindex many pages
Easy to add in Next.js	Easy to set wrongly in layouts

20.8 Where freshers go wrong in Chapter 20 topics

Mistake	Why it happens	Avoid it by	Fix it by
Canonical without trailing slash	Typing	The helper	Normalising

Mistake	Why it happens	Avoid it by	Fix it by
Canonical to a redirected URL	URL changed later	Monthly crawl	Updating
Multiple canonical tags	A plugin + manual tag	One source	Removing extras

20.9 Thumb rules

👍 Every indexable page points to itself.

👍 Canonical, sitemap, link: same URL, every time.

👍 Never set a page canonical in a layout.

20.10 Notes to remember

📝 Canonical is a strong hint; redirects are stronger signals.

📝 URL Inspection shows user-declared vs. Google-selected canonical.

Chapter 20 Glossary

Term	Simple meaning
Canonical URL	The preferred version of a page
Self-referencing canonical	A page's canonical points to itself
Google-selected canonical	The URL Google chose as canonical
Parameter	Extra URL text after `?`
alternates.canonical	Next.js field that outputs the canonical tag

Chapter 20 Quiz

1. Is a canonical tag a command or a hint?

- A) Ignored entirely
- B) A redirect
- C) A command Google must obey
- D) A strong hint

2. What should an indexable page's canonical point to?

- A) The homepage
- B) Itself
- C) A 404 page
- D) A competitor

3. What happens if the root layout sets canonical '/' and pages forget theirs?

- A) Google ignores the layout
- B) Every page canonicalises to the homepage
- C) Pages get faster
- D) Nothing

4. What should a merged duplicate page get?

- A) A 301 redirect
- B) A noindex and canonical together
- C) Only a canonical
- D) Nothing

5. Which canonical format is correct?

- A) /pricing
- B) https://ongoweightloss.com/pricing/
- C) http://www.ongoweightloss.com/Pricing
- D) pricing.html

6. Where can you see the Google-selected canonical?

- A) Clarity
- B) GA4
- C) The favicon

- D) Search Console URL Inspection

7. Should noindex be combined with a canonical to another page?

- A) Only for blogs
- B) Yes
- C) No
- D) Always

8. Which money page lacked a canonical on 30 October 2026?

- A) The dosing guide
- B) The homepage
- C) None
- D) Compounded semaglutide

9. Which signals should agree with the canonical?

- A) Logo format
- B) Sitemap URL and internal links
- C) Font size
- D) Colour palette

10. In the aadhaar analogy, the canonical is…

- A) A courier company
- B) A PG room
- C) The office address only
- D) The official address

Sources

1. Google Search Central, How to specify a canonical URL and Redirects and Google Search 🟢
2. Next.js Docs, Metadata: alternates (last updated August 19, 2026) 🟢
3. Ongo Weight Loss, live-site audit, 30 October 2026, and Book Three, Chapter 17 (internal) 🔵

Answer key, Chapter 20: 1-D · 2-B · 3-B · 4-A · 5-B · 6-D · 7-C · 8-D · 9-B · 10-D

LEVEL 3 · CHAPTER 21

Chapter 21: Robots Meta, noindex and X-Robots-Tag

Robots rules decide whether a page can appear in Google. They are the most powerful on-page tags, and the most dangerous when left in the wrong place.

> 💡 **Trivia**
>
> For `noindex` to work, Google must be able to **crawl the page and see the tag**. If robots.txt blocks the page, Google never reads the `noindex`, and the URL can still appear in results (without a description) if other pages link to it. [1] 🟢 Google official
>
> Blocking and noindexing the same page cancel each other out.

21.1 The robots values that matter

Value	Meaning	Ongo Weight Loss use
`index, follow`	Default: may index, follow links	Every public page once it passes the launch checklist
`noindex, follow`	Don't index, but follow links	Temporary pre-launch pages; thank-you pages; internal search
`noindex, nofollow`	Don't index, don't follow links	Portal, login, onboarding, account pages
`nosnippet`	No snippet in results	❌ Avoid on public pages (removes AI Overview eligibility)
`max-image-preview:large`	Allow large image previews	✅ Site-wide (helps Discover and image results)
`max-snippet:-1`	No snippet length limit	✅ Site-wide

21.2 Three ways to set robots rules

Method	Where	Best for
Robots meta tag	`metadata.robots` in the page	HTML pages
`X-Robots-Tag` HTTP header	`next.config.ts` headers or proxy	PDFs, images, whole folders, non-HTML files
robots.txt	`app/robots.ts`	Crawl control (not index control)

```
// Page-level: a temporary pre-launch page
export const metadata = {
  robots: { index: false, follow: true },
}
// Output: <meta name="robots" content="noindex, follow" />
```

```
// next.config.ts: a whole folder via header
const nextConfig = {
  async headers() {
    return [{
      source: '/weightloss-onboard/:path*',
      headers: [{ key: 'X-Robots-Tag', value: 'noindex, nofollow' }],
    }]
  },
}
export default nextConfig
```

> 🍛 **Desi analogy: ghar ka "No Entry" board vs. "Photo mat kheencho" board**
>
> Gate pe "No Entry" laga do (robots.txt), toh mehmaan andar hi nahi aayega, aur andar laga "Photo mat kheencho" board (noindex) kabhi padhega hi nahi. **Agar photo rokni hai, toh pehle andar aane do, phir board dikhao.**


21.3 The Ongo Weight Loss indexing states (from Book Three)

State	Robots	In sitemap?	robots.txt
Indexed	`index, follow`	✅ Yes	Allowed

State	Robots	In sitemap?	robots.txt
Temporary noindex (until the launch checklist passes)	`noindex, follow`	❌ No	Allowed
Permanent noindex (PHI and payment)	`noindex, nofollow` (+ X-Robots-Tag)	❌ No	Decide with dev: if disallowed, Google can't read the noindex

⚠️ **Where freshers go wrong: noindex pages in the sitemap.** A sitemap says "please index this". A noindex tag says "don't". Sending both confuses Google and creates Search Console errors. A URL leaves the sitemap the moment it gets noindex, and joins it the moment noindex is lifted. 🔵

The Three Indexing States



Live, indexed pages are fixed in place.

21.4 The live money page: a decision, not a default

🟧 **Ongo Weight Loss example**

On 30 October 2026, `/services/glp-1/compounded-semaglutide/` served **`noindex, nofollow`** (in both the robots and googlebot tags), yet it was listed in sitemap.xml.

Two problems:

1. **Conflict:** sitemap says index; tag says don't.
2. **nofollow on a public page** tells Google not to follow any link on it, so the page passes nothing to the pages it links to.

Decision path: if the page is still in "temporary noindex", change it to `noindex, follow` and remove it from the sitemap. When it passes the Chapter 3 standard, switch to `index, follow` and add it back. Leadership confirms which state applies. 🔵

21.5 Lifting noindex safely

Step	Action
1	Pass the 22-point standard (Chapter 3) and medical/compliance sign-off
2	Change robots to `index, follow` (or remove the override)
3	Add the URL to the sitemap with an accurate lastmod
4	Make sure at least one indexed page links to it
5	Request indexing via URL Inspection
6	Log the change with a date in the change log

21.6 Do's and Don'ts

✅ Do	❌ Don't
Use noindex for pages that must stay out of search	Use robots.txt to "noindex"
Use X-Robots-Tag for folders and PDFs	Rely on meta tags for non-HTML files
Keep noindexed URLs out of sitemaps	List noindexed pages in sitemaps
Use `noindex, follow` for temporary states	Use `nofollow` on public pages

21.7 Pros and cons of a staged indexing plan

✅ Pros	❌ Cons
Unreviewed pages stay out of Google	Delays organic traffic
Clean launch	Easy to forget to lift noindex
Fewer compliance risks	Needs tracking and a change log

21.8 Where freshers go wrong in Chapter 21 topics

Mistake	Why it happens	Avoid it by	Fix it by
Staging site's noindex copied to production	Environment settings	Environment-based robots	A release check
Disallow + noindex together	Belt-and-braces thinking	Understanding 21.2	Choosing one per case
Forgetting to lift noindex	No tracker	Change log + checklist	Weekly indexing review

21.9 Thumb rules

👍 robots.txt controls crawling; noindex controls indexing.

👍 Noindex out of the sitemap, indexed into it.

👍 Public pages never use nofollow.

21.10 Notes to remember

📝 Google must crawl a page to see its noindex.

📝 X-Robots-Tag works for non-HTML files and whole folders.

Chapter 21 Glossary

Term	Simple meaning
noindex	Asks search engines not to index a page
nofollow (page-level)	Asks search engines not to follow links on the page
X-Robots-Tag	An HTTP header carrying robots rules

Term	Simple meaning
Temporary noindex	Noindex until a page passes the launch checklist
Indexing state	Whether a page is indexed, temporarily noindexed or permanently noindexed

Chapter 21 Quiz

1. What happens if robots.txt blocks a noindexed page?

- A) Nothing changes
- B) The page is removed instantly
- C) The page ranks higher
- D) Google can't see the noindex

2. Which robots value suits a temporary pre-launch page?

- A) index, nofollow
- B) noindex, follow
- C) nosnippet
- D) none

3. Which method suits PDFs and folders?

- A) Alt text
- B) A meta tag inside the PDF
- C) The title tag
- D) X-Robots-Tag header

4. Should noindexed URLs be in the sitemap?

- A) Yes
- B) No
- C) Only blogs
- D) Only on Fridays

5. What does page-level nofollow do?

- A) Hides the page from users
- B) Adds a canonical

- C) Speeds up the page
- D) Asks Google not to follow any link on the page

6. What robots state did the live money page have?

- A) none
- B) index, follow
- C) nosnippet only
- D) noindex, nofollow

7. Which value avoids AI Overview eligibility and should be avoided?

- A) index
- B) nosnippet
- C) max-image-preview:large
- D) follow

8. What's step 3 of lifting noindex?

- A) Add the URL to the sitemap with accurate lastmod
- B) Block it in robots.txt
- C) Delete the page
- D) Remove all links to it

9. Which pages are permanent noindex?

- A) Portal, login and onboarding pages
- B) Money pages
- C) Blog hubs
- D) The homepage

10. In the ghar analogy, robots.txt is...

- A) The "No photos" board inside
- B) The doorbell
- C) The "No Entry" board at the gate
- D) The house number

Sources

1. Google Search Central, Block search indexing with noindex and Introduction to robots.txt (last updated December 10, 2025) ●
2. Google Search Central, Robots meta tag, data-nosnippet and X-Robots-Tag specifications ●
3. Next.js Docs, Metadata: robots and headers ●
4. Ongo Weight Loss, live-site audit, 30 October 2026, and Book Three, Chapter 14 (internal) ●

Answer key, Chapter 21: 1-D · 2-B · 3-D · 4-B · 5-D · 6-D · 7-B · 8-A · 9-A · 10-C

LEVEL 3 · CHAPTER 22

Chapter 22: Open Graph and Social Cards

When someone shares an Ongo Weight Loss link on WhatsApp, Facebook, LinkedIn or X, the card they see comes from Open Graph tags. No tags, no card: just a bare link.

> 💡 **Trivia**
>
> The Open Graph protocol has exactly **four required properties**: `og:title`, `og:type`, `og:image` and `og:url`. It also says pages with an `og:image` should include `og:image:alt`. [1] ● Open Graph protocol (official spec)
>
> Many sites ship the title and forget the other three.

22.1 The tags every page needs

Tag	Ongo Weight Loss value	Required?
`og:title`	Page title (with brand)	✅
`og:type`	`website` (most pages) or `article` (blog)	✅
`og:image`	1200 × 630 image, absolute URL	✅
`og:url`	The canonical URL	✅
`og:description`	Meta description or a shorter version	Recommended
`og:site_name`	Ongo Weight Loss	Recommended
`og:locale`	en_US	Recommended
`og:image:alt`	Describes the image	Recommended by spec

Tag	Ongo Weight Loss value	Required?
`og:image:width` / `height`	1200 / 630	Recommended
`article:published_time` / `modified_time`	Blog only	Recommended
`twitter:card`	summary_large_image	Recommended

22.2 The Ongo Weight Loss OG image standard

Item	Standard
Size	1200 × 630 px (1.91:1)
Format	PNG or JPG (safest across platforms)
File size	Under ~1 MB (WhatsApp and some apps skip heavy images)
Content	Page topic in large text + Ongo Weight Loss logo + brand colours
Safe area	Keep text away from edges (some apps crop to square)
Compliance	No brand drug names, no outcome claims, no before/after photos
One per page type at minimum	Home, each money page, hubs, blog (per article or per cluster)

● Ongo Weight Loss standard (based on common platform behaviour ●)

> 🪔 **Desi analogy: shaadi ka WhatsApp invite**
>
> Shaadi ka invite sirf text mein bhejo — "shaadi hai, aana" — toh koi dhyaan nahi deta. Sundar card ke saath bhejo, naam, date, venue ke saath, toh sab save karte hain. **OG image wahi card hai jo link ke saath jaata hai.**

22.3 In Next.js

Option A: metadata fields (Chapter 19, with a shared object):

```
openGraph: {
  ...sharedOpenGraph,
  title: 'Compounded Tirzepatide Online | Ongo Weight Loss',
  description: 'How compounded tirzepatide works, eligibility, dosing, safety and
pricing.',
  url: '/services/glp-1/compounded-tirzepatide/',
  type: 'website',
  images: [{ url: '/og/compounded-tirzepatide.png', width: 1200, height: 630,
             alt: 'Compounded tirzepatide vial with Ongo Weight Loss branding' }],
},
```

Option B: file-based image (recommended by Next.js for OG images): place `opengraph-image.png` (and optionally `opengraph-image.alt.txt`) in the route folder. Next.js adds the tags automatically. [2] ●

```
app/services/glp-1/compounded-tirzepatide/
  page.tsx
  opengraph-image.png        ← 1200×630
  opengraph-image.alt.txt    ← "Compounded tirzepatide vial with Ongo Weight Loss
branding"
```

Option C: generated images with `opengraph-image.tsx` and `ImageResponse`, useful for 30+ blog posts (title drawn onto a branded template).

22.4 Testing

Platform	Tool
Facebook / WhatsApp	Meta Sharing Debugger (also refreshes the cache)
LinkedIn	LinkedIn Post Inspector
X	Post a draft in a private account, or a card validator if available
Any	View source: check all four required tags

🟧 **Ongo Weight Loss example**

The live homepage has a complete OG set: title, description, type, url, locale, site name, image, image alt and dimensions. Two improvements: the image is **3600 × 1890 WebP**. That's large, and WebP isn't reliably supported by every sharing platform. Add a 1200 × 630 PNG version. The compounded semaglutide money page had **no OG tags at all**, so shares of it show a bare link. 🔵

22.5 Do's and Don'ts

✅ Do	❌ Don't
Set all four required tags on every page	Ship og:title alone
Use 1200 × 630 PNG/JPG	Use giant WebP files
Add og:image:alt	Leave images undescribed
Re-scrape after changes	Assume platforms update instantly

22.6 Pros and cons of per-page OG images

✅ Pros	❌ Cons
Higher click-through from shares	Design time
Professional brand presence	More files to maintain
Clear topic before click	Needs compliance review

22.7 Where freshers go wrong in Chapter 22 topics

Mistake	Why it happens	Avoid it by	Fix it by
Relative og:image URL	No metadataBase	Root metadataBase	Adding it

Mistake	Why it happens	Avoid it by	Fix it by
Old image still showing	Platform cache	Sharing Debugger	Re-scraping
og:url not canonical	Copy-paste	Using the canonical helper	Matching them

22.8 Thumb rules

> 👍 Title, type, image, URL: always all four.
>
> 👍 1200 × 630, PNG or JPG, under 1 MB.
>
> 👍 og:url = canonical.

22.9 Notes to remember

> 📝 Four required OG properties: og:title, og:type, og:image, og:url.
>
> 📝 Next.js supports file-based `opengraph-image` files per route.

Chapter 22 Glossary

Term	Simple meaning
Open Graph (OG)	Tags that control how links look when shared
og:image:alt	Text describing the share image
Twitter card	X's version of a share card
Sharing Debugger	Meta's tool to preview and refresh link cards
ImageResponse	Next.js API for generating images from code

Chapter 22 Quiz

1. How many OG properties are required?

- A) Four
- B) None
- C) Ten
- D) One

2. Which is NOT required by the spec?

- A) og:title
- B) og:url
- C) og:image
- D) og:description

3. What size is Ongo Weight Loss's OG image standard?

- A) 1200 × 630
- B) 16 × 16
- C) 3600 × 3600
- D) 100 × 100

4. Which formats are safest for OG images?

- A) PNG or JPG
- B) TIFF
- C) BMP
- D) SVG only

5. What should og:url be?

- A) A UTM link
- B) The canonical URL
- C) The homepage always
- D) Empty

6. What file name does Next.js use for file-based OG images?

- A) card.txt
- B) og.html
- C) share.jpg

- D) opengraph-image.png

7. Which tool refreshes Facebook/WhatsApp previews?

- A) W3C validator
- B) Clarity
- C) Meta Sharing Debugger
- D) GA4

8. What OG issue did the live money page have?

- A) None
- B) No OG tags at all
- C) Too many OG images
- D) A brand name in og:title

9. Can OG images show outcome claims?

- A) Only on blogs
- B) Yes
- C) Only small text
- D) No

10. In the WhatsApp-invite analogy, the OG image is…

- A) The invitation card sent with the link
- B) The wedding food
- C) The DJ
- D) The phone number

Sources

1. The Open Graph protocol 🟢
2. Next.js Docs, opengraph-image and twitter-image 🟢
3. Meta for Developers, Sharing Debugger 🟢
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 22: 1-A · 2-D · 3-A · 4-A · 5-B · 6-D · 7-C · 8-B · 9-D · 10-A

LEVEL 3 · CHAPTER 23

Chapter 23: JSON-LD Structured Data in Next.js

Structured data describes the page in a language machines understand. It must be true, visible on the page, and no bigger than it needs to be.

> 💡 **Trivia**
>
> Next.js recommends rendering JSON-LD as a native `<script type="application/ld+json">` in a layout or page, and warns that `JSON.stringify` doesn't sanitise malicious strings. Its fix: replace `<` with `\u003c` in the output. It also says a native `<script>` tag is right here, not `next/script`, because JSON-LD is data, not executable code. [1] ● Next.js official
>
> Structured data is data. Treat it with the same care as anything else you print into the page.

23.1 Google's ground rules

Rule	Meaning
Markup must represent the **visible** page content	No hidden facts
Don't mark up content that's **misleading** or irrelevant	No fake ratings, no invented reviews
Use the **most specific** applicable type	MedicalWebPage beats WebPage for health content
Valid markup doesn't **guarantee** a rich result	Rich results are Google's choice
Retired rich results (HowTo, FAQ) don't earn SERP features	Markup is optional for them

[2] ● Google official

23.2 Schema by page type at Ongo Weight Loss

Page type	JSON-LD types	Notes
Homepage	`MedicalOrganization` (+ `Organization` data), `WebSite`	Founding date 2024-12-18; logo; sameAs; contactPoint
Money page	`MedicalWebPage` (about compounded drug), `BreadcrumbList`, optional `FAQPage`	No brand drug names; no AggregateRating unless real and on-page
Service hub	`MedicalWebPage` or `CollectionPage`, `BreadcrumbList`	
Blog article	`MedicalWebPage` + `Article` (author, reviewedBy, dates), `BreadcrumbList`	
Condition	`MedicalWebPage` + `MedicalCondition`, `BreadcrumbList`	
Tool	`WebApplication` / `SoftwareApplication`, `BreadcrumbList`	
Provider bio	`ProfilePage` + `Person` (jobTitle, credentials, worksFor)	
Reviews	`Organization` with `AggregateRating` only from a real, visible review system	
Policy pages	`WebPage`, `BreadcrumbList`	
Contact	`ContactPage` + `contactPoint`	

23.3 Connect entities with @id

Give the organisation and website a stable `@id`, then reference them from every page instead of repeating the whole object.

```
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "MedicalOrganization",
      "@id": "https://ongoweightloss.com/#organization",
      "name": "Ongo Weight Loss",
      "url": "https://ongoweightloss.com/",
      "logo": { "@type": "ImageObject", "url":
"https://ongoweightloss.com/images/brand/ongo-weight-loss-logo-512.png", "width": 512,
"height": 512 },
      "foundingDate": "2024-12-18",
      "sameAs": ["https://www.facebook.com/…", "https://www.instagram.com/…"]
    },
    {
      "@type": "WebSite",
      "@id": "https://ongoweightloss.com/#website",
      "url": "https://ongoweightloss.com/",
      "name": "Ongo Weight Loss",
      "publisher": { "@id": "https://ongoweightloss.com/#organization" }
    }
  ]
}
```

A money page then says `"publisher": { "@id": "https://ongoweightloss.com/#organization" }`.

> 🍛 **Desi analogy: shaadi ka family tree card**
>
> Har function ke card pe poora khaandaan dobara nahi likhte; "Sharma parivar ki taraf se" kaafi hai, kyunki sab jaante hain Sharma parivar kaun hai. **@id wahi "Sharma parivar" reference hai**: ek baar poora likho, phir naam se bulao.

23.4 The JSON-LD component

```
// components/JsonLd.tsx
export function JsonLd({ data }: { data: object }) {
  return (
    <script
      type="application/ld+json"
      dangerouslySetInnerHTML={{ __html: JSON.stringify(data).replace(/</g, '\\u003c') }}
    />
  )
}
```

Use it in each page with data built from the same source as the visible content (CMS fields, pricing config, medical-team data).

23.5 The live homepage graph: trim it

🟧 **Ongo Weight Loss example**

On 30 October 2026, the homepage carried one graph with **37 items**: MedicalOrganization+MedicalBusiness, WebSite, MedicalWebPage, five Physician entries, MedicalTherapy, HowTo, two Drug+Product, FAQPage, MedicalCondition, Service, BreadcrumbList, OfferShippingDetails, DeliveryService, ItemList, **13 SiteNavigationElement** and MedicalProcedure.

Recommended trim:

Keep	Move	Remove
MedicalOrganization (one type, with foundingDate and raster logo), WebSite	Drug/treatment details → the money pages (as MedicalWebPage about the compounded drug); provider details → provider bio pages	HowTo (retired), BreadcrumbList on the homepage, SiteNavigationElement (no Google feature), Product/Offer on the homepage

Also: schema.org's `Physician` type describes a practice or office, so individual doctors are better marked as `Person` (or `IndividualPhysician`) on their own bio pages. 🔵

23.6 Brand-safety rules for schema

Rule	Why
No brand drug names in `name`, `description` or `about` on commercial pages	Same launch-phase rule as titles
Don't mark compounded medications as approved	Accuracy
No `AggregateRating` unless it comes from a real, visible review system	Google's review guidelines; trust
No `Offer` prices unless they match the visible price	Stale prices mislead
No patient data in any schema	PHI

23.7 Testing

Tool	Checks
Rich Results Test	Google-supported features and errors
Schema Markup Validator (validator.schema.org)	General schema.org validity
URL Inspection → Enhancements	What Google parsed after crawling

23.8 Do's and Don'ts

✅ Do	❌ Don't
Mark up what's visible	Add facts that aren't on the page
Use @id to connect entities	Repeat the full Organization everywhere
Escape `<` in JSON-LD	Print raw JSON from user input
Put page-specific schema on its own page	Stuff everything into the homepage

23.9 Pros and cons of rich structured data

✅ Pros	❌ Cons
Clear entity understanding	Easy to over-mark
Eligible for some rich results	Rich results not guaranteed
Connects brand, people, pages	Must be maintained with content

23.10 Where freshers go wrong in Chapter 23 topics

Mistake	Why it happens	Avoid it by	Fix it by
Copying schema from a competitor	Speed	Building from page data	Rewriting
FAQPage for questions not on the page	Old SERP habit	Visible-content rule	Removing
SVG logo in Organization schema	Using the header logo file	A 512 × 512 PNG logo	Swapping the URL

23.11 Thumb rules

> 👍 True, visible, specific.
>
> 👍 One organisation, one @id, referenced everywhere.
>
> 👍 Page facts live on the page they describe.

23.12 Notes to remember

> 📝 Next.js: native script tag; replace `<` with `<`.
>
> 📝 Organization logo: at least 112 × 112 px, crawlable, check on white.

Chapter 23 Glossary

Term	Simple meaning
JSON-LD	A JSON format for structured data
@graph	A list of connected entities in one script
@id	A stable identifier for an entity
Rich result	An enhanced search listing
MedicalWebPage	Schema.org type for pages about health topics

Chapter 23 Quiz

1. How does Next.js recommend adding JSON-LD?

- A) A native script tag in a layout or page
- B) robots.txt
- C) An image
- D) next/script with strategy="lazyOnload"

2. What should you replace in JSON-LD output to prevent XSS?

- A) Commas with dots
- B) Nothing
- C) < with <
- D) Spaces with dashes

3. Must markup represent visible content?

- A) Only on mobile
- B) No
- C) Yes
- D) Only for ratings

4. Which schema item should be removed from the homepage?

- A) HowTo

- B) MedicalOrganization
- C) foundingDate
- D) WebSite

5. What foundingDate does Ongo Weight Loss use?

- A) 2024-12-18
- B) 2026-10-30
- C) None
- D) 2020-01-01

6. What does @id do?

- A) Sets the canonical
- B) Adds a font
- C) Tracks clicks
- D) Gives an entity a stable identifier to reference

7. When can AggregateRating be used?

- A) Only from a real, visible review system
- B) With invented reviews
- C) When ratings look good
- D) Always

8. What's the minimum Organization logo size?

- A) 5000 × 5000 px
- B) 16 × 16 px
- C) 112 × 112 px
- D) 1 × 1 px

9. Which tool checks Google-supported features?

- A) GA4
- B) Figma
- C) Rich Results Test
- D) Clarity

10. In the family-tree analogy, @id is…

- A) The "Sharma parivar" reference

- B) The venue map
- C) The gift list
- D) The wedding food

Sources

1. Next.js Docs, JSON-LD guide (last updated March 2, 2026)
2. Google Search Central, General structured data guidelines
3. Google Search Central, Organization (logo) structured data (last updated September 8, 2026)
4. Schema.org, MedicalWebPage, Physician, IndividualPhysician
5. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Answer key, Chapter 23: 1-A · 2-C · 3-C · 4-A · 5-A · 6-D · 7-A · 8-C · 9-C · 10-A

LEVEL 3 · CHAPTER 24

Chapter 24: next/link, Navigation and Crawlable Menus

Navigation is where most internal links live. In Next.js it must be built from real links that Google can follow and screen readers can announce.

> 💡 **Trivia**
>
> Google can generally follow links only if they're `<a>` elements with an `href` attribute. Links built from other elements, or with `href` values that aren't real URLs (like `javascript:`), may not be followed. [1] 🟢 Google official
>
> A beautiful mega-menu built from `<div onClick>` is a dead end for Googlebot.

24.1 What next/link does

Feature	SEO effect
Renders a real `<a href>`	Crawlable ✅
Client-side navigation (no full reload)	Faster for users; no SEO cost
Prefetches linked routes in the viewport (production)	Faster next page
Accepts `href` strings or objects	Use strings with canonical paths

```
import Link from 'next/link'

<Link href="/services/weight-loss/">Medical Weight Loss</Link>
```

24.2 Navigation rules for Ongo Weight Loss

Rule	Why
Every menu item is a `<Link>` with a real href	Crawlable
Dropdown parents are links too (or buttons that reveal links)	Hubs stay reachable
Menu links exist in server HTML (not loaded after a click)	Google sees them without interaction
`<nav aria-label="Main">` around the main menu	Accessibility landmark
Menu button has `aria-expanded` and `aria-controls`	Screen readers know if it's open
Same canonical paths as the sitemap	No redirect hops
Phase 1 menu shows only launched sections	No links to empty future verticals

> 🍛 **Desi analogy: building ka lift panel**
>
> Lift mein har floor ka button hona chahiye. Agar 5th floor ka button sirf tab dikhe jab koi andar se dabaaye, toh naya visitor wahan pahunch hi nahi sakta. **Menu ke saare links pehle se HTML mein hone chahiye**, chahe visually dropdown band ho.

24.3 The "MENU" button pattern

```
'use client'
import { useState } from 'react'
import Link from 'next/link'

export function MainMenu() {
  const [open, setOpen] = useState(false)
  return (
    <nav aria-label="Main">
      <button aria-expanded={open} aria-controls="main-menu" onClick={() =>
setOpen(!open)}>
        Menu
      </button>
      {/* Links stay in the DOM; CSS hides them when closed */}
      <ul id="main-menu" data-open={open}>
        <li><Link href="/services/weight-loss/">Medical Weight Loss</Link></li>
        <li><Link href="/services/glp-1/">GLP-1 Medications</Link></li>
        <li><Link href="/how-it-works/">How It Works</Link></li>
        <li><Link href="/pricing/">Pricing</Link></li>
      </ul>
    </nav>
  )
}
```

📝 **Note to remember:** if the menu list is only rendered when `open` is true, the links aren't in the server HTML. Keep them rendered and hide them with CSS.

🟧 **Ongo Weight Loss example**

The live site uses a "MENU" hamburger on desktop too. Check two things in the page source: (1) are all menu links present before clicking? (2) does the button carry `aria-expanded`? The homepage also had one link or button with no accessible name: likely an icon-only control (chat or social icon) that needs an `aria-label`. 🔵

24.4 Footer navigation

Footer block	Links
Services	Weight loss, GLP-1, compounded semaglutide, compounded tirzepatide
Company	About, Medical Team, Contributors, Reviews, Contact

Footer block	Links
Resources	Blog, Tools, Conditions, FAQ, **HTML sitemap**
Policies	Policies hub + key legal pages

Use `<h2>` (or a visually styled `<p>`) for footer group labels consistently, and don't repeat the main H1 pattern there.

24.5 Do's and Don'ts

✅ Do	❌ Don't
Use `<Link>` for all internal navigation	Navigate with `router.push` on divs
Keep menu links in server HTML	Render links only after a click
Label nav landmarks	Use several unlabeled `<nav>`s
Link to canonical paths	Link to redirected paths

24.6 Pros and cons of a hamburger-only menu on desktop

✅ Pros	❌ Cons
Clean design	Hides navigation from users
Simple to build	Links may disappear from HTML if built wrongly
Consistent with mobile	Fewer clicks to key hubs

24.7 Where freshers go wrong in Chapter 24 topics

Mistake	Why it happens	Avoid it by	Fix it by
`<button onClick={() => router.push('/pricing')}>` as a nav link	Component library habit	`<Link>`	Replacing it

Mistake	Why it happens	Avoid it by	Fix it by
Menu links missing from source	Conditional rendering	CSS hiding	Refactoring
Icon links without names	Design-only icons	`aria-label`	Adding labels

24.8 Thumb rules

👍 Real `<a href>` or it's not a link.

👍 Hidden by CSS is fine; missing from HTML is not.

👍 Every icon-only control needs a name.

24.9 Notes to remember

📝 Google follows `<a>` elements with resolvable `href` URLs.

📝 next/link prefetches routes in the viewport in production.

Chapter 24 Glossary

Term	Simple meaning
next/link	Next.js component for internal links
Prefetch	Loading the next page in the background
aria-expanded	Tells assistive tech whether a menu is open
Landmark	A labelled region like `<nav>`
Mega-menu	A large dropdown navigation panel

Chapter 24 Quiz

1. Which links can Google generally follow?

- A) `<a>` elements with an href
- B) Images without links
- C) div elements with onClick
- D) javascript: links

2. What does next/link render?

- A) An iframe
- B) A real `<a href>`
- C) Nothing
- D) A button

3. How should a closed menu hide its links?

- A) By deleting them
- B) By not rendering them
- C) With CSS, keeping links in the HTML
- D) By using images

4. Which attribute shows whether a menu is open?

- A) alt
- B) rel
- C) lang
- D) aria-expanded

5. Should the Phase 1 menu link to unlaunched verticals?

- A) Only on mobile
- B) Yes
- C) Only in red
- D) No

6. What landmark wraps the main menu?

- A) `<nav aria-label="Main">`
- B) `<aside>`
- C) `<footer>`

- D) `<table>`

7. What does next/link prefetch?

- A) Only images
- B) Nothing
- C) Every page on the internet
- D) Linked routes in the viewport (production)

8. Where should the HTML sitemap be linked?

- A) Only in robots.txt
- B) The footer
- C) Nowhere
- D) Only in GA4

9. What issue did the live homepage have?

- A) No links at all
- B) No footer
- C) One control with no accessible name
- D) Two H1s

10. In the lift analogy, menu links in HTML are…

- A) A hidden floor
- B) The lift music
- C) Buttons for every floor, always present
- D) The lift operator

Sources

1. Google Search Central, Link best practices for Google 🟢
2. Next.js Docs, Link component 🟢
3. W3C WAI-ARIA APG, Disclosure navigation menu 🟢
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 24: 1-A · 2-B · 3-C · 4-D · 5-D · 6-A · 7-D · 8-B · 9-C · 10-C

LEVEL 3 · CHAPTER 25

Chapter 25: next/image and the SVG Logo

Images are usually the heaviest part of a page. next/image handles sizing and formats; the logo deserves special care because it appears on every page and in Google's knowledge of the brand.

> 💡 **Trivia**
>
> Google's Organization logo guidance asks for an image at least **112 × 112 px**, in a format Google Images supports, crawlable and indexable, and checked on a **plain white background**. [1] ● Google official
>
> The crisp SVG in your header and the logo you give Google in structured data can be different files, and usually should be.

25.1 What next/image does for you

Feature	Benefit
Requires `alt`	Forces an accessibility decision
Requires `width` / `height` (or `fill`)	Reserves space; prevents layout shift
Serves modern formats (WebP/AVIF) where supported	Smaller files
Generates `srcset` for sizes	Right image for each screen
Lazy-loads by default	Faster first load
`priority` (or preload) for the hero	Faster largest image

```
import Image from 'next/image'

<Image
  src="/images/products/compounded-tirzepatide-vial.webp"
  alt="Compounded tirzepatide multi-dose vial"
  width={1200}
  height={800}
  sizes="(max-width: 768px) 100vw, 50vw"
  priority  // only for the main hero image on the first screen
/>
```

25.2 The image rules

Rule	Why
Only one `priority` image per page (the hero)	Preloading many images defeats the purpose
Always set `sizes` for responsive images	Otherwise the browser may download a huge file
Don't use `next/image` for icons that are SVG components	Inline SVG is lighter and styleable
Remote images need `images.remotePatterns` in config	Security and optimisation
Keep source images reasonable (≤ 2400 px wide)	Faster builds and optimisation

25.3 Logo to SVG: point 22 of the standard

Where the logo appears	Best format	Why
Header and footer	**Inline SVG** (or `<img src="logo.svg">`)	Sharp at any size; tiny; styleable
Organization structured data `logo`	**PNG**, square, ≥ 112 px (we use 512 × 512)	Raster formats are the safe choice for Google's logo feature
Favicon	**ICO + PNG** (Chapter 30)	SVG isn't in Google's supported favicon list
OG image	PNG/JPG with the logo placed on it	Social platforms

Where the logo appears	Best format	Why
Email signatures	PNG	Many email clients block SVG

> 🪔 **Desi analogy: shaadi ka logo — card pe, banner pe, mithai ke dabbe pe**
>
> Ek hi monogram card pe chhota, gate ke banner pe bada, mithai ke dabbe pe sticker ban ke aata hai. **Design ek, file alag-alag.** Logo bhi aisa hi: header ke liye SVG, Google ke liye PNG, favicon ke liye ICO.

25.4 The accessible header logo

```
<Link href="/" aria-label="Ongo Weight Loss home">
  <svg aria-hidden="true" focusable="false" width="163" height="48" viewBox="0 0 163 48">
    {/* paths */}
  </svg>
</Link>
```

Choice	Result
Name on the **link** (`aria-label`) + SVG `aria-hidden`	Screen reader says "Ongo Weight Loss home, link" ✅
Or SVG with `role="img"` and `<title>Ongo Weight Loss</title>`	Also works
SVG with no name inside a link	"Link" with no name ❌

> 🟧 **Ongo Weight Loss example**
>
> On 30 October 2026, the live header logo was already an **inline SVG (163 × 48)**: point 22 passes for format. The audit couldn't confirm an accessible name on the logo link. Add `aria-label="Ongo Weight Loss home"`. For structured data, add a 512 × 512 PNG logo at a stable URL such as `/images/brand/ongo-weight-loss-logo-512.png`. 🔵

25.5 SVG hygiene

Check	Why
Run SVGs through an optimiser (e.g. SVGO)	Removes editor junk; smaller files
Remove embedded raster images inside SVGs	Defeats the purpose
Set `viewBox`	Scales correctly
Avoid inline `<script>` in SVGs	Security
Use `currentColor` for single-colour icons	Easy theming

25.6 Do's and Don'ts

✅ Do	❌ Don't
Use next/image for content photos	Use raw `<img>` without dimensions
Mark only the hero as priority	Mark every image priority
SVG in the header, PNG in schema	Use the same SVG everywhere
Name the logo link	Leave an unnamed logo link

25.7 Pros and cons of SVG logos

✅ Pros	❌ Cons
Sharp on every screen	Not accepted everywhere (favicons, email)
Tiny file size	Can carry editor junk if not optimised
Styleable with CSS	Needs an accessible name

25.8 Where freshers go wrong in Chapter 25 topics

Mistake	Why it happens	Avoid it by	Fix it by
Logo PNG at 3,000 px in the header	Using the design export	SVG for headers	Replacing
Missing `sizes`	Defaults	Image rules	Adding sizes
SVG logo in Organization schema	Reusing the header file	Raster schema logo	Swapping

25.9 Thumb rules

👍 One logo design, several files, each for its job.

👍 One priority image per page.

👍 Name the link, hide the drawing.

25.10 Notes to remember

📝 Organization logo: ≥ 112 × 112 px, crawlable, works on white.

📝 next/image requires alt and dimensions (or fill).

Chapter 25 Glossary

Term	Simple meaning
next/image	Next.js image component with automatic optimisation
priority	Preloads an important image
sizes	Tells the browser how wide the image will display
SVG	Scalable Vector Graphics: a drawing made of shapes
SVGO	A tool that optimises SVG files

Chapter 25 Quiz

1. What's the minimum Organization logo size for Google?

- A) 112 × 112 px
- B) No minimum
- C) 32 × 32 px
- D) 16 × 16 px

2. Which format suits the header logo?

- A) A 3,000 px PNG
- B) GIF
- C) BMP
- D) SVG

3. Which format suits the schema logo?

- A) A square PNG
- B) An SVG with scripts
- C) A PDF
- D) An animated GIF

4. How many priority images per page?

- A) One (the hero)
- B) None ever
- C) All of them
- D) Ten

5. How should the logo link be named?

- A) aria-label="Ongo Weight Loss home"
- B) alt="logo.svg"
- C) title="click"
- D) No name

6. What does next/image require?

- A) A GA4 event
- B) alt and dimensions (or fill)

- C) Nothing
- D) A CSS background

7. Why set sizes on responsive images?

- A) To add colour
- B) So the browser doesn't download a huge file
- C) To hide the image
- D) To set the canonical

8. Was the live header logo an SVG?

- A) No logo existed
- B) No, a JPG
- C) A GIF
- D) Yes, inline SVG 163 × 48

9. What should SVGs be run through?

- A) A spam filter
- B) An optimiser like SVGO
- C) GA4
- D) robots.txt

10. In the shaadi-logo analogy…

- A) Different designs everywhere
- B) One design, different files for each use
- C) One file for everything
- D) No logo needed

Sources

1. Google Search Central, Organization (logo) structured data (last updated September 8, 2026) 🟢
2. Next.js Docs, Image component 🟢
3. Google Search Central, Define a favicon (last updated October 27, 2026) 🟢
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 25: 1-A · 2-D · 3-A · 4-A · 5-A · 6-B · 7-B · 8-D · 9-B · 10-B

LEVEL 3 · CHAPTER 26

Chapter 26: Fonts, Text Sizes and Colours

Typography and colour aren't only design choices. They decide whether a worried patient can read the page, and whether fonts slow it down. This chapter turns the live-site audit into a short design-system spec.

> 💡 **Trivia**
>
> `next/font` self-hosts font files at build time, so there are **no requests to Google's font servers** from the visitor's browser, and it uses CSS `size-adjust` fallbacks to reduce layout shift while fonts load. [1] 🟢 Next.js official
>
> The live ongoweightloss.com already uses next/font. The opportunity now is fewer sizes and better contrast, not a new font.

26.1 What we found (30 October 2026)

Item	Live value	Assessment
Font family	One self-hosted family via next/font (Plus Jakarta Sans named as fallback; confirm), weights 400/500/600/700/800	✅ Good choice; 5 weights is more than needed
Extra font	Great Vibes (script) loaded; no visible use found	❌ Remove or load only where used
`font-display`	swap	✅
Body size	16 px / 24 px line-height	✅
Text sizes in use	18 distinct sizes, several under 12 px	❌ Too many; too small
Main CTA	White on coral #E76F51, 15.2 px bold: ~3.1:1	❌ Below 4.5:1

Item	Live value	Assessment
Light caption grey	#8A9A9E on white: ~2.9:1	❌ Below 4.5:1


See Chapter 4 for the full audit. 🔵

26.2 A proposed type scale (eight sizes)

Token	Size (desktop)	Size (mobile)	Use
`text-display`	52 px	36 px	H1 on hero
`text-h2`	40 px	30 px	H2
`text-h3`	24 px	20 px	H3, card titles
`text-lg`	20 px	18 px	Lead paragraph under H1
`text-base`	17 px	16 px	Body
`text-sm`	15 px	15 px	Secondary text, buttons
`text-xs`	13 px	13 px	Captions, legal (minimum)
`text-eyebrow`	13 px, uppercase, 600	12 px	Small labels above headings

Rules: no body text under 15 px; no text at all under 12 px; the lead paragraph is never smaller than the body. 🔵 Ongo Weight Loss proposal for design review.

> 🪔 **Desi analogy: wedding card ka font**
>
> Card pe agar har line alag font size mein ho — naam 52 ka, date 13 ka, venue 10 ka, RSVP 11 ka — toh dadi padh hi nahi paayengi. **Kam sizes, saaf hierarchy, sab ke liye padhne layak.**



26.3 Colour tokens and contrast fixes

Token	Hex	Contrast	Use
`green-900` (brand)	#1B4332	10.7:1 on cream	Headings, primary text accents
`green-950`	#16352C	—	Dark sections
`cream-50`	#FFFBF5	—	Page background
`ink-900`	#1A1A1A	16.9:1 on cream	Body text
`slate-600`	#5C6B73	5.4:1 on cream	Secondary text, captions (replaces #8A9A9E)
`coral-500`	#E76F51	—	Decorative accents, icons, large text only
`coral-700` (new CTA)	**#C4502F**	**4.6:1 with white text**	Primary buttons
`gold-500`	#E4B23A	5.7:1 on green	Stars, labels on green
`mint-100`	#D8F3DC	—	Card backgrounds

Two ways to fix the CTA: (1) darken the button to about #C4502F (white text reaches ~4.6:1), or (2) keep #E76F51 and use dark green text (#1B4332 on #E76F51 is only ~3.6:1, so option 1 is better). 🔵 Computed with the WCAG formula.

26.4 Fonts in Next.js

```
// app/layout.tsx
import { Plus_Jakarta_Sans } from 'next/font/google'

const sans = Plus_Jakarta_Sans({
  subsets: ['latin'],
  weight: ['400', '600', '700'], // three weights are enough
  display: 'swap',
  variable: '--font-sans',
})

export default function RootLayout({ children }) {
  return (
    <html lang="en" className={sans.variable}>
      <body>{children}</body>
    </html>
  )
}
```

Rule	Why
Load only the weights you use	Each weight is a file
Load decorative fonts only on the pages that use them	Don't make every page download them
Use `variable` + CSS tokens	One place to change
Don't load fonts with a `<link>` to Google Fonts in Next.js	next/font self-hosts and is faster and more private

26.5 Readability checks before launch

☐	Check
☐	Body 16–17 px, line-height 1.5–1.7
☐	Line length 60–80 characters on desktop
☐	All text ≥ 4.5:1 contrast (≥ 3:1 for large text ≥ 24 px, or ≥ 18.5 px bold)
☐	No text under 12 px

☐	Check
☐	Text zooms to 200% without breaking (Chapter 30)
☐	Links distinguishable without colour alone (underline in body text)

> **🟧 Ongo Weight Loss example**
>
> Quick wins for the next design sprint: remove Great Vibes from the global font load; reduce weights to 400/600/700; swap #8A9A9E captions to slate #5C6B73; darken the primary button to about #C4502F; raise the 13 px hero paragraph to the lead size (18–20 px). Core Web Vitals impact is measured in the Technical SEO book. 🔵

26.6 Do's and Don'ts

✅ Do	❌ Don't
Keep a short type scale	Add a new size for every design
Check contrast with a tool	Judge contrast by eye
Self-host fonts with next/font	Link Google Fonts CSS in the head
Use colour tokens	Hard-code hex values in components

26.7 Pros and cons of a tight design system

✅ Pros	❌ Cons
Readable, consistent pages	Less creative freedom per page
Faster to build and review	Requires a design-system owner
Accessible by default	Existing pages need refactoring

26.8 Where freshers go wrong in Chapter 26 topics

Mistake	Why it happens	Avoid it by	Fix it by
"The brand colour can't change"	Brand attachment	Showing the contrast ratio	Adding a darker CTA shade
Tiny legal text	Space pressure	12 px minimum	Increasing size
Unused fonts loading	Old experiments	Auditing font requests	Removing them

26.9 Thumb rules

👍 Eight sizes, three weights, one family.

👍 4.5:1 or it doesn't ship.

👍 Decorative colours decorate; accessible shades carry text.

26.10 Notes to remember

📝 Live CTA ~3.1:1; proposed #C4502F ~4.6:1 with white.

📝 next/font self-hosts fonts; no browser requests to Google's font servers.

Chapter 26 Glossary

Term	Simple meaning
next/font	Next.js font loader that self-hosts fonts
Type scale	A fixed set of text sizes
Design token	A named value (colour, size) used across the site
font-display: swap	Show fallback text until the font loads

Term	Simple meaning
Line length	Characters per line of text

Chapter 26 Quiz

1. What does next/font do with font files?

- A) Loads them from a random CDN
- B) Self-hosts them at build time
- C) Deletes them
- D) Converts them to images

2. How many distinct text sizes were on the live homepage?

- A) 18
- B) 3
- C) 40
- D) 8

3. What's the proposed new CTA colour?

- A) #E4B23A
- B) #D8F3DC
- C) #FFFFFF
- D) About #C4502F

4. What contrast does white on #C4502F reach?

- A) 21:1
- B) About 4.6:1
- C) 1.2:1
- D) 2:1

5. What's the minimum text size in the proposal?

- A) 20 px
- B) 12 px
- C) 6 px

- D) 8 px

6. Which font should be removed from the global load?

- A) Great Vibes
- B) The main family
- C) System fonts
- D) Monospace

7. Which colour replaces #8A9A9E captions?

- A) Coral #E76F51
- B) Mint #D8F3DC
- C) Slate #5C6B73
- D) Gold #E4B23A

8. How many font weights does the proposal keep?

- A) One
- B) Five
- C) Three (400, 600, 700)
- D) Nine

9. Where is Core Web Vitals measured in depth?

- A) The Technical SEO book
- B) Book Two
- C) Nowhere
- D) This chapter only

10. In the wedding-card analogy, too many font sizes…

- A) Make it more beautiful
- B) Save paper
- C) Don't matter
- D) Make the card hard to read

Sources

1. Next.js Docs, Font optimization (next/font) ●

2. W3C, Understanding SC 1.4.3 Contrast (Minimum)
3. Ongo Weight Loss, live-site audit and contrast calculations, 30 October 2026 (internal)

Answer key, Chapter 26: 1-B · 2-A · 3-D · 4-B · 5-B · 6-A · 7-C · 8-C · 9-A · 10-D

LEVEL 3 · CHAPTER 27

Chapter 27: XML Sitemaps and the HTML Sitemap

The XML sitemap is a list for search engines. The HTML sitemap (sitemap.html) is a page for people. Ongo Weight Loss needs both, and both must list only the pages we actually want found.

> 💡 **Trivia**
>
> A single XML sitemap can hold up to **50,000 URLs or 50 MB uncompressed**. Google uses `<lastmod>` only if it's **consistently and verifiably accurate**, and it **ignores** `<priority>` and `<changefreq>`. [1] ● Google official
>
> Next.js examples include `priority` and `changeFrequency` fields. They're harmless, but Google doesn't read them, so don't spend time tuning them.

27.1 The XML sitemap rules

Rule	Detail
Only **canonical, indexable, 200** URLs	No redirects, 404s, noindex pages or parameter URLs
Absolute URLs on **one host**	`https://ongoweightloss.com/…` (non-www, https, trailing slash)
UTF-8 encoded	Required
Accurate `lastmod` from the CMS	Changes only with significant edits (Chapter 10)
Referenced in robots.txt	`Sitemap: https://ongoweightloss.com/sitemap.xml`
Submitted in Search Console	Track discovered and indexed counts
Updated automatically on publish	Never maintained by hand

27.2 Split by page type with a sitemap index

At 34–124 URLs, one file works. Splitting by type still helps: Search Console then reports indexing **per section**, so you can see at a glance if blog posts index but money pages don't.

Sitemap	Contains
`/sitemap.xml` (index)	Links to the files below
`/pages/sitemap.xml`	Home, how it works, pricing, about, contact, FAQ, reviews
`/services/sitemap.xml`	Service hubs and money pages
`/blog/sitemap.xml`	Blog hubs and articles (with images)
`/tools/sitemap.xml`	Tool hub and tools
`/medical-team/sitemap.xml`	Team hubs and bios (medical team + contributors)
`/policies/sitemap.xml`	Policy hub and policies

In Next.js, nesting `sitemap.ts` inside route folders creates files like `app/blog/sitemap.ts` → `/blog/sitemap.xml`. You can also use `generateSitemaps` for very large sets. [2] ●

> 🪔 **Desi analogy: shaadi ki guest list, family-wise**
>
> Ek lambi list mein 500 naam ho toh pata hi nahi chalta kaun aaya, kaun nahi. **Ladke waale, ladki waale, office waale, padosi — alag-alag list** se turant dikhta hai kis group se log missing hain. Sitemap index wahi family-wise list hai.

27.3 A sitemap built from the master map

```
// app/services/sitemap.ts
import type { MetadataRoute } from 'next'
import { getPages } from '@/lib/content'

const BASE = 'https://ongoweightloss.com'

export default async function sitemap(): Promise<MetadataRoute.Sitemap> {
  const pages = await getPages({ section: 'services' })
  return pages
    .filter((p) => p.indexState === 'indexed') // never noindexed pages
    .map((p) => ({
      url: `${BASE}${p.path}`,        // canonical path with trailing slash
      lastModified: p.updatedAt,       // real content change date from the CMS
      images: p.ogImage ? [`${BASE}${p.ogImage}`] : undefined,
    }))
}
```

The root index can be a route handler that lists each section file. Keep the section list in one config so a new section can't be forgotten.

27.4 Host consistency ("one host")

Variant	Should	Check
`https://ongoweightloss.com/`	The only host in sitemaps, canonicals, links	✅ live sitemap uses it
`https://www.ongoweightloss.com/`	301 → non-www	Test after DNS changes
`http://`	301 → https	Test
Staging hosts (`*.vercel.app`)	Never in sitemaps; noindex or password	Release check

27.5 The HTML sitemap: sitemap.html

The HTML sitemap is a normal, indexable page linked from the footer. It helps patients (and crawlers) find every public section.

Spec	Value
URL	`https://ongoweightloss.com/sitemap.html`
Title	Sitemap | Ongo Weight Loss
H1	Sitemap
Content	Grouped lists: Treatments, Services, How It Works & Pricing, Tools, Blog (hubs + articles), Conditions, Medical Team & Contributors, About & Contact, Policies
Includes	Every indexed page; no portal, login, onboarding, thank-you or noindexed pages
Source	The same page list as the XML sitemaps (one data source)
Robots	index, follow
Canonical	itself
Breadcrumb	Home › Sitemap
Linked from	Footer (Resources) on every page
Updated	Automatically on publish

Building it in Next.js: create a normal page (for example `app/html-sitemap/page.tsx`) and serve it at `/sitemap.html` with a rewrite, so it keeps the site's layout:

```
// next.config.ts
const nextConfig = {
  trailingSlash: true,
  async rewrites() {
    return [{ source: '/sitemap.html', destination: '/html-sitemap/' }]
  },
  async redirects() {
    return [{ source: '/html-sitemap/', destination: '/sitemap.html', permanent: true }]
  },
}
```

Set the page's canonical to `/sitemap.html` and test both URLs after deploying, because rewrites, redirects and `trailingSlash` interact. ● Expert pattern; confirm with the developer.

> 🟧 **Ongo Weight Loss example**
>
> On 30 October 2026: sitemap.xml was a single urlset of **34 URLs** on the correct non-www host, referenced in robots.txt. Issues: every URL had the **same lastmod** (build time), the `noindex` compounded semaglutide page was included, and **/sitemap.html returned an error**. Fix all three. 🔵

27.6 Do's and Don'ts

✅ Do	❌ Don't
Generate sitemaps from the page data	Maintain sitemaps by hand
Use real lastmod dates	Stamp build time on every URL
Split by type with an index	Mix staging and production URLs
Build sitemap.html from the same data	Hand-write the HTML sitemap

27.7 Pros and cons of split sitemaps

✅ Pros	❌ Cons
Per-section indexing reports	More files to wire up
Easier debugging	Index must list every file
Scales to new verticals	Small sites may not need it yet

27.8 Where freshers go wrong in Chapter 27 topics

Mistake	Why it happens	Avoid it by	Fix it by
`lastModified: new Date()`	Copying the docs example	CMS dates	Replacing it
Noindexed URLs in sitemaps	No index-state filter	Filtering on indexState	Adding the filter

Mistake	Why it happens	Avoid it by	Fix it by
Portal pages in sitemap.html	Listing every route	Using the indexed list	Filtering

27.9 Thumb rules

> 👍 Sitemaps list what you want indexed, nothing else.
>
> 👍 Real dates or no dates.
>
> 👍 XML for crawlers, HTML for people, one data source for both.

27.10 Notes to remember

> 📝 Limits: 50,000 URLs or 50 MB per sitemap; use an index for more.
>
> 📝 Google ignores priority and changefreq.

Chapter 27 Glossary

Term	Simple meaning
XML sitemap	A machine-readable list of URLs
Sitemap index	A file that lists several sitemaps
HTML sitemap	A human-readable page linking to all public sections
lastmod	Date a URL last changed significantly
Rewrite	Serving one path's content at another URL without redirecting

Chapter 27 Quiz

1. What's the URL limit per XML sitemap?

- A) 50,000
- B) 10
- C) 5 million
- D) 500

2. Does Google use priority and changefreq?

- A) Only priority
- B) Yes, heavily
- C) Only changefreq
- D) No, it ignores them

3. Which URLs belong in the sitemap?

- A) Redirects
- B) Staging URLs
- C) Noindexed pages
- D) Canonical, indexable, 200 URLs

4. Why split sitemaps by type?

- A) Google requires it
- B) Per-section indexing reports in Search Console
- C) To hide pages
- D) To slow crawling

5. Where should lastmod come from?

- A) The copyright year
- B) Random dates
- C) new Date() on every build
- D) Real content-change dates in the CMS

6. What URL does the HTML sitemap use?

- A) /api/
- B) /portal/
- C) /sitemap.html
- D) /robots.txt

7. Should portal pages be in sitemap.html?

- A) Yes
- B) Only onboarding
- C) No
- D) Only login

8. What was wrong with the live sitemap's lastmod?

- A) Nothing
- B) It was missing everything
- C) Every URL had the same timestamp
- D) It was in Hindi

9. Which host should sitemaps use?

- A) http://www.ongoweightloss.com
- B) A vercel.app host
- C) https://ongoweightloss.com
- D) Any host

10. In the guest-list analogy, a sitemap index is...

- A) The wedding menu
- B) One long unsorted list
- C) Family-wise guest lists
- D) The venue map

Sources

1. Google Search Central, Build and submit a sitemap (last updated July 8, 2026) 🟢
2. Next.js Docs, sitemap.xml file convention (last updated August 18, 2026) 🟢
3. Next.js Docs, rewrites and trailingSlash 🟢
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 27: 1-A · 2-D · 3-D · 4-B · 5-D · 6-C · 7-C · 8-C · 9-C · 10-C

LEVEL 3 · CHAPTER 28

Chapter 28: robots.txt

robots.txt is a set of crawl instructions at the root of the site. It manages crawler traffic. It does not keep pages out of Google, and it is not a security tool.

> 💡 **Trivia**
>
> Google says robots.txt is **"not a mechanism for keeping a web page out of Google"**. A URL blocked by robots.txt can still appear in results, without a description, if other pages link to it. Use `noindex` or password protection instead. [1] 🟢 Google official
>
> robots.txt is a "please don't walk here" sign, not a locked door.

28.1 What robots.txt should do at Ongo Weight Loss

Goal	Rule
Let crawlers reach every public page	`Allow: /` (default)
Save crawl effort on private app areas	Disallow account, admin, portal, API paths
Never block rendering resources	Don't disallow `/_next/`, CSS, JS or images
Point to the sitemap	`Sitemap: https://ongoweightloss.com/sitemap.xml`
Keep it short and readable	One `User-agent: *` group unless there's a real reason

28.2 The live file (30 October 2026)

The live robots.txt applies to all crawlers, allows the site by default, and disallows account and login areas, admin and patient/agent portals, certain doctor pages, onboarding and confirmation pages, and the API. It lists the sitemap. ✅ This is a sensible baseline. 🔵

Two things to review with the developer:

Item	Question
Onboarding pages are both disallowed **and** meant to be noindexed	If a link to an onboarding URL exists anywhere public, Google may list it without reading its noindex. Decide: rely on noindex + X-Robots-Tag (allow crawling), or keep the disallow and make sure no public page links to those URLs. (Book Three, Chapter 14)
"Certain doctor pages" are disallowed	Make sure public `/medical-team/` bios are **not** caught by the pattern; they're trust pages we want indexed

28.3 robots.ts in Next.js

```
// app/robots.ts
import type { MetadataRoute } from 'next'

export default function robots(): MetadataRoute.Robots {
  const isProd = process.env.VERCEL_ENV === 'production'
  if (!isProd) {
    return { rules: { userAgent: '*', disallow: '/' } } // staging: block everything
  }
  return {
    rules: {
      userAgent: '*',
      allow: '/',
      disallow: ['/api/', '/account/', '/admin/', '/patient-portal/', '/agent-portal/'],
    },
    sitemap: 'https://ongoweightloss.com/sitemap.xml',
  }
}
```

⚠️ **Where freshers go wrong: the staging file goes live.** A `Disallow: /` meant for staging, deployed to production, stops Google crawling the whole site. Make the rule depend on the environment, and check `https://ongoweightloss.com/robots.txt` after every major release. 🔵

🍛 **Desi analogy: society ka watchman**

Watchman ko list di jaati hai: "terrace aur generator room mein visitors ko mat jaane do." Woh list har flat ke andar ka faisla nahi karti. **robots.txt watchman ki list hai**: kahan jaana hai, kahan nahi; ghar ke andar kya dikhana hai (index), woh alag decision hai.

28.4 Pattern basics

Pattern	Matches
`Disallow: /api/`	Everything starting with `/api/`
`Disallow: /*?ref=`	Any URL containing `?ref=`
`Disallow: /*.pdf$`	URLs ending in `.pdf`
`Allow: /medical-team/`	Explicitly allows a path inside a broader disallow

Google uses the **most specific** (longest) matching rule. Test changes with Search Console's robots.txt report before deploying. [2] 🟢

28.5 AI crawlers: a leadership decision

Some teams add rules for AI crawlers (e.g. `Google-Extended`, `GPTBot`). These choices affect whether content is used to train or ground AI models outside Google Search; they don't control Google Search indexing. Don't change them without a leadership decision recorded in the change log. 🔵

28.6 Do's and Don'ts

✅ Do	❌ Don't
Disallow private app paths	Use robots.txt to hide pages from search
List the sitemap	Block `/_next/` or CSS/JS
Make staging rules environment-based	Hard-code `Disallow: /`
Test with the robots.txt report	Guess pattern matches

28.7 Pros and cons of a minimal robots.txt

✅ Pros	❌ Cons
Few ways to break crawling	Some crawl effort on unimportant URLs
Easy to audit	Relies on noindex for index control
Clear sitemap discovery	Needs discipline as the app grows

28.8 Where freshers go wrong in Chapter 28 topics

Mistake	Why it happens	Avoid it by	Fix it by
Disallowing a page to remove it from Google	Misunderstanding	Using noindex	Allowing crawl + noindex
Blocking JS/CSS	Old advice	Rendering needs them	Removing the rule
Pattern catches public pages	Broad patterns	Testing	Narrowing the rule

28.9 Thumb rules

👍 robots.txt manages crawling; noindex manages indexing.

👍 Never block what Google needs to render.

👍 Check the live file after every big release.

28.10 Notes to remember

📝 Blocked URLs can still appear in results without a description.

📝 The most specific matching rule wins.

Chapter 28 Glossary

Term	Simple meaning
robots.txt	A root file with crawl rules
User-agent	The crawler a rule applies to
Disallow	A path crawlers should not fetch
robots.ts	Next.js file that generates robots.txt
Crawl budget	How much Google is willing to crawl on a site

Chapter 28 Quiz

1. Is robots.txt a way to keep pages out of Google?

- A) Yes
- B) Only for images
- C) No
- D) Only for PDFs

2. Can a blocked URL still appear in results?

- A) Yes, without a description, if linked
- B) Only on Bing
- C) Never
- D) Only with a full snippet

3. What should never be blocked?

- A) /api/
- B) /account/
- C) /_next/, CSS and JS needed for rendering
- D) /admin/

4. Which line points to the sitemap?

- A) Allow: sitemap
- B) Sitemap: https://ongoweightloss.com/sitemap.xml

- C) Map: sitemap
- D) Index: sitemap.xml

5. How should staging rules be set?

- A) In GA4
- B) Hard-coded Disallow: / everywhere
- C) Based on the environment
- D) Not at all

6. Which rule wins when several match?

- A) The shortest
- B) A random one
- C) The first one written
- D) The most specific (longest)

7. Who decides AI crawler rules?

- A) The crawler
- B) Nobody
- C) Any fresher
- D) Leadership, recorded in the change log

8. What should be checked about "certain doctor pages" being disallowed?

- A) That fonts load
- B) That doctors are paid
- C) That public medical-team bios aren't caught
- D) Nothing

9. Which Next.js file generates robots.txt?

- A) app/robots.ts
- B) app/icon.svg
- C) app/page.tsx
- D) next.config.ts only

10. In the watchman analogy, robots.txt is…

- A) The watchman's list of off-limits areas
- B) The flat's interior

- C) The society fees
- D) The lift

Sources

1. Google Search Central, Introduction to robots.txt (last updated December 10, 2025)
2. Google Search Central, How Google interprets the robots.txt specification
3. Next.js Docs, robots.txt file convention
4. Ongo Weight Loss, live robots.txt, 30 October 2026 (internal)

Answer key, Chapter 28: 1-C · 2-A · 3-C · 4-B · 5-C · 6-D · 7-D · 8-C · 9-A · 10-A

LEVEL 3 · CHAPTER 29

Chapter 29: Semantic HTML and Page Landmarks

Semantic HTML means using each element for what it means: a button is a `<button>`, a list is a `<ul>`, the main content is in `<main>`. Browsers, screen readers and search engines all understand meaning better than divs.

> 💡 **Trivia**
>
> The first rule of ARIA use in the W3C's guidance is: if a native HTML element already has the meaning and behaviour you need, **use it instead of adding ARIA** to a generic element. [1] ● W3C
>
> A real `<button>` is keyboard-accessible for free. A `<div role="button">` needs extra code to behave the same way.

29.1 The page skeleton

```
<body>
  <a class="skip-link" href="#main">Skip to content</a>
  <header>
    <a href="/" aria-label="Ongo Weight Loss home">…logo…</a>
    <nav aria-label="Main">…</nav>
  </header>
  <main id="main">
    <nav aria-label="Breadcrumb">…</nav>
    <article>
      <h1>…</h1>
      …
    </article>
    <aside aria-label="Related articles">…</aside>
  </main>
  <footer>…</footer>
</body>
```

Element	Use	One per page?
`<header>`	Site header (logo, nav)	Usually one site header
`<nav>`	Groups of navigation links (label each)	Several, labelled
`<main>`	The page's unique content	**Exactly one**
`<article>`	Self-contained content (a blog post)	As needed
`<section>`	A themed group with a heading	As needed
`<aside>`	Related but secondary content	As needed
`<footer>`	Site footer	Usually one site footer

> 🍛 **Desi analogy: ghar ka naksha**
>
> Ghar ke naqshe mein likha hota hai: drawing room, kitchen, bedroom, bathroom. Agar har kamre pe sirf "kamra" likha ho, toh plumber ko pata nahi chalega pipe kahan daalni hai. **Semantic HTML wahi naksha hai jismein har kamre ka naam likha ho.**

29.2 Right element, right job

Job	✅ Use	❌ Avoid
Go to another page	`<a href>` / `<Link>`	`<button onClick={navigate}>`
Do an action on this page (open menu, submit)	`<button>`	`<a href="#">` or `<div onClick>`
A list of items	`<ul>` / `<ol>` + `<li>`	Stacked `<div>`s
Tabular data	`<table>`	CSS grid of divs
Emphasis	`<strong>`, `<em>`	`<b>` for meaning, styling-only spans
A form field	`<label>` + `<input>`	Placeholder-only fields
Show/hide	`<details>` / `<summary>`	JS-only accordions

Job	✅ Use	❌ Avoid
Dates	`<time datetime="2026-10-26">`	Plain text only

29.3 Semantic HTML in React/Next.js

React habit	Semantic fix
`<div className="btn" onClick>`	`<button type="button" className="btn">`
Fragments everywhere hiding structure	Use `<section>` with a heading when grouping content
A "Card" component that's a `<div>` with a link inside a link	Make the card's title the link; avoid nested interactive elements
`<Link>` wrapping a `<button>`	Choose one: link to navigate, button to act

> 🟧 **Ongo Weight Loss example**
>
> The live homepage has one `<main>` and one `<nav>` ✅. To improve: add a **skip link** for keyboard users, label the `<nav>` (`aria-label="Main"`), wrap the blog article body in `<article>` , and mark visible dates with `<time datetime>` . 🔵

29.4 Do's and Don'ts

✅ Do	❌ Don't
Use native elements first	Rebuild buttons from divs
Exactly one `<main>`	Several `<main>` s or none
Label multiple navs	Leave navs unlabeled
Add a skip link	Force keyboard users through the menu every time

29.5 Pros and cons of semantic markup

✅ Pros	❌ Cons
Accessible by default	Requires discipline in component libraries
Clear structure for search engines	Some design systems fight it
Less custom JavaScript	Refactoring old components takes time

29.6 Where freshers go wrong in Chapter 29 topics

Mistake	Why it happens	Avoid it by	Fix it by
`<a href="#">` used as a button	Old habits	The job table	Using `<button>`
Links inside links in cards	Card design	One link per card	Refactoring
No `<main>` landmark	Layout uses divs	The skeleton	Adding `<main id="main">`

29.7 Thumb rules

> 👍 Navigate with links, act with buttons.
>
> 👍 Native first, ARIA second.
>
> 👍 One main, labelled navs, a skip link.

29.8 Notes to remember

> 📝 First rule of ARIA: use native HTML when it exists.
>
> 📝 `<time datetime>` makes dates machine-readable.

Chapter 29 Glossary

Term	Simple meaning
Semantic HTML	Using elements for their meaning
Landmark	A region like header, nav, main, footer
Skip link	A link that jumps past the menu to the content
Nested interactive	A link or button inside another (to avoid)
time element	Marks a date or time with a machine-readable value

Chapter 29 Quiz

1. What is the first rule of ARIA use?

- A) Add ARIA to everything
- B) Use a native HTML element when one exists
- C) Use divs for all controls
- D) Never use buttons

2. How many `<main>` elements per page?

- A) None
- B) Exactly one
- C) One per section
- D) Three

3. Which element should navigate to another page?

- A) A div with onClick
- B) A link (`<a href>` / `<Link>`)
- C) A heading
- D) An image

4. Which element should open a menu?

- A) `<h2>`
- B) `<span>`

- C) `<button>`
- D) `<a href="#">`

5. What does a skip link do?

- A) Jumps past the menu to the content
- B) Skips the footer forever
- C) Skips ads
- D) Skips loading images

6. Which element marks a date?

- A) `<span class="date">` only
- B) `<time datetime>`
- C) `<date>`
- D) `<when>`

7. What's wrong with a link inside a link?

- A) Nested interactive elements confuse users and assistive tech
- B) It's faster
- C) It improves SEO
- D) Nothing

8. How should multiple navs be distinguished?

- A) With aria-label
- B) By colour only
- C) They can't be
- D) With IDs only

9. What did the live homepage already have?

- A) No main
- B) No header
- C) One main and one nav
- D) Five navs

10. In the naksha analogy, semantic HTML is…

- A) The paint colour
- B) The electricity bill

- C) A floor plan with each room named
- D) A blank sheet

Sources

1. W3C, Using ARIA: first rule of ARIA use 🟢
2. W3C WAI, Page structure tutorial 🟢
3. MDN Web Docs, HTML elements reference 🟠
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 29: 1-B · 2-B · 3-B · 4-C · 5-A · 6-B · 7-A · 8-A · 9-C · 10-C

LEVEL 3 · CHAPTER 30

Chapter 30: Head Basics: Charset, Viewport, Language and Favicons

Small tags in the page head decide how the page renders on phones, which language it's in, and which icon Google shows next to your result.

> 💡 **Trivia**
>
> Google's favicon guidelines list supported formats as **BMP, GIF, ICO, PNG, JPEG, PPM and TIFF**. The favicon must be **square**, at least **8 × 8 px**, and Google recommends something **larger than 48 × 48 px**. [1] ● Google official (last updated October 27, 2026)
>
> SVG isn't on that list. On 30 October 2026, ongoweightloss.com offered only an SVG icon, and `/favicon.ico` returned 404.

30.1 The head checklist

Tag	Required value	Next.js source
`<meta charset="utf-8">`	Always	Added automatically
Viewport	`width=device-width, initial-scale=1`	Added automatically; customise via `viewport` export
`<html lang="en">`	`en` (or `en-US`)	Root layout
Title, description, canonical, robots	Per page	Metadata API (Chapters 19–21)
Favicons	ICO + PNG + apple-touch-icon	File-based icons
Theme colour	Brand green	`viewport` export
GSC verification	Meta tag (and DNS)	`metadata.verification`

30.2 Viewport: never block zoom

```
// app/layout.tsx
import type { Viewport } from 'next'

export const viewport: Viewport = {
  width: 'device-width',
  initialScale: 1,
  themeColor: '#1B4332',
  // ❌ never: maximumScale: 1, userScalable: false
}
```

Blocking zoom (`maximum-scale=1`, `user-scalable=no`) stops low-vision users from enlarging text, which fails WCAG's resize-text requirement. ✅ The live site uses the correct default.

> 🪔 **Desi analogy: akhbaar aur chashma**
>
> Dadaji akhbaar padhte waqt chashma lagate hain. Agar koi akhbaar aisa chhape ki chashme se bhi bada na dikhe, woh padh hi nahi paayenge. **Zoom block karna, patient ka chashma chheen lena hai.**

30.3 Language

```
export default function RootLayout({ children }) {
  return <html lang="en"><body>{children}</body></html>
}
```

Why `lang` matters	
Screen readers pick the right pronunciation	✅
Browsers offer correct translation	✅
Spanish pages later (`/es/…`) get `lang="es"` + hreflang	Future multilingual plan

The live site also sends `<meta name="google" content="notranslate">`, which stops Chrome offering translation. For a U.S. audience that includes many Spanish speakers, consider removing it until official Spanish pages exist. 🔵

30.4 Favicons: the complete set (point 21)

File	Size	Format	Why
`app/favicon.ico`	48 × 48 (multi-size 16/32/48)	ICO	Requested by browsers and tools at `/favicon.ico`; Google-supported
`app/icon.png`	192 × 192 (or 96 × 96)	PNG	Google Search and modern browsers
`app/icon.svg`	vector	SVG	Sharp browser tab icon (keep as an extra)
`app/apple-icon.png`	180 × 180	PNG	iOS home screen (`apple-touch-icon`)
`app/manifest.ts`	192 and 512 icons	PNG	Android / installable web app

Next.js file conventions generate the `<link>` tags automatically when these files sit in `app/`. [2] 🟢

Google's favicon rules: one favicon per hostname; Googlebot and Googlebot-Image must be able to crawl the homepage and the icon (don't block them in robots.txt); keep the favicon URL stable; it should represent the brand. [1] 🟢

> 🟧 **Ongo Weight Loss example**
>
> Live on 30 October 2026: only `<link rel="icon" href="/icon.svg">` ; `/favicon.ico` → 404; no apple-touch-icon; no manifest; no theme-color. Fix: add the five files above, using the Ongo Weight Loss mark on a solid background (not white-on-transparent, which can disappear on white result pages). 🔵

30.5 Things that don't belong in the head anymore

Tag	Status
`<meta name="keywords">`	Ignored by Google
`msapplication-*` tags	No longer needed in Chromium Edge (Next.js docs)
Multiple robots + googlebot tags with identical values	Redundant

30.6 Do's and Don'ts

✅ Do	❌ Don't
Keep the default viewport	Disable zoom
Set `lang="en"`	Leave lang empty
Provide ICO + PNG + apple icon	Rely on SVG alone
Keep favicon URLs stable	Rename the favicon every redesign

30.7 Pros and cons of file-based icons in Next.js

✅ Pros	❌ Cons
Tags generated automatically	Files must be named exactly
Easy to version	Cached aggressively by browsers
Works with route groups	Need several sizes

30.8 Where freshers go wrong in Chapter 30 topics

Mistake	Why it happens	Avoid it by	Fix it by
White logo on transparent favicon	Using the header asset	Solid background	New export
Blocking zoom for "app feel"	Design request	WCAG rule	Removing max-scale
Missing /favicon.ico	Only SVG added	The five-file set	Adding ICO

30.9 Thumb rules

👍 Never take away zoom.

👍 ICO, PNG, Apple icon: then SVG as a bonus.

👍 lang on html, always.

30.10 Notes to remember

📝 Google-supported favicon formats: BMP, GIF, ICO, PNG, JPEG, PPM, TIFF.

📝 Viewport and themeColor use the `viewport` export in Next.js 14+.

Chapter 30 Glossary

Term	Simple meaning
Viewport meta	Tells mobile browsers how to size the page
Favicon	The small icon for a site
apple-touch-icon	Icon used when saving to an iPhone home screen
Web manifest	File describing an installable web app
lang attribute	Declares the page's language

Chapter 30 Quiz

1. Is SVG a Google-supported favicon format?

- A) No; supported formats include ICO and PNG
- B) Yes, the only one
- C) Only animated SVG
- D) Only on mobile

2. What size does Google recommend favicons exceed?

- A) 10 × 30 px
- B) 1000 × 1000 px
- C) 48 × 48 px
- D) 2 × 2 px

3. What viewport value is correct?

- A) user-scalable=no
- B) width=1200
- C) maximum-scale=1
- D) width=device-width, initial-scale=1

4. Why never disable zoom?

- A) It slows the page
- B) It breaks GA4
- C) Google requires zoom ads
- D) Low-vision users need to enlarge text

5. Which file gives the iOS home-screen icon?

- A) robots.txt
- B) apple-icon.png
- C) manifest.css
- D) sitemap.xml

6. What did /favicon.ico return on the live site?

- A) A video
- B) A PNG
- C) A redirect to the homepage
- D) 404

7. Where does themeColor go in Next.js 14+?

- A) The metadata object
- B) The sitemap
- C) The viewport export
- D) robots.ts

8. Does Google use the keywords meta tag?

- A) No
- B) Only on Fridays
- C) Only for health sites
- D) Yes

9. How many favicons per hostname for Google?

- A) One per page
- B) Ten
- C) One
- D) None

10. In the akhbaar analogy, blocking zoom is…

- A) Taking away the reader's glasses
- B) Delivering on time
- C) Printing a bigger paper
- D) Adding pictures

Sources

1. Google Search Central, Define a favicon to show in search results (last updated October 27, 2026) 🟢
2. Next.js Docs, App icons: favicon, icon and apple-icon and generateViewport 🟢
3. W3C, Understanding SC 1.4.4 Resize Text 🟢
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 30: 1-A · 2-C · 3-D · 4-D · 5-B · 6-D · 7-C · 8-A · 9-C · 10-A

LEVEL 3 · CHAPTER 31

Chapter 31: W3C HTML Validation

Valid HTML isn't a ranking factor by itself. But broken HTML can break rendering, accessibility and structured data, so we validate every template.

> 💡 **Trivia**
>
> Google's John Mueller has said many times that **HTML validation isn't a direct ranking factor**: most of the web has validation errors and still works. The errors worth fixing are the ones that break how a page renders or how assistive technology reads it. 🟡 Google spokesperson
>
> We validate to find real bugs, not to chase a perfect score.

31.1 The tools

Tool	Checks	URL
W3C Nu HTML Checker	HTML errors and warnings	validator.w3.org/nu
W3C CSS Validator	CSS syntax	jigsaw.w3.org/css-validator
Browser DevTools "Issues" tab	Live problems (forms, cookies, accessibility)	Built into Chrome
Lighthouse (accessibility, best practices)	Automated checks	Chrome DevTools
axe DevTools	Accessibility rules	Browser extension

31.2 Which errors matter

Error	Severity	Why
Duplicate `id` attributes	🟠 High	Breaks labels, skip links, ARIA references
Interactive element inside another (link in button)	🟠 High	Confuses assistive tech; unpredictable clicks
Missing `alt` on `<img>`	🟠 High	Accessibility (Chapter 13)
Invalid nesting (`<div>` inside `<p>` , `<li>` outside a list)	🟠 High	Browsers "fix" it differently; React hydration warnings
Form input without a label	🟠 High	Accessibility
Stray end tags, obsolete attributes	🟢 Normal	Clean up in batches
Vendor CSS warnings	🟢 Ignore	Usually intentional
`<script type="application/ld+json">` warnings	🟢 Check the JSON separately	Use the Rich Results Test

> 🍛 **Desi analogy: ghar ka electrical wiring check**
>
> Electrician har switch ki position perfect hone pe zor nahi deta, lekin short circuit, ulta wire aur open joint turant theek karta hai. **W3C errors mein bhi pehle "short circuit" wale errors theek karo.**

31.3 How to validate a Next.js page

Step	Action
1	Open the live page, view source (server HTML), copy it — or paste the URL into the Nu Checker
2	Filter to **errors** first
3	Map each error to a component (header, card, footer)
4	Fix in the component, so every page using it is fixed

Step	Action
5	Re-validate one page per template (home, money, hub, blog, tool, bio, policy)
6	Log results in the audit sheet with a date

31.4 Common Next.js/React causes

Cause	Fix
Reusing a component with a hard-coded `id` twice on one page	Use React's `useId()`
`<p>` wrapping a component that renders a `<div>`	Change the wrapper to `<div>`
`<Link>` wrapping a `<button>`	Pick one element
SVG icons copied with editor attributes	Optimise with SVGO
` ` inside headings for layout	CSS wrapping (Chapter 7)

> 🟧 **Ongo Weight Loss example**
>
> The W3C check wasn't run in the 30 October 2026 baseline. Add it to the first audit sprint: validate one page per template, fix duplicate IDs and nesting errors first, and record the counts so improvement can be tracked. 🔵

31.5 Do's and Don'ts

✅ Do	❌ Don't
Validate one page per template	Validate random pages
Fix errors that break rendering or accessibility first	Chase zero warnings
Fix in components	Patch individual pages
Re-run after big releases	Validate once and forget

31.6 Pros and cons of regular validation

✅ Pros	❌ Cons
Catches real bugs early	Noisy warnings
Improves accessibility	Not a direct ranking boost
Cleaner hydration	Takes time per template

31.7 Where freshers go wrong in Chapter 31 topics

Mistake	Why it happens	Avoid it by	Fix it by
Reporting 200 warnings as urgent	Not filtering	Errors first	Re-prioritising
Validating DevTools DOM instead of source	Convenience	Using URL or source	Re-running
Thinking validation = rankings	SEO myths	Mueller's guidance	Focusing on real bugs

31.8 Thumb rules

> 👍 Fix what breaks; tidy what doesn't.
>
> 👍 One template, one validation, one fix in the component.
>
> 👍 Validation finds bugs; it doesn't buy rankings.

31.9 Notes to remember

> 📝 HTML validation isn't a direct ranking factor (Google spokesperson).
>
> 📝 Duplicate IDs and invalid nesting are the most important errors to fix.

Chapter 31 Glossary

Term	Simple meaning
W3C	The World Wide Web Consortium, which sets web standards
Nu HTML Checker	W3C's HTML validator
Duplicate ID	Two elements with the same id
Hydration	React attaching interactivity to server HTML
useId()	React hook that creates unique IDs

Chapter 31 Quiz

1. Is HTML validation a direct ranking factor?

- A) Yes, the biggest one
- B) Only for health sites
- C) Only on mobile
- D) No

2. Which error is high severity?

- A) Duplicate id attributes
- B) A vendor CSS warning
- C) An extra space
- D) A stray comment

3. How should errors be fixed?

- A) Page by page by hand
- B) In the shared component
- C) By hiding the page
- D) By ignoring them

4. Which React hook creates unique IDs?

- A) useState()

- B) useRouter()
- C) useId()
- D) useImage()

5. What should you validate?

- A) Only blog posts
- B) Nothing
- C) One page per template
- D) Only the homepage

6. Which tool checks HTML?

- A) W3C Nu HTML Checker
- B) Google Ads
- C) GA4
- D) Clarity

7. What causes "div inside p" errors?

- A) Using too many images
- B) Fonts
- C) Sitemaps
- D) A p wrapping a component that renders a div

8. Was W3C validation run in the baseline?

- A) Yes, zero errors
- B) It can't be run
- C) Yes, 1,000 errors
- D) No; it's planned for the first audit sprint

9. What should you validate: source or DevTools DOM?

- A) The design file
- B) Only DevTools DOM
- C) Only screenshots
- D) Server source or the URL

10. In the wiring analogy, which errors come first?

- A) Paint colour

- B) Bulb brand
- C) Switch positions
- D) "Short circuit" errors that break things

Sources

1. W3C, Nu HTML Checker 🟢
2. John Mueller (Google), public statements that HTML validity isn't a ranking factor, Search Central office hours 🟡
3. React Docs, useId 🟢

Answer key, Chapter 31: 1-D · 2-A · 3-B · 4-C · 5-C · 6-A · 7-D · 8-D · 9-D · 10-D

LEVEL 3 · CHAPTER 32

Chapter 32: URL Normalisation and Redirects

One page, one URL. Every other way of typing that URL should redirect to it in a single hop.

> 💡 **Trivia**
>
> Google recommends **hyphens, not underscores** in URLs, treats URLs as **case sensitive**, and suggests keeping one consistent case if your server treats them the same. [1] 🟢 Google official
>
> Next.js uses **308** for its built-in permanent redirects (like trailing-slash fixes) and lets you choose `permanent: true` in config. Google treats 301 and 308 the same way: as permanent. [2] 🟢

32.1 The Ongo Weight Loss URL format

```
https://ongoweightloss.com/services/glp-1/compounded-semaglutide/
└https └no www     └lowercase, hyphens       └trailing slash
```

Variant someone might type or link	Must become
`http://ongoweightloss.com/pricing/`	`https://ongoweightloss.com/pricing/`
`https://www.ongoweightloss.com/pricing/`	`https://ongoweightloss.com/pricing/`
`https://ongoweightloss.com/pricing`	`…/pricing/`
`https://ongoweightloss.com/Pricing/`	`…/pricing/`
`https://ongoweightloss.com/pricing/index.html`	`…/pricing/` (or 404)
`https://ongoweightloss.com/pricing/?utm_source=fb`	Stays (tracking), canonical → clean URL

One hop: `http://www.ongoweightloss.com/Pricing` should reach the final URL in **one** redirect, not three.

> 🪔 **Desi analogy: ghar ka address, har tarah se likha**
>
> Koi "Flat 12, Sector 5" likhe, koi "12/5", koi "flat no. 12 sec-5". Achha postman sab ko ek hi ghar pe pahunchata hai. **URL normalisation wahi postman hai** jo har spelling ko ek sahi address pe le jaata hai, bina chakkar lagwaaye.

32.2 Where each rule lives

Rule	Best place
http → https	Hosting/CDN (e.g. Vercel does this automatically)
www → non-www	Hosting domain settings (redirect domain)
No slash → slash	`trailingSlash: true` in `next.config.ts`
Uppercase → lowercase	`proxy.ts` (Next.js 16; formerly `middleware.ts`)
Old URL → new URL	`redirects()` in `next.config.ts` (or a redirect map)
Removed page, no replacement	404 or 410 (Chapter 33)

```
// next.config.ts
const nextConfig = {
  trailingSlash: true,
  async redirects() {
    return [
      { source: '/blog/tirzepatide/tirzepatide-vs-semaglutide/',
        destination: '/blog/semaglutide/semaglutide-vs-tirzepatide/', permanent: true },
    ]
  },
}
export default nextConfig
```

```
// proxy.ts — lowercase redirect (simplified)
import { NextResponse, type NextRequest } from 'next/server'

export function proxy(req: NextRequest) {
  const { pathname } = req.nextUrl
  if (pathname !== pathname.toLowerCase()) {
    const url = req.nextUrl.clone()
    url.pathname = pathname.toLowerCase()
    return NextResponse.redirect(url, 308)
  }
}
export const config = { matcher: ['/((?!_next|api|.*\\..*).*)'] }
```

32.3 Live-site results (30 October 2026)

Test	Result	Status
`/about`	Redirected to `/about/`	✅
`/services/glp-1/compounded-semaglutide`	Redirected to trailing slash	✅
`/About/`	**404**	❌ Add lowercase redirect
`/pricing/index.html`	404	✅ Acceptable (no duplicate)
Sitemap host	All non-www https	✅
www and http variants	Not tested in this audit	⚪ Test

32.4 Parameters

Parameter type	Rule
UTM (`utm_source` etc.)	Allowed for campaigns; canonical to the clean URL; never in internal links
Click IDs (`gclid` , `fbclid`)	Same as UTM
Filters/sort on hubs	Avoid in Phase 1; if needed, canonical to the unfiltered hub
Session IDs	Never in URLs

Parameter type	Rule
Personal or health data	**Never in URLs** (no weight, BMI, email, names)

> ⚠️ **Where freshers go wrong: PHI in query strings.** Passing `?bmi=34&weight=220` from a calculator to the eligibility page puts health data into server logs, analytics and referrer headers. Calculators keep results in the browser; links carry no personal data. 🔵

32.5 Redirect hygiene

Rule	Why
Permanent (301/308) for permanent moves	Passes signals to the new URL
Update internal links to the final URL	Don't rely on redirects for your own links
No chains (A → B → C)	Slower; signals may weaken
No loops	Page never loads
Keep a redirect map (old, new, date, reason)	Governance (Book Three, Chapter 29)
Never redirect everything to the homepage	Google may treat it as a soft 404

32.6 Do's and Don'ts

✅ Do	❌ Don't
Enforce one URL format everywhere	Mix slash and no-slash
Redirect case variants	Let `/About/` 404
Keep a redirect map	Redirect from memory
Keep personal data out of URLs	Pass calculator results in query strings

32.7 Pros and cons of trailing slashes

✅ Pros	❌ Cons
Matches the live site and existing links	One extra character
Consistent with folder-like structure	Must be configured in Next.js
No migration needed	File URLs (e.g. sitemap.html) behave differently: test

32.8 Where freshers go wrong in Chapter 32 topics

Mistake	Why it happens	Avoid it by	Fix it by
Redirect chains after a migration	Layered rules	One-hop testing	Flattening rules
Internal links without trailing slash	Typing	Copying from the map	Search-and-replace
Redirecting retired pages to the homepage	Easy fix	Closest relevant page or 404	Re-mapping

32.9 Thumb rules

👍 https, no www, lowercase, hyphens, trailing slash.

👍 One hop to the final URL.

👍 No personal data in any URL, ever.

32.10 Notes to remember

📝 Google treats URLs as case sensitive; use hyphens.

📝 301 and 308 are both permanent for Google.

Chapter 32 Glossary

Term	Simple meaning
URL normalisation	Making every variant resolve to one URL
308 redirect	Permanent redirect that keeps the request method
Redirect chain	Several redirects in a row
proxy.ts	Next.js 16 file (formerly middleware) that runs before routes
Query string	The part of a URL after `?`

Chapter 32 Quiz

1. Which separator does Google recommend in URLs?

- A) Underscores
- B) Spaces
- C) Plus signs
- D) Hyphens

2. What should /About/ do?

- A) Redirect to the homepage
- B) Show a different page
- C) Redirect to /about/
- D) Return 404

3. How many redirect hops should a variant take?

- A) As many as needed
- B) One
- C) Three
- D) Five

4. Which Next.js setting adds trailing slashes?

- A) trailingSlash: true

- B) slash: on
- C) basePath
- D) urls: folder

5. Does Google treat 301 and 308 the same?

- A) 301 is temporary
- B) Yes, both permanent
- C) No, 308 is ignored
- D) 308 is temporary

6. Can health data go in query strings?

- A) Yes, for calculators
- B) Only encrypted
- C) Never
- D) Only BMI

7. Where should www → non-www be handled?

- A) Hosting domain settings
- B) Inside each page
- C) In the sitemap
- D) In GA4

8. What did /About/ return on the live site?

- A) 500
- B) 200
- C) 301 to /about/
- D) 404

9. What should UTM-tagged URLs canonicalise to?

- A) The homepage
- B) The UTM URL
- C) The clean URL
- D) Nothing

10. In the postman analogy, URL normalisation…

- A) Charges extra

- B) Changes the house
- C) Loses letters
- D) Delivers every spelling of the address to one house

Sources

1. Google Search Central, URL structure best practices (last updated October 21, 2026) 🟢
2. Google Search Central, Redirects and Google Search; Next.js Docs, redirects and trailingSlash 🟢
3. Next.js Docs, proxy.ts (formerly middleware) 🟢
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 32: 1-D · 2-C · 3-B · 4-A · 5-B · 6-C · 7-A · 8-D · 9-C · 10-D

LEVEL 3 · CHAPTER 33

Chapter 33: The 404 Page

Every site has missing pages. A good 404 returns the right status code, says clearly that the page isn't there, and helps the patient find what they wanted.

> 💡 **Trivia**
>
> Google doesn't use content from URLs that return `4xx` codes, and it removes already-indexed URLs that keep returning them. A **soft 404** is different: the server says `200 OK` but the page looks like an error. Search Console reports those as errors. All `4xx` codes except `429` are treated the same way. [1] ● Google official
>
> The status code matters more than the design. The design matters for the patient.

33.1 Status codes for missing content

Situation	Code	Example
Page never existed / typo	**404**	`/semaglutid/`
Page removed permanently, no replacement	**410** (or 404)	A retired promo page
Page moved	**301/308** to the new URL	Merged blog article
Temporary problem	**503** with Retry-After	Maintenance
"Not found" text with 200	❌ Soft 404	Never
Redirect every missing URL to the homepage	❌ Treated like a soft 404	Never

33.2 What the Ongo Weight Loss 404 page contains

Element	Spec
Status	404

Element	Spec
Title	Page Not Found | Ongo Weight Loss
H1	We couldn't find that page
Short text	The page may have moved or the link may be wrong.
Helpful links	Home · Compounded Semaglutide · Compounded Tirzepatide · How It Works · Pricing · Blog · Contact
Search	A site search box (if available)
Support	"Need help? Contact our care team" link
Robots	noindex (Next.js injects it automatically on 404 responses)
Tracking	GA4 event `page_not_found` with the requested path (no personal data)
Design	Same header, footer and fonts as the site

> 🍛 **Desi analogy: galat gali mein auto**
>
> Auto wala galat gali mein le aaya. Achha auto wala bolta hai: "Bhaiya, yeh gali nahi hai, par aapka ghar do gali aage hai, chaliye." **Achha 404 page wahi achha auto wala hai**: galti maanta hai aur sahi raasta dikhata hai.

33.3 In Next.js

```
// app/not-found.tsx
import Link from 'next/link'
import type { Metadata } from 'next'

export const metadata: Metadata = {
  title: 'Page Not Found', // → "Page Not Found | Ongo Weight Loss"
  // Next.js also injects <meta name="robots" content="noindex"> on 404 responses
}

export default function NotFound() {
  return (
    <main id="main">
      <h1>We couldn't find that page</h1>
      <p>The page may have moved or the link may be wrong.</p>
      <ul>
        <li><Link href="/">Home</Link></li>
        <li><Link href="/services/glp-1/compounded-semaglutide/">Compounded
Semaglutide</Link></li>
        <li><Link href="/services/glp-1/compounded-tirzepatide/">Compounded
Tirzepatide</Link></li>
        <li><Link href="/how-it-works/">How It Works</Link></li>
        <li><Link href="/pricing/">Pricing</Link></li>
        <li><Link href="/blog/">Blog</Link></li>
        <li><Link href="/contact/">Contact us</Link></li>
      </ul>
    </main>
  )
}
```

For dynamic routes, call `notFound()` when data is missing so Next.js returns a real 404 instead of rendering an empty page with 200:

```
const post = await getPost(slug)
if (!post) notFound()
```

⚠️ **Where freshers go wrong: the streaming 200.** Next.js returns a 404 status only if `notFound()` runs **before streaming starts**. If it runs later (for example inside a component under a `<Suspense>` boundary), the status stays **200** while the not-found UI renders: a soft 404. Next.js injects `<meta name="robots" content="noindex">` either way, but check the real status code with `curl -I` after every template change. Call `notFound()` early: in `generateMetadata` or at the top of the page. [2] 🟢

🟧 **Ongo Weight Loss example**

Live test on 30 October 2026: a made-up URL returned a true **404** with `noindex, nofollow` ✅. Improvements: the title was just **"Not found"** (no brand, so it looks broken in browser tabs and history), and the main area offered **only one link**. Use the spec above. 🔵

33.4 Monitoring 404s

Source	What to look for
Search Console → Pages → Not found (404)	Indexed or linked URLs now 404ing
GA4 `page_not_found` events	Real visitors hitting missing pages, and where they came from
Crawler	Internal links pointing at 404s

Fix internal links first; redirect only URLs that have a clear replacement or valuable backlinks.

33.5 Do's and Don'ts

✅ Do	❌ Don't
Return a real 404	Show "not found" with 200
Brand the title	Leave "Not found"
Offer helpful links	Show a dead end
Use notFound() for missing data	Render empty templates

33.6 Pros and cons of a rich 404 page

✅ Pros	❌ Cons
Keeps patients on the site	Needs maintenance as pages change
Shows broken links in analytics	Must stay lightweight
Brand trust even in errors	Risk of becoming a sales page

33.7 Where freshers go wrong in Chapter 33 topics

Mistake	Why it happens	Avoid it by	Fix it by
Redirecting all 404s to the homepage	"Saves traffic" myth	Soft-404 rule	Real 404 + helpful links
Empty blog template returns 200	No notFound()	Data checks	Adding notFound()
Fixing 404s that nobody links to	Over-tidying	Prioritising linked URLs	Ignoring junk URLs

33.8 Thumb rules

👍 Real status first, helpful page second.

👍 Missing data → notFound().

👍 Fix your own broken links before adding redirects.

33.9 Notes to remember

📝 Google treats all 4xx (except 429) the same; soft 404s are reported as errors.

📝 Never redirect all missing URLs to the homepage.

Chapter 33 Glossary

Term	Simple meaning
404	Not found
410	Gone (removed permanently)
Soft 404	An error-looking page that returns 200
not-found.tsx	Next.js file for the 404 page
notFound()	Next.js function that triggers a 404

Chapter 33 Quiz

1. What is a soft 404?

- A) A 404 with nice design
- B) An error-looking page returning 200
- C) A 500 error
- D) A 301

2. How does Google treat 4xx codes (except 429)?

- A) 410 ranks higher
- B) Ignores them all
- C) The same way
- D) 404 is indexed

3. Should missing URLs redirect to the homepage?

- A) No
- B) Only in Phase 1
- C) Yes
- D) Only blogs

4. Which Next.js file defines the 404 page?

- A) app/not-found.tsx
- B) app/error.json

- C) app/404.css
- D) robots.ts

5. What triggers a 404 for missing data in a dynamic route?

- A) redirect('/')
- B) console.log()
- C) return null
- D) notFound()

6. What was the live 404 title?

- A) None
- B) "Home"
- C) "Not found"
- D) "Page Not Found | Ongo Weight Loss"

7. What robots value does a 404 page carry?

- A) none
- B) index, follow
- C) nosnippet only
- D) noindex (Next.js injects it on 404 responses)

8. Which GA4 event tracks missing pages?

- A) scroll
- B) purchase
- C) file_download
- D) page_not_found

9. What should be fixed first?

- A) Internal links pointing at 404s
- B) The favicon
- C) Every junk URL ever requested
- D) The font

10. In the auto analogy, a good 404...

- A) Drops you anywhere
- B) Admits the wrong turn and shows the right way

- C) Ignores you
- D) Charges double

Sources

1. Google Search Central, How HTTP status codes and network errors affect Google Search (last updated February 4, 2026) 🟢
2. Next.js Docs, not-found.js (last updated October 6, 2026) and notFound() 🟢
3. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 33: 1-B · 2-C · 3-A · 4-A · 5-D · 6-C · 7-D · 8-D · 9-A · 10-B

Chapter 34: Accessibility and ARIA Labels

Many people managing their weight also live with vision, hearing, motor or cognitive disabilities. An accessible page is a usable page, and on a U.S. healthcare site it's also a legal expectation.

> 💡 **Trivia**
>
> WCAG 2.2 (a W3C Recommendation since October 2023) is the current version of the Web Content Accessibility Guidelines. Level **AA** is the level most U.S. accessibility policies and legal settlements point to. [1] 🟢 W3C, 🟠 industry practice
>
> The master content map already plans `/policies/accessibility/`. This chapter makes sure the site deserves that statement.

34.1 The ARIA rules

Rule	Example
Use native HTML first	`<button>` instead of `<div role="button">`
Every control needs an accessible name	Visible text, `aria-label`, or `aria-labelledby`
Don't add ARIA that repeats native meaning	No `role="button"` on a `<button>`
States must update	`aria-expanded="true"` when the menu opens
Never hide focusable elements with aria-hidden	Hidden from screen readers but still tabbable = trap
No ARIA is better than bad ARIA	Wrong roles mislead users

[2] 🟢 W3C

34.2 Where ARIA labels are needed at Ongo Weight Loss

Element	Accessible name
Logo link	`aria-label="Ongo Weight Loss home"`
Hamburger "MENU" button	Visible text "Menu" + `aria-expanded` + `aria-controls`
Icon-only chat button	`aria-label="Chat with our care team"`
Icon-only social links	`aria-label="Ongo Weight Loss on Instagram"`
Carousel arrows	`aria-label="Next testimonial"` / `"Previous testimonial"`
"Read more" on cards	`aria-label="Read more about tirzepatide dosing"` or make the title the link
Close (×) on dialogs	`aria-label="Close"`
Breadcrumb nav	`aria-label="Breadcrumb"`
Multiple navs	`aria-label="Main"`, `"Footer"`
Calculator results	`aria-live="polite"` region so the result is announced

```
<button type="button" aria-label="Chat with our care team" className="chat-fab">
  <ChatIcon aria-hidden="true" />
</button>
```

> 🪔 **Desi analogy: mohalla ki dukaan pe ramp**
>
> Dukaan pe seedhiyan hi seedhiyan hon, toh wheelchair waale grahak andar nahi aa sakte. Ramp lagane se sirf unka nahi, saaman wale trolley ka bhi kaam aasaan hota hai. **Accessibility sabke liye ramp hai.**

34.3 The accessibility checklist (WCAG 2.2 AA essentials)

Area	Check	Chapter
Text alternatives	Meaningful images have alt; decorative `alt=""`	13
Structure	One H1, nested headings, landmarks, skip link	7, 29
Contrast	4.5:1 normal text, 3:1 large text and UI parts	26
Resize	Works at 200% zoom; zoom not disabled	30
Keyboard	Everything reachable and usable by Tab/Enter/Space/Esc	—
Focus visible	Clear focus outline on every control	—
Target size	Touch targets at least 24 × 24 CSS px (WCAG 2.2)	—
Forms	Visible labels, error messages linked to fields	—
Names	Every button and link has an accessible name	34.2
Motion	No auto-playing animation that can't be paused	14
Language	`lang="en"`	30
Consistent help	Contact/help in the same place on every page (WCAG 2.2)	—

34.4 Testing

Method	Tool
Automated scan	axe DevTools, Lighthouse accessibility
Keyboard-only walk-through	Unplug the mouse; Tab through the page
Screen reader spot check	NVDA (Windows), VoiceOver (Mac/iPhone)
Contrast	WebAIM contrast checker, DevTools
Zoom	Browser zoom to 200%

Automated tools catch only part of the issues; the keyboard and screen-reader checks find the rest. 🟠

> 🟧 **Ongo Weight Loss example**
>
> Baseline (30 October 2026): one control on the homepage had **no accessible name**; the main CTA's contrast was **~3.1:1**; "Read More" links repeated without context on the blog; 52 images had empty alt (most decorative, some not). These four fixes plus a skip link would remove the most visible barriers. 🔵

34.5 Do's and Don'ts

✅ Do	❌ Don't
Name every icon-only control	Ship icons without labels

✅ Do	❌ Don't
Keep focus outlines visible	Remove outlines with `outline: none`
Test with a keyboard	Test only with a mouse
Announce calculator results	Change results silently

34.6 Pros and cons of investing in accessibility

✅ Pros	❌ Cons
More patients can use the site	Takes design and dev time
Lower legal risk	Needs regular testing
Overlaps with good SEO (structure, alt, headings)	Some fixes change brand visuals

34.7 Where freshers go wrong in Chapter 34 topics

Mistake	Why it happens	Avoid it by	Fix it by
Adding ARIA everywhere	"More is better"	Native first	Removing extra roles
Accessibility overlay widgets as the fix	Quick promise	Fixing the code	Real fixes
aria-hidden on focusable items	Hiding visuals	Rule 5	Removing or using `inert`

34.8 Thumb rules

> 👍 Native first, name everything, test with a keyboard.
>
> 👍 No ARIA is better than bad ARIA.
>
> 👍 Accessible pages are better pages for everyone.

34.9 Notes to remember

> 📝 Target: WCAG 2.2 Level AA.
>
> 📝 WCAG 2.2 adds target size (24 × 24 px minimum) and consistent help.

Chapter 34 Glossary

Term	Simple meaning
WCAG	Web Content Accessibility Guidelines
ARIA	Attributes that add accessibility meaning to HTML
Accessible name	What assistive tech announces for a control
aria-live	Announces content changes
Focus outline	The visible ring around the focused element

Chapter 34 Quiz

1. Which WCAG level does Ongo Weight Loss target?

- A) None
- B) 1.0 A
- C) AAA everywhere
- D) 2.2 AA

2. What's the first rule of ARIA?

- A) Use native HTML first
- B) Never use labels
- C) Add ARIA to every element
- D) Use divs

3. How should an icon-only chat button be named?

- A) aria-label="Chat with our care team"
- B) title only in CSS
- C) alt="icon"
- D) No name

4. What does aria-live do?

- A) Adds colour
- B) Hides content
- C) Makes text blink
- D) Announces content changes

5. What minimum target size does WCAG 2.2 set?

- A) 100 × 100 px
- B) 24 × 24 CSS px
- C) None
- D) 2 × 2 px

6. Should focus outlines be removed?

- A) Yes, they're ugly
- B) No
- C) Only on buttons
- D) Only on mobile

7. Do automated tools catch every issue?

- A) Only Lighthouse does
- B) Yes
- C) No; keyboard and screen-reader checks are needed too
- D) Only overlays do

8. What's wrong with aria-hidden on a focusable link?

- A) It's hidden from screen readers but still tabbable
- B) It improves SEO
- C) It's required
- D) Nothing

9. Which baseline issue was found?

- A) Disabled zoom
- B) A control with no accessible name

- C) No H1
- D) No lang attribute

10. In the ramp analogy, accessibility...

- A) Helps nobody
- B) Is decoration
- C) Helps everyone, not only wheelchair users
- D) Only costs money

Sources

1. W3C, Web Content Accessibility Guidelines (WCAG) 2.2 🟢
2. W3C, Using ARIA and ARIA Authoring Practices Guide 🟢
3. W3C WAI, Accessibility evaluation tools overview 🟢
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 34: 1-D · 2-A · 3-A · 4-D · 5-B · 6-B · 7-C · 8-A · 9-B · 10-C

LEVEL 3 · CHAPTER 35

Chapter 35: Connecting Google Tag Manager

GTM is the switchboard for every tag on ongoweightloss.com. Install it once, feed it a clean data layer, and never let it carry patient health data.


> 💡 **Trivia**
>
> Google describes the data layer as **a JavaScript object that passes information from your website to your Tag Manager container**. Values you push into it can then be used in tags, triggers and variables. [1] ● Google official
>
> GTM only knows what the page tells it. A clean data layer is the difference between "button clicked" and "compounded tirzepatide CTA clicked, hero position, BOFU page".

35.1 How the pieces connect

```
Page (Next.js)  →  dataLayer.push({...})  →  GTM container  →  GA4 / Ads / Clarity tags
```

Piece	Owner	Job
Data layer pushes	Developer	Page metadata and named events
GTM container	Analytics	Tags, triggers, variables
GA4 property	Analytics	Stores and reports
Consent banner	Developer + compliance	Tells tags what's allowed

From Page to Report, Without PHI



The data layer describes the page, never the patient.

35.2 Installing GTM in Next.js

The simplest supported way is the `@next/third-parties` package:

```
// app/layout.tsx
import { GoogleTagManager } from '@next/third-parties/google'

export default function RootLayout({ children }) {
  return (
    <html lang="en">
      <GoogleTagManager gtmId="GTM-XXXXXXX" />
      <body>{children}</body>
    </html>
  )
}
```

Rule	Why
One container, loaded once in the root layout	No duplicate page views
The container ID comes from an environment variable	Separate staging and production
No hard-coded gtag.js **and** GA4 tag in GTM at the same time	Double counting
Consent defaults set **before** GTM loads	Consent mode works only if defaults come first
Publish GTM changes with a version name and note	Audit trail

> 🟧 **Ongo Weight Loss example**
>
> On 30 October 2026, the live site loaded scripts from googletagmanager.com, a gtag script, Google Ads (doubleclick) and Clarity. Check in the GTM container and the code that GA4 isn't installed **twice** (once directly via gtag.js and once through GTM). Double installs inflate page views and break funnels. 🔵

35.3 The page_meta push (from Book Three)

Every page pushes its architecture metadata **before** GTM fires the page view:

```
// components/PageMeta.tsx ('use client')
'use client'
import { useEffect } from 'react'

export function PageMeta(meta: {
  silo: string; page_type: string; hub_parent: string; funnel_stage: string;
  macro_intent: string; micro_intent: string; primary_entity: string;
  launch_phase: string; index_state: string
}) {
  useEffect(() => {
    window.dataLayer = window.dataLayer || []
    window.dataLayer.push({ event: 'page_meta', ...meta })
  }, [meta])
  return null
}
```

Field	Example
silo	weight_loss
page_type	money_page
hub_parent	glp1
funnel_stage	BOFU
macro_intent	do
micro_intent	(code from Book Three, Appendix B)
primary_entity	compounded_semaglutide
launch_phase	1
index_state	indexed

Because Next.js navigates between pages without full reloads, use GTM's **History Change** trigger (or GA4 enhanced measurement's history-based page views) and make sure `page_meta` is pushed on every route change, not only the first load.

> 🪔 **Desi analogy: IT office ka reception register**
>
> Reception pe har visitor ka naam, kis se milne aaya, kis floor pe: register mein likha jaata hai. **Agar register mein sirf "ek aadmi aaya" likha ho, toh security kuch samajh nahi paayegi.** Data layer wahi register hai, aur usmein kabhi visitor ki medical report nahi likhi jaati.

35.4 What may never enter the data layer

❌ Never	Why
Name, email, phone, address, IP-derived identity	Personal data
Weight, height, BMI, goal weight, calculator inputs or results	Health data
Medication chosen, dose, eligibility answers	PHI in a telehealth context
Order IDs that link to a patient record	Re-identification risk
Full URLs with query strings carrying user input	Leaks data
Page titles that include personal details (portal)	Leaks data

Google's own policy forbids sending personally identifiable information to Google Analytics, and Google says customers subject to HIPAA must not use Analytics in a way that gives Google access to PHI. [2] ●

35.5 GTM workspace hygiene

Practice	Detail
Naming	`GA4 - Event - cta_glp1_check_eligibility`, `Trigger - Click - CTA`, `DLV - funnel_stage`
Folders	By platform (GA4, Ads, Clarity)
Preview before publish	Tag Assistant
Access	Publish rights for analytics lead only
Versions	Every publish has a description

35.6 Do's and Don'ts

✅ Do	❌ Don't
Push named events with clean parameters	Rely on generic click triggers
Set consent defaults before GTM	Load tags before consent logic
Push page_meta on every route change	Push it only on first load
Keep PHI out completely	"Hash" PHI and send it anyway

35.7 Pros and cons of GTM

✅ Pros	❌ Cons
Change tags without redeploying	Easy to add risky tags without review
One place for all marketing tags	Extra script weight
Strong preview/debug tools	Needs governance and access control

35.8 Where freshers go wrong in Chapter 35 topics

Mistake	Why it happens	Avoid it by	Fix it by
GA4 installed twice	gtag in code + GTM tag	Choosing one	Removing one
No page views after client navigation	SPA routing	History Change trigger	Adding it
Calculator values in events	"Useful for segmentation"	The never list	Removing parameters + data deletion

35.9 Thumb rules

> 👍 One container, one GA4 install, consent first.
>
> 👍 The data layer describes the page, never the patient.
>
> 👍 Preview, name, version, publish.

35.10 Notes to remember

> 📝 The data layer passes information from the site to GTM.
>
> 📝 No PII to Google Analytics; no PHI exposure under HIPAA.

Chapter 35 Glossary

Term	Simple meaning
GTM	Google Tag Manager
Container	The GTM bundle of tags for a site
Data layer	A JavaScript array the site pushes information into
Trigger	The rule that fires a tag
History Change	A GTM trigger for in-app route changes

Chapter 35 Quiz

1. What is the data layer?

- A) A CSS file
- B) A database of patients
- C) A sitemap
- D) A JavaScript object passing information from the site to GTM

2. How many GTM containers should load per page?

- A) None
- B) One
- C) One per component
- D) Three

3. When should consent defaults be set?

- A) Never
- B) Before GTM loads
- C) Only on Fridays
- D) After all tags fire

4. Which value may enter the data layer?

- A) Dose
- B) Email
- C) BMI
- D) funnel_stage

5. Why use a History Change trigger in Next.js?

- A) To remove GA4
- B) It's required by robots.txt
- C) To slow the site
- D) Pages change without full reloads

6. What happens if GA4 is installed twice?

- A) Better data
- B) Nothing
- C) Faster site
- D) Double-counted page views

7. Which package offers a GTM component for Next.js?

- A) next/font
- B) next/link
- C) next/image
- D) @next/third-parties

8. Can hashed PHI be sent to GA4?

- A) Only names
- B) Only BMI
- C) Yes
- D) No

9. Who should hold GTM publish rights?

- A) The analytics lead
- B) Everyone
- C) Nobody
- D) Interns only

10. In the reception-register analogy, the data layer should never contain...

- A) The visitor's medical report
- B) The time of visit
- C) Who they met
- D) The floor visited

Sources

1. Google for Developers, The data layer (Tag Manager) 🟢
2. Google Analytics Help, Best practices to avoid sending PII and HIPAA and Google Analytics 🟢
3. Next.js Docs, Third-party libraries: Google Tag Manager 🟢
4. Ongo Weight Loss, Book Three, Chapters 9 and 27; live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 35: 1-D · 2-B · 3-B · 4-D · 5-D · 6-D · 7-D · 8-D · 9-A · 10-A

LEVEL 3 · CHAPTER 36

Chapter 36: Setting Up GA4 for Ongo Weight Loss

GA4 stores what users do. Set it up so its reports speak the language of the architecture (silos, funnel stages, CTAs) and so it never stores health data.

> 💡 **Trivia**
>
> Google's help page on HIPAA and Google Analytics says Google **doesn't intend Analytics to create obligations under HIPAA**, and that customers subject to HIPAA **must not use Google Analytics in a way that gives Google access to PHI**. [1] 🟢 Google official
>
> GA4 is a marketing analytics tool. It never sees who a patient is or what they're treated for.

36.1 The GA4 setup checklist

☐	Setting	Ongo Weight Loss value
☐	Property time zone and currency	America/Chicago (or company standard); USD
☐	Web data stream	ongoweightloss.com (one stream; portal tracked separately only if approved)
☐	Enhanced measurement	Page views (incl. history changes) ✅; scrolls ✅; outbound clicks ✅; site search ✅ (only if no personal data in queries); **form interactions ❌ off**; video ✅ (YouTube); file downloads ✅
☐	Data retention	14 months for event data
☐	Google signals	Off unless leadership and compliance approve
☐	Ads personalisation	Off for the health vertical; follow Google's personalised advertising policy for health
☐	Internal traffic filter	Office IPs/VPN marked internal
☐	Unwanted referrals	Payment provider and portal domains
☐	Cross-domain	Only if the portal is a different domain and approved
☐	Key events	`exit_to_portal`, `tool_complete_eligibility_checker`, `portal_signup_complete`, `portal_payment_complete` (step names only)
☐	Custom dimensions	From page_meta (36.3)
☐	Search Console link	Chapter 37
☐	DebugView tested	Before every release

> ⚠️ **Where freshers go wrong: enhanced "form interactions".** It records form starts and submits automatically. On a telehealth site that's a risk you don't need; build named events instead (Chapter 39). 🔵

36.2 GA4 limits that shape our naming

Limit (standard property)	Value
Event name length	40 characters
Parameters per event	25
Parameter value length	100 characters (page_location up to 1,000)

Limit (standard property)	Value
Event-scoped custom dimensions	50
User-scoped custom dimensions	25

[2] ● Google official. These limits are why Book Three's event names stay short (`cta_glp1_check_eligibility` , `internal_link_click`) and details such as position and target go into parameters.

36.3 Custom dimensions from page_meta

Dimension	Scope	Parameter
Silo	Event	`silo`
Page type	Event	`page_type`
Hub parent	Event	`hub_parent`
Funnel stage	Event	`funnel_stage`
Macro intent	Event	`macro_intent`
Micro intent	Event	`micro_intent`
Primary entity	Event	`primary_entity`
Launch phase	Event	`launch_phase`
CTA position	Event	`cta_position`
Link source / target	Event	`link_source` , `link_target`
Link position	Event	`link_position`
First landing page	User	`first_landing_page`
First funnel stage	User	`first_funnel_stage`

> 🪔 **Desi analogy: cricket scorecard**
>
> Scorecard sirf "team ne 250 banaye" nahi batata. Kaun sa batsman, kis over mein, kis bowler ke against, kitne chauke. **Custom dimensions wahi scorecard ke columns hain**: bina unke sirf total dikhta hai, kahani nahi.

36.4 Reports to build (Book Three's monthly seven)

Report	GA4 build
Entry pages by funnel stage	Landing page × funnel_stage (exploration)
TOFU → MOFU → BOFU movement	Funnel exploration on funnel_stage
Top internal links to money pages	internal_link_click × link_source × link_target
CTA performance	`cta_*` events × cta_position × page
Portal entries by first landing page	exit_to_portal × first_landing_page
Queries by landing page	Search Console report in GA4
Cannibalisation watch-list	Search Console (Chapter 37)

🟧 **Ongo Weight Loss example**

A gtag script was present on the live site on 30 October 2026. The next step is a container and property review: confirm a single GA4 install, check which enhanced-measurement options are on (especially form interactions), and register the page_meta custom dimensions. 🔵

36.5 Do's and Don'ts

✅ Do	❌ Don't
Register custom dimensions for page_meta	Leave reports at page-path level only
Turn off form interactions	Let GA4 auto-track forms
Mark only real conversions as key events	Make every click a key event
Test in DebugView	Publish untested events

36.6 Pros and cons of GA4 for a telehealth site

✅ Pros	❌ Cons
Free, powerful explorations	Not for PHI; strict discipline needed
Native Search Console and Ads links	Limits on dimensions and parameters
Event-based model fits our CTA design	Thresholding hides small numbers

36.7 Where freshers go wrong in Chapter 36 topics

Mistake	Why it happens	Avoid it by	Fix it by
Too many key events	"Everything matters"	Four key events	Unmarking extras
Event names over 40 characters	Long descriptive names	Short name + parameters	Renaming
Internal team traffic in reports	No filter	Internal traffic rule	Adding the filter

36.8 Thumb rules

👍 Page metadata in, patient data never.

👍 Short event names, rich parameters.

👍 Four key events, not forty.

36.9 Notes to remember

📝 Customers subject to HIPAA must not give Google access to PHI through Analytics.

📝 Limits: 40-character event names, 25 parameters, 100-character values, 50 event-scoped dimensions.

Chapter 36 Glossary

Term	Simple meaning
Data stream	A source of data (a website) in GA4
Enhanced measurement	Automatic GA4 events like scrolls and outbound clicks
Key event	An event marked as important (formerly "conversion")
Custom dimension	A parameter registered for reporting
DebugView	Real-time GA4 testing view

Chapter 36 Quiz

1. Can GA4 be used in a way that gives Google access to PHI?

- A) No
- B) Only for BMI
- C) Only with hashing
- D) Yes

2. Which enhanced-measurement option should be off?

- A) Page views
- B) Outbound clicks
- C) Scrolls
- D) Form interactions

3. What's the GA4 event name length limit?

- A) 40 characters
- B) 400 characters
- C) 4 characters
- D) Unlimited

4. How many event-scoped custom dimensions does a standard property allow?

- A) 500
- B) 5
- C) 1
- D) 50

5. Which is a key event?

- A) exit_to_portal
- B) scroll
- C) page_view
- D) every click

6. What scope is first_landing_page?

- A) Event
- B) User
- C) Item
- D) Session only

7. Where do you test events before release?

- A) DebugView
- B) robots.txt

- C) Figma
- D) Search Console

8. Should Google signals be on by default?

- A) Only on mobile
- B) Yes, always
- C) It doesn't exist
- D) No, only with leadership and compliance approval

9. How many parameters can one event carry?

- A) 1
- B) 2
- C) 250
- D) 25

10. In the scorecard analogy, custom dimensions are…

- A) The scorecard columns
- B) The umpire
- C) The final total only
- D) The stadium

Sources

1. Google Analytics Help, HIPAA and Google Analytics 🟢
2. Google Analytics Help, GA4 configuration limits and Event naming rules 🟢
3. Google Analytics Help, About key events 🟢
4. Ongo Weight Loss, Book Three, Chapter 27 (monthly reports), internal 🔵

Answer key, Chapter 36: 1-A · 2-D · 3-A · 4-D · 5-A · 6-B · 7-A · 8-D · 9-D · 10-A

LEVEL 3 · CHAPTER 37

Chapter 37: Connecting Google Search Console

Search Console is Google's own view of ongoweightloss.com: what it crawled, what it indexed, which queries showed our pages and what broke.

> 💡 **Trivia**
>
> DNS verification is **the only way to verify a Domain property** in Search Console. Google also warns: to stay verified, **don't remove the DNS record**, even after verification succeeds. Search Console checks periodically, and permissions expire after a grace period if the token disappears. [1] ● Google official
>
> Many teams lose access months later because someone "cleaned up" DNS.

37.1 Domain property vs. URL-prefix property

Property type	Covers	Verification
Domain (`ongoweightloss.com`)	All protocols, subdomains (www, staging, portal), all paths	DNS TXT record only
URL-prefix (`https://ongoweightloss.com/`)	Only that exact prefix	HTML tag, file, GA, GTM, or DNS

Ongo Weight Loss setup: one **Domain property** (main reporting) plus a **URL-prefix property** for `https://ongoweightloss.com/` (useful for some tools). The live site already has a `google-site-verification` meta tag; keep it, and add DNS verification for the Domain property.

37.2 Setup checklist

☐	Step
☐	Add Domain property; add TXT record at the DNS provider; verify
☐	Add owners: two company accounts (never only one person's personal Gmail)
☐	Add users with the least access they need (Full vs. Restricted)
☐	Submit `https://ongoweightloss.com/sitemap.xml` (the index)
☐	Link Search Console to GA4 (GA4 Admin → Product links)
☐	Turn on email notifications for owners
☐	Record the verification method and owners in the change log

> 🪔 **Desi analogy: ghar ki registry**
>
> Ghar ki registry ek hi rishtedaar ke naam pe ho aur woh shehar chhod de, toh mushkil ho jaati hai. **Search Console ki ownership bhi company ke do accounts ke naam pe rakho**, kisi ek insaan ke personal account pe nahi.

37.3 The reports SEO uses weekly

Report	What to check
Performance → Search results	Queries, pages, clicks, impressions, CTR, position
Pages (indexing)	Indexed vs. not indexed, with reasons
Sitemaps	Submitted vs. discovered URLs per sitemap file

Report	What to check
URL Inspection	Live test, canonical, last crawl, rendered HTML
Enhancements	Breadcrumbs, other structured data issues
Core Web Vitals	Field data (detail in the Technical SEO book)
Manual actions / Security issues	Should always be empty

37.4 Search Console in GA4

Once linked, GA4 shows Search Console **Queries** and **Google organic search traffic** reports. Search Console data appears in GA4 about **48 hours** after collection, and GA4 keeps up to **16 months** of it. [2] 🟢 Export monthly if you want longer history (Book Three, Chapter 27).

> 🟧 **Ongo Weight Loss example**
>
> After the baseline fixes (canonical, noindex decision, sitemap lastmod), use **URL Inspection** on the two compounded money pages: check "User-declared canonical" equals "Google-selected canonical", that indexing is allowed, and that the rendered HTML includes the H1, breadcrumbs and JSON-LD. Then request indexing. 🔵

37.5 Do's and Don'ts

✅ Do	❌ Don't
Use a Domain property with DNS	Rely on one URL-prefix property only
Keep two company owners	Use one person's Gmail
Keep the DNS token forever	Remove it after verifying
Link to GA4	Treat GSC and GA4 as separate worlds

37.6 Pros and cons of Search Console data

✅ Pros	❌ Cons
Google's own data	Sampled and thresholded queries
Shows indexing reasons	16-month history
URL-level testing	Delayed by a day or two

37.7 Where freshers go wrong in Chapter 37 topics

Mistake	Why it happens	Avoid it by	Fix it by
Submitting each sitemap file separately and the index too	Over-submitting	Submit the index	Removing duplicates
Requesting indexing for noindexed pages	Not checking robots	URL Inspection first	Fixing robots
Losing access after DNS changes	Token removed	Change log note	Re-verifying

37.8 Thumb rules

👍 Domain property, DNS token, two company owners.

👍 Submit the sitemap index; watch per-section counts.

👍 URL Inspection before and after every important launch.

37.9 Notes to remember

📝 DNS is the only way to verify a Domain property; keep the record.

📝 GSC data appears in GA4 after ~48 hours; up to 16 months kept.

Chapter 37 Glossary

Term	Simple meaning
Domain property	A GSC property covering a whole domain
URL-prefix property	A GSC property for one URL prefix
TXT record	A DNS text entry used for verification
URL Inspection	GSC tool showing Google's view of one URL
Product link	A connection between Google products (e.g. GSC ↔ GA4)

Chapter 37 Quiz

1. What's the only way to verify a Domain property?

- A) DNS record
- B) GA4 code
- C) Meta tag
- D) HTML file

2. Should you remove the DNS record after verification?

- A) After a week
- B) Only on Sundays
- C) No
- D) Yes

3. What does a Domain property cover?

- A) All protocols, subdomains and paths
- B) Only one page
- C) Only https://www
- D) Only images

4. How many company owners should GSC have?

- A) One personal Gmail
- B) Every employee
- C) None
- D) At least two company accounts

5. Which sitemap should be submitted?

- A) sitemap.html only
- B) None
- C) A random section file only
- D) The sitemap index

6. How long until GSC data shows in GA4?

- A) About 48 hours
- B) One year
- C) Instantly
- D) Never

7. Which tool shows Google-selected canonical?

- A) URL Inspection
- B) Clarity
- C) Performance report
- D) GTM Preview

8. Should you request indexing for a noindexed page?

- A) No; fix robots first
- B) Twice
- C) Yes
- D) Daily

9. Was a GSC verification meta tag on the live site?

- A) In the footer only
- B) No
- C) Yes
- D) In robots.txt

10. In the registry analogy, GSC ownership should be...

- A) In company accounts, not one person's
- B) In a relative's name
- C) Shared publicly
- D) Unregistered

Sources

1. Search Console Help, Verify your site ownership
2. Google Analytics Help, Search Console integration
3. Search Console Help, URL Inspection tool
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Answer key, Chapter 37: 1-A · 2-C · 3-A · 4-D · 5-D · 6-A · 7-A · 8-A · 9-C · 10-A

LEVEL 3 · CHAPTER 38

Chapter 38: Microsoft Clarity: Useful, Installed, and Risky

Clarity shows heatmaps and session recordings. On a telehealth site, recordings are also the easiest way to capture something private by accident. Clarity is already running on ongoweightloss.com, so this chapter is about running it safely.

> 💡 **Trivia**
>
> Clarity masks **input boxes and drop-downs in every masking mode**, and this can't be changed. Its three modes are **Strict** (all content masked), **Balanced** (default: sensitive content such as numbers and email addresses masked) and **Relaxed** (only inputs and drop-downs masked). [1] 🟢 Microsoft official
>
> The default isn't the safest setting. On a health site, the setting matters.

38.1 What Clarity is good for

Use	Example question it answers
Heatmaps	Do patients reach the pricing table on the money page?
Scroll depth	How far down the dosing guide do people read?
Rage clicks / dead clicks	Is something that looks like a button not working?
Session recordings	Where do people hesitate before "See If I'm Eligible"?
JavaScript errors	Which pages throw errors for real users?

38.2 Why it needs special care here

Risk	Detail
Recordings can capture on-screen text	Calculator results, eligibility answers, names in the portal
Health context	Even "visited the semaglutide page" can be sensitive when combined with identity
Terms of use	A Microsoft Q&A answer (by a volunteer moderator, not Microsoft staff) quotes Clarity's terms as saying customers won't use it **"in connection with content which may contain sensitive user materials, such as health care"**. Read the current terms yourself before relying on this. [2] 🟠
No BAA	Clarity isn't offered as a HIPAA business-associate service as far as public sources show 🟠

> ⚠️ **Where freshers go wrong: "it's free and everyone uses it".** Free tools still have terms, and recording a patient's screen is very different from counting page views. Clarity's continued use is a **leadership and compliance decision**, recorded in writing. 🔵

38.3 The Ongo Weight Loss Clarity rules (if leadership keeps it)

☐	Rule
☐	Masking mode: **Strict**
☐	Load only on public marketing pages (home, services, blog, tools hub, policies)

☐	Rule
☐	**Never** load on the portal, onboarding, login, account, checkout or any page with forms
☐	**Never** load on calculator result states; mark result areas `data-clarity-mask="True"`
☐	Never use `data-clarity-unmask` on anything a patient types or sees about themselves
☐	Respect the consent banner (load only after consent where required)
☐	Don't connect Clarity to user IDs or "custom identifiers"
☐	Review a sample of recordings monthly to confirm masking works
☐	Document the decision, settings and reviewer in the change log

```
{/* Calculator result area: always masked */}
<div data-clarity-mask="True" aria-live="polite">
  Your BMI: {result}
</div>
```

The `data-clarity-mask` and `data-clarity-unmask` attributes **override** the settings made on the Clarity website. [1] 🟢

> 🪔 **Desi analogy: clinic ke waiting room ka CCTV**
>
> Clinic ke waiting room mein CCTV theek hai: kitne log aaye, line kitni lambi thi. **Lekin doctor ke cabin mein camera kabhi nahi.** Clarity bhi waiting room (marketing pages) tak, cabin (portal, forms) mein nahi.

38.4 Loading Clarity only where allowed (Next.js)

Load it through GTM with a trigger that fires only on approved page types (using the `page_type` and `index_state` values from `page_meta`), and blocks on paths like `/weightloss-onboard/`. One place to control it, no code redeploy needed to switch it off.

GTM trigger condition	Value
Event	page_meta
page_type	in: home, money_page, service_hub, blog_article, blog_hub, policy, team
Page Path	does not start with /weightloss-onboard/
Consent	analytics granted (where required)

> 🟧 **Ongo Weight Loss example**
>
> On 30 October 2026, Clarity was running on the public homepage (`window.clarity` present). Next steps: confirm the masking mode in Clarity settings (likely still the **Balanced** default), confirm it isn't loading on onboarding or portal URLs, add mask attributes to calculators, and get a written leadership/compliance decision. 🔵

38.5 Do's and Don'ts

✅ Do	❌ Don't
Use Strict masking	Leave the Balanced default
Limit Clarity to marketing pages	Record the portal or forms
Mask calculator results	Unmask inputs
Get a documented decision	Assume "free" means "fine"

38.6 Pros and cons of Clarity at Ongo Weight Loss

✅ Pros	❌ Cons
Real UX insight for free	Health-data and terms risk
Finds broken buttons fast	Needs strict governance
Heatmaps for CRO	Extra script on every page

38.7 Where freshers go wrong in Chapter 38 topics

Mistake	Why it happens	Avoid it by	Fix it by
Watching recordings of portal sessions	Clarity loaded site-wide	Page-type trigger	Removing it from the portal
Sharing recordings in Slack	Curiosity	Treat as sensitive	Deleting and reminding the team
Unmasking "to see more"	Debugging	Masking rules	Re-masking

38.8 Thumb rules

> 👍 Waiting room yes, doctor's cabin never.
>
> 👍 Strict masking, marketing pages only, documented decision.
>
> 👍 Recordings are sensitive; treat them that way.

38.9 Notes to remember

> 📝 Clarity modes: Strict, Balanced (default), Relaxed; inputs always masked.
>
> 📝 Mask attributes override dashboard settings.

Chapter 38 Glossary

Term	Simple meaning
Session recording	A replay of a visitor's interactions
Heatmap	A map of where people click or scroll
Masking	Hiding content from recordings
data-clarity-mask	HTML attribute that masks an element
Rage click	Repeated clicking in frustration

Chapter 38 Quiz

1. What is Clarity's default masking mode?

- A) None
- B) Balanced
- C) Relaxed

- D) Strict

2. Which mode should Ongo Weight Loss use?

- A) Balanced
- B) Relaxed
- C) Strict
- D) Off

3. Are input boxes masked in every mode?

- A) Only in Relaxed
- B) Yes
- C) No
- D) Only on mobile

4. Where should Clarity never load?

- A) Portal, onboarding and forms
- B) Blog articles
- C) The homepage
- D) Policy pages

5. Which attribute masks an element?

- A) rel="mask"
- B) alt="mask"
- C) aria-mask
- D) data-clarity-mask="True"

6. Who decides whether Clarity stays?

- A) Clarity itself
- B) Any developer
- C) Leadership and compliance, in writing
- D) Nobody

7. Do mask attributes override dashboard settings?

- A) Only on weekends
- B) Yes
- C) No
- D) Only for images

8. How should Clarity be loaded?

- A) Through GTM with page-type triggers
- B) Via robots.txt
- C) Only in the portal
- D) Hard-coded everywhere

9. What should calculator result areas have?

- A) A GA4 parameter with the result
- B) data-clarity-unmask="true"
- C) Nothing
- D) data-clarity-mask="True"

10. In the clinic analogy, Clarity belongs...

- A) In the pharmacy safe
- B) Nowhere at all
- C) In the doctor's cabin

- D) In the waiting room, never in the doctor's cabin

Sources

1. Microsoft Learn, Clarity masking
2. Microsoft Q&A, Is MS Clarity HIPAA compliant? (volunteer moderator answer, January 4, 2024); Microsoft, Clarity terms
3. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Answer key, Chapter 38: 1-B · 2-C · 3-B · 4-A · 5-D · 6-C · 7-B · 8-A · 9-D · 10-D

LEVEL 3 · CHAPTER 39

Chapter 39: Custom Events and the Ongo Weight Loss Event Dictionary

A generic "button_click" tells you nothing. Named events with clean parameters tell you which page, which CTA, which link and which funnel stage moved a patient forward, without ever recording who the patient is.

> 💡 **Trivia**
>
> GA4 event names can be up to **40 characters**, and each event can carry up to **25 parameters** with values up to **100 characters** (standard properties). [1] ● Google official
>
> That's plenty, if the name says what happened and the parameters say where.

39.1 The event dictionary (Book Three convention, Book Four additions)

Event	When it fires	Parameters	Key event?
`page_meta`	Every page view and route change	silo, page_type, hub_parent, funnel_stage, macro_intent, micro_intent, primary_entity, launch_phase, index_state	—
`cta_[pagegroup]_[action]`	Any CTA click (e.g. `cta_glp1_check_eligibility`, `cta_home_get_started`)	cta_position, cta_text, page_path	—
`exit_to_portal`	Any click that leaves for the portal (fires with the CTA event)	source_page, vertical, first_landing_page	✅
`internal_link_click`	In-content internal links	link_source, link_target, link_position, source_stage, target_stage	—
`tool_complete_[tool]`	A calculator finishes (e.g. `tool_complete_bmi_calculator`)	tool_name only, **never inputs or results**	`tool_complete_eligibility_checker` ✅
`outbound_click_[context]`	Citation or external link (e.g. `outbound_click_citation`)	link_domain, page_path	—
`form_submit_[form]`	Contact or newsletter submitted (e.g. `form_submit_contact`)	form_name only, **no field contents**	—
`portal_[step]`	Inside the portal (if approved)	step name only	`portal_signup_complete`, `portal_payment_complete` ✅
`page_not_found`	404 page view (new in Book Four)	requested_path (no query string)	—
`video_start` / `video_complete`	Guide videos (enhanced measurement or custom)	video_title, page_path	—
`faq_open`	An FAQ item expands (optional, new in Book Four)	faq_id (not the question text if long)	—
`phone_click` / `email_click` / `chat_open`	Contact methods (Book Three's "Call / Email / Chat")	page_path, position	—

Retired in Phase 1: any brand-drug CTA events (e.g. `cta_wegovy_get_started`) and all `*_check_insurance` events (Ongo Weight Loss is self-pay).

> 🪔 **Desi analogy: shaadi ka gift register**
>
> Gift register mein likhte hain: "Sharma ji, lifafa, 1 bajkar 20 minute, stage ke paas." **Kaun, kya, kab, kahan.** Lekin lifafe mein kitna tha, woh register mein nahi aata. Events bhi wahi: kya hua aur kahan hua, lekin patient ka personal data kabhi nahi.

39.2 Naming rules

Rule	✅	❌
snake_case, lowercase	`cta_glp1_check_eligibility`	`CTA-GLP1-CheckEligibility`
Start with a letter; ≤ 40 characters	`tool_complete_weight_loss_goal_calc`	a 60-character name
Verb or outcome at the end	`form_submit_contact`	`contact_form`
Page group, not page title, in CTA names	`cta_semaglutide_get_started`	`cta_compounded_semaglutide_vials_page_button`
No brand drug names	`cta_tirzepatide_get_started`	`cta_zepbound_get_started`
No personal or health values anywhere	—	`bmi=34`, `goal_weight=170`

39.3 Implementation pattern: data attributes + one GTM trigger

Mark elements in code; let GTM read the attributes. One trigger handles every CTA.

```
<Link
  href="/weightloss-onboard/"
  data-event="cta_semaglutide_get_started"
  data-cta-position="hero"
  data-exit-portal="true"
  className="btn-primary"
>
  See If I'm Eligible
</Link>
```

GTM item	Setting
Trigger	Click – All Elements, where `data-event` matches `^cta_` (use "Click Element matches CSS selector `[data-event^='cta_'], [data-event^='cta_'] *`")
Variables	Data-attribute variables: `data-event`, `data-cta-position`
Tag	GA4 Event with **event name = {{DLV/attr – data-event}}**, parameter cta_position
Second tag	`exit_to_portal` when `data-exit-portal="true"`

Alternatively, push events from code with `window.dataLayer.push({ event: 'cta_semaglutide_get_started', cta_position: 'hero' })`. Pick **one** method per event type so nothing double-fires.

39.4 Testing each event

Step	Tool
1	GTM Preview (Tag Assistant): did the tag fire once?
2	GA4 DebugView: right name, right parameters?
3	Check parameters for any personal or health value
4	Click through on mobile width too
5	Log the event in the dictionary with owner and date

🟧 **Ongo Weight Loss example**

The live money page has many CTAs: "Get Started from $179", several "See If I'm Eligible", "Calculate", "Read Clinical Studies", "Watch Injection Video". Each should have its own name and position, e.g. `cta_semaglutide_get_started` (hero, mid, footer), `tool_complete_semaglutide_calculator` (no results), `outbound_click_citation`. Then the CTA report shows which position actually drives `exit_to_portal`. 🔵

39.5 Do's and Don'ts

✅ Do	❌ Don't
Name events by what happened	Use generic `button_click`
Keep a single dictionary	Let each developer invent names
Test in Preview and DebugView	Ship untested
Keep inputs and results out	Track "helpful" health values

39.6 Pros and cons of named events

✅ Pros	❌ Cons
Reports readable by anyone	More setup
Measures internal-link and CTA impact	Dictionary must be maintained
Ties content to portal entries	Renames break history (change carefully)

39.7 Where freshers go wrong in Chapter 39 topics

Mistake	Why it happens	Avoid it by	Fix it by
Event fires twice (code push + GTM click trigger)	Two methods	One method per event	Removing one
Renaming events casually	Tidying	ZETA rule: update reports and the map	Restoring or documenting
Question text as a parameter	"Useful"	IDs instead	Changing to faq_id

39.8 Thumb rules

👍 What happened, where: never who.

👍 One dictionary, one method per event.

👍 Preview, DebugView, log.

39.9 Notes to remember

📝 Key events: exit_to_portal, tool_complete_eligibility_checker, portal_signup_complete, portal_payment_complete.

📝 Retired: brand-drug CTA events and all check-insurance events.

Chapter 39 Glossary

Term	Simple meaning
Event dictionary	The official list of event names and parameters
snake_case	Lowercase words joined by underscores
Data attribute	A custom HTML attribute like `data-event`
Tag Assistant	GTM's preview and debug tool
exit_to_portal	Event for clicks leaving the site for the patient portal

Chapter 39 Quiz

1. What's the maximum GA4 event name length?

- A) 10 characters
- B) 40 characters
- C) 400 characters
- D) Unlimited

2. Which CTA event name follows the convention?

- A) cta_glp1_check_eligibility
- B) ButtonClick1
- C) cta_wegovy_get_started
- D) click

3. What should tool_complete events never include?

- A) Inputs or results
- B) The tool name
- C) The event name
- D) Anything at all

4. Which event was retired in Phase 1?

- A) internal_link_click
- B) Any *_check_insurance event
- C) exit_to_portal
- D) page_meta

5. How many methods should fire one event?

- A) Three
- B) One
- C) Two for safety
- D) As many as possible

6. What does exit_to_portal record?

- A) Patient names
- B) Payment amounts
- C) Clicks leaving for the portal, with source page and first landing page
- D) Doses

7. Which tool checks parameters in GA4?

- A) W3C validator
- B) robots.txt

- C) DebugView
- D) Figma

8. What new event does Book Four add for missing pages?

- A) page_not_found
- B) missing
- C) 404_view_page
- D) error_click

9. Which naming style is used?

- A) snake_case, lowercase
- B) Random
- C) CamelCase
- D) ALL CAPS

10. In the gift-register analogy, what's never written down?

- A) Where
- B) What time
- C) Who gave the gift
- D) How much was in the envelope (personal data)

Sources

1. Google Analytics Help, GA4 configuration limits and Event naming rules 🟢
2. Google Tag Manager Help, Click triggers 🟢
3. Ongo Weight Loss, Book Three, Appendix C (event naming convention), internal 🔵

Answer key, Chapter 39: 1-B · 2-A · 3-A · 4-B · 5-B · 6-C · 7-C · 8-A · 9-A · 10-D

04

LEVEL 4

Specs, Audits and Risk

Templates, full specs for all 69 Phase 1 pages, QA, honest refreshes and the on-page ZETA list.

40 · On-Page Templates by Page Type

41 · On-Page Specs for All 69 Phase 1 Pages

42 · On-Page Audits and Pre-Launch QA

43 · Refreshing Pages Without Faking Freshness

44 · The ZETA Model for On-Page SEO

LEVEL 4 · CHAPTER 40

Chapter 40: On-Page Templates by Page Type

Ongo Weight Loss has about ten kinds of pages. Build each kind once, as a template with every on-page element wired in, and every new page of that kind launches complete.

> 💡 **Trivia**
>
> Google warns against **boilerplate** titles that differ by only one detail, and recommends generating titles programmatically only when the result is genuinely descriptive of each page. [1] ● Google official
>
> Templates should standardise the **structure**, never the **words**.

40.1 What a template fixes, and what it leaves to the writer

Template provides (same everywhere)	Writer provides (unique per page)
Title pattern and brand suffix	The title words
Breadcrumb component	Breadcrumb labels
Trust block layout	Author, reviewer, dates
JSON-LD builder	The facts it describes
CTA component with events	CTA choice and position from the record
Disclaimer slot	The right disclaimer from the library
Related-links block	Which links (from the link map)
page_meta push	Values from the master-map record

> 🪔 **Desi analogy: tiffin service ka dabba**
>
> Tiffin wale ka dabba roz same hota hai: chaar khaane, ek roti ka dibba. **Lekin har din sabzi alag hoti hai.** Template dabba hai; content roz ki sabzi.

40.2 The template matrix

Element	Home	Money page	Service hub	Blog hub	Blog article	Condition	Tool	Person bio	Policy	Utility (404, sitemap.html)
Title pattern	Brand first	Treatment + qualifier | brand	Service | brand	Topic Articles & Guides | brand	Question/topic (| brand if short)	Condition: overview | brand	Tool: benefit | brand	Name, credential | brand	Policy | brand	Name | brand
One H1	✅	✅	✅	✅	✅	✅	✅	✅	✅	✅
Breadcrumb + BreadcrumbList	❌	✅	✅	✅	✅	✅	✅	✅	✅	✅
Trust block	Team preview	Reviewed by + date	Reviewed by	—	Author + reviewer + dates	Author + reviewer + dates	Reviewed by (formula)	Credentials, licence states	Effective date	—
Primary CTA	Soft "Get Started"	"See If I'm Eligible"	✅	❌	❌ contextual link	Soft	Soft after result	"Book with our team" (soft)	❌	Help links
FAQ section	Optional	✅	✅	❌	Optional	✅	✅ short	❌	❌	❌
References	❌	✅	✅	❌	✅	✅	✅ (formula source)	❌	❌	❌
Disclaimer	General	Compounded + Rx	General	—	Medical	Medical	Tool	—	—	—

Element	Home	Money page	Service hub	Blog hub	Blog article	Condition	Tool	Person bio	Policy	Utility (404, sitemap.html)
Schema	MedicalOrganization, WebSite	MedicalWebPage (+ FAQPage optional)	MedicalWebPage/CollectionPage	CollectionPage	MedicalWebPage + Article	MedicalWebPage + MedicalCondition	WebApplication	ProfilePage + Person	WebPage	WebPage
OG type	website	website	website	website	article	article	website	profile	website	website
Robots (Phase 1)	index	per indexing plan	per plan	per plan	per plan	per plan	per plan	per plan	per plan	404: noindex (auto); sitemap.html: index
In sitemap	✅	when indexed	when indexed	when indexed	when indexed	when indexed	when indexed	when indexed	when indexed	sitemap.html ✅
Events	cta_home_*	cta_[treatment]_*, exit_to_portal	cta_[hub]_*	internal_link_click	internal_link_click, outbound_click_citation	internal_link_click	tool_complete_*	cta_team_*	—	page_not_found
Clarity	Strict	Strict	Strict	Strict	Strict	Strict	Strict, results masked	Strict	Strict	Off

40.3 The money-page template, section by section

Order	Section	On-page requirement
1	Breadcrumb	Home › Services › Weight Loss › GLP-1 Medications › [Treatment]
2	Hero	H1; 3-sentence opening; reviewed-by + date; price-from (from config); primary CTA (hero)
3	What it is	H2; compounded/not-FDA-approved statement
4	How it works	H2; plain explanation; citation
5	Who may be eligible	H2; approved eligibility wording; CTA (mid)
6	What's included	H2 + H3s; list
7	Dosing	H2; example table with "provider sets your dose"
8	Side effects and safety	H2; Important Safety Information link
9	Pricing	H2; config-driven prices; refund link
10	Compounded vs. FDA-approved	H2; neutral education; no brand promotion
11	How to get started	H2; ordered steps; CTA (footer)
12	FAQs	H2; `<details>`; optional FAQPage
13	References	H2; Tier 1 sources
14	Disclaimer	Compounded + prescription disclaimer

40.4 The blog-article template, section by section

Order	Section	On-page requirement
1	Breadcrumb	Home › Blog › [Cluster] › [Article]
2	Header	H1; author + reviewer (independent) + published + updated (`<time>`)
3	Key takeaways (optional)	3–5 bullets
4	Opening answer	40–60 words; contextual link to the commercial partner page
5	Body	H2/H3 outline; tables; images with alt
6	Safety note	When relevant
7	End box	Soft next step (no hard button)

Order	Section	On-page requirement
8	Related articles	3 cluster siblings (`link_position=related`)
9	References	Tier 1/2 sources
10	Author bio	Name, credential, link to bio page
11	Disclaimer	Medical disclaimer

> 🟧 **Ongo Weight Loss example**
>
> The live dosing guide is close to this template already (author, reviewers, editor, references, disclaimer, related posts). Missing pieces to add to the template: the visible breadcrumb trail, BreadcrumbList, `article:modified_time` , an independent "Medically reviewed by", and `<time>` elements. Fix them in the template once, and every article gets them. 🔵

40.5 Do's and Don'ts

✅ Do	❌ Don't
Fix structure in templates	Copy words between pages
Wire schema, breadcrumbs and events into templates	Add them page by page
Read values from the master-map record	Hard-code page_meta
Review templates after Google guideline changes	Let templates go stale

40.6 Pros and cons of strict templates

✅ Pros	❌ Cons
Every page launches complete	Less layout freedom
Fixes apply site-wide	A template bug affects every page
Faster QA	Requires a template owner

40.7 Where freshers go wrong in Chapter 40 topics

Mistake	Why it happens	Avoid it by	Fix it by
Templated titles that differ by one word	Over-automation	Writer-owned titles	Rewriting
Hard CTA in the blog template	Sales pressure	The matrix	Contextual link
Clarity loading on the 404 and utility pages	Global script	Page-type trigger	Excluding

40.8 Thumb rules

> 👍 Same dabba, different sabzi.
>
> 👍 Fix it in the template, and it's fixed everywhere.
>
> 👍 The matrix is the contract between SEO, content and dev.

40.9 Notes to remember

> 📝 Ten page types; one template each.
>
> 📝 Money page: 14 sections; blog article: 11 sections.

Chapter 40 Glossary

Term	Simple meaning
Template	A reusable page structure for one page type
Template matrix	The table of required elements per page type
End box	A soft next-step block at the end of a blog post
Key takeaways	A short summary list near the top
Price config	One data file with all prices

Chapter 40 Quiz

1. What should templates standardise?

- A) Nothing
- B) Words, not structure
- C) Only colours
- D) Structure, not words

2. Which page type has no breadcrumb?

- A) Money page
- B) Home
- C) Policy
- D) Blog article

3. Which CTA does the blog-article template use?

- A) None at all
- B) A hard Get Started banner
- C) A contextual link and soft end box
- D) A pop-up

4. What OG type do blog articles use?

- A) article
- B) profile
- C) website
- D) video

5. Where do page_meta values come from?

- A) Random
- B) The competitor
- C) The master-map record
- D) The writer's memory

6. How many sections does the money-page template have?

- A) 1

- B) 3
- C) 40
- D) 14

7. Which schema fits a provider bio?

- A) Recipe
- B) Product
- C) Event
- D) ProfilePage + Person

8. Should Clarity run on the 404 page?

- A) Only at night
- B) Yes, relaxed
- C) No
- D) Only on mobile

9. What does Google say about boilerplate titles?

- A) They're required
- B) Avoid titles that differ by only one detail
- C) Use them everywhere
- D) They boost CTR

10. In the tiffin analogy, the template is…

- A) The dabba
- B) The delivery boy
- C) The bill
- D) The sabzi

Sources

1. Google Search Central, Influencing your title links (last updated December 10, 2025) 🟢
2. Ongo Weight Loss, Book Three, Chapters 22–26 (records, links, CTAs, schema), internal 🔵
3. Ongo Weight Loss, live-site audit, 30 October 2026 (internal) 🔵

Answer key, Chapter 40: 1-D · 2-B · 3-C · 4-A · 5-C · 6-D · 7-D · 8-C · 9-B · 10-A

LEVEL 4 · CHAPTER 41

Chapter 41: On-Page Specs for All 69 Phase 1 Pages

Every Phase 1 page from the Book Three master map, with its final title, description, H1, H2 outline, breadcrumb, canonical, robots, Open Graph, schema, trust block, alt-text notes, CTA events and live status. This is the developer's and writer's checklist, page by page.

> 💡 **Trivia**
>
> Of the 69 Phase 1 pages, only **18** were live in ongoweightloss.com's sitemap on 30 October 2026 (plus the two compounded money pages, which were live but `noindex`). The other 49 are new builds. [1] 🔵 Ongo Weight Loss internal
>
> That's good news: most of Phase 1 can launch right the first time.

41.1 How to read a spec

Field	Meaning
URL	The final URL. If the live site uses a different URL than the Book Three map, the live URL wins and the map is updated.
Template · index state	Page type (Chapter 40) and Phase 1 indexing state
Title	The final rendered `<title>` with its length, and how to write it in Next.js (with or without the template)
Meta description	Final text with length (about 140–160 characters)
H1 / H2 outline	The heading skeleton (Chapter 7). Writers may add H3s; they don't remove H2s without the map owner
Breadcrumb	Visible trail; BreadcrumbList is generated from the same array (Chapter 12)
Canonical / Robots	Chapters 20–21
Open Graph	Image file path (1200 × 630 PNG) and type (Chapter 22)
Schema	JSON-LD types (Chapter 23)

Field	Meaning
Trust block · dates	Who reviews and which dates show (Chapter 10)
Primary CTA · events	Book Three CTA and the event names (Chapter 39)
Internal links	Required links from the Book Three link map (Phase 1 pages only)
Live status · notes	What the 30 October 2026 audit found, and corrections

Three index states

State	Rule
Indexed (live): fix in place	The page is already live and indexed. Never add `noindex` to fix it; fix it while it stays indexed.
Live but noindex: decision needed	Leadership confirms the plan; use `noindex, follow` (never `nofollow`) until the standard passes, and keep it out of the sitemap until then.
Temporary noindex until the standard passes	New pages launch with `noindex, follow`, out of the sitemap, and switch to `index, follow` when all 22 points pass (Chapter 21).

41.2 Corrections applied in every spec

Correction	Source
Brand name is **Ongo Weight Loss** everywhere (titles, OG site name, schema `name`)	Team decision, October 2026
No brand drug names in commercial titles, descriptions, URLs, CTAs or schema (Phase 1)	Book One, Chapter 9; Book Three, Chapter 19
"Check My Insurance" → "Check Eligibility"; `*_check_insurance` → `*_check_eligibility`	Self-pay (Book Three)
Blog articles: contextual link + soft end box, no hard "Get Started" button	Book Three, Chapters 15 and 25
FAQPage and HowTo markup optional (no rich results)	Chapter 15
Outcome numbers name the brand product and trial; never attributed to compounded drugs	Book One, Chapter 5

Correction	Source
`/blog/tirzepatide/tirzepatide-vs-semaglutide/` merged into the semaglutide comparison with a 301	Book Three, Chapter 17
Live URLs kept where they differ from the map (`/policies/patient-bill-of-rights/` , `/policies/telehealth-consent/`)	Chapter 32
Links to Phase 2/3 pages removed from Phase 1 specs	Book Three, Chapter 31

41.3 Live site vs. the master map

On the live site (30 Oct 2026)	In the Phase 1 map	Action
`/policies/patient-bill-of-rights/`	`/policies/bill-of-rights/`	Keep live URL; update the map
`/policies/telehealth-consent/`	`/policies/consent-to-telehealth/`	Keep live URL; update the map
`/eligibility/`	`/tools/eligibility-checker/`	Choose one URL; 301 the other; one canonical
`/blog/` (blog root)	No record	Add a record (Blog hub index)
`/blog/how-glp-1-works-for-weight-loss-complete-guide/`	Overlaps `/blog/glp-1/how-do-glp-1-medications-work/`	Cannibalisation check: merge or re-scope; move into the `/blog/glp-1/` cluster with a 301
`/blog/semaglutide/semaglutide-dosing-guide/` , `/blog/tirzepatide/tirzepatide-dosing-guide/` , `/blog/tirzepatide/tirzepatide-liposomal-chewable-tablet-dosing-guide/`	No records	Add records to the map (they're strong guides)
`/locations/` , `/locations/texas/houston/`	Not in the map (Book Three's "not built" list avoids state/city pages)	Leadership decision: if it's an ads landing page, `noindex` it and remove it from the sitemap; if indexed, it must offer unique local value (doorway risk)

On the live site (30 Oct 2026)	In the Phase 1 map	Action
`/policies/california-privacy-statement/`, `/policies/consumer-health-data-privacy/`	No records	Add records; apply the policy template
`/medical-team/dr-…/` (5 bios)	Template record	Apply the provider-bio spec to each

Quick index of the 69 specs

#	URL	Index state (Phase 1)	Title chars	Description chars
1	`/`	Indexed (live): fix in place, never add noindex	54	141
2	`/how-it-works/`	Indexed (live): fix in place, never add noindex	58	138
3	`/pricing/`	Indexed (live): fix in place, never add noindex	50	138
4	`/faq/`	Indexed (live): fix in place, never add noindex	45	145
5	`/reviews/`	Temporary noindex until the 22-point standard passes	34	118
6	`/success-stories/`	Temporary noindex until the 22-point standard passes	42	127
7	`/weightloss-onboard/`	Permanent noindex (portal)	—	—

#	URL	Index state (Phase 1)	Title chars	Description chars
8	`/weightloss-onboard/login/`	Permanent noindex (portal)	—	—
9	`/about/`	Indexed (live): fix in place, never add noindex	62	141
10	`/contact/`	Indexed (live): fix in place, never add noindex	29	127
11	`/services/`	Indexed (live): fix in place, never add noindex	61	144
12	`/services/weight-loss/`	Temporary noindex until the 22-point standard passes	46	139
13	`/services/glp-1/`	Temporary noindex until the 22-point standard passes	48	143
14	`/services/weight-loss/nutrition-therapy/`	Temporary noindex until the 22-point standard passes	52	140
15	`/services/weight-loss/guided-workout-plans/`	Temporary noindex until the 22-point standard passes	55	138
16	`/services/glp-1/compounded-semaglutide/`	Live but noindex: decision needed (Chapter 21)	48	148

#	URL	Index state (Phase 1)	Title chars	Description chars
17	`/services/glp-1/compounded-tirzepatide/`	Live but noindex: decision needed (Chapter 21)	48	148
18	`/conditions/`	Temporary noindex until the 22-point standard passes	40	136
19	`/conditions/obesity/`	Temporary noindex until the 22-point standard passes	55	133
20	`/conditions/overweight/`	Temporary noindex until the 22-point standard passes	59	133
21	`/tools/`	Temporary noindex until the 22-point standard passes	52	141
22	`/tools/eligibility-checker/`	Temporary noindex until the 22-point standard passes	62	161
23	`/tools/bmi-calculator/`	Temporary noindex until the 22-point standard passes	51	139
24	`/tools/weight-loss-goal-calculator/`	Temporary noindex until the 22-point standard passes	46	156

#	URL	Index state (Phase 1)	Title chars	Description chars
25	`/tools/calorie-calculator/`	Temporary noindex until the 22-point standard passes	55	146
26	`/tools/ideal-weight-calculator/`	Temporary noindex until the 22-point standard passes	60	154
27	`/tools/body-fat-calculator/`	Temporary noindex until the 22-point standard passes	56	136
28	`/tools/cost-calculator/`	Temporary noindex until the 22-point standard passes	52	154
29	`/blog/weight-loss/`	Temporary noindex until the 22-point standard passes	50	148
30	`/blog/weight-loss/how-to-lose-weight-safely/`	Temporary noindex until the 22-point standard passes	50	138
31	`/blog/weight-loss/medical-weight-loss-guide/`	Temporary noindex until the 22-point standard passes	58	135
32	`/blog/weight-loss/why-am-i-not-losing-weight/`	Temporary noindex until the 22-point standard passes	45	140

#	URL	Index state (Phase 1)	Title chars	Description chars
33	`/blog/weight-loss/how-much-weight-can-you-lose/`	Temporary noindex until the 22-point standard passes	43	142
34	`/blog/weight-loss/weight-loss-mistakes/`	Temporary noindex until the 22-point standard passes	55	138
35	`/blog/glp-1/`	Temporary noindex until the 22-point standard passes	44	141
36	`/blog/glp-1/what-are-glp-1-medications/`	Temporary noindex until the 22-point standard passes	42	148
37	`/blog/glp-1/how-do-glp-1-medications-work/`	Temporary noindex until the 22-point standard passes	49	136
38	`/blog/glp-1/glp-1-side-effects/`	Temporary noindex until the 22-point standard passes	51	138
39	`/blog/glp-1/who-can-take-glp-1-medications/`	Temporary noindex until the 22-point standard passes	50	132
40	`/blog/glp-1/how-long-do-glp-1-medications-take-to-work/`	Temporary noindex until the 22-point standard passes	43	139

#	URL	Index state (Phase 1)	Title chars	Description chars
41	`/blog/semaglutide/`	Temporary noindex until the 22-point standard passes	50	140
42	`/blog/semaglutide/how-does-semaglutide-work/`	Temporary noindex until the 22-point standard passes	45	132
43	`/blog/semaglutide/semaglutide-side-effects/`	Temporary noindex until the 22-point standard passes	47	140
44	`/blog/semaglutide/semaglutide-weight-loss-results/`	Temporary noindex until the 22-point standard passes	50	156
45	`/blog/semaglutide/semaglutide-vs-tirzepatide/`	Temporary noindex until the 22-point standard passes	44	149
46	`/blog/semaglutide/how-long-does-semaglutide-take-to-work/`	Temporary noindex until the 22-point standard passes	39	127
47	`/blog/tirzepatide/`	Temporary noindex until the 22-point standard passes	50	131
48	`/blog/tirzepatide/how-does-tirzepatide-work/`	Temporary noindex until the 22-point standard passes	45	142

#	URL	Index state (Phase 1)	Title chars	Description chars
49	`/blog/tirzepatide/tirzepatide-side-effects/`	Temporary noindex until the 22-point standard passes	47	140
50	`/blog/tirzepatide/tirzepatide-weight-loss-results/`	Temporary noindex until the 22-point standard passes	50	156
51	`/blog/tirzepatide/tirzepatide-vs-semaglutide/`	301 redirect (merged)	—	—
52	`/blog/tirzepatide/how-long-does-tirzepatide-take-to-work/`	Temporary noindex until the 22-point standard passes	39	135
53	`/medical-team/`	Indexed (live): fix in place, never add noindex	55	137
54	`/medical-team/[provider-slug]/`	Indexed (live): fix in place, never add noindex	48	144
55	`/contributors/`	Temporary noindex until the 22-point standard passes	56	141
56	`/contributors/[contributor-slug]/`	Temporary noindex until the 22-point standard passes	38	116
57	`/policies/`	Temporary noindex until the 22-point standard passes	27	138

#	URL	Index state (Phase 1)	Title chars	Description chars
58	`/policies/patient-bill-of-rights/`	Indexed (live): fix in place, never add noindex	41	140
59	`/policies/disclaimer/`	Indexed (live): fix in place, never add noindex	37	130
60	`/policies/privacy-policy/`	Indexed (live): fix in place, never add noindex	33	125
61	`/policies/refund-policy/`	Indexed (live): fix in place, never add noindex	32	111
62	`/policies/telehealth-consent/`	Indexed (live): fix in place, never add noindex	40	134
63	`/policies/editorial-policy/`	Indexed (live): fix in place, never add noindex	35	121
64	`/policies/shipping-policy/`	Indexed (live): fix in place, never add noindex	34	134
65	`/policies/contributor-policy/`	Temporary noindex until the 22-point standard passes	37	131
66	`/policies/medical-review-policy/`	Temporary noindex until the 22-point standard passes	40	129

#	URL	Index state (Phase 1)	Title chars	Description chars
67	`/policies/terms-of-service/`	Indexed (live): fix in place, never add noindex	35	122
68	`/policies/accessibility/`	Temporary noindex until the 22-point standard passes	42	126
69	`/policies/notice-of-privacy-practices/`	Indexed (live): fix in place, never add noindex	54	113

41.4 Core pages

1. Home

Field	Spec
URL	`/`
Template · index state	Core Page · Indexed (live): fix in place, never add noindex
Title	Ongo Weight Loss | Doctor-Led Medical Weight Loss Care (54 chars) · root `title.default`
Meta description	Ongo Weight Loss offers doctor-led online weight loss care: licensed U.S. providers, personalized compounded GLP-1 plans and ongoing support. (141 chars)
H1	Doctor-Supervised Online GLP-1 Weight Loss Program
H2 outline	How Ongo Weight Loss Works · Compounded Semaglutide and Tirzepatide · Meet Your Medical Team · Who May Be Eligible · Simple, Self-Pay Pricing · Shipping to All 50 States · What Our Patients Say · Frequently Asked Questions
Breadcrumb	— (no breadcrumb on the homepage)
Canonical	`https://ongoweightloss.com/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/home.png` (1200×630) · og:url = canonical · og:image:alt describes the image

Field	Spec
Schema	MedicalOrganization (@id, foundingDate 2024-12-18, 512 px PNG logo, sameAs, contactPoint) + WebSite
Trust block · dates	Medically reviewed by (Medical Director) + Last reviewed date
Image alt notes	Hero people photo: describe the scene, never imply real patients; trust badges: "LegitScript certified", "HIPAA-compliant care"; icons beside text labels: alt="".
Primary CTA · events	Get Started · `cta_home_get_started / cta_home_soft_meetteam / cta_home_soft_stories / cta_home_soft_howitworks + exit_to_portal`
Internal links (from the map)	`/services/weight-loss/`, `/medical-team/`, `/success-stories/`, `/how-it-works/`
Disclaimer	General medical-relationship disclaimer: providers are independently licensed; payment does not guarantee a prescription.
Live status · notes	Live: title, description, canonical, OG and viewport pass. Trim the 37-item schema graph (Chapter 23); hero paragraph 13 px → lead size; CTA contrast fix.

2. How It Works

Field	Spec
URL	`/how-it-works/`
Template · index state	Core Page · Indexed (live): fix in place, never add noindex
Title	How It Works: From Online Visit to Care | Ongo Weight Loss (58 chars) · `title: 'How It Works: From Online Visit to Care'` (template adds the brand)
Meta description	See how Ongo Weight Loss works: explore treatments, check eligibility, meet a licensed provider online and get ongoing care, step by step. (138 chars)
H1	How Ongo Weight Loss Works
H2 outline	Step 1: Explore Treatments and Tools · Step 2: Check Your Eligibility · Step 3: Complete Your Secure Online Intake · Step 4: Meet a Licensed Provider · Step 5: Medication Delivered, Support Ongoing · What If I'm Not Eligible? · How Long Each Step Takes · Frequently Asked Questions
Breadcrumb	Home › How It Works
Canonical	`https://ongoweightloss.com/how-it-works/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/how-it-works.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList (HowTo removed: retired rich result)
Trust block · dates	Medically reviewed by (Nurse Practitioner or Care Coordinator lead) + Last reviewed date

Field	Spec
Image alt notes	Step illustrations: describe the action ("Patient completing an online health intake on a laptop").
Primary CTA · events	Get Started · `cta_howitworks_get_started + exit_to_portal`
Internal links (from the map)	`/services/weight-loss/`, `/tools/eligibility-checker/`, `/faq/`, `/policies/telehealth-consent/`, `/weightloss-onboard/`
Disclaimer	Consent-to-telehealth summary + link to full policy + brief note that the portal is a HIPAA-secure, separate environment
Live status · notes	Live URL exists. HowTo markup is optional and earns no rich result (Chapter 15).

3. Pricing

Field	Spec
URL	`/pricing/`
Template · index state	Core Page: pricing · Indexed (live): fix in place, never add noindex
Title	Pricing: Compounded GLP-1 Plans | Ongo Weight Loss (50 chars) · `title: 'Pricing: Compounded GLP-1 Plans'` (template adds the brand)
Meta description	Clear, self-pay pricing for compounded semaglutide and tirzepatide plans at Ongo Weight Loss, what each plan includes, and refund details. (138 chars)
H1	Simple, Self-Pay Pricing for Medical Weight Loss
H2 outline	Plans and Prices · What Every Plan Includes · Is Medication Included? · Why We're Self-Pay (No Insurance Needed) · Refunds and Cancellations · Frequently Asked Questions
Breadcrumb	Home › Pricing
Canonical	`https://ongoweightloss.com/pricing/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/pricing.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList (Offer only if it matches the visible price from the pricing config)
Trust block · dates	Medically reviewed by (Medical Director) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Get Started · `cta_pricing_get_started / cta_pricing_check_eligibility + exit_to_portal`
Internal links (from the map)	`/services/glp-1/compounded-semaglutide/`, `/services/glp-1/compounded-tirzepatide/`, `/tools/cost-calculator/`, `/policies/refund-policy/`, `/how-it-works/`

Field	Spec
Disclaimer	Medical-relationship disclaimer; payment does not guarantee a prescription; refund policy link; compounded not FDA-approved.
Live status · notes	Live URL exists. Prices from one pricing config; remove any "Check My Insurance" wording.

4. FAQ

Field	Spec
URL	`/faq/`
Template · index state	Core Page · Indexed (live): fix in place, never add noindex
Title	Frequently Asked Questions | Ongo Weight Loss (45 chars) · `title: 'Frequently Asked Questions'` (template adds the brand)
Meta description	Answers to common questions about Ongo Weight Loss: eligibility, compounded GLP-1 medications, pricing, shipping, your provider and your privacy. (145 chars)
H1	Frequently Asked Questions
H2 outline	Getting Started · Eligibility · Compounded Medications · Pricing and Payments · Shipping and Delivery · Your Provider and Ongoing Care · Privacy and Security
Breadcrumb	Home › FAQ
Canonical	`https://ongoweightloss.com/faq/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/faq.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList (+ FAQPage optional)
Trust block · dates	Medically reviewed by (Medical Director) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Get Started · `cta_faq_get_started + exit_to_portal`
Internal links (from the map)	`/policies/refund-policy/`, `/services/glp-1/`, `/tools/cost-calculator/`, `/policies/telehealth-consent/`
Disclaimer	Standard medical-relationship disclaimer footer
Live status · notes	Live URL exists. Each answer links to the page that answers it fully.

5. Reviews

Field	Spec
URL	`/reviews/`
Template · index state	Core Page · Temporary noindex until the 22-point standard passes
Title	Patient Reviews | Ongo Weight Loss (34 chars) · `title: 'Patient Reviews'` (template adds the brand)
Meta description	Read verified patient reviews of Ongo Weight Loss, with ratings collected from real patients. Individual results vary. (118 chars)
H1	Ongo Weight Loss Reviews
H2 outline	Overall Rating · Recent Patient Reviews · How We Collect and Verify Reviews · Share Your Experience
Breadcrumb	Home › Reviews
Canonical	`https://ongoweightloss.com/reviews/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/reviews.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList (AggregateRating only from a real, visible review system)
Trust block · dates	Medically reviewed by (N/A) + Last reviewed date
Image alt notes	Reviewer photos only with consent; otherwise initials avatars with alt="".
Primary CTA · events	Get Started · `cta_reviews_get_started + exit_to_portal`
Internal links (from the map)	`/success-stories/` , `/services/weight-loss/` , `/tools/eligibility-checker/`
Disclaimer	Results-vary disclaimer adjacent to every outcome claim in a review
Live status · notes	Not live yet. Never write or edit reviews; "individual results vary".

6. Success Stories

Field	Spec
URL	`/success-stories/`
Template · index state	Core Page · Temporary noindex until the 22-point standard passes
Title	Patient Success Stories | Ongo Weight Loss (42 chars) · `title: 'Patient Success Stories'` (template adds the brand)
Meta description	Real stories from Ongo Weight Loss patients, shared with their written consent. Individual results vary and are not guaranteed. (127 chars)

Field	Spec
H1	Patient Success Stories
H2 outline	Featured Stories · More Patient Journeys · How We Share Stories · Start Your Own Journey
Breadcrumb	Home › Success Stories
Canonical	`https://ongoweightloss.com/success-stories/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/success-stories.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	CollectionPage + BreadcrumbList (Article per story page if separate)
Trust block · dates	Medically reviewed by (N/A) + Last reviewed date
Image alt notes	Before/after photos: "[First name] before and after [X] months of care (shared with consent)"; never brand-drug imagery.
Primary CTA · events	Get Started · `cta_successstories_get_started + exit_to_portal`
Internal links (from the map)	`/reviews/` , `/services/weight-loss/` , `/services/glp-1/`
Disclaimer	Individual-results-vary disclosure on every single story block, plus signed release on file
Live status · notes	Not live yet. Written consent; no outcome claims attributed to compounded drugs.

7. Onboarding Portal

Field	Spec
URL	`/weightloss-onboard/`
Index state	Permanent noindex (portal)
Spec	Permanent noindex, nofollow + X-Robots-Tag. Not in any sitemap or sitemap.html. No Clarity. Generic page titles only. Decide robots.txt disallow vs. crawlable-noindex with the developer (Chapter 21).

8. Patient Login

Field	Spec
URL	`/weightloss-onboard/login/`
Index state	Permanent noindex (portal)
Spec	Permanent noindex, nofollow. Footer link "Patient login" is fine; nothing else links into portal steps.

9. About

Field	Spec
URL	`/about/`
Template · index state	Core Page · Indexed (live): fix in place, never add noindex
Title	About Us: Our Mission and Medical Standards | Ongo Weight Loss (62 chars) · `title: 'About Us: Our Mission and Medical Standards'` (template adds the brand)
Meta description	Ongo Weight Loss was founded on December 18, 2024 to make doctor-led weight loss care simple and accessible. Our mission, team and standards. (141 chars)
H1	About Ongo Weight Loss
H2 outline	Our Mission · Our Story · Our Medical Standards · Our Team · Certifications and Trust
Breadcrumb	Home › About
Canonical	`https://ongoweightloss.com/about/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/about.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	AboutPage + BreadcrumbList (organization by @id, foundingDate 2024-12-18)
Trust block · dates	Medically reviewed by (Medical Director) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Get Started · `cta_about_get_started + exit_to_portal`
Internal links (from the map)	`/medical-team/` , `/contributors/` , `/policies/` , `/policies/patient-bill-of-rights/`
Disclaimer	Standard footer disclaimer
Live status · notes	Live URL exists. Show the founding date and one agreed founder spelling (unresolved: confirm before publishing).

10. Contact

Field	Spec
URL	`/contact/`
Template · index state	Core Page · Indexed (live): fix in place, never add noindex
Title	Contact Us | Ongo Weight Loss (29 chars) · `title: 'Contact Us'` (template adds the brand)
Meta description	Contact the Ongo Weight Loss care team by phone, email or chat. Get help with eligibility, your plan, shipping or your account. (127 chars)

Field	Spec
H1	Contact Ongo Weight Loss
H2 outline	Ways to Reach Us · Support Hours · Patient Login · Frequently Asked Questions
Breadcrumb	Home › Contact
Canonical	`https://ongoweightloss.com/contact/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/contact.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	ContactPage + BreadcrumbList (contactPoint on organization)
Trust block · dates	Medically reviewed by (N/A) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Send Message · `form_submit_contact`
Internal links (from the map)	`/faq/`, `/policies/`
Disclaimer	Not for medical emergencies — call 911 or go to the nearest ER
Live status · notes	Live URL exists. Form: no health questions in the free-text field; event form_submit_contact with no contents.

41.5 Services and money pages

11. Services

Field	Spec
URL	`/services/`
Template · index state	Service Hub · Indexed (live): fix in place, never add noindex
Title	Our Services: Medical Weight Loss and More | Ongo Weight Loss (61 chars) · `title: 'Our Services: Medical Weight Loss and More'` (template adds the brand)
Meta description	Explore Ongo Weight Loss services: doctor-led medical weight loss with compounded GLP-1 medications, nutrition therapy and guided workout plans. (144 chars)
H1	Our Services
H2 outline	Medical Weight Loss · GLP-1 Medications · Nutrition Therapy · Guided Workout Plans · Coming Soon: More Care Areas
Breadcrumb	Home › Services

Field	Spec
Canonical	`https://ongoweightloss.com/services/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/services.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	CollectionPage + BreadcrumbList
Trust block · dates	Medically reviewed by (Medical Director) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Explore Weight Loss · `cta_services_vertical_click`
Internal links (from the map)	`/services/weight-loss/`
Disclaimer	Standard footer disclaimer only
Live status · notes	Live URL exists. Phase 1 shows only the weight-loss vertical; future verticals are not linked until launch.

12. Weight Loss

Field	Spec
URL	`/services/weight-loss/`
Template · index state	Service Hub · Temporary noindex until the 22-point standard passes
Title	Medical Weight Loss Program | Ongo Weight Loss (46 chars) · `title: 'Medical Weight Loss Program'` (template adds the brand)
Meta description	A doctor-led medical weight loss program from Ongo Weight Loss that combines compounded GLP-1 treatment with nutrition and fitness support. (139 chars)
H1	Doctor-Led Medical Weight Loss, Built Around You
H2 outline	Why Medication Alone Isn't the Whole Plan · Three Pathways: Medication, Nutrition, Movement · How the Program Works · Who May Be Eligible · What Results Can Look Like · Frequently Asked Questions
Breadcrumb	Home › Services › Weight Loss
Canonical	`https://ongoweightloss.com/services/weight-loss/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/weight-loss.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + BreadcrumbList (+ FAQPage optional)

Field	Spec
Trust block · dates	Medically reviewed by (Obesity-medicine-credentialed physician) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Get Started · `cta_weightloss_get_started / cta_weightloss_check_eligibility + exit_to_portal`
Internal links (from the map)	`/services/glp-1/`, `/services/weight-loss/nutrition-therapy/`, `/services/weight-loss/guided-workout-plans/`, `/conditions/obesity/`, `/tools/eligibility-checker/`, `/blog/weight-loss/`
Disclaimer	Medical-relationship disclaimer + 'results vary' outcome disclosure
Live status · notes	Outcome numbers need a methodology note (sample size, as-of date) or the named brand trial.

13. GLP-1 Medications

Field	Spec
URL	`/services/glp-1/`
Template · index state	Service Hub · Temporary noindex until the 22-point standard passes
Title	GLP-1 Weight Loss Medications | Ongo Weight Loss (48 chars) · `title: 'GLP-1 Weight Loss Medications'` (template adds the brand)
Meta description	Learn how compounded semaglutide and tirzepatide work, how they compare, who may be eligible and how Ongo Weight Loss providers prescribe them. (143 chars)
H1	GLP-1 Medications for Weight Loss
H2 outline	What Are GLP-1 Medications? · Compounded Semaglutide · Compounded Tirzepatide · Compounded Semaglutide vs. Compounded Tirzepatide · Who May Be Eligible · Safety and Side Effects · Compounded vs. FDA-Approved Medications · Frequently Asked Questions
Breadcrumb	Home › Services › Weight Loss › GLP-1 Medications
Canonical	`https://ongoweightloss.com/services/glp-1/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/glp-1.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + BreadcrumbList (+ FAQPage optional)
Trust block · dates	Medically reviewed by (Prescribing physician / NP) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Get Started with GLP-1 · `cta_glp1_get_started / cta_glp1_check_eligibility`

Field	Spec
Internal links (from the map)	`/services/weight-loss/`, `/services/glp-1/compounded-semaglutide/`, `/services/glp-1/compounded-tirzepatide/`, `/tools/cost-calculator/`, `/tools/eligibility-checker/`, `/blog/glp-1/`
Disclaimer	Medical-relationship disclaimer + compounded-vs-brand-name sourcing disclosure (finalize wording with legal close to launch — regulatory target is moving)
Live status · notes	Phase 1: no brand names in commercial copy, meta or links; comparison table covers the two compounded drugs only; "Check My Insurance" → "Check Eligibility".

14. Nutrition Therapy

Field	Spec
URL	`/services/weight-loss/nutrition-therapy/`
Template · index state	Service Sub-Page · Temporary noindex until the 22-point standard passes
Title	Nutrition Therapy for Weight Loss | Ongo Weight Loss (52 chars) · `title: 'Nutrition Therapy for Weight Loss'` (template adds the brand)
Meta description	Personalized nutrition therapy from Ongo Weight Loss to support your medical weight loss plan, including guidance that fits GLP-1 treatment. (140 chars)
H1	Nutrition Therapy
H2 outline	What Nutrition Therapy Includes · How It Works With GLP-1 Treatment · Who Provides It · How to Add It to Your Plan · Frequently Asked Questions
Breadcrumb	Home › Services › Weight Loss › Nutrition Therapy
Canonical	`https://ongoweightloss.com/services/weight-loss/nutrition-therapy/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/nutrition-therapy.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + BreadcrumbList
Trust block · dates	Medically reviewed by (Registered Dietitian) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Add to My Plan · `cta_nutrition_therapy_add_to_plan`
Internal links (from the map)	`/services/weight-loss/`, `/services/glp-1/`, `/tools/calorie-calculator/`, `/blog/weight-loss/`
Disclaimer	Medical-relationship disclaimer; note that this service supplements, not replaces, medical treatment
Live status · notes	Not live yet.

15. Guided Workout Plans

Field	Spec
URL	`/services/weight-loss/guided-workout-plans/`
Template · index state	Service Sub-Page · Temporary noindex until the 22-point standard passes
Title	Guided Workout Plans for Weight Loss | Ongo Weight Loss (55 chars) · `title: 'Guided Workout Plans for Weight Loss'` (template adds the brand)
Meta description	Guided workout plans from Ongo Weight Loss that help protect muscle and build healthy habits alongside your medical weight loss treatment. (138 chars)
H1	Guided Workout Plans
H2 outline	What's in a Guided Workout Plan · Why Movement Matters on GLP-1 Treatment · Plans for Every Starting Point · How to Add It to Your Plan · Frequently Asked Questions
Breadcrumb	Home › Services › Weight Loss › Guided Workout Plans
Canonical	`https://ongoweightloss.com/services/weight-loss/guided-workout-plans/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/guided-workout-plans.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + BreadcrumbList
Trust block · dates	Medically reviewed by (Exercise Physiologist or certified fitness professional, supervised by Medical Director) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Add to My Plan · `cta_guided_workout_plans_add_to_plan`
Internal links (from the map)	`/services/weight-loss/`, `/services/glp-1/`, `/tools/body-fat-calculator/`, `/blog/weight-loss/`
Disclaimer	Medical-relationship disclaimer; note that this service supplements, not replaces, medical treatment
Live status · notes	Not live yet.

16. Compounded Semaglutide

Field	Spec
URL	`/services/glp-1/compounded-semaglutide/`
Template · index state	Treatment / Medication Money Page · Live but noindex: decision needed (Chapter 21)
Title	Compounded Semaglutide Online | Ongo Weight Loss (48 chars) · `title: 'Compounded Semaglutide Online'` (template adds the brand)

Field	Spec
Meta description	Learn how compounded semaglutide works, who may be eligible, dosing, safety and pricing, with care from licensed U.S. providers at Ongo Weight Loss. (148 chars)
H1	Compounded Semaglutide, Prescribed Online by Licensed Providers
H2 outline	What Is Compounded Semaglutide? · How Compounded Semaglutide Works · Who May Be Eligible · What's Included in Your Plan · Dosing and Titration · Side Effects and Safety · Pricing · Compounded vs. FDA-Approved Semaglutide · How to Get Started · Frequently Asked Questions · References
Breadcrumb	Home › Services › Weight Loss › GLP-1 Medications › Compounded Semaglutide
Canonical	`https://ongoweightloss.com/services/glp-1/compounded-semaglutide/`
Robots	`noindex, follow` until the standard passes → `index, follow` (never `nofollow`)
Open Graph	type `website` · image `/og/compounded-semaglutide.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage (about: compounded semaglutide) + BreadcrumbList (+ FAQPage optional)
Trust block · dates	Medically reviewed by (Prescribing physician/NP) + Last reviewed date
Image alt notes	Vial images: "Compounded semaglutide multi-dose vial with an insulin syringe"; size thumbnails: name the vial size; step images: describe the step; icons beside labels: alt="".
Primary CTA · events	Get Started · `cta_semaglutide_get_started / cta_semaglutide_check_eligibility + exit_to_portal`
Internal links (from the map)	`/services/glp-1/`, `/services/glp-1/compounded-tirzepatide/`, `/pricing/`, `/tools/eligibility-checker/`, `/tools/cost-calculator/`, `/blog/semaglutide/`, `/how-it-works/`, `/policies/telehealth-consent/`, `/medical-team/[reviewer]/`
Disclaimer	Compounded medications are not FDA-approved and have not been evaluated by the FDA for safety, effectiveness or quality + medical-relationship disclaimer (payment does not guarantee a prescription) + compliance sign-off …
Live status · notes	Live 30 Oct 2026: noindex, nofollow; no canonical, OG, schema, breadcrumbs or reviewer/date; in sitemap.xml. Fix all before lifting noindex. Live title "Compounded Semaglutide Vials | Ongo Weight Loss".

17. Compounded Tirzepatide

Field	Spec
URL	`/services/glp-1/compounded-tirzepatide/`
Template · index state	Treatment / Medication Money Page · Live but noindex: decision needed (Chapter 21)
Title	Compounded Tirzepatide Online | Ongo Weight Loss (48 chars) · `title: 'Compounded Tirzepatide Online'` (template adds the brand)

Field	Spec
Meta description	Learn how compounded tirzepatide works, who may be eligible, dosing, safety and pricing, with care from licensed U.S. providers at Ongo Weight Loss. (148 chars)
H1	Compounded Tirzepatide, Prescribed Online by Licensed Providers
H2 outline	What Is Compounded Tirzepatide? · How Compounded Tirzepatide Works (GIP and GLP-1) · Who May Be Eligible · What's Included in Your Plan · Dosing and Titration · Side Effects and Safety · Pricing · Compounded vs. FDA-Approved Tirzepatide · How to Get Started · Frequently Asked Questions · References
Breadcrumb	Home › Services › Weight Loss › GLP-1 Medications › Compounded Tirzepatide
Canonical	`https://ongoweightloss.com/services/glp-1/compounded-tirzepatide/`
Robots	`noindex, follow` until the standard passes → `index, follow` (never `nofollow`)
Open Graph	type `website` · image `/og/compounded-tirzepatide.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage (about: compounded tirzepatide) + BreadcrumbList (+ FAQPage optional)
Trust block · dates	Medically reviewed by (Prescribing physician/NP) + Last reviewed date
Image alt notes	Vial images: "Compounded tirzepatide multi-dose vial"; chewable tablet images (if offered): "Compounded tirzepatide chewable tablet"; icons beside labels: alt="".
Primary CTA · events	Get Started · `cta_tirzepatide_get_started` / `cta_tirzepatide_check_eligibility` + `exit_to_portal`
Internal links (from the map)	`/services/glp-1/`, `/services/glp-1/compounded-semaglutide/`, `/pricing/`, `/tools/eligibility-checker/`, `/tools/cost-calculator/`, `/blog/tirzepatide/`, `/how-it-works/`, `/policies/telehealth-consent/`, `/medical-team/[reviewer]/`
Disclaimer	Compounded medications are not FDA-approved and have not been evaluated by the FDA for safety, effectiveness or quality + medical-relationship disclaimer (payment does not guarantee a prescription) + compliance sign-off …
Live status · notes	Live URL exists; apply the same fixes as the semaglutide page.

41.6 Conditions

18. Conditions

Field	Spec
URL	`/conditions/`
Template · index state	Informational Hub · Temporary noindex until the 22-point standard passes

Field	Spec
Title	Conditions We Address | Ongo Weight Loss (40 chars) · `title: 'Conditions We Address'` (template adds the brand)
Meta description	Learn about obesity and overweight: what they are, how they're diagnosed and treatment options, reviewed by Ongo Weight Loss clinicians. (136 chars)
H1	Conditions We Address
H2 outline	Obesity · Overweight · How We Approach Weight-Related Health
Breadcrumb	Home › Conditions
Canonical	`https://ongoweightloss.com/conditions/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/conditions.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	CollectionPage + BreadcrumbList
Trust block · dates	Medically reviewed by (Medical Director / clinical content reviewer) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/conditions/obesity/`, `/conditions/overweight/`
Disclaimer	'For informational purposes only, not a substitute for professional medical advice' — standard health-library disclaimer
Live status · notes	Not live yet.

19. Obesity

Field	Spec
URL	`/conditions/obesity/`
Template · index state	Condition Page · Temporary noindex until the 22-point standard passes
Title	Obesity: Causes, Risks and Treatment | Ongo Weight Loss (55 chars) · `title: 'Obesity: Causes, Risks and Treatment'` (template adds the brand)
Meta description	What obesity is, how it's diagnosed, its causes and health risks, and the treatment options a licensed provider may discuss with you. (133 chars)
H1	Obesity: Causes, Health Risks and Treatment Options
H2 outline	What Is Obesity? · Signs and Health Risks · Causes and Risk Factors · How Obesity Is Diagnosed · Treatment Options · When to See a Provider · References

Field	Spec
Breadcrumb	Home › Conditions › Obesity
Canonical	`https://ongoweightloss.com/conditions/obesity/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/obesity.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + MedicalCondition + BreadcrumbList
Trust block · dates	Medically reviewed by (Relevant specialist physician) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	One text link "Learn about treatment options" → `/services/weight-loss/` · `internal_link_click`
Internal links (from the map)	`/services/weight-loss/`, `/blog/weight-loss/`
Disclaimer	Informational-only disclaimer — explicitly not a diagnosis or treatment recommendation
Live status · notes	One text link "learn about treatment options" to /services/weight-loss/; no CTA button.

20. Overweight

Field	Spec
URL	`/conditions/overweight/`
Template · index state	Condition Page · Temporary noindex until the 22-point standard passes
Title	Overweight: Causes, Risks and Next Steps | Ongo Weight Loss (59 chars) · `title: 'Overweight: Causes, Risks and Next Steps'` (template adds the brand)
Meta description	What being overweight means, how BMI and other measures are used, related health risks, and when to talk to a provider about options. (133 chars)
H1	Overweight: What It Means and What You Can Do
H2 outline	What Does Overweight Mean? · BMI and Other Measures · Health Risks · Causes and Risk Factors · Treatment and Lifestyle Options · When to See a Provider · References
Breadcrumb	Home › Conditions › Overweight
Canonical	`https://ongoweightloss.com/conditions/overweight/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/overweight.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + MedicalCondition + BreadcrumbList

Field	Spec
Trust block · dates	Medically reviewed by (Relevant specialist physician) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	One text link "Learn about treatment options" → `/services/weight-loss/` · `internal_link_click`
Internal links (from the map)	`/services/weight-loss/`, `/blog/weight-loss/`
Disclaimer	Informational-only disclaimer — explicitly not a diagnosis or treatment recommendation
Live status · notes	Not live yet.

41.7 Tools

21. Free Tools

Field	Spec
URL	`/tools/`
Template · index state	Tool Hub · Temporary noindex until the 22-point standard passes
Title	Free Health Calculators and Tools | Ongo Weight Loss (52 chars) · `title: 'Free Health Calculators and Tools'` (template adds the brand)
Meta description	Free tools from Ongo Weight Loss: check GLP-1 eligibility, calculate BMI, calories, ideal weight, body fat, weight goals and treatment costs. (141 chars)
H1	Free Health Tools
H2 outline	Eligibility Checker · BMI Calculator · Weight Loss Goal Calculator · Calorie Calculator · Ideal Weight Calculator · Body Fat Calculator · Cost Calculator
Breadcrumb	Home › Free Tools
Canonical	`https://ongoweightloss.com/tools/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/tools.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	CollectionPage + BreadcrumbList
Trust block · dates	Medically reviewed by (Medical Director) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Check Your Eligibility · `cta_tools_hub_eligibility_click`

Field	Spec
Internal links (from the map)	`/tools/eligibility-checker/`, `/tools/bmi-calculator/`, `/tools/cost-calculator/`, `/tools/calorie-calculator/`, `/tools/ideal-weight-calculator/`, `/tools/body-fat-calculator/`, `/tools/weight-loss-goal-calculator/`
Disclaimer	Tools are for informational/educational purposes, not a diagnosis
Live status · notes	Not live yet. Live site has /eligibility/; reconcile with /tools/eligibility-checker/ (one URL, 301 the other).

22. Eligibility Checker

Field	Spec
URL	`/tools/eligibility-checker/`
Template · index state	Tool Page · Temporary noindex until the 22-point standard passes
Title	GLP-1 Eligibility Checker: Free and Instant | Ongo Weight Loss (62 chars) · `title: 'GLP-1 Eligibility Checker: Free and Instant'` (template adds the brand)
Meta description	Use the free Ongo Weight Loss glp-1 eligibility checker to see whether GLP-1 treatment may be an option for you. Results are a general estimate, not a diagnosis. (161 chars)
H1	GLP-1 Eligibility Checker
H2 outline	How to Use the GLP-1 Eligibility Checker · What Your Result Means · Who Usually Qualifies · Limitations of This Tool · Frequently Asked Questions
Breadcrumb	Home › Free Tools › Eligibility Checker
Canonical	`https://ongoweightloss.com/tools/eligibility-checker/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/eligibility-checker.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebApplication + BreadcrumbList
Trust block · dates	Medically reviewed by (Medical Director) + Last reviewed date
Image alt notes	Tool UI screenshots (if any): describe the tool; result areas are text, masked in Clarity.
Primary CTA · events	See If You Qualify · `tool_complete_eligibility_checker` / `cta_eligibility_checker_post_result`
Internal links (from the map)	`/services/weight-loss/`, `/services/glp-1/`
Disclaimer	Result is a general estimate, not a medical diagnosis; consult a licensed provider for personalized guidance

Field	Spec
Live status · notes	Inputs and results stay in the browser: never in URLs, GA4, GTM or Clarity. Event tool_complete_eligibility_checker (no values).

23. BMI Calculator

Field	Spec
URL	`/tools/bmi-calculator/`
Template · index state	Tool Page · Temporary noindex until the 22-point standard passes
Title	BMI Calculator: Free and Instant | Ongo Weight Loss (51 chars) · `title: 'BMI Calculator: Free and Instant'` (template adds the brand)
Meta description	Use the free Ongo Weight Loss bmi calculator to calculate your body mass index in seconds. Results are a general estimate, not a diagnosis. (139 chars)
H1	BMI Calculator
H2 outline	How to Use the BMI Calculator · What Your Result Means · BMI Categories for Adults · Limitations of This Tool · Frequently Asked Questions
Breadcrumb	Home › Free Tools › BMI Calculator
Canonical	`https://ongoweightloss.com/tools/bmi-calculator/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/bmi-calculator.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebApplication + BreadcrumbList
Trust block · dates	Medically reviewed by (Medical Director) + Last reviewed date
Image alt notes	Tool UI screenshots (if any): describe the tool; result areas are text, masked in Clarity.
Primary CTA · events	Get a Personalized Plan · `tool_complete_bmi_calculator` / `cta_bmi_calculator_post_result`
Internal links (from the map)	`/services/weight-loss/` , `/services/glp-1/` , `/tools/eligibility-checker/`
Disclaimer	Result is a general estimate, not a medical diagnosis; consult a licensed provider for personalized guidance
Live status · notes	Inputs and results stay in the browser: never in URLs, GA4, GTM or Clarity. Event tool_complete_bmi_calculator (no values).

24. Weight Loss Goal Calculator

Field	Spec
URL	`/tools/weight-loss-goal-calculator/`
Template · index state	Tool Page · Temporary noindex until the 22-point standard passes
Title	Weight Loss Goal Calculator | Ongo Weight Loss (46 chars) · `title: 'Weight Loss Goal Calculator'` (template adds the brand)
Meta description	Use the free Ongo Weight Loss weight loss goal calculator to set a realistic weight loss goal and timeline. Results are a general estimate, not a diagnosis. (156 chars)
H1	Weight Loss Goal Calculator
H2 outline	How to Use the Weight Loss Goal Calculator · What Your Result Means · Setting a Safe Pace · Limitations of This Tool · Frequently Asked Questions
Breadcrumb	Home › Free Tools › Weight Loss Goal Calculator
Canonical	`https://ongoweightloss.com/tools/weight-loss-goal-calculator/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/weight-loss-goal-calculator.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebApplication + BreadcrumbList
Trust block · dates	Medically reviewed by (Medical Director) + Last reviewed date
Image alt notes	Tool UI screenshots (if any): describe the tool; result areas are text, masked in Clarity.
Primary CTA · events	Get a Personalized Plan · `tool_complete_weight_loss_goal_calculator` / `cta_weight_loss_goal_calculator_post_result`
Internal links (from the map)	`/services/weight-loss/` , `/services/glp-1/` , `/tools/eligibility-checker/`
Disclaimer	Result is a general estimate, not a medical diagnosis; consult a licensed provider for personalized guidance
Live status · notes	Inputs and results stay in the browser: never in URLs, GA4, GTM or Clarity. Event tool_complete_weight_loss_goal_calculator (no values).

25. Calorie Calculator

Field	Spec
URL	`/tools/calorie-calculator/`
Template · index state	Tool Page · Temporary noindex until the 22-point standard passes

Field	Spec
Title	Calorie Calculator: Free and Instant | Ongo Weight Loss (55 chars) · `title: 'Calorie Calculator: Free and Instant'` (template adds the brand)
Meta description	Use the free Ongo Weight Loss calorie calculator to estimate how many calories you need each day. Results are a general estimate, not a diagnosis. (146 chars)
H1	Calorie Calculator
H2 outline	How to Use the Calorie Calculator · What Your Result Means · Calories and Weight Loss · Limitations of This Tool · Frequently Asked Questions
Breadcrumb	Home › Free Tools › Calorie Calculator
Canonical	`https://ongoweightloss.com/tools/calorie-calculator/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/calorie-calculator.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebApplication + BreadcrumbList
Trust block · dates	Medically reviewed by (Medical Director) + Last reviewed date
Image alt notes	Tool UI screenshots (if any): describe the tool; result areas are text, masked in Clarity.
Primary CTA · events	Get a Personalized Plan · `tool_complete_calorie_calculator / cta_calorie_calculator_post_result`
Internal links (from the map)	`/services/weight-loss/`, `/services/glp-1/`, `/tools/eligibility-checker/`
Disclaimer	Result is a general estimate, not a medical diagnosis; consult a licensed provider for personalized guidance
Live status · notes	Inputs and results stay in the browser: never in URLs, GA4, GTM or Clarity. Event tool_complete_calorie_calculator (no values).

26. Ideal Weight Calculator

Field	Spec
URL	`/tools/ideal-weight-calculator/`
Template · index state	Tool Page · Temporary noindex until the 22-point standard passes
Title	Ideal Weight Calculator: Free and Instant | Ongo Weight Loss (60 chars) · `title: 'Ideal Weight Calculator: Free and Instant'` (template adds the brand)
Meta description	Use the free Ongo Weight Loss ideal weight calculator to estimate a healthy weight range for your height. Results are a general estimate, not a diagnosis. (154 chars)
H1	Ideal Weight Calculator

Field	Spec
H2 outline	How to Use the Ideal Weight Calculator · What Your Result Means · How Ideal Weight Is Estimated · Limitations of This Tool · Frequently Asked Questions
Breadcrumb	Home › Free Tools › Ideal Weight Calculator
Canonical	`https://ongoweightloss.com/tools/ideal-weight-calculator/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/ideal-weight-calculator.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebApplication + BreadcrumbList
Trust block · dates	Medically reviewed by (Medical Director) + Last reviewed date
Image alt notes	Tool UI screenshots (if any): describe the tool; result areas are text, masked in Clarity.
Primary CTA · events	Get a Personalized Plan · `tool_complete_ideal_weight_calculator` / `cta_ideal_weight_calculator_post_result`
Internal links (from the map)	`/services/weight-loss/` , `/services/glp-1/` , `/tools/eligibility-checker/`
Disclaimer	Result is a general estimate, not a medical diagnosis; consult a licensed provider for personalized guidance
Live status · notes	Inputs and results stay in the browser: never in URLs, GA4, GTM or Clarity. Event tool_complete_ideal_weight_calculator (no values).

27. Body Fat Calculator

Field	Spec
URL	`/tools/body-fat-calculator/`
Template · index state	Tool Page · Temporary noindex until the 22-point standard passes
Title	Body Fat Calculator: Free and Instant | Ongo Weight Loss (56 chars) · `title: 'Body Fat Calculator: Free and Instant'` (template adds the brand)
Meta description	Use the free Ongo Weight Loss body fat calculator to estimate your body fat percentage. Results are a general estimate, not a diagnosis. (136 chars)
H1	Body Fat Calculator
H2 outline	How to Use the Body Fat Calculator · What Your Result Means · Healthy Body Fat Ranges · Limitations of This Tool · Frequently Asked Questions
Breadcrumb	Home › Free Tools › Body Fat Calculator
Canonical	`https://ongoweightloss.com/tools/body-fat-calculator/`

Field	Spec
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/body-fat-calculator.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebApplication + BreadcrumbList
Trust block · dates	Medically reviewed by (Medical Director) + Last reviewed date
Image alt notes	Tool UI screenshots (if any): describe the tool; result areas are text, masked in Clarity.
Primary CTA · events	Get a Personalized Plan · `tool_complete_body_fat_calculator` / `cta_body_fat_calculator_post_result`
Internal links (from the map)	`/services/weight-loss/` , `/services/glp-1/` , `/tools/eligibility-checker/`
Disclaimer	Result is a general estimate, not a medical diagnosis; consult a licensed provider for personalized guidance
Live status · notes	Inputs and results stay in the browser: never in URLs, GA4, GTM or Clarity. Event tool_complete_body_fat_calculator (no values).

28. Cost Calculator

Field	Spec
URL	`/tools/cost-calculator/`
Template · index state	Tool Page · Temporary noindex until the 22-point standard passes
Title	Cost Calculator: Free and Instant | Ongo Weight Loss (52 chars) · `title: 'Cost Calculator: Free and Instant'` (template adds the brand)
Meta description	Use the free Ongo Weight Loss cost calculator to estimate the monthly cost of your compounded GLP-1 plan. Results are a general estimate, not a diagnosis. (154 chars)
H1	Cost Calculator
H2 outline	How to Use the Cost Calculator · What Your Result Means · What's Included in the Price · Limitations of This Tool · Frequently Asked Questions
Breadcrumb	Home › Free Tools › Cost Calculator
Canonical	`https://ongoweightloss.com/tools/cost-calculator/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/cost-calculator.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebApplication + BreadcrumbList

Field	Spec
Trust block · dates	Medically reviewed by (Medical Director) + Last reviewed date
Image alt notes	Tool UI screenshots (if any): describe the tool; result areas are text, masked in Clarity.
Primary CTA · events	See If You Qualify · `tool_complete_cost_calculator` / `cta_cost_calculator_post_result`
Internal links (from the map)	`/services/weight-loss/` , `/services/glp-1/` , `/tools/eligibility-checker/`
Disclaimer	Result is a general estimate, not a medical diagnosis; consult a licensed provider for personalized guidance
Live status · notes	Inputs and results stay in the browser: never in URLs, GA4, GTM or Clarity. Event tool_complete_cost_calculator (no values).

41.8 Blog hubs and articles

29. Weight Loss (blog hub)

Field	Spec
URL	`/blog/weight-loss/`
Template · index state	Blog Hub · Temporary noindex until the 22-point standard passes
Title	Weight Loss Articles and Guides | Ongo Weight Loss (50 chars) · `title: 'Weight Loss Articles and Guides'` (template adds the brand)
Meta description	Evidence-based weight loss articles from Ongo Weight Loss, reviewed by clinicians: safe weight loss, medical programs, plateaus and realistic goals. (148 chars)
H1	Weight Loss: Articles and Guides
H2 outline	Start Here · Losing Weight Safely · Medical Weight Loss · Plateaus and Common Mistakes · All Weight Loss Articles
Breadcrumb	Home › Blog › Weight Loss
Canonical	`https://ongoweightloss.com/blog/weight-loss/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/blog-weight-loss.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	CollectionPage + BreadcrumbList
Trust block · dates	Medically reviewed by (Registered Dietitian + Medical Director) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.

Field	Spec
Primary CTA · events	Explore Weight Loss · `cta_bloghub_weight_loss_service_click / cta_bloghub_weight_loss_get_started`
Internal links (from the map)	`/services/weight-loss/`
Disclaimer	Standard editorial policy link in footer
Live status · notes	Short intro + curated "start here" list + all articles; one link to the commercial partner page.

30. How to Lose Weight Safely

Field	Spec
URL	`/blog/weight-loss/how-to-lose-weight-safely/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	How to Lose Weight Safely: A Doctor-Reviewed Guide (50 chars) · `title: { absolute: 'How to Lose Weight Safely: A Doctor-Reviewed Guide' }`
Meta description	How to lose weight safely: realistic weekly targets, nutrition, activity, sleep and when medical support may help, reviewed by clinicians. (138 chars)
H1	How to Lose Weight Safely
H2 outline	What Counts as Safe Weight Loss? · Eating for Steady Weight Loss · Moving More Without Burning Out · Sleep, Stress and Weight · When to Consider Medical Weight Loss · References
Breadcrumb	Home › Blog › Weight Loss › How to Lose Weight Safely
Canonical	`https://ongoweightloss.com/blog/weight-loss/how-to-lose-weight-safely/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-weight-loss-how-to-lose-weight-safely.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Registered Dietitian + Medical Director) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/weight-loss/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/weight-loss/` , `/blog/weight-loss/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link

Field	Spec
Live status · notes	Contextual link to /services/weight-loss/ in the opening section (link_position=body_intro); soft end box, no hard button.

31. Medical Weight Loss Guide

Field	Spec
URL	`/blog/weight-loss/medical-weight-loss-guide/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	Medical Weight Loss: The Complete Guide | Ongo Weight Loss (58 chars) · `title: 'Medical Weight Loss: The Complete Guide'` (template adds the brand)
Meta description	What medical weight loss is, who it's for, how providers build a plan, the role of GLP-1 medications and what to expect from treatment. (135 chars)
H1	The Complete Guide to Medical Weight Loss
H2 outline	What Is Medical Weight Loss? · Who Is It For? · What a Medical Weight Loss Plan Includes · The Role of GLP-1 Medications · What to Expect Over Time · References
Breadcrumb	Home › Blog › Weight Loss › Medical Weight Loss Guide
Canonical	`https://ongoweightloss.com/blog/weight-loss/medical-weight-loss-guide/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-weight-loss-medical-weight-loss-guide.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Registered Dietitian + Medical Director) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/weight-loss/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/weight-loss/` , `/blog/weight-loss/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/weight-loss/ in the opening section (link_position=body_intro); soft end box, no hard button.

32. Why Am I Not Losing Weight

Field	Spec
URL	`/blog/weight-loss/why-am-i-not-losing-weight/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	Why Am I Not Losing Weight? 10 Common Reasons (45 chars) · `title: { absolute: 'Why Am I Not Losing Weight? 10 Common Reasons' }`
Meta description	Not losing weight despite your efforts? Learn common reasons, from calorie creep and sleep to medications and hormones, and what you can do. (140 chars)
H1	Why Am I Not Losing Weight?
H2 outline	Common Everyday Reasons · Medical Reasons to Rule Out · Weight Loss Plateaus Explained · What to Try Next · When to Talk to a Provider · References
Breadcrumb	Home › Blog › Weight Loss › Why Am I Not Losing Weight
Canonical	`https://ongoweightloss.com/blog/weight-loss/why-am-i-not-losing-weight/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-weight-loss-why-am-i-not-losing-weight.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Registered Dietitian + Medical Director) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/weight-loss/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/weight-loss/`, `/blog/weight-loss/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/weight-loss/ in the opening section (link_position=body_intro); soft end box, no hard button.

33. How Much Weight Can You Lose

Field	Spec
URL	`/blog/weight-loss/how-much-weight-can-you-lose/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes

Field	Spec
Title	How Much Weight Can You Realistically Lose? (43 chars) · `title: { absolute: 'How Much Weight Can You Realistically Lose?' }`
Meta description	How much weight you can realistically lose per week and per month, what affects your pace, and what clinical studies of treatments have shown. (142 chars)
H1	How Much Weight Can You Realistically Lose?
H2 outline	A Safe Weekly Pace · What Affects How Fast You Lose Weight · What Clinical Trials Have Shown (Brand Products) · Setting a Realistic Goal · References
Breadcrumb	Home › Blog › Weight Loss › How Much Weight Can You Lose
Canonical	`https://ongoweightloss.com/blog/weight-loss/how-much-weight-can-you-lose/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-weight-loss-how-much-weight-can-you-lose.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Registered Dietitian + Medical Director) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/weight-loss/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/weight-loss/` , `/blog/weight-loss/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/weight-loss/ in the opening section (link_position=body_intro); soft end box, no hard button. Trial results must name the brand product and trial; never attribute them to compounded drugs.

34. Weight Loss Mistakes

Field	Spec
URL	`/blog/weight-loss/weight-loss-mistakes/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	Common Weight Loss Mistakes to Avoid | Ongo Weight Loss (55 chars) · `title: 'Common Weight Loss Mistakes to Avoid'` (template adds the brand)

Field	Spec
Meta description	Avoid the most common weight loss mistakes, from cutting too many calories to skipping protein and strength training, with clinician tips. (138 chars)
H1	Common Weight Loss Mistakes (and What to Do Instead)
H2 outline	Eating Too Little · Skipping Protein and Strength Training · Relying on the Scale Alone · All-or-Nothing Thinking · Not Getting Medical Support When You Need It · References
Breadcrumb	Home › Blog › Weight Loss › Weight Loss Mistakes
Canonical	`https://ongoweightloss.com/blog/weight-loss/weight-loss-mistakes/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-weight-loss-weight-loss-mistakes.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Registered Dietitian + Medical Director) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/weight-loss/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/weight-loss/` , `/blog/weight-loss/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/weight-loss/ in the opening section (link_position=body_intro); soft end box, no hard button.

35. GLP-1 Medications (blog hub)

Field	Spec
URL	`/blog/glp-1/`
Template · index state	Blog Hub · Temporary noindex until the 22-point standard passes
Title	GLP-1 Articles and Guides | Ongo Weight Loss (44 chars) · `title: 'GLP-1 Articles and Guides'` (template adds the brand)
Meta description	Clinician-reviewed guides to GLP-1 medications: what they are, how they work, side effects, who can take them and how long they take to work. (141 chars)
H1	GLP-1: Articles and Guides
H2 outline	Start Here · How GLP-1 Medications Work · Safety and Side Effects · Eligibility and Timelines · All GLP-1 Articles

Field	Spec
Breadcrumb	Home › Blog › GLP-1 Medications
Canonical	`https://ongoweightloss.com/blog/glp-1/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/blog-glp-1.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	CollectionPage + BreadcrumbList
Trust block · dates	Medically reviewed by (Prescribing physician/NP) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Explore GLP-1 · `cta_bloghub_glp_1_service_click / cta_bloghub_glp_1_get_started`
Internal links (from the map)	`/services/glp-1/`
Disclaimer	Standard editorial policy link in footer
Live status · notes	Short intro + curated "start here" list + all articles; one link to the commercial partner page.

36. What Are GLP-1 Medications

Field	Spec
URL	`/blog/glp-1/what-are-glp-1-medications/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	What Are GLP-1 Medications? A Simple Guide (42 chars) · `title: { absolute: 'What Are GLP-1 Medications? A Simple Guide' }`
Meta description	What GLP-1 medications are, how they affect appetite and blood sugar, the difference between compounded and FDA-approved options, and safety basics. (148 chars)
H1	What Are GLP-1 Medications?
H2 outline	GLP-1 in Simple Terms · Types of GLP-1 Medications · Compounded vs. FDA-Approved Options · Who They're Prescribed For · Safety Basics · References
Breadcrumb	Home › Blog › GLP-1 Medications › What Are GLP-1 Medications
Canonical	`https://ongoweightloss.com/blog/glp-1/what-are-glp-1-medications/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-glp-1-what-are-glp-1-medications.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList

Field	Spec
Trust block · dates	Author + independent medical reviewer (Prescribing physician/NP) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/glp-1/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/glp-1/` , `/blog/glp-1/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/glp-1/ in the opening section (link_position=body_intro); soft end box, no hard button.

37. How Do GLP-1 Medications Work

Field	Spec
URL	`/blog/glp-1/how-do-glp-1-medications-work/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	How Do GLP-1 Medications Work? | Ongo Weight Loss (49 chars) · `title: 'How Do GLP-1 Medications Work?'` (template adds the brand)
Meta description	How GLP-1 medications work in your body: appetite signals, slower stomach emptying and blood sugar effects, explained in plain language. (136 chars)
H1	How Do GLP-1 Medications Work?
H2 outline	The GLP-1 Hormone · Effects on Appetite and Fullness · Effects on Digestion · Effects on Blood Sugar · Why Doses Start Low · References
Breadcrumb	Home › Blog › GLP-1 Medications › How Do GLP-1 Medications Work
Canonical	`https://ongoweightloss.com/blog/glp-1/how-do-glp-1-medications-work/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-glp-1-how-do-glp-1-medications-work.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Prescribing physician/NP) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/glp-1/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`

Field	Spec
Internal links (from the map)	`/services/glp-1/`, `/blog/glp-1/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/glp-1/ in the opening section (link_position=body_intro); soft end box, no hard button.

38. GLP-1 Side Effects

Field	Spec
URL	`/blog/glp-1/glp-1-side-effects/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	GLP-1 Side Effects: What to Know | Ongo Weight Loss (51 chars) · `title: 'GLP-1 Side Effects: What to Know'` (template adds the brand)
Meta description	Common and serious GLP-1 side effects, how long they usually last, tips to manage nausea, and warning signs that need prompt medical care. (138 chars)
H1	GLP-1 Side Effects: What to Expect and When to Get Help
H2 outline	Common Side Effects · How Long Side Effects Last · Tips to Manage Nausea and Digestion · Serious Side Effects and Warnings · When to Contact Your Provider · References
Breadcrumb	Home › Blog › GLP-1 Medications › GLP-1 Side Effects
Canonical	`https://ongoweightloss.com/blog/glp-1/glp-1-side-effects/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-glp-1-glp-1-side-effects.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Prescribing physician/NP) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/glp-1/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/glp-1/`, `/blog/glp-1/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/glp-1/ in the opening section (link_position=body_intro); soft end box, no hard button.

39. Who Can Take GLP-1 Medications

Field	Spec
URL	`/blog/glp-1/who-can-take-glp-1-medications/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	Who Can Take GLP-1 Medications? | Ongo Weight Loss (50 chars) · `title: 'Who Can Take GLP-1 Medications?'` (template adds the brand)
Meta description	Who may be eligible for GLP-1 medications for weight loss, common BMI criteria, who should not take them and how a provider decides. (132 chars)
H1	Who Can Take GLP-1 Medications?
H2 outline	Common Eligibility Criteria · Who Should Not Take GLP-1 Medications · Health Conditions Your Provider Will Ask About · How a Provider Decides · References
Breadcrumb	Home › Blog › GLP-1 Medications › Who Can Take GLP-1 Medications
Canonical	`https://ongoweightloss.com/blog/glp-1/who-can-take-glp-1-medications/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-glp-1-who-can-take-glp-1-medications.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Prescribing physician/NP) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/glp-1/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/glp-1/` , `/blog/glp-1/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/glp-1/ in the opening section (link_position=body_intro); soft end box, no hard button.

40. How Long Do GLP-1 Medications Take to Work

Field	Spec
URL	`/blog/glp-1/how-long-do-glp-1-medications-take-to-work/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes

Field	Spec
Title	How Long Do GLP-1 Medications Take to Work? (43 chars) · `title: { absolute: 'How Long Do GLP-1 Medications Take to Work?' }`
Meta description	When GLP-1 medications start working, what changes in the first weeks and months, and why doses increase gradually under a provider's care. (139 chars)
H1	How Long Do GLP-1 Medications Take to Work?
H2 outline	The First Few Weeks · Months One to Three · Beyond Three Months · Why Titration Takes Time · If You Don't Notice Changes · References
Breadcrumb	Home › Blog › GLP-1 Medications › How Long Do GLP-1 Medications Take to Work
Canonical	`https://ongoweightloss.com/blog/glp-1/how-long-do-glp-1-medications-take-to-work/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-glp-1-how-long-do-glp-1-medications-take-to-work.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Prescribing physician/NP) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/glp-1/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/glp-1/` , `/blog/glp-1/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/glp-1/ in the opening section (link_position=body_intro); soft end box, no hard button.

41. Semaglutide (blog hub)

Field	Spec
URL	`/blog/semaglutide/`
Template · index state	Blog Hub · Temporary noindex until the 22-point standard passes
Title	Semaglutide Articles and Guides | Ongo Weight Loss (50 chars) · `title: 'Semaglutide Articles and Guides'` (template adds the brand)
Meta description	Clinician-reviewed semaglutide guides from Ongo Weight Loss: how it works, dosing, side effects, timelines and comparisons with tirzepatide. (140 chars)

Field	Spec
H1	Semaglutide: Articles and Guides
H2 outline	Start Here · How Semaglutide Works · Dosing and Timelines · Side Effects and Safety · Comparisons · All Semaglutide Articles
Breadcrumb	Home › Blog › Semaglutide
Canonical	`https://ongoweightloss.com/blog/semaglutide/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/blog-semaglutide.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	CollectionPage + BreadcrumbList
Trust block · dates	Medically reviewed by (Prescribing physician/NP) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Explore Semaglutide · `cta_bloghub_semaglutide_service_click` / `cta_bloghub_semaglutide_get_started`
Internal links (from the map)	`/services/glp-1/compounded-semaglutide/`
Disclaimer	Standard editorial policy link in footer
Live status · notes	Short intro + curated "start here" list + all articles; one link to the commercial partner page.

42. How Does Semaglutide Work

Field	Spec
URL	`/blog/semaglutide/how-does-semaglutide-work/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	How Does Semaglutide Work? | Ongo Weight Loss (45 chars) · `title: 'How Does Semaglutide Work?'` (template adds the brand)
Meta description	How semaglutide works for weight management: GLP-1 receptor effects on appetite, digestion and blood sugar, explained by clinicians. (132 chars)
H1	How Does Semaglutide Work?
H2 outline	Semaglutide and the GLP-1 Receptor · Appetite and Fullness · Digestion and Blood Sugar · Weekly Dosing and Titration · Compounded Semaglutide at Ongo Weight Loss · References
Breadcrumb	Home › Blog › Semaglutide › How Does Semaglutide Work
Canonical	`https://ongoweightloss.com/blog/semaglutide/how-does-semaglutide-work/`
Robots	`noindex, follow` now → `index, follow` at launch

Field	Spec
Open Graph	type `article` · image `/og/blog-semaglutide-how-does-semaglutide-work.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Prescribing physician/NP) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/glp-1/compounded-semaglutide/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/glp-1/compounded-semaglutide/` , `/blog/semaglutide/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/glp-1/compounded-semaglutide/ in the opening section (link_position=body_intro); soft end box, no hard button.

43. Semaglutide Side Effects

Field	Spec
URL	`/blog/semaglutide/semaglutide-side-effects/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	Semaglutide Side Effects and How to Manage Them (47 chars) · `title: { absolute: 'Semaglutide Side Effects and How to Manage Them' }`
Meta description	Common semaglutide side effects, how long they last, practical tips to manage them, and serious warning signs to discuss with your provider. (140 chars)
H1	Semaglutide Side Effects
H2 outline	Most Common Side Effects · How Long They Usually Last · Tips to Reduce Side Effects · Serious Risks and Warnings · When to Contact Your Provider · References
Breadcrumb	Home › Blog › Semaglutide › Semaglutide Side Effects
Canonical	`https://ongoweightloss.com/blog/semaglutide/semaglutide-side-effects/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-semaglutide-semaglutide-side-effects.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Prescribing physician/NP) + Published + Last updated (`<time>`); JSON-LD and OG dates match

Field	Spec
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/glp-1/compounded-semaglutide/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/glp-1/compounded-semaglutide/`, `/blog/semaglutide/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/glp-1/compounded-semaglutide/ in the opening section (link_position=body_intro); soft end box, no hard button.

44. Semaglutide Weight Loss Results

Field	Spec
URL	`/blog/semaglutide/semaglutide-weight-loss-results/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	Semaglutide Weight Loss Results: What Studies Show (50 chars) · `title: { absolute: 'Semaglutide Weight Loss Results: What Studies Show' }`
Meta description	What clinical trials of brand semaglutide showed for weight loss, what affects individual results, and why compounded versions weren't studied the same way. (156 chars)
H1	Semaglutide Weight Loss Results: What the Research Shows
H2 outline	What the STEP Trials Found (Brand Semaglutide) · What Affects Individual Results · Compounded Semaglutide: What We Know · Keeping Weight Off · References
Breadcrumb	Home › Blog › Semaglutide › Semaglutide Weight Loss Results
Canonical	`https://ongoweightloss.com/blog/semaglutide/semaglutide-weight-loss-results/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-semaglutide-semaglutide-weight-loss-results.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Prescribing physician/NP) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/glp-1/compounded-semaglutide/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`

Field	Spec
Internal links (from the map)	`/services/glp-1/compounded-semaglutide/`, `/blog/semaglutide/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/glp-1/compounded-semaglutide/ in the opening section (link_position=body_intro); soft end box, no hard button. Name the brand product and trial for every number.

45. Semaglutide vs. Tirzepatide

Field	Spec
URL	`/blog/semaglutide/semaglutide-vs-tirzepatide/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	Semaglutide vs. Tirzepatide: Key Differences (44 chars) · `title: { absolute: 'Semaglutide vs. Tirzepatide: Key Differences' }`
Meta description	Semaglutide vs. tirzepatide: how they work, dosing, side effects and what studies show, plus how a provider helps you choose. Reviewed by clinicians. (149 chars)
H1	Semaglutide vs. Tirzepatide: How They Compare
H2 outline	How Each Medication Works · Dosing Side by Side · Side Effects Compared · What Studies Show (Brand Products) · Which May Be Right for You? · References
Breadcrumb	Home › Blog › Semaglutide › Semaglutide vs. Tirzepatide
Canonical	`https://ongoweightloss.com/blog/semaglutide/semaglutide-vs-tirzepatide/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-semaglutide-semaglutide-vs-tirzepatide.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Prescribing physician/NP) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/glp-1/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/glp-1/compounded-semaglutide/`, `/blog/semaglutide/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link

Field	Spec
Live status · notes	Contextual link to /services/glp-1/ in the opening section (link_position=body_intro); soft end box, no hard button. Canonical comparison: /blog/tirzepatide/tirzepatide-vs-semaglutide/ is merged here with a 301.

46. How Long Does Semaglutide Take to Work

Field	Spec
URL	`/blog/semaglutide/how-long-does-semaglutide-take-to-work/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	How Long Does Semaglutide Take to Work? (39 chars) · `title: { absolute: 'How Long Does Semaglutide Take to Work?' }`
Meta description	Most people notice less appetite within weeks of starting semaglutide. See what to expect week by week and why doses start low. (127 chars)
H1	How Long Does Semaglutide Take to Work?
H2 outline	Week by Week: What to Expect · Why Semaglutide Starts at a Low Dose · When Weight Changes Usually Show · If You Don't Notice a Difference · References
Breadcrumb	Home › Blog › Semaglutide › How Long Does Semaglutide Take to Work
Canonical	`https://ongoweightloss.com/blog/semaglutide/how-long-does-semaglutide-take-to-work/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-semaglutide-how-long-does-semaglutide-take-to-work.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Prescribing physician/NP) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/glp-1/compounded-semaglutide/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/glp-1/compounded-semaglutide/` , `/blog/semaglutide/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/glp-1/compounded-semaglutide/ in the opening section (link_position=body_intro); soft end box, no hard button.

47. Tirzepatide (blog hub)

Field	Spec
URL	`/blog/tirzepatide/`
Template · index state	Blog Hub · Temporary noindex until the 22-point standard passes
Title	Tirzepatide Articles and Guides | Ongo Weight Loss (50 chars) · `title: 'Tirzepatide Articles and Guides'` (template adds the brand)
Meta description	Clinician-reviewed tirzepatide guides from Ongo Weight Loss: how it works, dosing, side effects, timelines and what research shows. (131 chars)
H1	Tirzepatide: Articles and Guides
H2 outline	Start Here · How Tirzepatide Works · Dosing and Timelines · Side Effects and Safety · All Tirzepatide Articles
Breadcrumb	Home › Blog › Tirzepatide
Canonical	`https://ongoweightloss.com/blog/tirzepatide/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/blog-tirzepatide.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	CollectionPage + BreadcrumbList
Trust block · dates	Medically reviewed by (Prescribing physician/NP) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Explore Tirzepatide · `cta_bloghub_tirzepatide_service_click` / `cta_bloghub_tirzepatide_get_started`
Internal links (from the map)	`/services/glp-1/compounded-tirzepatide/`
Disclaimer	Standard editorial policy link in footer
Live status · notes	Short intro + curated "start here" list + all articles; one link to the commercial partner page.

48. How Does Tirzepatide Work

Field	Spec
URL	`/blog/tirzepatide/how-does-tirzepatide-work/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	How Does Tirzepatide Work? | Ongo Weight Loss (45 chars) · `title: 'How Does Tirzepatide Work?'` (template adds the brand)

Field	Spec
Meta description	How tirzepatide works: dual GIP and GLP-1 receptor action on appetite, digestion and blood sugar, explained simply and reviewed by clinicians. (142 chars)
H1	How Does Tirzepatide Work?
H2 outline	Two Hormones: GIP and GLP-1 · Appetite and Fullness · Digestion and Blood Sugar · Weekly Dosing and Titration · Compounded Tirzepatide at Ongo Weight Loss · References
Breadcrumb	Home › Blog › Tirzepatide › How Does Tirzepatide Work
Canonical	`https://ongoweightloss.com/blog/tirzepatide/how-does-tirzepatide-work/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-tirzepatide-how-does-tirzepatide-work.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Prescribing physician/NP) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/glp-1/compounded-tirzepatide/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/glp-1/compounded-tirzepatide/` , `/blog/tirzepatide/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/glp-1/compounded-tirzepatide/ in the opening section (link_position=body_intro); soft end box, no hard button.

49. Tirzepatide Side Effects

Field	Spec
URL	`/blog/tirzepatide/tirzepatide-side-effects/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	Tirzepatide Side Effects and How to Manage Them (47 chars) · `title: { absolute: 'Tirzepatide Side Effects and How to Manage Them' }`
Meta description	Common tirzepatide side effects, how long they last, practical tips to manage them, and serious warning signs to discuss with your provider. (140 chars)
H1	Tirzepatide Side Effects
H2 outline	Most Common Side Effects · How Long They Usually Last · Tips to Reduce Side Effects · Serious Risks and Warnings · When to Contact Your Provider · References

Field	Spec
Breadcrumb	Home › Blog › Tirzepatide › Tirzepatide Side Effects
Canonical	`https://ongoweightloss.com/blog/tirzepatide/tirzepatide-side-effects/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-tirzepatide-tirzepatide-side-effects.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Prescribing physician/NP) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/glp-1/compounded-tirzepatide/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/glp-1/compounded-tirzepatide/` , `/blog/tirzepatide/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/glp-1/compounded-tirzepatide/ in the opening section (link_position=body_intro); soft end box, no hard button.

50. Tirzepatide Weight Loss Results

Field	Spec
URL	`/blog/tirzepatide/tirzepatide-weight-loss-results/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	Tirzepatide Weight Loss Results: What Studies Show (50 chars) · `title: { absolute: 'Tirzepatide Weight Loss Results: What Studies Show' }`
Meta description	What clinical trials of brand tirzepatide showed for weight loss, what affects individual results, and why compounded versions weren't studied the same way. (156 chars)
H1	Tirzepatide Weight Loss Results: What the Research Shows
H2 outline	What the SURMOUNT Trials Found (Brand Tirzepatide) · What Affects Individual Results · Compounded Tirzepatide: What We Know · Keeping Weight Off · References
Breadcrumb	Home › Blog › Tirzepatide › Tirzepatide Weight Loss Results
Canonical	`https://ongoweightloss.com/blog/tirzepatide/tirzepatide-weight-loss-results/`
Robots	`noindex, follow` now → `index, follow` at launch

Field	Spec
Open Graph	type `article` · image `/og/blog-tirzepatide-tirzepatide-weight-loss-results.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Prescribing physician/NP) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/glp-1/compounded-tirzepatide/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/glp-1/compounded-tirzepatide/` , `/blog/tirzepatide/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/glp-1/compounded-tirzepatide/ in the opening section (link_position=body_intro); soft end box, no hard button. Name the brand product and trial for every number.

51. Tirzepatide vs. Semaglutide

Field	Spec
URL	`/blog/tirzepatide/tirzepatide-vs-semaglutide/`
Redirect to	`/blog/semaglutide/semaglutide-vs-tirzepatide/` (301/308)
Index state	301 redirect (merged)
Spec	Duplicate comparison (Book Three, Chapter 17). 301 to /blog/semaglutide/semaglutide-vs-tirzepatide/; remove from sitemaps; update internal links.

52. How Long Does Tirzepatide Take to Work

Field	Spec
URL	`/blog/tirzepatide/how-long-does-tirzepatide-take-to-work/`
Template · index state	Blog Article · Temporary noindex until the 22-point standard passes
Title	How Long Does Tirzepatide Take to Work? (39 chars) · `title: { absolute: 'How Long Does Tirzepatide Take to Work?' }`
Meta description	Many people notice less appetite within weeks of starting tirzepatide. See what to expect month by month and why doses increase slowly. (135 chars)
H1	How Long Does Tirzepatide Take to Work?

Field	Spec
H2 outline	Week by Week: What to Expect · Why Tirzepatide Starts at a Low Dose · When Weight Changes Usually Show · If You Don't Notice a Difference · References
Breadcrumb	Home › Blog › Tirzepatide › How Long Does Tirzepatide Take to Work
Canonical	`https://ongoweightloss.com/blog/tirzepatide/how-long-does-tirzepatide-take-to-work/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `article` · image `/og/blog-tirzepatide-how-long-does-tirzepatide-take-to-work.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	MedicalWebPage + Article (author, reviewedBy, datePublished, dateModified) + BreadcrumbList
Trust block · dates	Author + independent medical reviewer (Prescribing physician/NP) + Published + Last updated (`<time>`); JSON-LD and OG dates match
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	Contextual link to `/services/glp-1/compounded-tirzepatide/` + soft end box · `internal_link_click (link_position=body_intro / end_box)`
Internal links (from the map)	`/services/glp-1/compounded-tirzepatide/` , `/blog/tirzepatide/`
Disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Live status · notes	Contextual link to /services/glp-1/compounded-tirzepatide/ in the opening section (link_position=body_intro); soft end box, no hard button.

41.9 Medical team and contributors

53. Medical Team

Field	Spec
URL	`/medical-team/`
Template · index state	Team Hub · Indexed (live): fix in place, never add noindex
Title	Our Medical Team: Licensed Providers | Ongo Weight Loss (55 chars) · `title: 'Our Medical Team: Licensed Providers'` (template adds the brand)
Meta description	Meet the licensed physicians and providers behind Ongo Weight Loss: their credentials, specialties and the content they medically review. (137 chars)
H1	Meet Our Medical Team
H2 outline	Our Providers · How Our Providers Care for You · Our Medical Review Standards

Field	Spec
Breadcrumb	Home › Medical Team
Canonical	`https://ongoweightloss.com/medical-team/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/medical-team.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	CollectionPage + BreadcrumbList (Person entries link to bio pages)
Trust block · dates	Credentials and licence states (verifiable)
Image alt notes	Headshots: "Dr. [Full Name], [credential]".
Primary CTA · events	Get Started · `cta_medicalteam_get_started + exit_to_portal`
Internal links (from the map)	`/about/`, `/policies/medical-review-policy/`
Disclaimer	Providers are independently licensed; specific provider assignment may vary by state
Live status · notes	Live URL exists with 5 provider bios.

54. Provider Bio (Template)

Field	Spec
URL	`/medical-team/[provider-slug]/`
Template · index state	Provider Bio Page · Indexed (live): fix in place, never add noindex
Title	Dr. [Full Name], [Credential] | Ongo Weight Loss (48 chars) · `title: 'Dr. [Full Name], [Credential]'` (template adds the brand)
Meta description	Dr. [Full Name], [credential], is a [specialty] provider at Ongo Weight Loss, licensed in [states]. Education, experience and reviewed articles. (144 chars)
H1	Dr. [Full Name], [Credential]
H2 outline	About Dr. [Last Name] · Education and Board Certification · States Licensed · Areas of Focus · Articles Reviewed by Dr. [Last Name]
Breadcrumb	Home › Medical Team › Dr. [Full Name]
Canonical	`https://ongoweightloss.com/medical-team/[provider-slug]/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `profile` · image `/og/team-[provider-slug].png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	ProfilePage + Person (jobTitle, hasCredential, worksFor → organization @id) + BreadcrumbList

Field	Spec
Trust block · dates	Credentials and licence states (verifiable)
Image alt notes	Headshot: "Dr. [Full Name], [credential]" (the live dosing guide's author photo had empty alt).
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/medical-review-policy/`
Disclaimer	License and board-certification claims must be independently verifiable — link to the state board record
Live status · notes	Live slugs: dr-benjamin-krasne, dr-david-okonkwo, dr-gaurav-patel, dr-jonathan-miller, dr-zachary-kramer. Medical Director: Dr. Johnathan Chance Miller, MD (confirm spelling of displayed name). Link licence claims to state board records.

55. Contributors

Field	Spec
URL	`/contributors/`
Template · index state	Team Hub · Temporary noindex until the 22-point standard passes
Title	Our Contributors: Writers and Editors | Ongo Weight Loss (56 chars) · `title: 'Our Contributors: Writers and Editors'` (template adds the brand)
Meta description	Meet the writers and editors who create Ongo Weight Loss content, and learn how every health article is medically reviewed before publishing. (141 chars)
H1	Our Contributors
H2 outline	Our Writers and Editors · How We Create Content · Our Editorial Standards
Breadcrumb	Home › Contributors
Canonical	`https://ongoweightloss.com/contributors/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/contributors.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	CollectionPage + BreadcrumbList
Trust block · dates	Credentials and licence states (verifiable)
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/contributor-policy/`, `/policies/editorial-policy/`, `/policies/medical-review-policy/`

Field	Spec
Disclaimer	Contributors write under medical review; Medical Reviewer credentials must be independently verifiable — link to the state board record, same standard as Medical Team.
Live status · notes	Not live yet.

56. Contributor Bio (Template)

Field	Spec
URL	`/contributors/[contributor-slug]/`
Template · index state	Contributor Bio Page · Temporary noindex until the 22-point standard passes
Title	[Full Name], [Role] | Ongo Weight Loss (38 chars) · `title: '[Full Name], [Role]'` (template adds the brand)
Meta description	[Full Name] is a [role] at Ongo Weight Loss who writes about [topics]. Background, expertise and published articles. (116 chars)
H1	[Full Name]
H2 outline	About [First Name] · Expertise · Articles by [First Name]
Breadcrumb	Home › Contributors › [Full Name]
Canonical	`https://ongoweightloss.com/contributors/[contributor-slug]/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `profile` · image `/og/contributor-[slug].png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	ProfilePage + Person + BreadcrumbList
Trust block · dates	Credentials and licence states (verifiable)
Image alt notes	Headshot: "[Full Name] headshot" (live: "Deepanki Dutta headshot" ✅).
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/contributor-policy/`
Disclaimer	None beyond standard site footer
Live status · notes	Template; one page per real contributor.

41.10 Policies

57. Policies

Field	Spec
URL	`/policies/`
Template · index state	Policy Hub · Temporary noindex until the 22-point standard passes
Title	Policies | Ongo Weight Loss (27 chars) · `title: 'Policies'` (template adds the brand)
Meta description	All Ongo Weight Loss policies in one place: privacy, terms, telehealth consent, refunds, shipping, editorial and medical review standards. (138 chars)
H1	Policies
H2 outline	Patient Rights and Consent · Privacy · Payments, Refunds and Shipping · Content Standards · Legal
Breadcrumb	Home › Policies
Canonical	`https://ongoweightloss.com/policies/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/policies.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	CollectionPage + BreadcrumbList
Trust block · dates	Medically reviewed by (Hub) + Last reviewed date
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/patient-bill-of-rights/`, `/policies/disclaimer/`, `/policies/privacy-policy/`, `/policies/refund-policy/`, `/policies/telehealth-consent/`, `/policies/editorial-policy/`, `/policies/shipping-policy/`, `/policies/contributor-policy/`, `/policies/medical-review-policy/`, `/policies/terms-of-service/`, `/policies/accessibility/`, `/policies/notice-of-privacy-practices/`
Disclaimer	—
Live status · notes	Not live as a hub; live policy pages exist.

58. Patient Bill of Rights

Field	Spec
URL	`/policies/patient-bill-of-rights/` (map: `/policies/bill-of-rights/`)

Field	Spec
Template · index state	Policy Page · Indexed (live): fix in place, never add noindex
Title	Patient Bill of Rights | Ongo Weight Loss (41 chars) · `title: 'Patient Bill of Rights'` (template adds the brand)
Meta description	The commitments Ongo Weight Loss makes to every patient: provider transparency, clear pricing and cancellation, privacy and respectful care. (140 chars)
H1	Patient Bill of Rights
H2 outline	Your Rights as an Ongo Weight Loss Patient · Our Commitments to You · Related Policies
Breadcrumb	Home › Policies › Patient Bill of Rights
Canonical	`https://ongoweightloss.com/policies/patient-bill-of-rights/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/policies.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList
Trust block · dates	Effective date + Last updated
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/`, `/policies/medical-review-policy/`, `/policies/telehealth-consent/`, `/about/`
Disclaimer	—
Live status · notes	Live URL: /policies/patient-bill-of-rights/ (keep the live URL; update the master map).

59. Medical Disclaimer

Field	Spec
URL	`/policies/disclaimer/`
Template · index state	Policy Page · Indexed (live): fix in place, never add noindex
Title	Medical Disclaimer | Ongo Weight Loss (37 chars) · `title: 'Medical Disclaimer'` (template adds the brand)
Meta description	Important information about the medical content on Ongo Weight Loss, compounded medications and the provider-patient relationship. (130 chars)
H1	Medical Disclaimer
H2 outline	Not Medical Advice · Compounded Medications · Provider-Patient Relationship · Emergencies

Field	Spec
Breadcrumb	Home › Policies › Medical Disclaimer
Canonical	`https://ongoweightloss.com/policies/disclaimer/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/policies.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList
Trust block · dates	Effective date + Last updated
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/`
Disclaimer	—
Live status · notes	Live URL exists.

60. Privacy Policy

Field	Spec
URL	`/policies/privacy-policy/`
Template · index state	Policy Page · Indexed (live): fix in place, never add noindex
Title	Privacy Policy | Ongo Weight Loss (33 chars) · `title: 'Privacy Policy'` (template adds the brand)
Meta description	How Ongo Weight Loss collects, uses and protects your information, your privacy choices, and how to contact us about privacy. (125 chars)
H1	Privacy Policy
H2 outline	Information We Collect · How We Use Information · Cookies and Analytics · Your Choices and Rights · Contact Us
Breadcrumb	Home › Policies › Privacy Policy
Canonical	`https://ongoweightloss.com/policies/privacy-policy/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/policies.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList

Field	Spec
Trust block · dates	Effective date + Last updated
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/`
Disclaimer	—
Live status · notes	Live URL exists. Must describe GA4, GTM, Ads and Clarity accurately.

61. Refund Policy

Field	Spec
URL	`/policies/refund-policy/`
Template · index state	Policy Page · Indexed (live): fix in place, never add noindex
Title	Refund Policy | Ongo Weight Loss (32 chars) · `title: 'Refund Policy'` (template adds the brand)
Meta description	Ongo Weight Loss refund policy: what is refundable, timelines, and how to request a refund or cancel your plan. (111 chars)
H1	Refund Policy
H2 outline	What Is Refundable · How to Request a Refund · Cancellations
Breadcrumb	Home › Policies › Refund Policy
Canonical	`https://ongoweightloss.com/policies/refund-policy/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/policies.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList
Trust block · dates	Effective date + Last updated
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/`
Disclaimer	—
Live status · notes	Live URL exists.

62. Consent to Telehealth

Field	Spec
URL	`/policies/telehealth-consent/` (map: `/policies/consent-to-telehealth/`)
Template · index state	Policy Page · Indexed (live): fix in place, never add noindex
Title	Consent to Telehealth | Ongo Weight Loss (40 chars) · `title: 'Consent to Telehealth'` (template adds the brand)
Meta description	What you agree to when you receive care through Ongo Weight Loss telehealth: how virtual visits work, benefits, risks and your rights. (134 chars)
H1	Consent to Telehealth
H2 outline	What Telehealth Is · Benefits and Risks · Your Rights
Breadcrumb	Home › Policies › Consent to Telehealth
Canonical	`https://ongoweightloss.com/policies/telehealth-consent/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/policies.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList
Trust block · dates	Effective date + Last updated
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/`
Disclaimer	—
Live status · notes	Live URL: /policies/telehealth-consent/ (keep the live URL; update the master map).

63. Editorial Policy

Field	Spec
URL	`/policies/editorial-policy/`
Template · index state	Policy Page · Indexed (live): fix in place, never add noindex
Title	Editorial Policy | Ongo Weight Loss (35 chars) · `title: 'Editorial Policy'` (template adds the brand)
Meta description	How Ongo Weight Loss creates, reviews and updates health content: sourcing, medical review, corrections and independence. (121 chars)

Field	Spec
H1	Editorial Policy
H2 outline	How We Create Content · Sources We Use · Medical Review · Updates and Corrections
Breadcrumb	Home › Policies › Editorial Policy
Canonical	`https://ongoweightloss.com/policies/editorial-policy/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/policies.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList
Trust block · dates	Effective date + Last updated
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/`
Disclaimer	—
Live status · notes	Live URL exists.

64. Shipping Policy

Field	Spec
URL	`/policies/shipping-policy/`
Template · index state	Policy Page · Indexed (live): fix in place, never add noindex
Title	Shipping Policy | Ongo Weight Loss (34 chars) · `title: 'Shipping Policy'` (template adds the brand)
Meta description	How Ongo Weight Loss ships medication: delivery times, packaging and cold chain, tracking, and what to do if a delivery has a problem. (134 chars)
H1	Shipping Policy
H2 outline	Where We Ship · Delivery Times · Packaging and Storage · Delivery Problems
Breadcrumb	Home › Policies › Shipping Policy
Canonical	`https://ongoweightloss.com/policies/shipping-policy/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/policies.png` (1200×630) · og:url = canonical · og:image:alt describes the image

Field	Spec
Schema	WebPage + BreadcrumbList
Trust block · dates	Effective date + Last updated
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/`
Disclaimer	—
Live status · notes	Live URL exists. Never name the partner pharmacy.

65. Contributor Policy

Field	Spec
URL	`/policies/contributor-policy/`
Template · index state	Policy Page · Temporary noindex until the 22-point standard passes
Title	Contributor Policy | Ongo Weight Loss (37 chars) · `title: 'Contributor Policy'` (template adds the brand)
Meta description	Standards for Ongo Weight Loss writers and editors: qualifications, conflicts of interest, sourcing and the medical review process. (131 chars)
H1	Contributor Policy
H2 outline	Who Can Contribute · Conflicts of Interest · Our Process
Breadcrumb	Home › Policies › Contributor Policy
Canonical	`https://ongoweightloss.com/policies/contributor-policy/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/policies.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList
Trust block · dates	Effective date + Last updated
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/`
Disclaimer	—

Field	Spec
Live status · notes	

66. Medical Review Policy

Field	Spec
URL	`/policies/medical-review-policy/`
Template · index state	Policy Page · Temporary noindex until the 22-point standard passes
Title	Medical Review Policy | Ongo Weight Loss (40 chars) · `title: 'Medical Review Policy'` (template adds the brand)
Meta description	How licensed clinicians review Ongo Weight Loss health content: who reviews, what they check, how often, and how dates are shown. (129 chars)
H1	Medical Review Policy
H2 outline	Who Reviews Our Content · What Reviewers Check · How Often Content Is Reviewed · How We Show Review Dates
Breadcrumb	Home › Policies › Medical Review Policy
Canonical	`https://ongoweightloss.com/policies/medical-review-policy/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/policies.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList
Trust block · dates	Effective date + Last updated
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/`
Disclaimer	—
Live status · notes	

67. Terms of Service

Field	Spec
URL	`/policies/terms-of-service/`
Template · index state	Policy Page · Indexed (live): fix in place, never add noindex

Field	Spec
Title	Terms of Service | Ongo Weight Loss (35 chars) · `title: 'Terms of Service'` (template adds the brand)
Meta description	The terms that apply when you use the Ongo Weight Loss website and services, including accounts, payments and limitations. (122 chars)
H1	Terms of Service
H2 outline	Using Our Services · Accounts and Payments · Limitations and Disclaimers · Contact
Breadcrumb	Home › Policies › Terms of Service
Canonical	`https://ongoweightloss.com/policies/terms-of-service/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/policies.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList
Trust block · dates	Effective date + Last updated
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/`
Disclaimer	—
Live status · notes	Live URL exists.

68. Accessibility Statement

Field	Spec
URL	`/policies/accessibility/`
Template · index state	Policy Page · Temporary noindex until the 22-point standard passes
Title	Accessibility Statement | Ongo Weight Loss (42 chars) · `title: 'Accessibility Statement'` (template adds the brand)
Meta description	Ongo Weight Loss is committed to an accessible website. Our standard (WCAG 2.2 AA), known limitations and how to request help. (126 chars)
H1	Accessibility Statement
H2 outline	Our Commitment · Standards We Follow · Known Limitations · Request Assistance
Breadcrumb	Home › Policies › Accessibility Statement

Field	Spec
Canonical	`https://ongoweightloss.com/policies/accessibility/`
Robots	`noindex, follow` now → `index, follow` at launch
Open Graph	type `website` · image `/og/policies.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList
Trust block · dates	Effective date + Last updated
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/`
Disclaimer	—
Live status · notes	Publish only once the Chapter 34 fixes are in progress; state the real status.

69. HIPAA Notice of Privacy Practices

Field	Spec
URL	`/policies/notice-of-privacy-practices/`
Template · index state	Policy Page · Indexed (live): fix in place, never add noindex
Title	Notice of Privacy Practices (HIPAA) | Ongo Weight Loss (54 chars) · `title: 'Notice of Privacy Practices (HIPAA)'` (template adds the brand)
Meta description	How Ongo Weight Loss and its providers may use and disclose your health information, and your rights under HIPAA. (113 chars)
H1	Notice of Privacy Practices (HIPAA)
H2 outline	How We May Use and Disclose Health Information · Your Rights · Our Responsibilities · Contact and Complaints
Breadcrumb	Home › Policies › HIPAA Notice of Privacy Practices
Canonical	`https://ongoweightloss.com/policies/notice-of-privacy-practices/`
Robots	`index, follow` (+ max-image-preview:large, max-snippet:-1 site-wide)
Open Graph	type `website` · image `/og/policies.png` (1200×630) · og:url = canonical · og:image:alt describes the image
Schema	WebPage + BreadcrumbList
Trust block · dates	Effective date + Last updated

Field	Spec
Image alt notes	Describe meaningful images; alt="" for decorative icons beside text labels.
Primary CTA · events	None (trust/legal page) · `page_meta only`
Internal links (from the map)	`/policies/`
Disclaimer	—
Live status · notes	Live URL exists.

41.11 Do's and Don'ts

✅ Do	❌ Don't
Build each page from its spec	Improvise titles and headings
Update the spec and the map when something changes	Change the live page only
Keep live, indexed pages indexed while fixing them	Add noindex to a ranking page
Treat the live URL as the source of truth	Rename live URLs to match an old plan

41.12 Pros and cons of page-level specs

✅ Pros	❌ Cons
Writers, developers and reviewers share one source	Long document to maintain
Launches are complete and consistent	Specs can drift from reality without governance
Easy QA: compare the page to the spec	Needs a map owner

41.13 Where freshers go wrong in Chapter 41 topics

Mistake	Why it happens	Avoid it by	Fix it by
Copying the Book Three meta title instead of the Book Four one	Two documents	Using this chapter	Replacing
Building the merged comparison article	Old link map	Spec #51	301 redirect
Adding noindex to a live indexed page "until it's fixed"	Following the new-page rule	Index-state table	Removing noindex

41.14 Thumb rules

> 👍 Spec first, page second.
>
> 👍 Live URL wins; the map follows.
>
> 👍 New pages wait for the standard; live pages get fixed in place.

41.15 Notes to remember

> 📝 69 Phase 1 specs: 18 live and indexed, 2 live but noindex, 2 portal, 1 merged, the rest new.
>
> 📝 Every title ends with "| Ongo Weight Loss" unless it's a blog title set with `title.absolute`.

Chapter 41 Glossary

Term	Simple meaning
Spec	The full on-page definition of one page
Index state	Whether a page is indexed, temporarily noindexed, or permanently noindexed
Fix in place	Improving a live page without removing it from the index

Term	Simple meaning
Reconciliation	Matching the live site with the master map
Merged page	A duplicate page redirected into the stronger one

Chapter 41 Quiz

1. How many Phase 1 pages have specs?

- A) 34
- B) 124
- C) 69
- D) 12

2. What happens when the live URL differs from the map?

- A) The page is deleted
- B) Both URLs stay
- C) The live URL wins and the map is updated
- D) The live URL is renamed

3. Should you add noindex to a live, indexed page while fixing it?

- A) No; fix it in place
- B) Yes, always
- C) Only on Mondays
- D) Only blogs

4. Which article is merged with a 301?

- A) /pricing/
- B) /blog/glp-1/glp-1-side-effects/
- C) /about/
- D) /blog/tirzepatide/tirzepatide-vs-semaglutide/

5. What replaces "Check My Insurance"?

- A) Check Eligibility
- B) Nothing
- C) Pay Now

- D) Insurance Quote

6. What CTA do blog articles use?

- A) A contextual link plus a soft end box
- B) A pop-up
- C) A hard Get Started button
- D) No links

7. Which live location pages need a leadership decision?

- A) /about/
- B) /locations/ and /locations/texas/houston/
- C) /faq/
- D) /contact/

8. What robots state do new pages launch with?

- A) index, nofollow
- B) noindex, follow until the standard passes
- C) noindex, nofollow forever
- D) No robots tag

9. Which live URL is kept for the bill of rights?

- A) /rights/
- B) /policies/patient-bill-of-rights/
- C) /policies/bill-of-rights/
- D) /bill/

10. What brand name appears in titles?

- A) Ongo
- B) None
- C) OWL
- D) Ongo Weight Loss

Sources

1. Ongo Weight Loss, live sitemap.xml and page audit, 30 October 2026 (internal)

2. Ongo Weight Loss, Book Three: Master Content Map (Chapter 28) and corrections, internal 🔵
3. Google Search Central, Influencing your title links and Control your snippets 🟢

Answer key, Chapter 41: 1-C · 2-C · 3-A · 4-D · 5-A · 6-A · 7-B · 8-B · 9-B · 10-D

LEVEL 4 · CHAPTER 42

Chapter 42: On-Page Audits and Pre-Launch QA

A spec says what a page should be. QA proves what it actually is. Audit before launch, after every release, and on a fixed schedule.

> 💡 **Trivia**
>
> Search Console's URL Inspection can run a **live test** that fetches the current version of a page and shows the rendered HTML, the HTTP response and detected structured data, so you can check a fix before Google recrawls. [1] ● Google official
>
> Ten minutes of URL Inspection can save weeks of guessing.

42.1 The pre-launch QA run (per page)

#	Check	Tool	Pass when
1	Title and description match the spec	View source	Exact text, unique
2	One H1; H2 outline matches the spec	HeadingsMap extension / source	Matches
3	Canonical self-referencing, absolute	Source	Matches the spec URL
4	Robots value matches the index state	Source + HTTP headers	Matches
5	OG tags: title, type, image, url (+ alt)	Meta Sharing Debugger	Card renders
6	JSON-LD valid and true	Rich Results Test + Schema validator	No errors; facts visible on page
7	Breadcrumb visible + BreadcrumbList	Page + Rich Results Test	Same trail
8	Trust block and dates	Page + JSON-LD	Names link to bios; dates match
9	Images: alt, dimensions, sizes	DevTools / axe	No missing alt; decorative alt=""

#	Check	Tool	Pass when
10	Internal links from the spec present and canonical	Crawler / manual	All present, no redirects
11	Contrast and keyboard	axe + keyboard walk-through	No AA failures; all reachable
12	HTML validity	W3C Nu Checker	No high-severity errors
13	URL variants redirect in one hop	curl / redirect checker	One 301/308
14	Events fire once with correct parameters	GTM Preview + GA4 DebugView	Named events, no PII/PHI
15	Clarity: loads only if allowed, masked	Network tab + Clarity	Strict, masked results
16	Sitemap inclusion matches index state	sitemap.xml + sitemap.html	In when indexed, out when not
17	Medical and compliance sign-off recorded	Change log	Dated sign-offs
18	URL Inspection live test	Search Console	Rendered HTML contains H1, links, JSON-LD

> 🪔 **Desi analogy: shaadi se pehle ka final walk-through**
>
> Shaadi se ek din pehle wedding planner poore venue ka chakkar lagata hai: stage, lights, khana, parking, washroom, sound. **Ek-ek cheez check, list pe tick.** Pre-launch QA wahi walk-through hai.

42.2 The audit calendar

Frequency	Audit	Scope
Every release	Smoke test: robots.txt, sitemap, 3 key pages (home + both money pages)	15 minutes
Weekly	Search Console: Pages (indexing) and new 404s	All
Monthly	Crawl the site: titles, descriptions, canonicals, status codes, broken links, missing alt	All indexed URLs
Monthly	GA4: event health (no unnamed or duplicate events, no PII)	All events

Frequency	Audit	Scope
Quarterly	Full 22-point audit on one page per template + accessibility walk-through	10 templates
Quarterly	Live-site baseline refresh (Chapter 4 format)	Fonts, colours, head tags
Twice a year	Medical content review dates; refresh plan (Chapter 43)	All medical pages

42.3 Reporting an issue

Field	Example
Page	`/services/glp-1/compounded-semaglutide/`
Point (1–22)	7 · Canonical
Severity	🟠 High
Found	Missing `<link rel="canonical">`
Expected	`https://ongoweightloss.com/services/glp-1/compounded-semaglutide/`
Evidence	Screenshot of source / tool output, date
Owner and due date	Developer · next sprint
Verified fixed	Date + who checked

> 🟧 **Ongo Weight Loss example**
>
> The 30 October 2026 baseline produced the first ten fixes (Chapter 4). Log each one in this format in the shared tracker, assign owners, and re-run the smoke test after the release that ships them. 🔵

42.4 Tools at a glance

Need	Tool
Crawl many pages	Screaming Frog (or a similar crawler)
Head tags on one page	View source; browser SEO extensions

Need	Tool
Rendered view as Google	URL Inspection (live test)
Structured data	Rich Results Test; validator.schema.org
Social cards	Meta Sharing Debugger; LinkedIn Post Inspector
Accessibility	axe DevTools; Lighthouse; keyboard; screen reader
HTML	W3C Nu Checker
Events	GTM Preview; GA4 DebugView
Redirects	curl -I; redirect checker

42.5 Do's and Don'ts

✅ Do	❌ Don't
QA against the spec	QA against memory
Record evidence and dates	Say "it looked fine"
Smoke-test every release	Assume releases didn't touch SEO
Re-verify fixes	Close tickets without checking

42.6 Pros and cons of a fixed QA run

✅ Pros	❌ Cons
Consistent launches	Takes time per page
Catches regressions early	Tool access needed
Clear accountability	Must evolve with Google changes

42.7 Where freshers go wrong in Chapter 42 topics

Mistake	Why it happens	Avoid it by	Fix it by
Testing on staging only	Production feels risky	Smoke test on production	Re-testing live
Not checking HTTP headers	Only viewing HTML	Checking X-Robots-Tag	Adding header checks
Reporting without evidence	Rushing	The issue format	Adding screenshots

42.8 Thumb rules

👍 Spec, test, evidence, owner, date.

👍 Every release gets a smoke test.

👍 A fix isn't done until someone verified it.

42.9 Notes to remember

📝 Eighteen pre-launch checks per page.

📝 URL Inspection's live test shows rendered HTML before Google recrawls.

Chapter 42 Glossary

Term	Simple meaning
QA	Quality assurance: checking work before release
Smoke test	A quick check that nothing major broke
Crawler	A tool that visits many pages and reports issues
Regression	Something that worked before and broke after a change
Live test	URL Inspection fetching the current page now

Chapter 42 Quiz

1. What does URL Inspection's live test show?

- A) The current rendered HTML, response and structured data
- B) Font licences
- C) Revenue
- D) Competitor rankings

2. How often should the smoke test run?

- A) Only after penalties
- B) Every release
- C) Never
- D) Once a year

3. Which pages does the smoke test cover?

- A) Only the 404
- B) Every page on the internet
- C) Only policies
- D) robots.txt, sitemap, home and both money pages

4. What should an issue report include?

- A) Nothing
- B) A screenshot with no details
- C) Only a complaint
- D) Page, point, severity, evidence, owner and due date

5. Which tool checks events?

- A) Sharing Debugger
- B) Figma
- C) GTM Preview + GA4 DebugView
- D) W3C validator

6. How often is the full 22-point audit per template?

- A) Quarterly
- B) Never
- C) Every five years
- D) Every hour

7. Which tool checks social cards?

- A) Meta Sharing Debugger
- B) Search Console Performance
- C) GA4
- D) Clarity

8. When is a fix done?

- A) When it's planned
- B) When the ticket is closed
- C) When it's discussed
- D) When someone verified it

9. Why check HTTP headers?

- A) Headers set fonts
- B) X-Robots-Tag can noindex a page without any meta tag
- C) Headers hold schema
- D) No reason

10. In the wedding analogy, QA is...

- A) The planner's final walk-through
- B) The honeymoon
- C) The food
- D) The dance

Sources

1. Search Console Help, URL Inspection tool 🟢
2. Google Search Central, Rich Results Test 🟢
3. Ongo Weight Loss, live-site audit, 30 October 2026, and Book Three, Chapter 29 (governance), internal 🔵

Answer key, Chapter 42: 1-A · 2-B · 3-D · 4-D · 5-C · 6-A · 7-A · 8-D · 9-B · 10-A

Chapter 43: Refreshing Pages Without Faking Freshness

Medical facts, prices and guidelines change. Pages must change with them, honestly, with dates that tell the truth.

> 💡 **Trivia**
>
> Google's byline-date guidance says dates should reflect when the page itself was **published or significantly updated**, and warns against **future dates**. Its sitemap guidance says `lastmod` should reflect significant changes, not minor edits like the copyright year. [1][2] 🟢 Google official
>
> Changing a date without changing the page doesn't make it fresh. It makes it inaccurate.

43.1 What triggers a refresh

Trigger	Example	Urgency
Safety or regulatory change	FDA compounding status changes; new safety warning	🔴 Within days
Price or plan change	New plan prices in the pricing config	🔴 Same day (config updates all pages)
Factual error found	Wrong dose example	🔴 Same day
Clinical guideline update	New obesity-medicine guidance	🟠 Within a month
Scheduled medical review	Every 6–12 months for medical pages	🟢 Planned
Performance signal	Impressions up, clicks down (CTR drop); cannibalisation	🟢 Planned
Broken links or outdated sources	Quarterly link check	🟢 Planned

43.2 The refresh workflow

Step	Action	Owner
1	Log the trigger in the change log	SEO / content
2	Check the spec and the master-map record	SEO
3	Update content, sources, tables	Writer
4	Medical (and compliance) review	Reviewer
5	Update **Last updated** (if significant) and **Last reviewed**	Writer, from the CMS
6	Dates flow to JSON-LD, OG and sitemap from the CMS	Automatic
7	Re-run the QA checks that the change touched	SEO
8	URL Inspection → request indexing for important pages	SEO
9	Set a check date (4–6 weeks) to review impact	SEO

> 🪔 **Desi analogy: dukaan ka rate board**
>
> Sabzi wala har subah rate board badalta hai, kyunki rate sach mein badle hain. Agar woh bina rate badle sirf "aaj ki taarikh" badal de, toh grahak ko lagega naye rate hain, aur dhokha hoga. **Date tabhi badlo jab content sach mein badla ho.**

43.3 Significant vs. minor changes

Change	"Last updated"	"Last reviewed"	Sitemap lastmod
New section, new data, corrected medical facts	✅	✅ (after review)	✅
Medical review, no content change	—	✅	—
New internal links or structured data changes	✅ (if meaningful)	—	✅
Typo, image swap, layout change	—	—	—

Change	"Last updated"	"Last reviewed"	Sitemap lastmod
Price change from config	✅ on pages showing prices	—	✅

43.4 CTR refresh: titles and descriptions

When Search Console shows a page with many impressions but a low click-through rate:

Check	Action
Does the title match the main query's intent?	Rewrite the title to answer that intent (Chapter 5)
Is Google rewriting the title link?	Compare with the H1; align them
Is the snippet from the wrong part of the page?	Improve the description and the opening paragraph
Is another of our pages competing?	Cannibalisation check (Book Three, Chapter 17)

Change one thing at a time and wait a few weeks before judging.

> 🟧 **Ongo Weight Loss example**
>
> The live semaglutide dosing guide shows "26 October 2026" as both published and last-updated dates. When the first medical review cycle comes (or when a dose example changes), update the **Last updated** date and the JSON-LD `dateModified` together from the CMS, and add `article:modified_time`. If a review finds nothing to change, update only **Last reviewed**. 🔵

43.5 Do's and Don'ts

✅ Do	❌ Don't
Update dates only for real changes	Bump dates to look fresh
Re-review medical facts on schedule	Leave guides untouched for years
Change one thing at a time for CTR tests	Rewrite everything at once
Keep the change log	Edit silently

43.6 Pros and cons of scheduled refreshes

✅ Pros	❌ Cons
Accurate medical content	Reviewer time
Honest, trusted dates	Needs a calendar and owner
Catches broken sources	Risk of unnecessary rewrites

43.7 Where freshers go wrong in Chapter 43 topics

Mistake	Why it happens	Avoid it by	Fix it by
Date bumped, nothing changed	"Freshness" myths	The 43.3 table	Reverting the date
Prices updated on one page only	Typed by hand	Pricing config	Central source
Judging a title change after 3 days	Impatience	Check date	Waiting weeks

43.8 Thumb rules

👍 Real change, real date.

👍 Safety and price changes first; everything else on schedule.

👍 One change, one check date.

43.9 Notes to remember

📝 Dates must reflect real publication or significant updates; no future dates.

📝 "Last reviewed" can change without "Last updated".

Chapter 43 Glossary

Term	Simple meaning
Refresh	Updating an existing page
Significant update	A change to main content, data, structured data or links
Last reviewed	The date a clinician last checked the page
CTR	Click-through rate
Check date	When you'll judge a change's impact

Chapter 43 Quiz

1. When should "Last updated" change?

- A) When the copyright year changes
- B) When content significantly changes
- C) Never
- D) Every day

2. What's the urgency of a safety or regulatory change?

- A) Within days
- B) Never
- C) Only if traffic drops
- D) Next year

3. Can "Last reviewed" change without "Last updated"?

- A) Only for policies
- B) Yes
- C) No
- D) Only on blogs

4. Where do dates for JSON-LD, OG and sitemap come from?

- A) The CMS
- B) Clarity
- C) GA4

- D) Typed separately

5. What should you check when CTR drops?

- A) Font colour only
- B) Title intent, rewriting, snippet source and cannibalisation
- C) Server location
- D) Nothing

6. Should you use future dates?

- A) Only for promotions
- B) No
- C) Yes
- D) Only in schema

7. How many changes at a time in a CTR test?

- A) Everything
- B) One
- C) Ten
- D) None

8. How often are medical pages reviewed?

- A) Every 10 years
- B) Every hour
- C) Never
- D) Every 6–12 months (and when triggered)

9. Does a typo fix change the sitemap lastmod?

- A) Yes
- B) Only on Fridays
- C) Only for blogs
- D) No

10. In the rate-board analogy, changing only the date is…

- A) Required
- B) Good marketing
- C) Misleading the customer
- D) Harmless

Sources

1. Google Search Central, Influencing byline dates
2. Google Search Central, Build and submit a sitemap (last updated July 8, 2026)
3. Ongo Weight Loss, Book Three, Chapters 17 and 29, internal

Answer key, Chapter 43: 1-B · 2-A · 3-B · 4-A · 5-B · 6-B · 7-B · 8-D · 9-D · 10-C

LEVEL 4 · CHAPTER 44

Chapter 44: The ZETA Model for On-Page SEO

Zero-Error Tolerance Approach: the on-page mistakes that must never reach the live site, because they can't be undone or they put patients and the business at risk.

> 💡 **Trivia**
>
> Google doesn't use content from URLs returning `4xx` codes, and URLs that keep returning them are removed from the index. [1] 🟢 Google official
>
> One wrong line in a layout file (a site-wide `noindex`, a canonical to the homepage, `Disallow: /` in robots.txt) can push every page toward that outcome in a single release.

44.1 The ZETA zones (on-page edition)

Zone	Meaning	Example
🟢 **Green**	Low-risk, reversible	A title that could be sharper
🟠 **Amber**	Fixable with effort; report it	Missing OG image; empty alt on a meaningful image
🔴 **Red**	Irreversible, dangerous or non-compliant	PHI in analytics; site-wide noindex; brand drug name in a commercial title

44.2 The On-Page Red List: never, ever

#	Never do this	Why
1	Send **PHI or personal data** (names, contacts, weight, BMI, calculator inputs or results, medications, eligibility answers) to GA4, GTM, Clarity, Ads, URLs or page titles	Privacy law; can't be un-sent

#	Never do this	Why
2	Ship a **site-wide noindex**, a layout canonical to the homepage, or `Disallow: /` to production	Whole site leaves Google
3	Put **brand drug names** in commercial titles, descriptions, URLs, CTAs, OG images or schema in the launch phase	Trademark and ad-policy risk
4	Call compounded medications **FDA-approved**, or attribute brand trial results to them	False and misleading claims
5	Name the **partner pharmacy** anywhere public	Standing confidentiality rule
6	Mark up **fake or unseen facts** (invented ratings, hidden FAQs, reviewers who didn't review)	Deception; structured data policy
7	**Change dates** without real changes, or show future dates	Misleading; trust loss
8	Load **Clarity** (or any recorder) on the portal, onboarding or forms, or unmask inputs	Recording health data
9	Change or remove a **live URL without a 301** and link updates	Lost signals and backlinks
10	**Rename or delete events** without updating the dictionary, reports and the map	Breaks measurement history

44.3 Warning signs

You hear…	It usually means…
"Let's add BMI to the event so we can segment"	Red List #1
"Just copy the staging config to prod"	Red List #2 (noindex / Disallow)
"Wegovy gets more searches, put it in the title"	Red List #3
"Add 4.9 stars in schema, it looks good"	Red List #6
"Bump the dates so Google thinks it's fresh"	Red List #7
"Turn on Clarity everywhere, it's free"	Red List #8
"Clean up the URL, no need for a redirect"	Red List #9

> 🪔 **Desi analogy: cricket mein no-ball**
>
> Bowler kitna bhi achha ho, front foot no-ball pe wicket bhi cancel aur free hit bhi milta hai. **Kuch galtiyan aisi hain jinka nuksaan sirf ek ball ka nahi, poore match ka hota hai.** Red List wahi no-ball line hai: kabhi cross nahi karni.

44.4 The ZETA release gate (60 seconds)

Step	Check
Robots	Production robots.txt allows the site; no site-wide noindex
Canonical	Spot-check 3 pages: self-canonical
Brand	No brand drug names in changed titles/meta/URLs
Data	GTM Preview: no PHI in new events
Clarity	Not loading on portal/forms
Redirects	Every changed URL has a 301
Log	Release noted in the change log

> 🟧 **Ongo Weight Loss example**
>
> The baseline found no Red List breach in what we could test. The two items closest to the line are worth confirming this week: Clarity's masking mode and page scope (#8), and the `noindex, nofollow` money pages that sit in the sitemap (a conflicting signal, not a breach, but one release away from a mistake). 🔵
>
> 📝 **Note to remember:** the worst ZETA mistake is hiding a ZETA mistake. Report it the same day to your team lead.

44.5 Do's and Don'ts

✅ Do	❌ Don't
Run the release gate every deploy	Skip it "just this once"
Report Red List issues the same day	Fix quietly

✅ Do	❌ Don't
Keep the Red List visible to dev, content and analytics	Keep it only in this book

44.6 Pros and cons of zero tolerance

✅ Pros	❌ Cons
Prevents irreversible damage	Adds a minute to every release
Protects patients and the brand	Needs leadership backing
Clear for freshers	Requires constant awareness

44.7 Where freshers go wrong in Chapter 44 topics

Mistake	Why it happens	Avoid it by	Fix it by
Treating a Red item as amber	Underestimating risk	The zone table	Escalating immediately
Skipping the gate under deadline	Pressure	Making it routine	Pausing the release
Fixing silently	Fear	Same-day reporting	Telling your lead

44.8 Thumb rules

> 👍 Reversible mistakes are lessons; irreversible ones are ZETA.
>
> 👍 Robots, canonical, brand, data, Clarity, redirects, log.
>
> 👍 Report the same day, always.

44.9 Notes to remember

📝 Ten-item On-Page Red List; seven warning signs; seven-step release gate.

📝 ZETA = Zero-Error Tolerance Approach (Ongo Weight Loss internal model, not a Google term).

Chapter 44 Glossary

Term	Simple meaning
ZETA	Zero-Error Tolerance Approach
Red List	On-page actions that are never allowed
Release gate	A short check before every deploy
Site-wide noindex	A noindex applied to every page by mistake
Free hit	(Analogy) the extra penalty after a no-ball

Chapter 44 Quiz

1. What does ZETA stand for?

- A) Zero Effort To Act
- B) Zonal Entity Tag Audit
- C) Zero-Error Tolerance Approach
- D) Zone of Extra Traffic Analysis

2. Which is on the On-Page Red List?

- A) Sending BMI to GA4
- B) Adding an H3
- C) Updating alt text
- D) Rewriting a meta description

3. "Copy the staging config to prod" risks...

- A) A site-wide noindex or Disallow
- B) Nothing

- C) Better rankings
- D) Faster pages

4. Which zone is "missing OG image"?

- A) None
- B) Red
- C) Amber
- D) Green

5. Can compounded drugs be called FDA-approved?

- A) Only on blogs
- B) Never
- C) Only in schema
- D) Yes

6. What's the first check in the release gate?

- A) Robots
- B) Fonts
- C) Colours
- D) Logo

7. What should you do with a Red List mistake?

- A) Blame the tool
- B) Report it the same day
- C) Hide it
- D) Wait a month

8. Can the partner pharmacy be named publicly?

- A) Yes
- B) Only in the footer
- C) Only in schema
- D) No

9. Is ZETA a Google term?

- A) No, it's an Ongo Weight Loss internal model
- B) It's an FDA rule
- C) Yes
- D) It's a W3C rule

10. In the cricket analogy, the Red List is...

- A) The toss
- B) The pitch report
- C) The drinks break
- D) The no-ball line you never cross

Sources

1. Google Search Central, How HTTP status codes and network errors affect Google Search (last updated February 4, 2026) 🟢
2. Google Search Central, General structured data guidelines 🟢
3. Ongo Weight Loss, Book Two (Chapter 48) and Book Three (Chapter 32), ZETA model, internal 🔵

Answer key, Chapter 44: 1-C · 2-A · 3-A · 4-C · 5-B · 6-A · 7-B · 8-D · 9-A · 10-D

Back Matter

Appendix A: The 22-Point Launch Checklist

Print this for every page. A page launches when every line is ✅ or has an owner and a date.

#	Point	Test	Pass when	✅
1	Meta data	View source	Unique title (≈60 chars, ends "| Ongo Weight Loss") and description (≈140–160 chars) matching the spec	☐
2	Alt tags	axe / DevTools	Meaningful images described; decorative `alt=""`; no missing alt	☐
3	H1/H2/H3	HeadingsMap / source	One H1; nested outline matching the spec; no styling headings	☐
4	W3C validation	Nu HTML Checker	No duplicate IDs, invalid nesting or unlabeled inputs	☐
5	XML sitemap	sitemap.xml	Page listed only if indexed; one host; real lastmod	☐
6	robots.txt	/robots.txt	Page crawlable (unless portal); sitemap line present	☐
7	Canonical	Source	Absolute self-canonical; https, non-www, lowercase, trailing slash	☐
8	OG cards	Sharing Debugger	og:title, type, image (1200×630), url (+ description, alt)	☐
9	Viewport	Source	`width=device-width, initial-scale=1`; zoom allowed	☐
10	Schema	Rich Results Test + validator	Valid, true, visible; correct types for the template	☐
11	404 page	Fake URL test (`curl -I`)	HTTP 404 (not a streamed 200); branded title; helpful links; noindex	☐
12	URL normalisation	Redirect checker	Variants reach the final URL in one 301/308	☐
13	ARIA labels	Keyboard + screen reader	Every control named; states update; contrast ≥ 4.5:1	☐
14	GA4	DebugView	Page view + page_meta parameters; no PII/PHI	☐

#	Point	Test	Pass when	✅
15	GSC	URL Inspection	Live test shows H1, links, JSON-LD; canonical agreed	☐
16	GTM	Tag Assistant	One container; tags fire once	☐
17	Clarity	Network tab + settings	Only if allowed; Strict masking; never on portal/forms	☐
18	Custom events	Preview + DebugView	Named per the dictionary; no values from inputs	☐
19	Breadcrumbs	Page + Rich Results Test	Visible trail = BreadcrumbList (not on homepage)	☐
20	Dates	Page + JSON-LD + OG	Visible labelled dates match datePublished/dateModified	☐
21	Favicon	/favicon.ico + head	ICO + PNG (≥48 px) + apple-touch-icon; crawlable	☐
22	Logo to SVG	Source	Header logo SVG with accessible link name; PNG logo in schema	☐
+	sitemap.html	/sitemap.html	Lists every indexed page; linked from the footer	☐
+	Compliance	Reviewer sign-off	No brand drug names (commercial), no FDA-approved claims for compounded drugs, no outcome claims	☐

Appendix B: Next.js Snippet Library

Root layout defaults

```
export const metadata: Metadata = {
  metadataBase: new URL('https://ongoweightloss.com'),
  title: { default: 'Ongo Weight Loss | Doctor-Led Medical Weight Loss Care', template: '%s |
Ongo Weight Loss' },
  description: 'Ongo Weight Loss offers doctor-led online weight loss care …',
  openGraph: { siteName: 'Ongo Weight Loss', locale: 'en_US', type: 'website' },
  twitter: { card: 'summary_large_image' },
  robots: { index: true, follow: true, googleBot: { 'max-image-preview': 'large', 'max-
snippet': -1 } },
}
export const viewport: Viewport = { width: 'device-width', initialScale: 1, themeColor:
'#1B4332' }
```

Page metadata helper

```
export function pageMeta(p: { path: string; title: string; description: string; og: string;
ogAlt: string; index?: boolean }) {
  return {
    title: p.title,
    description: p.description,
    alternates: { canonical: p.path },
    robots: p.index === false ? { index: false, follow: true } : undefined,
    openGraph: { ...sharedOpenGraph, title: `${p.title} | Ongo Weight Loss`, url: p.path,
      images: [{ url: p.og, width: 1200, height: 630, alt: p.ogAlt }] },
  }
}
```

JSON-LD component

```
export const JsonLd = ({ data }: { data: object }) => (
  <script type="application/ld+json"
    dangerouslySetInnerHTML={{ __html: JSON.stringify(data).replace(/</g, '\\u003c') }} />
)
```

robots.ts (environment-aware)

```
export default function robots(): MetadataRoute.Robots {
  if (process.env.VERCEL_ENV !== 'production') return { rules: { userAgent: '*', disallow:
'/' } }
  return { rules: { userAgent: '*', allow: '/', disallow: ['/api/', '/account/', '/admin/']
},
           sitemap: 'https://ongoweightloss.com/sitemap.xml' }
}
```

next.config.ts essentials

```
const nextConfig = {
  trailingSlash: true,
  async headers() {
    return [{ source: '/weightloss-onboard/:path*', headers: [{ key: 'X-Robots-Tag', value:
'noindex, nofollow' }] }]
  },
  async rewrites() { return [{ source: '/sitemap.html', destination: '/html-sitemap/' }] },
  async redirects() { return [/* redirect map: old → new, permanent: true */] },
}
```

Favicon files in app/

```
app/favicon.ico      (16/32/48)
app/icon.png         (192×192)
app/icon.svg         (optional extra)
app/apple-icon.png   (180×180)
app/manifest.ts      (192 and 512 icons)
```

Not-found page and missing data

```
// app/not-found.tsx → title "Page Not Found" (Next.js adds noindex on 404), helpful links
// dynamic routes:
if (!post) notFound()
```

Appendix C: Event Dictionary (Book Four version)

Event	Parameters	Key event	Never include
`page_meta`	silo, page_type, hub_parent, funnel_stage, macro_intent, micro_intent, primary_entity, launch_phase, index_state	—	Personal data
`cta_[pagegroup]_[action]`	cta_position, cta_text, page_path	—	—
`exit_to_portal`	source_page, vertical, first_landing_page	✅	—
`internal_link_click`	link_source, link_target, link_position, source_stage, target_stage	—	—
`tool_complete_[tool]`	tool_name	`tool_complete_eligibility_checker` ✅	Inputs, results
`outbound_click_[context]`	link_domain, page_path	—	—

Event	Parameters	Key event	Never include
`form_submit_[form]`	form_name	—	Field contents
`portal_[step]`	step_name	`portal_signup_complete`, `portal_payment_complete` ✅	Answers, health data
`page_not_found`	requested_path (no query)	—	Query strings
`video_start` / `video_complete`	video_title, page_path	—	—
`faq_open`	faq_id	—	Long question text
`phone_click` / `email_click` / `chat_open`	page_path, position	—	—
Retired	Brand-drug CTA events; all `*_check_insurance`	—	—

Appendix D: Design Tokens from the Baseline Audit

Token	Hex / value	Use
green-900 (brand)	#1B4332	Headings, accents
green-950	#16352C	Dark sections
mid green	#347E5D	Accents
mint-100	#D8F3DC	Card backgrounds
cream-50	#FFFBF5	Page background
ink-900	#1A1A1A	Body text
slate-600	#5C6B73	Secondary text and captions

Token	Hex / value	Use
coral-500	#E76F51	Decorative accents, large text only
coral-700 (proposed CTA)	**#C4502F**	Primary buttons (white text ≈ 4.6:1)
orange accent	#EE8A4F	Decorative accents
gold-500	#E4B23A	Stars, labels on green
Font	Self-hosted via next/font (Plus Jakarta Sans to be confirmed), weights 400/600/700	All text
Type scale	52 / 40 / 24 / 20 / 17 / 15 / 13 px (+ 13 px eyebrow)	Chapter 26

Appendix E: Formulas and Limits

What	Formula or limit	Source
Contrast ratio	(L1 + 0.05) / (L2 + 0.05), where L is relative luminance of the lighter (L1) and darker (L2) colour	W3C WCAG
Contrast needed (AA)	4.5:1 normal text; 3:1 large text (≥ 24 px, or ≥ 18.5 px bold) and UI components	W3C WCAG 2.2
Title length	No Google limit; aim ≈ 50–60 characters before truncation	Google + industry habit
Description length	No Google limit; aim ≈ 140–160 characters	Google + industry habit
Sitemap size	50,000 URLs or 50 MB uncompressed per file	Google
GA4 event name	≤ 40 characters	Google Analytics
GA4 parameters	≤ 25 per event; values ≤ 100 characters	Google Analytics
GA4 custom dimensions	50 event-scoped; 25 user-scoped (standard)	Google Analytics
Organization logo	≥ 112 × 112 px	Google

What	Formula or limit	Source
Favicon	Square; ≥ 8 × 8 px; recommended > 48 × 48 px; ICO/PNG/JPEG/GIF/BMP/PPM/TIFF	Google
OG image	1200 × 630 px (1.91:1)	Ongo Weight Loss standard
Touch target	≥ 24 × 24 CSS px	W3C WCAG 2.2

Templates and Checklists

The ZETA release gate (every deploy)

☐	Check
☐	Production robots.txt allows the site; no site-wide noindex
☐	Three pages spot-checked for self-canonicals
☐	No brand drug names in changed titles, meta, URLs or CTAs
☐	GTM Preview: no PHI in new or changed events
☐	Clarity not loading on portal or forms
☐	Every changed URL has a 301 and updated internal links
☐	Release logged in the change log

Issue report template

Field	Value
Page	
Point (1–22)	
Severity (blocker / high / normal)	
Found	
Expected	
Evidence (link, screenshot, date)	

Field	Value
Owner · due date	
Verified fixed (date, by)	

Page refresh log

Date	Page	Trigger	What changed	Reviewer	Last updated changed?	Check date

Glossary (A to Z)

Term	Simple meaning	Ch.
308 redirect	Permanent redirect that keeps the request method	32
404	Not found	33
410	Gone (removed permanently)	33
Above the fold	Visible without scrolling	8
Accessible name	What assistive tech announces for a control	34
Active voice	The subject does the action	9
AI Mode	Google's conversational AI search experience	17
AI Overview	An AI-generated summary at the top of some Google results	17
alternates.canonical	Next.js field that outputs the canonical tag	20
Alt text	Text alternative describing an image	13
Anchor text	The clickable words of a link	11
Anonymise	Remove anything that identifies a person	15
Answer block	A short direct answer under a heading	17
apple-touch-icon	Icon used when saving to an iPhone home screen	30
App Router	Next.js routing system based on the `app/` folder	2

Term	Simple meaning	Ch.
ARIA	Attributes that add accessibility meaning to HTML	34
aria-current="page"	Marks the current page for assistive technology	12
aria-expanded	Tells assistive tech whether a menu is open	24
aria-live	Announces content changes	34
Baseline	The starting snapshot you compare against later	4
Blocker	A failure that stops a launch	3
Boilerplate	Repeated text that barely changes between pages	5
Breadcrumb	A trail of links showing where a page sits	12
BreadcrumbList	Schema.org type for breadcrumb markup	12
Byline	The "written by" line	10
Canonical URL	The preferred version of a page	20
caption	The title of a table	16
Case sensitive	Upper and lower case letters are treated as different	3
Check date	When you'll judge a change's impact	43
Citation	A reference to the source of a claim	18
Click-through rate (CTR)	Clicks divided by impressions	6
Client Component	A component that runs in the browser (`'use client'`)	2
Cloaking	Showing different content to users and to search engines	17
Closed captions	On-screen text of the audio, toggled on or off	14
Computed style	The final CSS value the browser actually applies	4
Container	The GTM bundle of tags for a site	35
Contextual link	A link inside body text	11
Contrast ratio	How different two colours are in brightness	4
Crawl	Google fetching a URL	2

Term	Simple meaning	Ch.
Crawl budget	How much Google is willing to crawl on a site	28
Crawler	A tool that visits many pages and reports issues	42
CTR	Click-through rate	43
Custom dimension	A parameter registered for reporting	36
Data attribute	A custom HTML attribute like `data-event`	39
data-clarity-mask	HTML attribute that masks an element	38
Data layer	A JavaScript array the site pushes information into	35
data-nosnippet	An HTML attribute that hides one section from snippets	6
Data stream	A source of data (a website) in GA4	36
dateModified	Structured-data date when a page was last significantly changed	10
datePublished	Structured-data date when a page was first published	10
DebugView	GA4's live view for testing events	3
Decorative image	An image that adds no information	13
Definition of done	The conditions that make a page complete	3
Description list	Term-and-definition pairs	16
Design token	A named value (colour, size) used across the site	26
details/summary	Native HTML show/hide elements	15
Disallow	A path crawlers should not fetch	28
Domain property	A GSC property covering a whole domain	37
Do query	A query looking to complete an action	8
Duplicate ID	Two elements with the same id	31
E-E-A-T	Experience, Expertise, Authoritativeness, Trust	1
End box	A soft next-step block at the end of a blog post	40
Enhanced measurement	Automatic GA4 events like scrolls and outbound clicks	36

Term	Simple meaning	Ch.
Event dictionary	The official list of event names and parameters	39
exit_to_portal	Event for clicks leaving the site for the patient portal	39
Eyebrow	Small label text above a heading	7
Facade	A thumbnail placeholder that loads the player on click	14
FAQPage	Schema.org type for FAQ content	15
FAQ rich result	Expandable Q&As under a search result (retired)	15
Favicon	The small icon for a site	30
Fix in place	Improving a live page without removing it from the index	41
Focus outline	The visible ring around the focused element	34
font-display: swap	Show fallback text until the font loads	26
Free hit	(Analogy) the extra penalty after a no-ball	44
Google-Extended	robots.txt token controlling some AI uses of content outside Search	17
Google-selected canonical	The URL Google chose as canonical	20
@graph	A list of connected entities in one script	23
GTM	Google Tag Manager	35
H1	The main page heading	7
Heatmap	A map of where people click or scroll	38
History Change	A GTM trigger for in-app route changes	35
HTML sitemap	A human-readable page linking to all public sections	27
Hydration	React attaching interactivity to server HTML	31
@id	A stable identifier for an entity	23
ImageResponse	Next.js API for generating images from code	22
Image sitemap	A sitemap listing images for discovery	13

Term	Simple meaning	Ch.
Index	Storing and understanding a page	2
Indexing state	Whether a page is indexed, temporarily noindexed or permanently noindexed	21
Index state	Whether a page is indexed, temporarily noindexed, or permanently noindexed	41
Intent match	The page meets what the searcher wanted	8
Interstitial	A pop-up or overlay that covers content	8
ISO 8601	Standard date format, e.g. 2026-10-26T09:00:00-05:00	10
JSON-LD	A JSON format for structured data	23
Key event	An event marked as important (formerly "conversion")	36
Key takeaways	A short summary list near the top	40
Know query	A query looking for information	8
Landmark	A labelled page region, like navigation	12
lang attribute	Declares the page's language	30
lastmod	The "last modified" date in a sitemap	4
Last reviewed	The date a clinician last checked the page	43
Launch standard	The checks a page must pass before going live	3
Layout shift	Content jumping as images load	13
Line length	Characters per line of text	26
link_position	The tracked location of a link on the page	11
ListItem	One step in a BreadcrumbList	12
Live test	URL Inspection fetching the current page now	42
Masking	Hiding content from recordings	38
MedicalWebPage	Schema.org type for pages about health topics	23
Mega-menu	A large dropdown navigation panel	24

Term	Simple meaning	Ch.
Merged page	A duplicate page redirected into the stronger one	41
Metadata API	Next.js system that generates head tags	19
metadataBase	Base URL used to resolve relative metadata URLs	19
Meta description	A short page summary in the page head	6
Nested interactive	A link or button inside another (to avoid)	29
next/font	Next.js font loader that self-hosts fonts	26
next/image	Next.js image component with automatic optimisation	25
next/link	The Next.js component for internal links	11
nofollow (page-level)	Asks search engines not to follow links on the page	21
noindex	Asks search engines not to index a page	21
noopener	Security attribute for links opening new tabs	18
nosnippet	A robots rule that stops snippets	6
notFound()	Next.js function that triggers a 404	33
not-found.tsx	Next.js file for the 404 page	33
Nu HTML Checker	W3C's HTML validator	31
og:image:alt	Text describing the share image	22
On-page SEO	Everything on a page and in its code that helps people and search engines understand it	1
Open Graph (OG)	Tags that control how links look when shared	22
Ordered list	A numbered list for steps	16
Outline	The nested list of headings on a page	7
Page record	The master-map row that defines a page (Book Three)	1
Parameter	Extra URL text after `?`	20
People also ask	Google's box of related questions	15

Term	Simple meaning	Ch.
People-first content	Content made mainly to help people, not to attract search visits	9
PHI	Protected health information	1
Prefetch	Loading the next page in the background	24
Price config	One data file with all prices	40
Pricing config	One data file that holds all prices	16
priority	Preloads an important image	25
Product link	A connection between Google products (e.g. GSC ↔ GA4)	37
proxy.ts	Next.js 16 file (formerly middleware) that runs before routes	32
QA	Quality assurance: checking work before release	42
Query string	The part of a URL after `?`	32
Rage click	Repeated clicking in frustration	38
Reconciliation	Matching the live site with the master map	41
Redirect chain	Several redirects in a row	32
Redirect hop	An extra step when a link points to a redirected URL	11
Red List	On-page actions that are never allowed	44
Refresh	Updating an existing page	43
Regression	Something that worked before and broke after a change	42
Release gate	A short check before every deploy	44
rel="nofollow"	Asks Google not to associate your site with the target	18
rel="sponsored"	Marks paid or affiliate links	18
rel="ugc"	Marks links in user-generated content	18
Render	Running the page's code to see the final content	2
reviewedBy	Schema.org property naming who reviewed a page	10
Rewrite	Serving one path's content at another URL without redirecting	27

Term	Simple meaning	Ch.
Rich result	An enhanced search listing	23
robots.ts	Next.js file that generates robots.txt	28
robots.txt	A root file with crawl rules	28
Scaled content abuse	Mass-producing pages mainly to manipulate rankings	9
scope	Tells assistive tech which cells a header describes	16
Screen reader	Software that reads pages aloud	7
Self-referencing canonical	A page's canonical points to itself	20
Semantic HTML	Using elements for their meaning	29
Server Component	A Next.js component rendered on the server	2
Session recording	A replay of a visitor's interactions	38
Shallow merge	Nested objects are replaced, not combined	19
Sharing Debugger	Meta's tool to preview and refresh link cards	22
Significant update	A change to main content, data, structured data or links	43
Sitemap index	A file that lists several sitemaps	27
Site-wide noindex	A noindex applied to every page by mistake	44
sizes	Tells the browser how wide the image will display	25
Skip link	A link that jumps past the menu to the content	29
Smoke test	A quick check that nothing major broke	42
snake_case	Lowercase words joined by underscores	39
Snippet	The text under the title link in results	6
Soft 404	An error-looking page that returns 200	33
Spec	The full on-page definition of one page	41
srcset	Lets the browser pick the right image size	13

Term	Simple meaning	Ch.
Streaming metadata	Sending metadata after the first HTML	2
SVG	Scalable Vector Graphics: a drawing made of shapes	25
SVGO	A tool that optimises SVG files	25
Tag Assistant	GTM's preview and debug tool	39
Template	A reusable page structure for one page type	40
Template matrix	The table of required elements per page type	40
Temporary noindex	Noindex until a page passes the launch checklist	21
text-wrap: balance	CSS that evens out line lengths in headings	7
time element	Marks a date or time with a machine-readable value	29
title.absolute	A title that ignores the template	19
Title element	The `<title>` tag in the page head	5
Title link	The clickable headline Google shows in results	5
Title template	A pattern like "%s | Ongo Weight Loss" applied to child pages	5
title.template	Pattern for child titles	19
Titration	Slowly increasing a medication dose	9
Transcript	The full text of what's said in a video	14
Trigger	The rule that fires a tag	35
Truncation	Cutting off text that doesn't fit	5
Twitter card	X's version of a share card	22
TXT record	A DNS text entry used for verification	37
Type scale	A small, fixed set of text sizes	4
URL Inspection	GSC tool showing Google's view of one URL	37
URL normalisation	Making every variant resolve to one URL	32
URL-prefix property	A GSC property for one URL prefix	37

Term	Simple meaning	Ch.
useId()	React hook that creates unique IDs	31
User-agent	The crawler a rule applies to	28
VideoObject	Schema.org type describing a video	14
Viewport meta	Tells mobile browsers how to size the page	30
W3C	The World Wide Web Consortium, which sets web standards	31
Watch page	A page whose main purpose is a video	14
WCAG	Web Content Accessibility Guidelines	34
Web manifest	File describing an installable web app	30
XML sitemap	A machine-readable list of URLs	27
X-Robots-Tag	An HTTP header carrying robots rules	21
YMYL	Your Money or Your Life: topics that can affect health, money or safety	1
ZETA	Zero-Error Tolerance Approach	44

MCQ Answer Keys (all chapters)

Try every quiz first, then turn the page upside down to check.

Chapter	Answers
1	1-A · 2-B · 3-D · 4-D · 5-D · 6-D · 7-B · 8-A · 9-C · 10-B
2	1-C · 2-D · 3-A · 4-B · 5-A · 6-C · 7-B · 8-C · 9-C · 10-B
3	1-C · 2-A · 3-B · 4-C · 5-C · 6-B · 7-D · 8-B · 9-D · 10-D
4	1-C · 2-D · 3-B · 4-A · 5-D · 6-A · 7-D · 8-D · 9-A · 10-C
5	1-A · 2-B · 3-B · 4-D · 5-C · 6-A · 7-A · 8-A · 9-B · 10-C
6	1-B · 2-D · 3-C · 4-B · 5-C · 6-B · 7-D · 8-D · 9-A · 10-C
7	1-B · 2-B · 3-A · 4-D · 5-B · 6-B · 7-B · 8-A · 9-C · 10-B
8	1-A · 2-B · 3-A · 4-C · 5-C · 6-B · 7-A · 8-D · 9-C · 10-A
9	1-B · 2-C · 3-C · 4-A · 5-B · 6-B · 7-B · 8-D · 9-D · 10-D
10	1-D · 2-B · 3-B · 4-A · 5-A · 6-D · 7-C · 8-B · 9-C · 10-D
11	1-D · 2-C · 3-D · 4-C · 5-C · 6-C · 7-C · 8-B · 9-B · 10-B
12	1-C · 2-A · 3-D · 4-A · 5-C · 6-A · 7-D · 8-C · 9-B · 10-A
13	1-D · 2-A · 3-B · 4-D · 5-D · 6-D · 7-A · 8-B · 9-B · 10-C
14	1-A · 2-B · 3-C · 4-C · 5-A · 6-A · 7-B · 8-C · 9-D · 10-D
15	1-C · 2-B · 3-D · 4-A · 5-B · 6-C · 7-A · 8-A · 9-B · 10-C
16	1-B · 2-D · 3-A · 4-B · 5-A · 6-C · 7-D · 8-D · 9-A · 10-C

Chapter	Answers
17	1-C · 2-C · 3-C · 4-C · 5-A · 6-D · 7-B · 8-A · 9-C · 10-B
18	1-D · 2-C · 3-B · 4-B · 5-B · 6-D · 7-B · 8-C · 9-D · 10-A
19	1-B · 2-A · 3-D · 4-B · 5-C · 6-A · 7-D · 8-D · 9-C · 10-C
20	1-D · 2-B · 3-B · 4-A · 5-B · 6-D · 7-C · 8-D · 9-B · 10-D
21	1-D · 2-B · 3-D · 4-B · 5-D · 6-D · 7-B · 8-A · 9-A · 10-C
22	1-A · 2-D · 3-A · 4-A · 5-B · 6-D · 7-C · 8-B · 9-D · 10-A
23	1-A · 2-C · 3-C · 4-A · 5-A · 6-D · 7-A · 8-C · 9-C · 10-A
24	1-A · 2-B · 3-C · 4-D · 5-D · 6-A · 7-D · 8-B · 9-C · 10-C
25	1-A · 2-D · 3-A · 4-A · 5-A · 6-B · 7-B · 8-D · 9-B · 10-B
26	1-B · 2-A · 3-D · 4-B · 5-B · 6-A · 7-C · 8-C · 9-A · 10-D
27	1-A · 2-D · 3-D · 4-B · 5-D · 6-C · 7-C · 8-C · 9-C · 10-C
28	1-C · 2-A · 3-C · 4-B · 5-C · 6-D · 7-D · 8-C · 9-A · 10-A
29	1-B · 2-B · 3-B · 4-C · 5-A · 6-B · 7-A · 8-A · 9-C · 10-C
30	1-A · 2-C · 3-D · 4-D · 5-B · 6-D · 7-C · 8-A · 9-C · 10-A
31	1-D · 2-A · 3-B · 4-C · 5-C · 6-A · 7-D · 8-D · 9-D · 10-D
32	1-D · 2-C · 3-B · 4-A · 5-B · 6-C · 7-A · 8-D · 9-C · 10-D

Chapter	Answers
33	1-B · 2-C · 3-A · 4-A · 5-D · 6-C · 7-D · 8-D · 9-A · 10-B
34	1-D · 2-A · 3-A · 4-D · 5-B · 6-B · 7-C · 8-A · 9-B · 10-C
35	1-D · 2-B · 3-B · 4-D · 5-D · 6-D · 7-D · 8-D · 9-A · 10-A
36	1-A · 2-D · 3-A · 4-D · 5-A · 6-B · 7-A · 8-D · 9-D · 10-A
37	1-A · 2-C · 3-A · 4-D · 5-D · 6-A · 7-A · 8-A · 9-C · 10-A
38	1-B · 2-C · 3-B · 4-A · 5-D · 6-C · 7-B · 8-A · 9-D · 10-D
39	1-B · 2-A · 3-A · 4-B · 5-B · 6-C · 7-C · 8-A · 9-A · 10-D
40	1-D · 2-B · 3-C · 4-A · 5-C · 6-D · 7-D · 8-C · 9-B · 10-A
41	1-C · 2-C · 3-A · 4-D · 5-A · 6-A · 7-B · 8-B · 9-B · 10-D
42	1-A · 2-B · 3-D · 4-D · 5-C · 6-A · 7-A · 8-D · 9-B · 10-A
43	1-B · 2-A · 3-B · 4-A · 5-B · 6-B · 7-B · 8-D · 9-D · 10-C
44	1-C · 2-A · 3-A · 4-C · 5-B · 6-A · 7-B · 8-D · 9-A · 10-D

Sources Index (by chapter)

Chapter 1: What On-Page SEO Means for Ongo Weight Loss

1. Google Search Central, SEO Starter Guide (last updated December 10, 2025) 🟢
2. Google, Search Quality Rater Guidelines (version of September 11, 2025) 🟢
3. Ongo Weight Loss, live-site audit of ongoweightloss.com, 30 October 2026 (internal) 🔵

Chapter 2: How Google Reads a Next.js Page

1. Next.js Docs, generateMetadata (last updated August 19, 2026) 🟢
2. Google Search Central, In-depth guide to how Google Search works 🟢
3. Google Search Central, Understand JavaScript SEO basics 🟢

Chapter 3: The 22-Point On-Page Launch Standard

1. Google Search Central, URL structure best practices (last updated October 21, 2026)
2. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 4: The Live-Site Baseline: ongoweightloss.com on 30 October 2026

1. Google Search Central, Build and submit a sitemap (last updated July 8, 2026)
2. W3C, Understanding SC 1.4.3: Contrast (Minimum)
3. Google Search Central, Define a favicon to show in search results (last updated October 27, 2026)
4. Ongo Weight Loss, live-site audit of ongoweightloss.com, 30 October 2026 (internal)

Chapter 5: Title Tags That Earn the Click

1. Google Search Central, Influencing your title links in search results (last updated December 10, 2025)
2. Next.js Docs, generateMetadata: title (last updated August 19, 2026)
3. Ongo Weight Loss, Book One: The Foundation, Chapter 9 (brand-name rule), internal

Chapter 6: Meta Descriptions That Summarise, Not Sell

1. Google Search Central, Control your snippets in search results (last updated April 20, 2026)
2. Next.js Docs, generateMetadata: description (last updated August 19, 2026)

Chapter 7: H1, H2, H3: The Page Outline

1. Google Search Central, Influencing your title links in search results (last updated December 10, 2025)
2. W3C WAI, Headings tutorial
3. John Mueller (Google), public comments on multiple H1s, Search Central office hours and social posts
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 8: The First Screen: Opening Paragraph and Intent Match

1. Google, Search Quality Rater Guidelines (version of September 11, 2025)
2. Google Search Central, Avoid intrusive interstitials and dialogs
3. Ongo Weight Loss, Book Three, Chapters 4 and 15 (intent and separation rules), internal

Chapter 9: Body Content: Helpful, Readable, Compliant

1. Google Search Central, Creating helpful, reliable, people-first content
2. Google Search Central, Spam policies for Google web search (last updated August 28, 2026)

3. Ongo Weight Loss, Book One, Chapters 5 and 9 (compliance language), internal

Chapter 10: Trust on the Page: Bylines, Reviewers and Dates

1. Google Search Central, Influencing byline dates in Google Search
2. Google Search Central, Build and submit a sitemap (last updated July 8, 2026)
3. Schema.org, MedicalWebPage and WebPage: reviewedBy, lastReviewed
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 11: Internal Links and Anchor Text on the Page

1. Google Search Central, Link best practices for Google
2. Next.js Docs, Link component
3. Ongo Weight Loss, Book Three, Chapters 23–24 (linking rules and link map), internal

Chapter 12: Breadcrumbs: Visible Trail and BreadcrumbList

1. Google Search Central, Breadcrumb (BreadcrumbList) structured data (last updated September 8, 2026)
2. W3C WAI-ARIA Authoring Practices, Breadcrumb pattern
3. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 13: Image SEO and Alt Text

1. Google Search Central, Google image SEO best practices (last updated March 2, 2026)
2. W3C WAI, Images tutorial: decision tree
3. Next.js Docs, Image component
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 14: Video on the Page

1. Google Search Central, Video SEO best practices
2. Google Search Central, Video (VideoObject) structured data
3. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 15: FAQs After the End of FAQ Rich Results

1. Industry coverage of Google ending FAQ rich results, e.g. PPC Land; Ongo Weight Loss, Book Three, Chapter 26
2. Google Search Central, General structured data guidelines
3. W3C WAI, Disclosure (show/hide) pattern

Chapter 16: Tables, Lists and Comparison Content

1. Google Search Central, Google image SEO best practices (last updated March 2, 2026)
2. W3C WAI, Tables tutorial
3. Ongo Weight Loss, Book Three, Chapter 19 and the Phase 1 comparison rule, internal

Chapter 17: Answer-Ready Pages for AI Overviews and AI Mode

1. Google Search Central, AI features and your website
2. Google Search Central, Google's common crawlers: Google-Extended
3. Google Search Central, Spam policies for Google web search (last updated August 28, 2026)

Chapter 18: External Links and Citations

1. Google Search Central, Qualify your outbound links to Google
2. U.S. FDA, Human Drug Compounding
3. Ongo Weight Loss, Book Three, Chapter 20 (outbound tracking), internal

Chapter 19: The Next.js Metadata API

1. Next.js Docs, generateMetadata and the metadata object (last updated August 19, 2026)
2. Next.js Docs, Metadata files
3. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 20: Canonical Tags

1. Google Search Central, How to specify a canonical URL and Redirects and Google Search
2. Next.js Docs, Metadata: alternates (last updated August 19, 2026)
3. Ongo Weight Loss, live-site audit, 30 October 2026, and Book Three, Chapter 17 (internal)

Chapter 21: Robots Meta, noindex and X-Robots-Tag

1. Google Search Central, Block search indexing with noindex and Introduction to robots.txt (last updated December 10, 2025)
2. Google Search Central, Robots meta tag, data-nosnippet and X-Robots-Tag specifications
3. Next.js Docs, Metadata: robots and headers
4. Ongo Weight Loss, live-site audit, 30 October 2026, and Book Three, Chapter 14 (internal)

Chapter 22: Open Graph and Social Cards

1. The Open Graph protocol
2. Next.js Docs, opengraph-image and twitter-image
3. Meta for Developers, Sharing Debugger

4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 23: JSON-LD Structured Data in Next.js

1. Next.js Docs, JSON-LD guide (last updated March 2, 2026)
2. Google Search Central, General structured data guidelines
3. Google Search Central, Organization (logo) structured data (last updated September 8, 2026)
4. Schema.org, MedicalWebPage, Physician, IndividualPhysician
5. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 24: next/link, Navigation and Crawlable Menus

1. Google Search Central, Link best practices for Google
2. Next.js Docs, Link component
3. W3C WAI-ARIA APG, Disclosure navigation menu
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 25: next/image and the SVG Logo

1. Google Search Central, Organization (logo) structured data (last updated September 8, 2026)
2. Next.js Docs, Image component
3. Google Search Central, Define a favicon (last updated October 27, 2026)
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 26: Fonts, Text Sizes and Colours

1. Next.js Docs, Font optimization (next/font)
2. W3C, Understanding SC 1.4.3 Contrast (Minimum)
3. Ongo Weight Loss, live-site audit and contrast calculations, 30 October 2026 (internal)

Chapter 27: XML Sitemaps and the HTML Sitemap

1. Google Search Central, Build and submit a sitemap (last updated July 8, 2026)
2. Next.js Docs, sitemap.xml file convention (last updated August 18, 2026)
3. Next.js Docs, rewrites and trailingSlash
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 28: robots.txt

1. Google Search Central, Introduction to robots.txt (last updated December 10, 2025)
2. Google Search Central, How Google interprets the robots.txt specification
3. Next.js Docs, robots.txt file convention

4. Ongo Weight Loss, live robots.txt, 30 October 2026 (internal)

Chapter 29: Semantic HTML and Page Landmarks

1. W3C, Using ARIA: first rule of ARIA use
2. W3C WAI, Page structure tutorial
3. MDN Web Docs, HTML elements reference
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 30: Head Basics: Charset, Viewport, Language and Favicons

1. Google Search Central, Define a favicon to show in search results (last updated October 27, 2026)
2. Next.js Docs, App icons: favicon, icon and apple-icon and generateViewport
3. W3C, Understanding SC 1.4.4 Resize Text
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 31: W3C HTML Validation

1. W3C, Nu HTML Checker
2. John Mueller (Google), public statements that HTML validity isn't a ranking factor, Search Central office hours
3. React Docs, useId

Chapter 32: URL Normalisation and Redirects

1. Google Search Central, URL structure best practices (last updated October 21, 2026)
2. Google Search Central, Redirects and Google Search; Next.js Docs, redirects and trailingSlash
3. Next.js Docs, proxy.ts (formerly middleware)
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 33: The 404 Page

1. Google Search Central, How HTTP status codes and network errors affect Google Search (last updated February 4, 2026)
2. Next.js Docs, not-found.js (last updated October 6, 2026) and notFound()
3. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 34: Accessibility and ARIA Labels

1. W3C, Web Content Accessibility Guidelines (WCAG) 2.2
2. W3C, Using ARIA and ARIA Authoring Practices Guide
3. W3C WAI, Accessibility evaluation tools overview

4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 35: Connecting Google Tag Manager

1. Google for Developers, The data layer (Tag Manager)
2. Google Analytics Help, Best practices to avoid sending PII and HIPAA and Google Analytics
3. Next.js Docs, Third-party libraries: Google Tag Manager
4. Ongo Weight Loss, Book Three, Chapters 9 and 27; live-site audit, 30 October 2026 (internal)

Chapter 36: Setting Up GA4 for Ongo Weight Loss

1. Google Analytics Help, HIPAA and Google Analytics
2. Google Analytics Help, GA4 configuration limits and Event naming rules
3. Google Analytics Help, About key events
4. Ongo Weight Loss, Book Three, Chapter 27 (monthly reports), internal

Chapter 37: Connecting Google Search Console

1. Search Console Help, Verify your site ownership
2. Google Analytics Help, Search Console integration
3. Search Console Help, URL Inspection tool
4. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 38: Microsoft Clarity: Useful, Installed, and Risky

1. Microsoft Learn, Clarity masking
2. Microsoft Q&A, Is MS Clarity HIPAA compliant? (volunteer moderator answer, January 4, 2024); Microsoft, Clarity terms
3. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 39: Custom Events and the Ongo Weight Loss Event Dictionary

1. Google Analytics Help, GA4 configuration limits and Event naming rules
2. Google Tag Manager Help, Click triggers
3. Ongo Weight Loss, Book Three, Appendix C (event naming convention), internal

Chapter 40: On-Page Templates by Page Type

1. Google Search Central, Influencing your title links (last updated December 10, 2025)
2. Ongo Weight Loss, Book Three, Chapters 22–26 (records, links, CTAs, schema), internal
3. Ongo Weight Loss, live-site audit, 30 October 2026 (internal)

Chapter 41: On-Page Specs for All 69 Phase 1 Pages

1. Ongo Weight Loss, live sitemap.xml and page audit, 30 October 2026 (internal)
2. Ongo Weight Loss, Book Three: Master Content Map (Chapter 28) and corrections, internal
3. Google Search Central, Influencing your title links and Control your snippets

Chapter 42: On-Page Audits and Pre-Launch QA

1. Search Console Help, URL Inspection tool
2. Google Search Central, Rich Results Test
3. Ongo Weight Loss, live-site audit, 30 October 2026, and Book Three, Chapter 29 (governance), internal

Chapter 43: Refreshing Pages Without Faking Freshness

1. Google Search Central, Influencing byline dates
2. Google Search Central, Build and submit a sitemap (last updated July 8, 2026)
3. Ongo Weight Loss, Book Three, Chapters 17 and 29, internal

Chapter 44: The ZETA Model for On-Page SEO

1. Google Search Central, How HTTP status codes and network errors affect Google Search (last updated February 4, 2026)
2. Google Search Central, General structured data guidelines
3. Ongo Weight Loss, Book Two (Chapter 48) and Book Three (Chapter 32), ZETA model, internal

Every page, complete.

A clear title, an honest heading, a named reviewer, a true date, a canonical, a breadcrumb, an image someone can hear described, a button anyone can press, and a measurement that never touches a patient's health data. Twenty-two points, every page, every release.

Edition: October 2026. Approvals, rules and prices change; every source is dated so you can recheck it.

Prepared by **Ashish Osten**, Team Lead, Ongo Weight Loss.

Ongo Weight Loss