

CENTURIES AHEAD



CENTURYPLY®



A CENTURY IN 35 YEARS


It takes years to become the best. And centuries to sustain it. Over the last 35 years, **CenturyPly**, the pioneers in plywood manufacturing has now become India's leading lifestyle brand offering the best in wood furnishing solutions. Which means the work of a century in this short span.

Established in Kolkata, and growing from humble beginnings, today **CenturyPly** is India's leading plywood brand with consolidated operations across the country. Building on **35 years** of industry experience and trust, we have continuously added to our value chain, while striving to serve our customers better.


CenturyPly always believes in continuous innovation. One such innovation was to tackle counterfeit sellers effectively. We have designed the CenturyPromise app that can help you verify the originality of the products you've purchased in seconds. Using the unique QR code that is imprinted on each and every product.


The revolutionary Firewall Technology from the house of **CenturyPly** enables select ranges of **CenturyPly** to be the best fire-fighting plywood available in India. It has been certified as the best in class to fight fire accidents and has some key properties that can be beneficial in the unfortunate event of a fire accident. It is available at no extra cost.

This is the kind of thoughtful innovation which drives the company ahead of competition all these years and will drive our company for decades to come.



THE STORY SO FAR





ARCHITECT PLY
TRULY EVERLASTING

CENTURY PLY CLUB PRIME

CENTURY PLY CLASSIC MARINE

CENTURY PLY BOND 710

CENTURY PLY WIN MR

SAINIK 710
WATERPROOF PLY

SAINIK MR
WATER RESISTANT PLY

CENTURY PLY IS:710 MARINE

CENTURY PLY FILM FACE PLYWOOD

CENTURY PLYWOOD

When it comes to plywood, CenturyPly is by far the undisputed leader with a plethora of award-winning as well as innovative products designed specifically for our customers.

Our plywood is warp resistant, matching international standards of manufacturing, while our unique GLP formula makes it borer and termite proof.



A LIFE OF LUXURY DEMANDS THE PERFECT SETTING

*ArchitectPly from CenturyPly.
With lifetime warranty.*



ARCHITECT PLY

TRULY EVERLASTING



FIREWALL
TECHNOLOGY

Now With

VIROKILL
Kills 99.99% Viruses

Architect Ply, a premium plywood from the house of CenturyPly, now comes with absolute fire-retardant properties. It is made from exclusive hardwood species bonded with BWP synthetic resin. Also, clubbed with the revolutionary GLP (Glue Line Protection) technology, it's 100% borer and termite proof.

- IS: 710-BWP grade
- Two tier treatment—GLP and ACC
- E0 emission compliant
- Calibrated for uniform thickness
- Lifetime warranty*
- Borer and termite proof with a lifetime warranty
- Absolute fire-retardant properties in accordance with ASTM E-84
- Green building certified
- Anti fungal property
- Gurjan face
- Fully composed core for zero gaps or overlaps
- Calibrated

*Check the Warranty Terms & Conditions



TECHNICAL SPECIFICATIONS*

Adhesive	BWP grade synthetic resin	Gap, Split, Overlap, Warp	Negligible
Moisture Content (%)	8 - 12	Warranty	Cost of furniture or 4 times the ply cost, whichever is lower
Glue Shear Strength (GSS) (N)	> 1450	Pre-pressing	Flat panel/balanced surface
GSS Wet Test (N)	> 1200	Face Thickness	Thicker face
GSS Mycological Test (N)	> 1200	Veneer to Veneer Ratio	As per standards
Preservative Treatment	Two Tier Treatment: 1. Glue Line Protection (GLP) 2. Finished panels are treated with ACC (Acid Copperchromate Compound)	Static Bending Strength (N/mm²) Modulus of rupture (MOR): Along the grain: Across the grain:	> 60 > 50
Specific Gravity	Approx. 0.75	Modulus of elasticity (MOE): Along the grain: Across the grain:	> 8000 > 5000
Water Absorption (%)	< 5	*Conditions apply	

LASTING PEACE OF MIND.

CenturyPly Club Prime. India's most trusted plywood.



CENTURYPLY®
CLUB PRIME



FIREWALL
TECHNOLOGY

Now With
VIROKILL
Kills 99.99% Viruses



BORER &
TERMITE PROOF



BOILING
WATER PROOF



SUPERIOR
STRENGTH

Club Prime is a 'Boiling Water Proof' plywood from CenturyPly, made by a special pre-pressing technique that ensures equal distribution of moisture and adhesive. The first in class BWP plywood with fire retardant properties.

- A unique GLP formula is used to make the plywood borer and termite proof
- Boiling Water Proof (IS 710 BWP Grade)
- 30-Year Warranty*
- Multi-pressing technology for enhanced properties
- Only plywood in the industry which passes 25 stringent in-house tests
- 100% fire retardant
- Confirming to ASTM (American society for testing and materials) and conforming to British standard
- Green building certified
- Duplicate proof
- 100% Hard wood
- 100% Composed Core for Gapless Product
- Calibrated

*Check the Warranty Terms & Conditions



TECHNICAL SPECIFICATIONS*

PLYWOOD

Moisture Content (%)	8 - 12
Preservative Treatment	Two Tier Treatment: 1. Glue Line Protection 2. Finished panels are treated with ACC (Acid Copperchrome Compound)
Adhesion of plies	Excellent
Specific Gravity	> 0.69
Screw holding strength (Kgf)	> 150
Nail holding strength (Kgf)	> 120
Static Bending Strength (N/mm²)	
Modulus of rupture (MOR): Along the grain: Across the grain:	> 40 > 55
Modulus of elasticity (MOE): Along the grain: Across the grain:	> 5000 > 6000

BLOCKBOARD

Moisture Content (%)	8 - 12
Preservative Treatment	
Adhesion of plies	Excellent
Specific Gravity	> 0.54
Screw holding strength (Kgf)	> 120
Nail holding strength (Kgf)	> 70
Static Bending Strength (N/mm²)	
Modulus of rupture (MOR): Along the grain: Modulus of elasticity (MOE): Along the grain:	> 50 > 5000



CLASSIC MARINE

Ply Nahin, Multiply.



ONE PLY. MULTIPLE BENEFITS.



BORER & TERMITE
PROOF



25-YEAR
WARRANTY



VIRUS PROOF WITH
VIROKILL TECHNOLOGY



BOILING WATER
PROOF



FAKE PROOF WITH
CENTURYPROMISE

ANTI-FUNGAL

Classic Marine is an innovative product from the house of Centuryply that comes with 25 years of warranty, targeting the premium economy segment. It boasts an array of features. Its patented GLP technology offers superior defence against borers and termites, thus making it borer and termite proof. Classic Marine uses Quadrapress Technology in its construction process that enhances performance tolerance. Additionally, it is also virus and fungus proof.

- Glue line protection
- Anti-fungal treated
- Virus proof with Virokill technology
- Borer and Termite Proof
- 25 years warranty

*Check the Warranty Terms & Conditions



TECHNICAL SPECIFICATIONS*

PLYWOOD

Moisture Content (%)	7 - 10
Preservative Treatment	Two Tier Treatment: 1. Glue Line Protection 2. Finished panels are treated with ACC (Acid Copperchrome Compound)
Adhesion of plies	Excellent
Specific Gravity	> 0.68
Water Absorption (%)	< 5
Screw holding strength (Kgf)	> 130
Nail holding strength (Kgf)	> 110
Static Bending Strength (N/mm²)	
Modulus of rupture (MOR): Along the grain: Across the grain:	> 40 > 55
Modulus of elasticity (MOE): Along the grain: Across the grain:	> 5000 > 6000

BLOCKBOARD

Moisture Content (%)	8 - 12
Preservative Treatment	Two Tier Treatment: 1. Glue Line Protection 2. Finished panels are treated with ACC (Acid Copperchrome Compound)
Adhesion of plies	Excellent
Specific Gravity	> 0.52
Water Absorption (%)	< 5
Screw holding strength (Kgf)	> 110
Nail holding strength (Kgf)	> 70
Static Bending Strength (N/mm²)	
Modulus of rupture (MOR): Along the grain: Modulus of elasticity (MOE): Along the grain:	> 50 > 5000

*Conditions apply

THE BOND WITHIN
MAKES YOU STRONG

SOLID HAI



A father and son are sitting on a polished wooden floor made of Century Ply Bond 710. The father, wearing a white shirt, is leaning forward, smiling and holding his son's hand. The son, also in a white shirt, is looking up at him. They are in a room with a stone wall and a window with bamboo blinds.

**CENTURY PLY®
BOND 710**

Now With
VIROKILL
Kills 99.99% Viruses

21 TWENTY ONE YEAR WARRANTY

100% BORER & TERMITE PROOF

BOILING WATER PROOF

Bond 710 is a special BWP Marine Grade plywood, developed to be borer and termite proof and meet all the parameters of IS:710.

- Unique GLP formula to make plywood borer and termite proof
- 21-Year Warranty*
- More number of plies for more strength
- Quadra Press Technology for high strength
- Manufactured with surface calibration process for smooth surface finish
- Green Building certified

*Check the Warranty Terms & Conditions



TWENTY ONE YEAR
WARRANTY



TECHNICAL SPECIFICATIONS*


PLYWOOD

Moisture Content (%)	7 - 10
Preservative Treatment	Two Tier Treatment: 1. Glue Line Protection 2. Finished panels are treated with ACC (Acid Copperchrome Compound)
Adhesion of plies	Excellent
Specific Gravity	> 0.68
Water Absorption (%)	< 5
Screw holding strength (Kgf)	> 130
Nail holding strength (Kgf)	> 110
Static Bending Strength (N/mm²)	
Modulus of rupture (MOR): Along the grain: Across the grain:	> 40 > 55
Modulus of elasticity (MOE): Along the grain: Across the grain:	> 5000 > 6000

BLOCKBOARD

Moisture Content (%)	8 - 12
Modulus of Elasticity (N/mm²)	> 5500
Modulus of Rupture (N/mm²)	> 55
Preservative Treatment	Two Tier Treatment: 1. Glue Line Protection 2. Finished panels are treated with ACC (Acid Copperchrome Compound)
Adhesion of plies	Excellent
Specific Gravity	> 0.52
Screw holding strength (Kgf)	> 110
Nail holding strength (Kgf)	> 70
Static Bending Strength (N/mm²)	
Modulus of rupture (MOR): Along the grain: Across the grain:	> 50
Modulus of elasticity (MOE): Along the grain: Across the grain:	> 5000

*Conditions apply



THE PERFECT
BACKGROUND
FOR THE CANVAS
OF LIFE

5

YEAR
WARRANTY



CENTURY PLY®
WIN MR

WIN MR- Few brands of commercial ply in India match up to CenturyPly MR Grade plywood. Made from imported seasoned hardwood and bonded with urea melamine formaldehyde under computer controlled temperature and pressure, they offer advantages almost at par with BWR grade wood panels, but at a much lesser cost.

- Treated with preservative (GLP)
- 5 Year Warranty*
- Eco-Friendly
- More number of plies, hence more strength
- Can be compared to any other branded or local BWR ply properties

*Check the Warranty Terms & Conditions



TECHNICAL SPECIFICATIONS*

PLYWOOD

Moisture Content (%)	8 - 12	Moisture Content (%)	10 - 12
Screw holding strength (Kgf)	> 165	Adhesion of plies	Excellent
Nail holding strength (Kgf)	> 75	Specific Gravity	> 0.50
Preservative Treatment	Glue Line Protection	Screw holding strength (Kgf)	> 100
Adhesion of plies	Excellent	Nail holding strength (Kgf)	> 50
Specific Gravity	> 0.50	Modulus of Elasticity (N/mm²)	> 5000
Static Bending Strength (N/mm²)		Modulus of Rupture (N/mm²)	> 40
Modulus of rupture (MOR): Parallel to face grain: Perpendicular to face grain:	> 35 > 20		
Modulus of elasticity (MOE): Parallel to face grain: Perpendicular to face grain:	> 4500 > 2200		

*Conditions apply

SAINIK 710

DUMDAAR KAAM SHANDAAR DAAM



SAINIK 710

by  CENTURYPLY®

BOILING WATER PROOF

BORER AND TERMITE PROOF

8 YEAR WARRANTY

ASLI WATERPROOF PLY

Sainik 710, is produced from rotary-cut, smooth veneers, sourced from specially selected eco-friendly timber.

- Bend resistant
- Accordance to IS:710
- Chemically treated for borer and termite proof
- More durable & cost effective
- 8-Year Warranty*
- GLP
- Green Building certified
- A unique and first in class one India one price product
- CenturyPly in house manufactured product

*Check the Warranty Terms & Conditions



**8 YEAR
WARRANTY**

TECHNICAL SPECIFICATIONS*

PLYWOOD

Moisture Content (%)	8 - 12	Moisture Content (%)	10 - 12
Adhesion of Plies (Water Resistant)	Excellent	Adhesion of plies	Excellent
Preservative Treatment		Preservative Treatment	
	Two Tier Treatment: 1. Glue Line Protection 2. Finished panels are treated with ACC (Acid Copperchrome Compound)		Three Tier Treatment: 1. Treated fillers 2. Glue Line Protection 3. Finished panels are treated with ACC (Acid Copperchrome Compound)
Specific Gravity	> 0.560	Specific Gravity	> 0.50
Water Absorption (%)	< 5	Screw holding strength (Kgf)	> 125
Screw holding strength (Kgf)	> 150	Nail holding strength (Kgf)	> 65
Nail holding strength (Kgf)	> 85	Modulus of Elasticity (N/mm²)	> 5100
Static Bending Strength (N/mm²)		Modulus of Rupture (N/mm²)	> 52
Modulus of rupture (MOR): Along the grain: Across the grain:	> 48 > 35	*Conditions apply	
Modulus of elasticity (MOE): Along the grain: Across the grain:	> 4800 > 2300		

SAINIK MR

READY FOR THE TOUGHEST CHALLENGES.



CENTURY PLYBOARDS INDIA LTD.

SAINIK MR

WATER RESISTANT PLY

by  CENTURYPLY®

Sainik MR, a commercial plywood from the house of CenturyPly. Sainik MR is dimensionally stable with lesser susceptibility to weather variance.

- Bend Resistant
- Chemically treated for borer and termite resistance
- High resistance to climatic conditions
- Bonding with Melamine Fortified Urea Formaldehyde Synthetic Adhesive
- 5-Year Warranty against borer and termite*
- Eco-Friendly

*Check the Warranty Terms & Conditions



TECHNICAL SPECIFICATIONS*

PLYWOOD

Thickness available in (mm)	All thickness
Dimensions available in (mm x mm)	Max. 2440 x 1220
Moisture Content (%)	10 - 14
Adhesion of Plies	Excellent
Specific Gravity	> 0.50
Screw holding strength (Kgf)	> 100
Water Absorption (%)	< 5
Nail holding strength (Kgf)	> 75
Static Bending Strength (N/mm ²)	
Modulus of rupture (MOR):	
Along the grain:	> 35
Across the grain:	> 20
Modulus of elasticity (MOE):	
Along the grain:	> 4000
Across the grain:	> 2000

BLOCKBOARD

Moisture Content (%)	10 - 14
Adhesion of Plies	Excellent
Specific Gravity	> 0.50
Screw holding strength (Kgf)	> 90
Nail holding strength (Kgf)	> 55

*Conditions apply



CENTURY PLY®
FILM FACE PLYWOOD

THE SMART BUILDER'S CHOICE



CenturyPly Film Face Shuttering Plywood is every contractor's final choice. It's a BWP (Boiling Water Proof) grade, powder-proof ply that is especially suited for use in concrete shuttering and framework. The ply withstands alternate wetting and drying conditions. The solid surface of the plywood neither buckles under a load nor get disturbed by vibrations caused at the time of construction.

- BWP Grade Plywood
- Use of Phenol Formaldehyde adhesive for bonding of veneers
- Bend resistant
- More number of plies, hence more strength
- Chemically treated for borer and termite resistance
- High resistance to climatic conditions
- Made from specially treated eco-friendly timber
- Sides are protected with water-resistant sealant



TECHNICAL SPECIFICATIONS*

	FF30	FF34
Weight (Kg)	30	34
No. of Layers	10	11
Timber	Hardwood	Hardwood
Thickness	+/- 5%	+/- 5%
GSM Paper	120	450
Density (Kg/M2)	800-850	900-950
Grade	BWP	BWP
Confirmed Repetitions*	20	30

*Under ideal test conditions

LUXURY PRODUCT

ARCHITECT PLY
TRULY EVERLASTING

The panel features four Century Ply Architect PLY logos arranged horizontally. Below the logos is a large, light-colored plywood panel with a visible grain. At the bottom of the panel are several certification and feature icons: IS : 710 MARINE PLYWOOD, GLP, SISI APPROVED, CALIBRATED, FIREWALL TECHNOLOGY, ANTI-FUNGAL, EU FERNSIUS CERTIFIED, and VIROKILL.


PREMIUM PRODUCT

The panel features four Century Ply CLUB PRIME logos arranged horizontally. Below the logos is a large, light-colored plywood panel with a visible grain. At the bottom of the panel are several certification and feature icons: CENTURYPLY CLUB PRIME BWP MARINE PLYWOOD, IS : 710 MARINE PLYWOOD, 30 YEAR WARRANTY, GLP, SISI APPROVED, CALIBRATED, FIREWALL TECHNOLOGY, ANTI-FUNGAL, EU FERNSIUS CERTIFIED, and VIROKILL.

PREMIUM ECONOMY

**CENTURYPLY®
CLASSIC MARINE**

The panel features four Century Ply CLASSIC MARINE logos arranged horizontally. Below the logos is a large, light-colored plywood panel with a visible grain. At the bottom of the panel are several certification and feature icons: CENTURYPLY® CLASSIC MARINE BWP PLYWOOD, 25 YEAR WARRANTY, QUADRA PRESS TECHNOLOGY, SMOOTH SURFACE, and VIROKILL.



SAINIK 710
WATERPROOF PLY

VALUE PRODUCT

SAINIK 710
WATERPROOF PLY

BWP MARINE PLYWOOD

MANUFACTURED IN ACCORDANCE TO IS - 710
TYPE - AA MARINE BWP - GRADE
PRESERVATIVE TREATMENT AS PER IS - 5539
SOLVENTLESS PF RESIN O - 540
PLANT NO.:
SIZE:
THICKNESS:
CUT NO.:
MFD. DT.:
QUALITY CHECKED: OK

GLUE LINE INTERNAL PROTECTION
GLP
BORDER AND TERMINATE PROOF

8 YEAR WARRANTY

CENTURY PLYBOARDS (INDIA) LIMITED

VALUE PRODUCT

SAINIK MR
WATER RESISTANT PLY

ISI - 340
CLASS: A
MR. GRADE
Size: _____
Thickness: _____
Cut No: _____
Mfd. Dt: _____
Quality Checked: OK

5 YEAR WARRANTY

BRANCH ADDRESSES

EAST ZONE

Kolkata	Century Plyboards (India) Ltd. 6 Lyons Range, Kolkata 700001
Bhubaneswar	Century Plyboards (India) Ltd. Plot No: 40 & 41 , Narayani Moters Lane, Rasulgarh, Bhubaneswar 751010
Patna	Century Plyboards (India) Ltd. Ground Floor, Shivkunj Apartment, Behind Chandi Vyapar Bhawan, Exhibition Road, Patna 800001
Ranchi	Century Plyboards (India) Ltd. Mahadev Path, DAV School Road, Near Kathalmore, Post-Lalghutwa, Ranchi 834005
Guwahati	Century Plyboards (India) Ltd. House No. 24, Piyali Phukan Road, Rehbari, Guwahati 781008

WEST ZONE

Pune	Century Plyboards (India) Ltd. Winners Courts, Office No. 402, 4th Floor, Above ZK's Restaurant, Lulla Nagar Chowk, Pune 411040
Nagpur	Century Plyboards (India) Ltd. C/o Dr. K.S. Yawalkar, 2 nd Floor, Above Vodafone Gallery, 52, Bajaj Nagar, Nagpur 440010
Ahmedabad	Century Plyboards (India) Ltd. 1006 - 1009, Sakar - III, 10th Floor, Nr. Income Tax Circle, Ahmedabad 380014
Surat	Century Plyboards (India) Ltd. 3rd Floor, 305- Royal Trade Centre, Opp. Star Bazaar, Adajan, Surat 395009
Mumbai	Century Plyboards (India) Ltd. 15th Floor Range Heights, opp Kaju Pada Bus Stop, Behram Baug, Jogeshwari West, Mumbai 400102

SOUTH ZONE

Bangalore	Century Plyboards (India) Ltd. No. 92, 3rd floor, HJS Chambers, Richmond Road, Bangalore 560053
Hyderabad	Century Plyboards (India) Ltd. 405A, 4th Floor, Minverva Commercial Complex, S.D. Road Secunderabad 500003
Vijayawada	Century Plyboards (India) Ltd. Survey no. 156/1A, Kothuru Village, Tadepalli Gramapanchayati Area, Vijayawada Rural Mandal, Krishna District, Andhra Pradesh 521228
Kochi	Century Plyboards (India) Ltd. 24 B, Ground Floor, Alakkalathil Building, Marottichuvadu, Edappally PO, Kochi 682004
Coimbatore	Century Plyboards (India) Ltd. S.F no. 396/1B, 8/30, Jayasudhaa Warehouse, Ayyan Thottam, G.N.Mills Post, Coimbatore 641029
Madurai	Century Plyboards (India) Ltd. #67, Madurai Mandapam Main Road, Irravathanallur, Madurai 625009
Chennai	Century Plyboards (India) Ltd. 2/1, Sattana Naicken Street, Inside Nehru Timber, Choolai, Chennai 600112
Hubli	Praveen Yaligaar - 8884546987, Hubli 580031

NORTH ZONE

Indore	Century Plyboards (India) Ltd. AA/11, "Papalal Tower", Scheme no 54, Satya Sai square, A.B. road Indore (MP) 452010
Ludhiana	Century Plyboards (India) Ltd. Shop No. 58, 1st Floor, New Grain Market, Gill Road, Ludhiana, Punjab 141003
Jaipur	Century Plyboards (India) Ltd. E-52, Road No. 4, Behind V.K.I. Police Station, V.K.I. Area, Jaipur 302013
Lucknow	Century Plyboards (India) Ltd. E-1/139, Phase -2, Opp.Parking No. 07, Transport Nagar 226012, Lucknow 226012
Ghaziabad	Century Plyboards (India) Ltd. C-21, First Floor, Meerut Road, Industrial Area Near DPS School Ghaziabad, 201003 (UP)
Delhi	Century Plyboards (India) Ltd. Room No: 203, II Floor, Rajnigandha Building, 5/2 D.B Gupta Road, Paharganj, New Delhi 110055
Gurgaon	Century Plyboards (India) Ltd. 16 A, 16 B, First Floow, Vyapar Kendra Market, Sushant Lok Phase 1, Gurgaon 122002





CENTURYPLY®

CORPORATE OFFICE

Century House, P15, 1, Taratala Rd, CPT Colony,
Taratala, Kolkata, West Bengal 700088

+91 33 39403950

1800-5722-122

customerhelpdesk@centuryply.com

Century Plyboards India Limited

Century Plyboards (India) Ltd.

Century Plyboards India Ltd

Century Plyboards (India) Limited

Century Plyboards (I) Limited

Retail Help Desk +91 9962891523