

Attendance Automation System

Seidenberg School of Computer Science and Information Systems Pace
University, New York, USA

Sai Preetham Bonthula, Varun Reddy Kalvakolu, Sashwat Madaan,
Shiva Shanker Pandiri, Ashish Pulluri, Hemanth Uppuluri

sb08172n@pace.edu, vk21164n@pace.edu, ms59997n@pace.edu, sp1161n@pace.edu, ap65397n@pace.edu,
hu43813n@pace.edu

Abstract--- Attendance automation system is an application that can be used as a platform to replace the existing manual attendance system, which is usually a long-time consuming process for both the instructors and students. With the help of an attendance automation system application, this manual attendance process can be automated using machine learning algorithms and face recognition technology. However, many other alternative processes use Biometrics. Face recognition would be the best method. This paper would like to describe how the manual attendance process will replace using face recognition. In our application, the camera is the primary tool that captures an image and faces are detected and recognized by the system. It compares it with the images of students stored in the database. Finally, student attendance is recorded in the system.

I. INTRODUCTION

The attendance automation system is developed to help the educational institutions and the instructors maintain automated student attendance details without much human interference and reduce manual errors, which can be possible with the manual

attendance collection process. Educational institutions have their way of collecting attendance like using attendance sheet or biometric methods, and most of the universities use these methods, which consumes a significant amount of time. Nowadays, student attendance plays a crucial role in many schools, colleges, and universities and has a strict policy to maintain attendance. The attendance automation system uses to mark the attendance of a student when they enter into the class. On the other hand, manual attendance will have to make sure that every student responds and maintains the details on the paper, which consumes a lot of time and effort of the faculty or staff. During this manual process, there are vast chances of proxies in the manual attendance process. This application can provide an attendance automation system that recognizes the students using face recognition. Face detection, the face in the images marks with the rectangle box, is detected after subtracting the background, and the detected face is cropped. Finally, cropped image all the face of individuals is recognized from the image. It is compared with the image in the database after this process, the attendance will be marked for all the individuals. This attendance automation system will be more efficient and user-friendly with its easy to use interface and will

make life easier for the students, educational institutions, and faculty.

II. LITERATURE SURVEY

In human interactions, a person's face is considered the most crucial factor as it contains essential information about the person or an individual's identity. Every human can recognize the other person based on their facial features. In recent years, a significant amount of research on facerecognition is carried out. Nowadays, face recognition technology is being widely used across various platforms such as banking apps, social media platforms and applications, government offices, etc. In the previous face recognition systems, some disadvantages such as head pose problems and light intensity, etc. To overcome these problems, some techniques like principal component analysis, viola jones algorithm, and illumination invariant are used, and research is being carried to overcome these various issues. The primary step would be to detect the faces and recognize them. After detection, a comparison would be made by cross checking with the database of students faces. Hence, after studying various researchpapers on face recognition in our application,we implement this technology using various machine learning algorithms by building, training, and testing the model to provide high accuracy to recognize an individual. This smart face recognition system will be the best method to maintain the student's attendance records, and it can also resolve various issues like proxies in attendance.

III. PROJECT REQUIREMENTS

A. Functional Requirements

- Admin should be able to log in and add student details into the database,View the student details and reports generated after the attendance.
- The Faculty/Instructor should register using the name, username, password, email address, and mobilenumber.
- The Faculty/Instructor should be ableto login using a username and password.
- The Faculty/Instructor should be provided with options to take the camera option/ upload an image or view the previous attendance records/reports.
- The Faculty/Instructor should see thesystem detect and recognize the student's face along with their namesregistered on the database.
- The Faculty/Instructor should be ableto see the students present and absent on the home page of the application.
- The Faculty/Instructor should receive email notification with attendance results to their registered email address.

B. Technical Requirements

- PyQt is a python binding cross-platform GUI toolkit and is also one of the most used modules in building complex GUI apps in python.
- PyQt contains various python modules like QtGui, which contains the majority of Gui classes

,QtCore for non-GUI classes, QtWidgets, which contain primary elements for the user interface.

- We will be using a Python programming language, a high-level, general-purpose, interpreted programming language. It has a collection of standard libraries, which makes python a high-level language. It has the libraries required for deep learning and machine learning, which can be used to recognize images.
- We use machine learning algorithms like K-Nearest Neighbors, Principal Component Analysis, and use the algorithm, which provides high accuracy results when viewed from various angles for face detection and recognition.
- For the data storage, we will be using MySQL.
- MySQL is one of the popular open-source relational database management systems (RDBMS), a database that runs on the server. It is effortless to use as well as it is swift and reliable. The data is stored in rows and columns, and it uses standard SQL (Structured Query Language).
- With the SDLC management of this application we used agile methodologies for the project management.
- The attendance automation system application will be very user friendly and easy to use.

IV. TEAM ROLES:

- **Ashish Pulluri** (*Full Stack Developer/ Architect*):
 - Developed various pages of the application.
 - Integrated machine learning algorithm to application's functionality for face recognition.
 - Developed the functionality for sending automatic emails based on student image recognition.
 - Optimized application code to improve modularity
- **Hemanth Uppuluri** (*Front end developer / Product Owner*):
 - Developed several dynamic web pages for the application.
 - Developed and designed various page layouts.
 - Worked explicitly on reducing code redundancy.
 - Worked on transforming to a user-friendly application.
- **Sai Preetham Bonthula** (*Backend Developer Lead/Technical Support*):
 - Designed backend system architecture.
 - Generated SQL scripts for various tables.
 - Authored technical paper and organized Wiki Page.
- **Shiva Shanker Pandiri** (*Backend Developer / Testing Assist*):
 - Developed logic for login authentications.
 - Documented test cases and product backlog.
 - Developed logic for login authentications.
 - Co-authored Technical paper
- **Sashwat Madaan** (*Scrum Master/ Technical Advisor*):
 - Reviewed code and assisted with debugging the application.
 - Kept team on track by organizing triweekly scrum meetings and closely monitoring the progress.
 - Maintains GitHub by constantly updating the repository.
- **Varun Reddy Kalvakolu** (*Primary Quality Analyst / Architect assist*):
 - Designed various test cases on multiple platforms expanding horizons.
 - Created multiple unit test cases, to ease the load on developers.
 - Supported team with Frontend and Backend development.
 - Co-authored technical paper.

V. AGILE METHODOLOGIES:

As we notice, software development is expanding. The software has merged into many diverse fields and is becoming more complex. Changing requirements from customers are making it even more difficult. Old software development approaches cannot satisfy the new requirements of the market in the best way anymore. As a result, new software development approaches are evolved, like agile methodologies, mainly to solve such a problem.

Characteristics of agile methodology


- Deliver frequently
- More iteration
- Fewer defects
- Test frequently
- Collaborative approach.
- Maximum ROI

Agile processes support process "management in the small" in that the coordination, control, and communication mechanisms used apply to small to medium-sized teams.

There are a few agile methods:


A. *Extreme Programming (XP)*:

XP is the most successful method of developing agile software because of its focus on customer satisfaction. XP requires maximum customer interaction to develop the software. It divides the entire software development life cycle into several short development cycles. It welcomes and incorporates changes or requirements from the customers at any phase of the development life cycle.




B. Scrum:

Scrum is another popular method of agile development through which productivity becomes very high. It is basically based on the incremental software development process. In the scrum method, the entire development cycle is divided into a series of iteration where each iteration is called a sprint. The maximum duration of a sprint is 30 days.



C. Feature Driven Development (FDD)

FDD is one of the agile development methods. This method's key advantage is to design the domain of the software to be produced before development.



ADVANTAGES:

- Adaptive to the changing environment
- Ensures customer satisfaction
- Least documentation
- Reduces risks of development

DISADVANTAGES:

- Lack of documentation.

- Customer interaction is a critical factor in developing successful software.
- Time consuming and wastage of resources due to the constant change of requirements.
- More helpful for management than a developer.

VI. ARCHITECTURE

Attendance automation system architectures with the front end and backend database. We are using the following technologies for building the application are as follows:

Frontend: We are using Python PyQt GUI toolkit to build the frontend user interface of the application. The attendance results use the xlsx format to render the attendance results, and all the systems that support Microsoft excel format can view the results, and all the desktops can be used to run the application.

PyCharm IDE: It is an integrated development environment used for computer programming, especially for python. It is used for building the application. It makes building and maintaining applications more comfortable and faster.

PyQt GUI toolkit: PyQt is a GUI widgets toolkit in python, a set of C++ libraries and development tools that include abstractions for Graphical User Interface (GUI) as well as SQL databases, OpenGL, and many more.

Graphical User Interface: It is an interface through which the user communicates with devices. It uses symbols and other graphical images to display information.




Fig. 1. System Architecture

- **Database:** We are using a MySQL database for the storage

and authentication of our application. MySQL is one of the most popular open-source relational databases worldwide, and there are so many reasons for its popularity. However, the main reason is its architecture, which makes it unique and preferred by most developers. MySQL architecture is a client-server system. It is used for a wide range of purposes, which include Data warehousing, login applications, and many more. It is mostly used in web databases. In this application, we store student and faculty details in the SQL database. The architecture of MySQL contains the following major component.




Fig. 2. MySQL Architecture

Application Layer: It is the top layer on MySQL architecture, which provides standard services to most client-server applications. It has services, as mentioned below:

Connection handling: When the client gets connected to the server, they get the own thread for its connection. The thread will be caught by the server and need not be created and destroyed for every new connection.

Authentication: When the client connects to the MySQL server, the server will perform authentication on the server-side based on the username, host client, and password of the user.

Authorization: It is the function of specifying access to resources related to information security and computer security in general and access control. Furthermore, "to authorize" is to define an access policy.

Security: As the client gets successfully connected to the server, it will check whether the client has the privileges to provide queries against the MySQL server.

Face detection: During face detection, the face in images will be marked using a rectangle, and the image can be used for face detection after the background subtraction. This background-subtracted image will be accurate for face detection compared to using the image that is not background subtracted.

Face Recognition: The detected faces after background subtraction will be used for recognizing the faces. There are many methods to detect faces in which the eigenvalue method is considered the best method due to its speed.

Flowchart: The flowchart illustrates the face recognition in the attendance automation system.

- Initially, the image will be captured and stored as an input from the camera.
- Next, all the individuals' faces are cropped after subtracting the background and perform the preprocessing to detect the faces.
- The feature extraction process will be performed based on the cropped faces after the preprocessing process.
- In the next part, the trained algorithm will classify the images and recognize the individuals based on students' images stored in the database.




Fig.3 Use Case Diagram

- After this process, the student's attendance details will be generated and stored in the database accordingly.
- Reports of students' attendance will be displayed and sent as an email to the instructor for that day.





Fig.4 Flow Chart

VII. Sequence Diagram



VIII. PRODUCT RESULTS:




Figure 5.1 Landing Page



Figure 5.2 Faculty Login Page



Figure 5.3 Admin Options Page




Figure 5.6 Faculty registration page




Figure 5.4 Student Registration Page





Figure 5.5 Admin Login page




Figure 5.9 Faculty Home




Figure 5.12 Student Attendance Capture Result




Figure 5.10 Faculty Options




Figure 5.13 Reports options page




Figure 5.11 Admin View Students GUI




Figure 5.14 Attendance report result on GUI




Figure 5.15 Download report

IX. KNN ML Algorithm:

Face identification Using the K-Nearest Neighbor Method consists of two phases namely the training phase and the testing phase. The dataset used in the training phase images consisting of 158 classes with each class consisting of three training images and two for testing images. The following will explain the chart or scheme in stages from each phase on flowchart below.




Figure 1. Phase Training Scheme Face identification

While the testing or testing phase involves a database of features that have been obtained from the results of training. The testing scheme is as follows.





Figure 2. Testing Phase Scheme

Image Enhancement is an accentuation or sharpening of the elements of an image such as edge and boundaries or contrast levels that can make the graphic display of the image more useful for analysis and display [9]. Stages of image enhancement in the face identification system using the K-Nearest Neighbor (KNN) method consists of ROI (Region of

Image), image conversion to grayscale color space and contrast stretching. An image enhancement technique that seeks to increase contrast in the image by stretching called Contrast stretching. The concept of contrast stretching is to maintain the range of values of intensity it contains to reach the desired range of values. This is used to enhance the information in the image and maintain other details



Feature extraction is a stage to find the characteristic features of an inputted image. Feature extraction is a process which is extracted features to encourage the classifier to make decisions when classifying.

The Principal Component Analysis feature extraction method used in this paper is one of the popular extraction methods. The PCA method is one way to reduce the dimensions of data with the least amount of information loss. This method is used in many fields, such as biometrics, feature extraction, image processing, data compression, etc. In the PCA method, faces are described as linear combinations of eigenvector weights called Eigenfaces. This eigenvector is a covariance matrix from the image database. the number of images in the database will be the same as the number of

Eigenfaces received Face classification is a stage for the process of matching testing data and training data from face datasets. KNN is one of the simple algorithms that can be used for classification. Regardless of its simplicity, this method is quite effective as a classification.

X. Smtplib (Python Library):

1. What is smtplib?

The smtplib module defines an SMTP client session object that can be used to send mail to any Internet machine with an SMTP or ESMTP listener. An SMTP object has an instance method called send mail, which is typically used to do the work of mailing a message. It takes three parameters-

- The *sender* – A string with the address of the sender.
- The *receivers* – A list of strings, one for each recipient.
- The *message* – A message as a string formatted as specified in the various RFCs.

XI. OpenPyXl:

The *openpyxl* is a Python library to read and write Excel. We have used the python's OpenPyXl library to store the attendance results from the database whenever the admin/faculty requests to view the reports.

Python provides the Openpyxl module, which is used to deal with Excel files without involving third-party Microsoft application software. By using this module, we can have control over excel without open the application. It is used to perform excel tasks such as read data from excel file, or write data to the excel file, draw some charts, accessing excel sheet, renaming sheet, modification (adding and deleting) in excel sheet, formatting, styling in the sheet, and any other task. Openpyxl is very efficient to perform these tasks for you.

Data scientists often use the Openpyxl to perform different operations such as data copying to data mining as well as data analysis. The Openpyxl library is used to write or read the data in the excel file and many other tasks. An excel file that we use for operation is called Workbook that contains a minimum of one Sheet and a maximum of tens of sheets.

- Sheets consist of Rows (horizontal series) starting from 1 and Columns (vertical series) starting from A.
- Row and column together make a grid and form a cell that may store some data. Data can be of any type, such as numeric, string.
- Openpyxl provides flexibility to read data from the individual cell or write data to it.

OpenPyXl can be simply installed by using command:
pip install openpyxl

XII. ADVANTAGES

- 1) The application will replace the manual attendance process with face recognition.
- 2) Faculty, educational institutions, and students can save a lot of time.
- 3) The faculty can view the consolidated student attendance details.
- 4) An email will be sent automatically to the registered faculty of class after the attendance process with the student's attendance data list.

XIII. CONCLUSION

This framework has been proposed to keep a track record of the attendance. Principal thought process behind building up this framework is to wipe out all the downsides related to the manual Attendance system. Utilizing this strategy, we can supplant older strategies. Efficient and automatic attendance management is introduced in the paper. This technique requires essential equipment for establishment. Attendance recording is less complicated, and the participation is taken precisely.

XIV. REFERENCES

- [1] Seema Rao and Prof K. J.Satoa, "An Attendance Monitoring System Using Biometrics Authentication," International Journal of advanced research in Computer Science and Software Engineering, Volume3, Issue 4, April 2013, ISSN:2277 128X.
- [2] O. Shown Development of Attendance Management System using Biometrics. The Pacific Journal of Science and Technology Volume 13, No 1, May 2012.
- [3] Arulogun O. T., Olatunbosun A., Fakolujo O.A., and

- Olaniyi O. M, "RFID Based Students Attendance Management System " International Journal of Scientific & Engineering Research," Volume 4, Issue 2, February-2013; ISSN2229- 5518.
- [4] Unnati A. Patel and Dr. Sawminarayan Priya R.2014. "Development of a Student Attendance Management System Using RFID and Face Recognition: AReview", International Journalof Advance Research in Computer Science and Management Studies, Volume 2, Issue 8, August 2014; Online ISSN: 2321-7782.
- [5] R.L. Hsu, Mottalec M.A and A.K.Jain,"Face Detection in colour images", Proceedings International Conference on Image Processing, Oct2001,pp. 1046-1049.
- [6] "Agile software development." *Wikipedia*. Wikipedia Foundation, 16 Nov. 2013. Web. 8 Nov. 2013.
- [7] "Extreme Programming: A Gentle Introduction.." *Extreme Programming: A Gentle Introduction..* N.p., n.d. Web. 11 Nov. 2013.
- [8] Sebastiani, F.: Machine Learning in Automated Text Categorization. ACM Computing Surveys 34(1), 1–47 (2002).
- [9] Kenneth S. Rubin, Essential Scrum: A practical guide to the most popular Agile process, USA:Addison-Wesley, 2012.
- [10] "Python *pyQt*" [online]. Available: <https://wiki.python.org/moin/PyQt>. [accessed:08-13-2020].
- [11]"*Introduction to python pyQt*" [online]. Available: <https://riverbankcomputing.com/software/pyqt>.
- [12] M.A. Turk and A.P. Pentland. " Face Recognition Using Eigenfaces '. IEEE Computer Society-Conference on Computer Vision and Pattern Recognition. Pages 586-591.June 1991
- [13] M. Agarwal, N. Jain, M. Kumar, H. Agrawal, Face recognition using eigen faces and artificial neural network. Int. J. Comput. Theory Eng. **2**(4), 1793–8201 (2010).
- [14] sklearn.neighbors.NearestCentroid—scikit-learn 0.19.1 documentation. [online] Available at: <http://scikitlearn.org/stable/modules/generated/sklearn.neighbors.NearestCentroid.html>
- [15] Python3.8.1documentation, <https://docs.python.org/3/>. [Accessed 4 Jan 2020].
- [16] Jian Yang, D. Zhang, A. F. Frangi, and Jing-yu Yang,"Two- dimensional pca: a new approach to appearance-based face representation and recognition," IEEE Trans. Pattern Anal. Mach. Intell., vol. 26, no. 1, pp. 131–137, Jan. 2004
- [17] Bradski, G., & Kaehler, A. (2008). *Learning OpenCV: Computer vision with the OpenCV library*. " O'Reilly Media, Inc."
- [18] "*Qt5 Python GUI Programming CookBook*" by Harwani B.M Published on July 2018, *reference*: 1270718.
- [19] W. S. McCulloch and W. Pitts. A logical calculus of the ideas immanent in nervous activity. The bulletin of mathematical biophysics, 5(4):115–133, 1943.
- [20]P. Cunningham and S. J. Delany. k-nearest neighbour classifiers. Multiple Classifier Systems, pages 1–17, 2007.
- [21]"*smtplib- a python library*" [online]. Available: <https://docs.python.org/3/library/smtplib.html>.