

_ 🗇 ×

Please select the geographic area in which you live. Subsequent configuration questions will narrow this down by presenting a list of cities, representing the time zones in which they are located.

19. Chongging 37. Jerusalem 55. Novokuznetsk 73. Taipei

- Africa 3. Antarctica 5. Arctic 7. Atlantic 9. Indian 11. SystemV 13. Etc
- 2. America 4. Australia 6. Asia 8. Europe 10. Pacific 12. US

Geographic area: 6

Aden

Please select the city or region corresponding to your time zone.

		3 · · · 3 3 <u> </u>		···
Almaty	20. Colombo	38. Kabul	56. Novosibirsk	74. Tashkent
3. Amman	21. Damascus	39. Kamchatka	57. Omsk	75. Tbilisi
4. Anadyr	22. Dhaka	40. Karachi	58. Oral	76. Tehran
5. Aqtau	23. Dili	41. Kashgar	59. Phnom_Penh	77. Tel_Aviv
6. Aqtobe	24. Dubai	42. Kathmandu	60. Pontianak	78. Thimphu
7. Ashgabat	25. Dushanbe	43. Khandyga	61. Pyongyang	79. Tokyo
8. Atyrau	26. Famagusta	44. Kolkata	62. Qatar	80. Tomsk
9. Baghdad	27. Gaza	45. Krasnoyarsk	63. Qostanay	81. Ujung_Pandang
10. Bahrain	28. Harbin	46. Kuala_Lumpur	64. Qyzylorda	82. Ulaanbaatar
11. Baku	29. Hebron	47. Kuching	65. Rangoon	83. Urumqi
12. Bangkok	30. Ho_Chi_Minh	48. Kuwait	66. Riyadh	84. Ust-Nera
13. Barnaul	31. Hong Kong	49. Macau	67. Sakhalin	85. Vientiane
14. Beirut	32. Hovd	50. Magadan	68. Samarkand	86. Vladivostok
15. Bishkek	33. Irkutsk	51. Makassar	69. Seoul	87. Yakutsk
16. Brunei	34. Istanbul	52. Manila	70. Shanghai	88. Yangon
17. Chita	35. Jakarta	53. Muscat	71. Singapore	89. Yekaterinburg
18. Choibalsan	36. Javanura	54. Nicosia	72. Srednekolymsk	90. Yerevan



Time zone: 44



























This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at /var/www/html/index.html) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in /usr/share/doc/apache2/README.Debian.gz**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the apache2-doc package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/
|-- apache2.conf
| `-- ports.conf
|-- mods-enabled
| |-- *.load
| `-- *.conf
|-- conf-enabled
| `-- *.conf
|-- sites-enabled
| `-- *.conf
```

























