```
MariaDB [ashishsingh4431]> SELECT DISTINCT JOB
    -> FROM employee;                          ) FROM employee;
+-----------+
| JOB       |
+-----------+
| SALESMAN  |
| MANAGER   |
| ANALYST   |
| PRESIDENT |
| CLERK     |
+-----------+
5 rows in set (0.001 sec)
```

```
MariaDB [ashishsingh4431]> SELECT * FROM employee
    -> WHERE DEPTNO = 30;
+-------+--------+----------+------+------------+---------+---------+--------+
| EMPNO | ENAME  | JOB      | MGR  | HIREDATE   | SAL     | COMM    | DEPTNO |
+-------+--------+----------+------+------------+---------+---------+--------+
|  7499 | ALLEN  | SALESMAN | 7698 | 1981-02-20 | 1600.00 |  300.00 |     30 |
|  7521 | WARD   | SALESMAN | 7698 | 1981-02-22 | 1250.00 |  300.00 |     30 |
|  7654 | MARTIN | SALESMAN | 7698 | 1981-09-28 | 1250.00 | 1400.00 |     30 |
|  7698 | BLAKE  | MANAGER  | 7839 | 1981-05-01 | 2850.00 |    NULL |     30 |
|  7844 | TURNER | SALESMAN | 7698 | 1981-09-08 | 1500.00 |    0.00 |     30 |
|  7900 | JAMES  | CLERK    | 7698 | 1981-12-03 |  950.00 |    NULL |     30 |
+-------+--------+----------+------+------------+---------+---------+--------+
6 rows in set (0.002 sec)
```

```
MariaDB [ashishsingh4431]> SELECT DISTINCT DEPTNO
    -> FROM employee
    -> WHERE DEPTNO > 20;                      mployee WHERE deptno > 20;
+--------+
| DEPTNO |
+--------+
|     30 |
|     40 |
+--------+
2 rows in set (0.001 sec)
```

```
MariaDB [ashishsingh4431]> SELECT * FROM employee
    -> WHERE JOB = 'MANAGER'
    -> AND DEPTNO <> 30;                       ER" OR job = "CLERK");
+-------+-------+---------+------+------------+---------+------+--------+
| EMPNO | ENAME | JOB     | MGR  | HIREDATE   | SAL     | COMM | DEPTNO |
+-------+-------+---------+------+------------+---------+------+--------+
|  7566 | JONES | MANAGER | 7839 | 1981-04-02 | 2975.00 | NULL |     20 |
|  7782 | CLARK | MANAGER | 7839 | 1981-06-09 | 2450.00 | NULL |     20 |
+-------+-------+---------+------+------------+---------+------+--------+
2 rows in set (0.002 sec)
```

:- Perform following query using employee.

1. List all distinct Job in employee.

Maria DB [Ashishsingh4431] > Select distinct Job from employee;

2. List all information about employee in department number 30.

Mari DB [Ashishsingh4431] > SELECT * From employee werey dept no = 30;

3. Find all department number with department name greater that 20.

Maria DB [Ashishsingh4431] > Select distinct dept no from employee wihere deptno > 20;

4. Find all information about all the managers as all as the clerks in department 30.

Maria DB [Ashishsingh4431] > Select * from employe Where deptno = 30 AND (Job = "MANAGER" OR Job = "CLERK")

```
MariaDB [ashishsingh4431]> SELECT ENAME, EMPNO, DEPTNO
    -> FROM employee
    -> WHERE JOB = 'CLERK';                                employee where job = "CLERK";
+--------+-------+--------+
| ENAME  | EMPNO | DEPTNO |
+--------+-------+--------+
| ADAMS  |  7876 |     20 |
| JAMES  |  7900 |     30 |
| MILLER |  7934 |     10 |
| SMITH  |  8001 |     20 |
+--------+-------+--------+
4 rows in set (0.001 sec)
```

```
MariaDB [ashishsingh4431]> SELECT * FROM employee
    -> WHERE DEPTNO = 30
    -> AND JOB IN ('MANAGER','CLERK');                     ND deptno != 30;
+-------+-------+---------+------+------------+---------+------+--------+
| EMPNO | ENAME | JOB     | MGR  | HIREDATE   | SAL     | COMM | DEPTNO |
+-------+-------+---------+------+------------+---------+------+--------+
|  7698 | BLAKE | MANAGER | 7839 | 1981-05-01 | 2850.00 | NULL |     30 |
|  7900 | JAMES | CLERK   | 7698 | 1981-12-03 |  950.00 | NULL |     30 |
+-------+-------+---------+------+------------+---------+------+--------+
2 rows in set (0.001 sec)
```

```
MariaDB [ashishsingh4431]> SELECT ENAME, JOB, SAL
    -> FROM employee
    -> WHERE SAL BETWEEN 1200 AND 1400;                    employee where sal between 1200 and 1400;
+--------+----------+---------+
| ENAME  | JOB      | SAL     |
+--------+----------+---------+
| WARD   | SALESMAN | 1250.00 |
| MARTIN | SALESMAN | 1250.00 |
| MILLER | CLERK    | 1300.00 |
+--------+----------+---------+
3 rows in set (0.001 sec)
```

. List the employee name employee numbers and department of all clerks.

Maria DB [Ashishsingh4431] > SELECT ename, empno, deptno From employee where job = "CLERK";

6. Find all managers not in department 30.

Maria DB [Ashishsingh4431] > Select * From employee Where job = "MANAHER" AND deptno != 30;

7. List information about all employee in department 10 who are not manager or clerks.

Maria DB [Ashishsingh4431] > SELECT * FROM employe WHERE deptno = 10 AND job NOT IN (MANAHER "CLE

8. Find Employees and jobs earning between 1200 and 1400.

Maria DB [Ashishsingh4431] > SELECT * ename, sal FRom employ WHERE sal BETWEEN 1200 AND 1400;

```
MariaDB [ashishsingh4431]> SELECT ENAME, DEPTNO
    -> FROM employee
    -> WHERE JOB IN ('CLERK','ANALYST','SALESMAN');
+--------+--------+
| ENAME  | DEPTNO |
+--------+--------+
| ALLEN  |     30 |
| WARD   |     30 |
| MARTIN |     30 |
| SCOTT  |     40 |
| TURNER |     30 |
| ADAMS  |     20 |
| JAMES  |     30 |
| FORD   |     20 |
| MILLER |     10 |
| SMITH  |     20 |
+--------+--------+
10 rows in set (0.001 sec)
```

```
MariaDB [ashishsingh4431]> SELECT ENAME, DEPTNO
    -> FROM employee
    -> WHERE ENAME LIKE 'M%';
+--------+--------+
| ENAME  | DEPTNO |
+--------+--------+
| MARTIN |     30 |
| MILLER |     10 |
+--------+--------+
2 rows in set (0.001 sec)
```

9. List Name and Department Number of employee who are clerks analyst or salesman.

Mania DB [Ashishsingh4431] > SELECT ename deptno
from employee where
Job in (CLERK; "ANALYST"
"SALESMAN');

10. List name and Department number of employee whose name began with M.

Mani a DB [Ashishsingh4431] > SELECT ename
deptno From employee WHERE
ename Like "M%")

26/02/26