

```

MariaDB [ashishsingh@431] > SELECT
  -> DATEDIFF(
  -> STR_TO_DATE(CONCAT(YEAR(CURDATE()), '-12-31'), '%Y-%m-%d'),
  -> CURDATE())
  -> ) AS days_remaining;

```

days_remaining
280

1 row in set (0.002 sec)

```

MariaDB [ashishsingh@431] > SELECT
  -> MAX(SAL) AS highest_salary,
  -> MIN(SAL) AS lowest_salary,
  -> MAX(SAL) - MIN(SAL) AS salary_difference
  -> FROM employee;

```

highest_salary	lowest_salary	salary_difference
6050.00	968.00	5082.00

1 row in set (0.002 sec)

```

MariaDB [ashishsingh@431] > SELECT ENAME, SAL, COMM
  -> FROM employee
  -> WHERE COMM > 0.25 * SAL;

```

ENAME	SAL	COMM
MARTIN	1250.00	1400.00

1 row in set (0.001 sec)

```

MariaDB [ashishsingh@431] > SELECT
  -> ENAME,
  -> CONCAT('$', FORMAT(SAL, 2)) AS salary_in_dollars
  -> FROM employee;

```

ENAME	salary_in_dollars
ALLEN	\$1,600.00
WARD	\$1,250.00
JONES	\$3,599.75
MARTIN	\$1,250.00
BLAKE	\$3,000.50
CLARK	\$2,904.50
SCOTT	\$3,630.00
KING	\$6,050.00
TURNER	\$1,500.00
ADAMS	\$1,331.00
JAMES	\$1,149.50
FORD	\$3,630.00
MILLER	\$1,573.00
SMITH	\$968.00

14 rows in set (0.001 sec)

compute the number of days remaining in this year.
 mariaDB [Ashishsingh@431] > SELECT DATE DIFF (

STR_TO_DATE (concat (year (curdate)
 year - 1, m - 1, d - 1),
 '%Y-%m-%d')
 CURDATE ()
) AS days - remaining;

find the highest and lowest salaries and the
 difference between of them.

mariaDB [Ashishsingh@431] > SELECT
 MAX (sal) AS highest - sal
 MIN (sal) AS lowest - sal
 MAX (sal) - MIN (sal) AS d
 FROM employee;

List employee whose commission is greater than
 25% of their salaries.

mariaDB [Ashishsingh@431] > select * from employ
 where comm > sal * 0.25;

Make a query that display salary in do
 format.

mariaDB [Ashishsingh@431] > SELECT ename
 (CONCAT (FORMAT (sal
 salary - dollar from empl

EXPERIMENT No : 7

THEORY

Day Remaining :- It calculates the number of days left from the current date until the end of the year.

Highest salary :- It find the maximum salary

Lowest salary :- It find the minimum salary

comm > 25 :- It displays employees whose commission value is greater than 25% of their salary

Salary in Dollar format :- It converts and displays salary values in dollar current format using format functions.

Matrix Query :- It display Job-wise salary base on department numbers in matrix form and also shows the total salary for each job.

Last sunday of any month :- It finds the date of the last sunday for a given month.

Employees Count (*) :- It display each department number and the total number of employees working in that department.

Total Sal Perdept :- It display each department number and calculates the total salary of employees in that department.

```

MariaDB [ashishsingh@11] > SELECT
-> JOB,
-> SUM(CASE WHEN DEPTNO = 10 THEN SAL ELSE 0 END) AS Dept_10,
-> SUM(CASE WHEN DEPTNO = 20 THEN SAL ELSE 0 END) AS Dept_20,
-> SUM(CASE WHEN DEPTNO = 30 THEN SAL ELSE 0 END) AS Dept_30,
-> SUM(SAL) AS Total_Salary
-> FROM employee
-> GROUP BY JOB;

```

JOB	Dept_10	Dept_20	Dept_30	Total_Salary
ANALYST	0.00	3630.00	0.00	7260.00
CLERK	1573.00	2299.00	1149.50	5021.50
MANAGER	0.00	6544.25	3448.50	10012.75
PRESIDENT	0.00	6050.00	0.00	6050.00
SALESMAN	0.00	0.00	5000.00	5000.00

5 rows in set (0.002 sec)

create a matrix query to display the Job the salary for that Job based on department number and the total salary for that Job for all department giving each column on appropriate heading!

```

mariaDB [ashishsingh@11] > SELECT Job,
SUM(CASE WHEN deptno = 10 THEN sal ELSE 0 END) AS dept10,
SUM(CASE WHEN deptno = 20 THEN sal ELSE 0 END) AS dept20,
SUM(CASE WHEN deptno = 30 THEN sal ELSE 0 END) AS dept30,
SUM(CASE WHEN deptno = 40 THEN sal ELSE 0 END) AS dept40,
SUM(sal) AS total_salary
FROM employee
GROUP BY Job;

```

```

MariaDB [ashishsingh@11] > SELECT
-> COUNT(*) AS total_employees,
-> SUM(YEAR(HIREDATE) = 1980) AS hired_1980,
-> SUM(YEAR(HIREDATE) = 1981) AS hired_1981,
-> SUM(YEAR(HIREDATE) = 1982) AS hired_1982,
-> SUM(YEAR(HIREDATE) = 1983) AS hired_1983
-> FROM employee;

```

total_employees	hired_1980	hired_1981	hired_1982	hired_1983
14	1	10	2	1

1 row in set (0.001 sec)

query that will display the total number of employees and at that total the number who were hired in 1980, 1981, 1982, and 1983 give appropriate column heading.

```

mariaDB [ashishsingh@11] > SELECT
COUNT(*) AS total_employees,
SUM(YEAR(hiredate) = 1980) AS hired_1980,
SUM(YEAR(hiredate) = 1981) AS hired_1981,
SUM(YEAR(hiredate) = 1982) AS hired_1982,
SUM(YEAR(hiredate) = 1983) AS hired_1983
FROM employee;

```

```

MariaDB [ashishsingh4431]> SELECT
-> DATE_SUB(
-> LAST_DAY(CURDATE()),
-> INTERVAL (DAYOFWEEK(LAST_DAY(CURDATE())) - 1) DAY
-> ) AS last_sunday;
+-----+
| last_sunday |
+-----+
| 2020-03-29  |
+-----+
1 row in set (0.001 sec)

```

```

MariaDB [ashishsingh4431]> SELECT
-> DEPTNO,
-> SUM(SAL) AS total_salary
-> FROM employee
-> GROUP BY DEPTNO;
+-----+-----+
| DEPTNO | total_salary |
+-----+-----+
| 10     | 1573.00      |
| 20     | 18543.25     |
| 30     | 10198.00     |
| 40     | 3630.00      |
+-----+-----+
4 rows in set (0.001 sec)

```

```

MariaDB [ashishsingh4431]> SELECT
-> JOB,
-> COUNT(*) AS total_employees
-> FROM employee
-> GROUP BY JOB;
+-----+-----+
| JOB      | total_employees |
+-----+-----+
| ANALYST  | 2               |
| CLERK    | 4               |
| MANAGER  | 3               |
| PRESIDENT | 1              |
| SALESMAN | 4               |
+-----+-----+
5 rows in set (0.001 sec)

```

```

MariaDB [ashishsingh4431]> SELECT
-> DEPTNO,
-> COUNT(*) AS total_employees
-> FROM employee
-> GROUP BY DEPTNO;
+-----+-----+
| DEPTNO | total_employees |
+-----+-----+
| 10     | 1               |
| 20     | 6               |
| 30     | 6               |
| 40     | 1               |
+-----+-----+
4 rows in set (0.000 sec)

```

Query to get the last Sunday of Any Month

MariaDB [ashishsingh4431] > SELECT DATE_SUB(

LAST_DAY(CURDATE())

INTERVAL (DAYOFWEEK(LAST_DAY(CURDATE())) - 1) DAY

AS last_sunday;

Display department number and total number of employees working in each department

MariaDB [ashishsingh4431] > SELECT deptno, COUNT(*) AS total_employees FROM employee GROUP BY deptno;

Display the various jobs and total number of employees within each job group.

MariaDB [ashishsingh4431] > SELECT job, COUNT(*) AS total_employees FROM employee GROUP BY job;

Display the department number and total number of employees for each department.

MariaDB [ashishsingh4431] > SELECT deptno, SUM(SAL) AS total_salary FROM employee GROUP BY deptno;

links
29/03/20