

LAB EXPERIEMENT RECORD

On

UCS4001

DATABASE MANAGEMENT SYSTEM



IILM
UNIVERSITY

SCHOOL OF COMPUTER SCIENCE AND ENGINEERING

IILM UNIVERSITY

JANUARY 2026 – MAY 2026

Submitted To:

Kishore Pawan Ji

Submitted By:

Roll No. : 25SCS1003004431

Student Name: Ashish kumar Singh

Section: 2CSE 5

Batch (G1/G2)

INDEX

S.no	AIM	Data of completion	Date of Submission	Grade	Signature
01	Creating employee Table department, Table, insert values	17/01/26	22/01/26	$\frac{11}{15}$	
02	Retrieving Data	5/02/26	12/02/26	$\frac{12}{15}$	
03	Experiment - 3	12/02/26	14/02/26	$\frac{12}{15}$	
04	Experiment - 4	14/02/26	19/02/26	$\frac{13}{15}$	
05	Experiment - 5	19/02/26	26/02/26	$\frac{13}{15}$	
06	Experiment - 6	21/02/26	26/02/26	$\frac{13}{15}$	
07	Experiment - 7	26/02/26	.	$\frac{13}{15}$	Signature 27/03/26


```

MariaDB [(none)]> show databases;
+-----+
| Database |
+-----+
| ashishsingh4431 |
| databases_ashishsingh4431 |
| information_schema |
| mysql |
| performance_schema |
| phpmyadmin |
| sudhanshu888 |
| sudhanshu888 |
| test |
+-----+
9 rows in set (0.002 sec)

```

Perform the following Query

1. Create employee-master table with data using employee table.
2. Delete all record into employee-master whose dept No is 10.
3. Update 10% in his Salary of Dept No 20 into employee-master.
4. Alter sal with size 10.2 in employee master.
5. Drop Employee-master table.

STEP 1 :- creating and displaying of database
 Maria DB [(none)] > create database vijuo862
 Query OK, 1 row affected (0.032 sec)

Maria DB [(none)] Show databases;

✓ Maria DB [(none)] > Use vijuo862;
 Database changed

STEP 2 :- Create, display, describe, insert
 Department table

Maria DB [ashishsingh4431] > create table

✓ department (deptno int (2) primarykey
 auto increment, dname varchar (15)
 not null);

```
MariaDB [ashishsingh4431]> show tables;
```

Tables_in_ashishsingh4431
department
employee

Maria DB [ashishsingh4431] > Show tables;

Maria DB [ashishsingh4431] > desc department;

Maria DB [ashishsingh4431] > Insert into department values
(10 "Research"), (20 "ACCOUNTING"),
(30 "SALES"), (40, "opera")

Query OK, 4 rows affected (0.235 sec)

Maria DB [ashishsingh4431] > select * from department

STEP-3 Create Display Describe employee table.

```
MariaDB [ashishsingh4431]> desc department;
```

Field	Type	Null	Key	Default	Extra
DEPTNO	int(2)	NO	PRI	NULL	
DNAME	varchar(15)	NO		NULL	

2 rows in set (0.043 sec)

Maria DB [ashishsingh4431] > create table employee

empno int (4) primary key auto increment

ename varchar (20) not null job varchar

(20) Mgr int (4) hiredate date sal int

(10) comm int (7) dept no int (2)

constraint (deptno);

Query OK, 0 rows affected

(0.637 sec)

Maria DB [ashishsingh4431] > Show tables;

Maria DB [ashishsingh4431] > desc employee;

```
MariaDB [ashishsingh4431]> select * from department;
```

DEPTNO	DNAME
10	RESEARCH
20	ACCOUNTING
30	SALES
40	OPERATIONS

4 rows in set (0.001 sec)

MariaDB [ashishsingh4431]> desc employee;

Field	Type	Null	Key	Default	Extra
EMPNO	int(4)	NO	PRI	NULL	
ENAME	varchar(26)	NO		NULL	
JOB	varchar(26)	YES		NULL	
MGR	int(4)	YES		NULL	
HIREDATE	date	YES		NULL	
SAL	decimal(10,2)	YES		NULL	
COMM	decimal(7,2)	YES		NULL	
DEPTNO	int(2)	YES		NULL	

8 rows in set (0.031 sec)

STEP:-4 Insert , Employee table

Maria DB [ashishsingh4431] Insert into employee Values

(7309, "SMITH", "CLERK", 7902, 1980-12-17, 800, NULL, 20)

Query OK, 1 row affected (0.154) sec

Maria DB [ashishsingh4431] > SELECT * from employee;

Maria DB [ashishsingh4431] > Insert into employee

Values

- (7499, "ALLEN", "Salesman", 7689, 1981-02-20, 1600, 300, 30)
- (7521, "WARD", "SALESMAN", 7698, 1981-02-22, 1250, 300, 30)
- (7521, "JONES", "MANAGER", 7839, 1981-04-02, 2975, NULL, 20)
- (7654, "MARTIN", "SALESMAN", 7698, 1981-09-28, 1250, 1400, 30)
- (7798, "BLAKE", "MANAGER", 7839, 1981-05-01, 2850, NULL, 30)
- (7782, "CLARK", "MANAGER", 7839, 1981-06-09, 2450, NULL, 20)
- (7788, "SCOTT", "ANALYST", 7568, 1982-12-09, 3000, NULL, 90)
- (7839, "KING", "PRESIDENT", NULL, 1981-11-17, 5000, NULL, 20)
- (7844, "TUNE", "SALESMAN", 7698, 1981-09-08, 1500, 030, 30)
- (7876, "ADAMS", "CLERK", 7698, 1981-12-03, 950, NULL, 30)
- (7902, "FORD", "ANALYST", 7568, 1981-12-03, 3000, NULL, 20)
- (7934, "MILLER", "CLERK", 7782, 1982-01-23, 1300, NULL, 10)

Query OK, 13 rows affected (0.185 sec)

MariaDB [vijendra@862] > CREATE TABLE employee_master as select * from employee;
Query OK, 14 rows affected (0.018 sec)
Records: 14 Duplicates: 0 Warnings: 0

MariaDB [vijendra@862] > SELECT * FROM employee_master;

empno	ename	job	mgr	hiredate	sal	comm	deptno
7369	SMITH	CLERK	7902	1980-12-17	800	NULL	20
7499	ALLEN	SALESMAN	7698	1981-02-20	1600	300	30
7521	WARD	SALESMAN	7698	1981-02-22	1250	300	30
7566	JONES	MANAGER	7839	1981-04-02	2975	NULL	20
7654	MARTIN	SALESMAN	7698	1981-09-28	1250	1400	30
7698	BLAKE	MANAGER	7839	1981-05-01	2850	NULL	30
7782	CLARK	MANAGER	7839	1981-06-09	2450	NULL	20
7788	SCOTT	ANALYST	7566	1982-12-09	3000	NULL	40
7839	KING	PRESIDENT	NULL	1981-11-17	5000	0	20
7844	TURNER	SALESMAN	7698	1981-09-08	1500	0	30
7876	ADAMS	CLERK	7788	1983-01-12	1100	NULL	20
7900	JAMES	CLERK	7698	1981-12-03	950	NULL	30
7902	FORD	ANALYST	7566	1981-12-03	3000	NULL	20
7934	MILLER	CLERK	7782	1982-01-23	1300	NULL	10

14 rows in set (0.001 sec)

MariaDB [vijendra@862] > SELECT * FROM employee;

empno	ename	job	mgr	hiredate	sal	comm	deptno
7369	SMITH	CLERK	7902	1980-12-17	800	NULL	20
7499	ALLEN	SALESMAN	7698	1981-02-20	1600	300	30
7521	WARD	SALESMAN	7698	1981-02-22	1250	300	30
7566	JONES	MANAGER	7839	1981-04-02	2975	NULL	20
7654	MARTIN	SALESMAN	7698	1981-09-28	1250	1400	30
7698	BLAKE	MANAGER	7839	1981-05-01	2850	NULL	30
7782	CLARK	MANAGER	7839	1981-06-09	2450	NULL	20
7788	SCOTT	ANALYST	7566	1982-12-09	3000	NULL	40
7839	KING	PRESIDENT	NULL	1981-11-17	5000	0	20
7844	TURNER	SALESMAN	7698	1981-09-08	1500	0	30
7876	ADAMS	CLERK	7788	1983-01-12	1100	NULL	20
7900	JAMES	CLERK	7698	1981-12-03	950	NULL	30
7902	FORD	ANALYST	7566	1981-12-03	3000	NULL	20
7934	MILLER	CLERK	7782	1982-01-23	1300	NULL	10

14 rows in set (0.001 sec)

Maria DB [vijendra@862] > SELECT * FROM
employee;

Maria DB [vijendra@862] > SHOW tables;

Step: 5 create employee-master table using
employee table.

Maria DB [vijendra@862] > create table

employee-master as select * from
employee;

Query OK 14 rows affected (0.018 sec)

Record: 14 Duplicates: 0 warnings: 0

Maria DB [vijendra@862] > SELECT * from
employee-master;

STEP: 6 Delete all record into employee-master
whose Dept No is 10.

MariaDB [ashishsingh@431] > Delete from employee-master
where deptno = 10;

Query OK, 1 row affected (0.010 sec)

MariaDB [ashishsingh@431] > select * from employee-master

MariaDB [ashishsingh@431] > delete from employee-master where deptno = 10;
Query OK, 0 rows affected (0.001 sec)

MariaDB [ashishsingh@431] > select * from employee-master;

EMPNO	ENAME	JOB	MR	HIREDATE	SAL	COMM	DEPTNO
7499	ALLEN	SALESMAN	7698	1981-02-20	1600.00	300.00	30
7521	WARD	SALESMAN	7698	1981-02-22	1250.00	300.00	30
7566	JONES	MANAGER	7839	1981-04-02	3272.50	NULL	20
7654	MARTIN	SALESMAN	7698	1981-09-28	1250.00	1400.00	30
7698	BLAKE	MANAGER	7839	1981-05-01	2850.00	NULL	30
7782	CLARK	MANAGER	7839	1981-06-09	2695.00	NULL	20
7788	SCOTT	ANALYST	7566	1982-12-09	3000.00	NULL	20
7839	KING	PRESIDENT	NULL	1981-11-17	5500.00	NULL	40
7844	TURNER	SALESMAN	7698	1981-09-08	1500.00	0.00	30
7876	ADAMS	CLERK	7788	1983-01-12	1210.00	NULL	20
7900	JAMES	CLERK	7698	1981-12-03	950.00	NULL	30
7902	FORD	ANALYST	7566	1981-12-03	3300.00	NULL	20
8001	SMITH	CLERK	7902	1980-12-17	800.00	NULL	20

13 rows in set (0.081 sec)

STEP: 7 update 10% in his salary of Deptno
into Employee - Master

MariaDB [ashishsingh@431] > update employee-master
set sal = sal * 1.10 where deptno = 20;

Query OK, 6 rows affected (0.010sec)
Row matched 6 changed 6 warnings: 0

MariaDB [ashishsingh@431] > select empno, ename,
sal, deptno from employee-master
where deptno = 20;

MariaDB [ashishsingh@431] > UPDATE EMPLOYEE_MASTER SET SAL = SAL * 1.10 WHERE DEPTNO = 20;
Query OK, 6 rows affected (0.009 sec)
Rows matched: 6 Changed: 6 Warnings: 0

MariaDB [ashishsingh@431] > select empno, ename, sal, deptno from employee-master where deptno = 20;

empno	ename	deptno
7566	JONES	3599.75
7782	CLARK	2964.50
7839	KING	8060.00
7876	ADAMS	1331.00
7902	FORD	3630.00
8001	SMITH	960.00

6 rows in set (0.001 sec)

empno	ename	sal	deptno
7566	JONES	3599.75	20
7782	CLARK	2964.50	20
7839	KING	8060.00	20
7876	ADAMS	1331.00	20
7902	FORD	3630.00	20
8001	SMITH	960.00	20

6 rows in set (0.001 sec)

```

MariaDB [ashishsingh4431]> alter table employee_master modify sal decimal(10,2);
ERROR 1427 (42000): For float(M,D), double(M,D) or decimal(M,D), M must be >= 0 (column 'sal')
MariaDB [ashishsingh4431]> alter table employee_master modify sal decimal(10,2);
Query OK, 0 rows affected (0.013 sec)
Records: 0 Duplicates: 0 Warnings: 0

```

```

MariaDB [ashishsingh4431]> desc employee_master;

```

Field	Type	Null	Key	Default	Extra
EMPNO	int(4)	NO		NULL	
ENAME	varchar(20)	NO		NULL	
JOB	varchar(20)	YES		NULL	
MGR	int(4)	YES		NULL	
HIREDATE	date	YES		NULL	
sal	decimal(10,2)	YES		NULL	
COMM	decimal(7,2)	YES		NULL	
DEPTNO	int(2)	YES		NULL	

8 rows in set (0.032 sec)

Step 8 Alter SAL with size 10,2 in employee master.

MariaDB [ashishsingh4431] > Alter table employee master modify sal decimal (10,2);

Query ok. 13 rows affected (0.044) sec)

Records: 13 duplicates: 0 warning 0

MariaDB [ashishsingh4431] > Desc employee-master;

Step 9 Drop employee-master table

MariaDB [ashishsingh4431] > DROP table employee-master;

Query ok 0 rows affected (0.015 sec)

MariaDB [ashishsingh4431] > show tables;

```

MariaDB [ashishsingh4431]> DROP table employee_master;
Query OK, 0 rows affected (0.014 sec)

```

```

MariaDB [ashishsingh4431]> show tables;

```

Tables_in_ashishsingh4431
department
employee

2 rows in set (0.002 sec)

Aditya
26/02/20