

Time Remaining: 1:24:32

15 of 60. A developer wants to retrieve the Contacts and Users with the email dev@uc.com.

Which SOSL statement should the developer use?

- A. FIND {dev@uc.com} IN Email Fields RETURNING Contact
- B. FIND {Email = 'dev@uc.com'} IN Contact, User
- C. FIND {Email = 'dev@uc.com'} RETURNING Contact (Email)
- D. FIND Email IN Contact, User FOR {dev@uc.com}

Mark this item for later review.

Time Remaining: 36:10

- 39 of 60. Universal Containers has an order system that uses an Order Number field. This field will be imported into Salesforce.

How should the Order Number field be defined in Salesforce?

- A. Lockup
- B. Direct Lookup
- C. Number with External ID
- D. Indirect Lookup

Mark this item for later review.

KRYTERION™

Webassessor™

Salesforce Certified Platform

Time Remaining: 33:15

3 of 65. Which three operations affect the number of times a trigger can fire?

Choose 3 answers

- A. Process Flows
- B. Workflow Rules
- C. Criteria-based Sharing calculations
- D. Email messages
- E. Roll-Up Summary fields

Mark this item for later review.

Webassessor™

Salesforce Certified Platform Developer

Time Remaining: 33:09

4 of 65. Which process automation should be used to send an outbound message without using Apex?

- A. Process Builder
- B. Workflow Rule
- C. Flow Builder
- D. Approval Process

Mark this item for later review.

Webassessor™

Salesforce Certified

Time Remaining: 32:57

- 5 of 65. Which aspect of Apex programming is limited due to multitenancy?
- A. The number of methods in an Apex class
 - B. The number of records processed in a loop
 - C. The number of records returned from database queries
 - D. The number of active Apex classes

Mark this item for later review.



Time Remaining: 1:34:53

10 of 60. Which Salesforce feature allows a developer to see when a user last logged in?

- A. Event Monitoring Log
- B. Developer Log
- C. Asynchronous Data Capture Events
- D. Calendar Events

Mark this item for later review.

Time Remaining: 32:30

7 Universal Containers uses a simple Order Management app. On the Order Lines, the order line total is calculated based on the unit price multiplied by the quantity ordered. There is a Master-Detail relationship between the Order and the Order Line.

65. What is the best practice to get the sum of all order line totals on the order header?

- A. Roll-Up Summary Field
- B. Apex Trigger
- C. Process Builder
- D. Declarative Roll-Up Summaries App

Mark this item for later review.

Webassessor™

Salesforce Certified Platform Developer

Time Remaining: 32:17

8 of

65. Which three process automations can immediately send an email notification to the owner if the amount is greater than \$10,000?

Choose 3 answers

- A. Process Builder
- B. Flow Builder
- C. Escalation Rule
- D. Approval Process
- E. Workflow Rule

Mark this item for later review.

Time Remaining: 31'45

- Q of 65. A Lightning component has a wired property, `searchResults`, that contains a list of opportunities. Which definition of the Apex method, to which the `searchResults` property is wired, is correct?
- A. `@AuraEnabled(cacheable=false)`
`public List<Opportunity> search(String term) /*implementation*/`
- B. `@FaultEnabled(cacheable=false)`
`public static List<Opportunity> search(String term) /*implementation*/`
- C. `@CacheEnabled(cacheable=true)`
`public static List<Opportunity> search(String term) /*implementation*/`
- D. `@AuraEnabled(cacheable=true)`
`public static List<Opportunity> search(String term) /*implementation*/`

Mark this item for later review.

Time Remaining: 11:29

10 of 63. A developer created a Visualforce page and custom controller to display the account.

Custom controller code:

```
public class customctr{  
    private Account theAccount;  
    public String actType;  
  
    public customctr() {  
        theAccount = [SELECT Id, Type FROM Account  
                     WHERE Id = :ApexPages.currentPage().getParameters().get('Id')];  
        actType = theAccount.Type;  
    }  
}
```

Visualforce page snippet:

The Account Type is {actType}

The value of the account type field is not being displayed correctly on the page. Assuming the Visualforce page, what should the developer do to correct the problem?

- A. Convert theAccount.Type to a String.
- B. Add with sharing to the custom controller.
- C. Add a getter method for the actType attribute.
- D. Change theAccount attribute to public.

(this item)

Webassessor™

Salesforce Certified Platform Developer I

Time Remaining: 31:14

- 11 of 65. A developer observes that an Apex test method fails in the Sandbox. To identify the issue, and executes it via the Execute Anonymous tool in the Developer Console. The code then

Why did the test method fail in the sandbox and pass in the Developer Console?

- A. The test method relies on existing data in the sandbox.
- B. The test method has a syntax error in the code.
- C. The test method is calling an @future method.
- D. The test method does not use System.runAs to execute as a specific user.

Mark this item for later review.

KRYTERION

Webassessor™

Time Remaining: 31:08

Salesforce Certified Platform Dev

- 12 of 65. A custom picklist field, `Food_Preference`, exists on a custom object. The picklist contains values: 'Fruit', 'Vegetable', and 'Dessert'. The developer must ensure a value is populated every time a record is created.
- What is the most efficient way to ensure a value is selected every time a record is created?
- A. Set "Use the first value in the list as the default value" as True.
 - B. Mark the field as Required on the field definition.
 - C. Mark the field as Required on the object's page layout.
 - D. Set a validation rule to enforce a value is selected.

Mark this item for later review.

Salesforce Certified Platform Develop

Webassessor™

Time Remaining: 30:50

13 of
65.

The sales management team at Universal Containers requires that the Lead Source field be populated prior to converting leads to accounts.

What should be used to ensure that a user populates the Lead Source field prior to converting leads to accounts?

- A. Process Builder
- B. Validation Rule
- C. Formula Field
- D. Workflow Rule

Mark this item for later review.

Time Remaining: 30:43

14 of 65 What are three considerations when using the @InvocableMethod annotation?
Choose 3 answers

- A. A method using the @InvocableMethod annotation must define a return value.
- B. A method using the @InvocableMethod annotation can have multiple inputs.
- C. A method using the @InvocableMethod annotation can be declared as public.
- D. A method using the @InvocableMethod annotation must be declared as static.
- E. Only one method using the @InvocableMethod annotation can be defined per Apex class.

Mark this item for later review

Time Remaining: 30:18

15 of 65. A developer wants to import 500 Opportunity records into a sandbox.

Why should the developer choose to use Data Loader instead of Data Import Wizard?

- A. Data Import Wizard can not import all 500 records.
- B. Data Loader runs from the developer's browser.
- C. Data Loader automatically relates Opportunities to Accounts.
- D. Data Import Wizard does not support Opportunities.

Mark this item for later review.

Time Remaining: 30:10

16 of 63 Which two events need to happen when deploying to a production org?

Choose 2 answers

- A. All Apex code must have at least 75% test coverage.
- B. All Visual Flows must have at least 1% test coverage.
- C. All triggers must have at least 1% test coverage.
- D. All Process Builder Processes must have at least 1% test coverage.

Mark this item for later review.

S

Time Remaining: 1:02:18

26 of 60. What are three ways for a developer to interact with Salesforce?

Choose 3 answers

- A. Bulk API
- B. Tooling API
- C. Setup Menu
- D. SalesforceDX
- E. Metadata API

Mark this item for later review.

Salesforce Certified Platform Develop

Time Remaining: 29:57

18 of 65. A developer needs to have records with specific field values in order to test a new

What should the developer do to ensure the data is available to the test?

- A. Use Anonymous Apex to create the required data.
- B. Use SOQL to query the org for the required data.
- C. Use Test.loadData() and reference a static resource.
- D. Use Test.loadData() and reference a CSV file.

Mark this item for later review.

Time Remaining: 43:05

36 of 60. Which code in a Visualforce page and/or controller might present a security risk?

- A. <apex:outputField value="(!ctrl.userInput)" />
- B. <apex:outputText escape="false" value="={!\$CurrentPage.parameters['id']}" />
- C. <apex:outputText value="={!\$CurrentPage.parameters['id']}" />
- D. <apex:outputField escape="false" value="={!ctrl.us" />

Mark this item for later review.

Time Remaining: 29:44

20 of 65. If Apex code executes inside the `execute()` method of an Apex class when implemented true regarding governor limits?

Choose 2 answers

- A. The Apex governor limits cannot be exceeded due to the asynchronous nature of the code.
- B. The Apex governor limits are relaxed while calling the constructor of the Apex class.
- C. The Apex governor limits might be higher due to the asynchronous nature of the transaction.
- D. The Apex governor limits are reset for each iteration of the `execute()` method.

Mark this item for later review.

Salesforce Certified Platform Developer I (S)

Time Remaining: 29:38

21 of 65 The values 'High', 'Medium', and 'Low' are identified as common values for multiple picklists.

What is an approach a developer can take to streamline maintenance of the picklists and the ones mentioned above?

- A. Create the Picklist on each object and add a validation rule to ensure data integrity.
- B. Create the Picklist on each object and use a Global Picklist Value Set containing the values.
- C. Create the Picklist on each object as a required field and select "Display values alphabetically".
- D. Create the Picklist on each object and select "Restrict picklist to the values defined in the parent object".

Mark this item for later review.

Webassessor™

Time Remaining: 56:46

Salesforce Certified Platform Developer I (WIP)

54 of 60. An Apex method, `getAccounts`, that returns a List of Accounts given a searchTerm, is available.

What is the correct definition of a Lightning Web component property that uses the `getAccounts` method?

- A. `@AuraEnabled(getAccounts, '$searchTerm')`
`accountList;`
- B. `@Wire(getAccounts, '$searchTerm')`
`accountList;`
- C. `@AuraEnabled(getAccounts, { searchTerm: '$searchTerm' })`
`accountList;`
- D. `@Wire(getAccounts, { searchTerm: '$searchTerm' })`
`accountList;`

Mark this item for later review.

Time Remaining: 29:17

23 of 65. A developer at Universal Containers is tasked with implementing a new feature by their company's Salesforce administrator.

Which three options should be considered for building out the business logic?

- Choose 3 answers
- A. Workflows
 - B. Validation Rules
 - C. Process Builder
 - D. Scheduled Jobs
 - E. Invocable Actions

Mark this item for later review.

QUESTION

Time Remaining 29:10

Salesforce Certified Platform Developer I

24 of

65. Which code should be used to update an existing Visualforce page that uses standard Visualforce components to add the look and feel of Lightning Experience?

- A. `apex:slds/`
- B. `apex:page lightningStyleSheet="true"`
- C. `apex:syleSheet value="URLFOR($Resource.slds, 'assets/slds.css')"/>`
- D. `apex:includeLightning/`

Mark this item for later review.

Remaining: 57:57

9 of 60. A developer has an Apex controller for a Visualforce page that takes an input parameter named "url_param". How should the developer prevent a cross site scripting vulnerability?

- A. ApexPages.currentPage().getParameters().get('url_param')
- B. ApexPages.currentPage().getParameters().get('url_param')
- C. String.valueOf(ApexPages.currentPage().getParameters().get('url_param'))
- D. String.escapeSingleQuotes(ApexPages.currentPage().getParameters().get('url_param'))

Mark this item for later review.

Time Remaining: 28:58

Qn-05. A developer has the following requirements.

- Calculate the total amount in an Order.
- Calculate the line amount for each Line Item based on a formula.
- Move Line Items to a different Order if a Line Item is not required.

Which relationship implementation supports these requirements?

- Order has a LookUp field to Line Item and there can be many.
- Order has a Master-Detail field to Line Item and there can be many.
- Line Item has a Master-Detail field to Order and the Master can have many.
- Line Item has a LookUp field to Order and there can be many.

I know this item for later review.

Time Remaining: 28:52

27 of 65. What are two characteristics related to formulas?
Choose 2 answers

- A. Formulas can reference themselves.
- B. Formulas are calculated at runtime and are not stored in the database.
- C. Formulas can reference values in related objects.
- D. Fields that are used in a formula field can be deleted or edited without affecting the formula.

Mark this item for later review.

Time Remaining: 1:23:05

16 of 60. How should a custom user interface be provided when a user edits an Account?

- A. Override the Account's Edit button with a Lightning Flow.
- B. Override the Account's Edit button with a Lightning Action.
- C. Override the Account's Edit button with a Lightning page.
- D. Override the Account's Edit button with a Lightning component.

Mark this item for later review.

Time Remaining: 28:37

29 of 65. A Salesforce developer wants to review their code changes immediately and does not have access to the Dev Console. Which tool is best-suited?

- A. Developer Console
- B. Salesforce Extension for VSCode
- C. Setup Menu
- D. Third-party apps from AppExchange

Mark this item for later review.

Time Remaining: 28:12

30 of 65. What is the result of the following code?

```
Account a = new Account();  
Database.insert(a, false);
```

- A. The record will not be created and an exception will be thrown.
- B. The record will be created and a message will be in the debug log.
- C. The record will not be created and no error will be reported.
- D. The record will be created and no error will be reported.

 Mark this item for later review.

Time Remaining: 28:06

31 A developer has an integer variable called maxAttempts. The developer needs to ensure that the value for the length of the Apex transaction, while being able to share the variable's state.

of
65;

How should the developer declare maxAttempts to meet these requirements?

- A. Declare maxAttempts as a member variable on the trigger definition.
- B. Declare maxAttempts as a private static variable on a helper class.
- C. Declare maxAttempts as a constant using the static and final keywords.
- D. Declare maxAttempts as a variable on a helper class.

Mark this item for later review.

Time: 27:59

32 of 65.

What should a developer do to check the code coverage of a class?

- A. View the Code Coverage column in the list view on the Apex Class record.
- B. View the Class Test Coverage tab on the Apex Class record.
- C. View the Overall Code Coverage panel of the Tests tab in the Developer Console.
- D. Select and run the class on the Apex Test Execution page.

Mark this item for later review.

ure



Salesforce Certified Platform

Time Remaining: 20:50

51 of 60. Which three steps allow a custom SVG to be included in a Lightning component?

Choose 3 answers

- A. Upload the SVG as a static resource.
- B. Import the static resource and provide a getter for it in JavaScript.
- C. Reference the getter in the HTML template.
- D. Reference the import in the HTML template.
- E. Import the SVG as a content asset file.

Mark this item for later review.

Time Remaining: 27:32

34 of 65. Given the following Anonymous Block:

```
List<Case> casesToUpdate = new List<Case>();  
for(Case thisCase : [Select Id, Status FROM Case LIMIT 50000])  
    if(thisCase.Status = 'Working')  
        casesToUpdate.add(thisCase);  
try{  
    Database.update(casesToUpdate, false);  
}catch(Exception e){  
    System.debug(e.getMessage());  
}
```

What should a developer consider for an environment that has over 10,000 Case records?

- A. The transaction will fail due to exceeding the governor limit.
- B. The try/catch block will handle any DML exceptions thrown.
- C. The try/catch block will handle exceptions thrown by governor limits.
- D. The transaction will succeed and changes will be committed.

Item for later review.

Time Remaining: 27:18

35 of 65. What will be the output in the debug log in the event of a QueryException during a call to

```
class myClass {
    class CustomException extends QueryException {}
    public static Account aQuery() {
        Account theAccount;
        try {
            system.debug('Querying Accounts.');
            theAccount = [SELECT Id FROM Account WHERE CreatedDate > TODAY];
        }
        catch (CustomException ex) {
            system.debug('Custom Exception.');
        }
        catch (QueryException ex) {
            system.debug('Query Exception.');
        }
        finally {
            system.debug('Done.');
        }
        return theAccount;
    }
}
```

- A. Querying Accounts. Query Exception.
- B. Querying Accounts. Custom Exception.
- C. Querying Accounts. Query Exception, Done.
- D. Querying Accounts. Custom Exception, Done.

Time Remaining: 1:14:12

- 36 of 65 A developer must build an application that tracks which Accounts purchase many pieces of equipment. Each Account could purchase many pieces of equipment.
- How should the developer track that an Account has purchased equipment?
- A. Use the Asset object
 - B. Use a Custom object
 - C. Use a Master-Detail on Product to Account
 - D. Use a Lookup on Account to Product

Mark this item for later review.



Webassessor™

Salesforce Certified Platform Developer I (SP20)

Time Remaining: 1:13:12

37 of 65. Application Events follow the traditional publish-subscribe model.

Which method is used to fire an event?

- A. `fireEvent()`
- B. `emit()`
- C. `registerEvent()`
- D. `fire()`

Mark this item for later review.

KRYTERION

Webassessor™

Salesforce Certified Platform Developer I (SP20)

Time remaining: 1:12:30

70 of 65. When using SalesforceDX, what does a developer need to enable to create and manage scratch orgs?

- A. ⚡ Dev Hub
- B. ⚡ Sandbox
- C. ⚡ Production
- D. ⚡ Environment Hub

Mark this item for later review.



Time Remaining: 1:12:03

Salesforce Certified Platform Developer I (SP20)

39 of 65. What are two ways a developer can get the status of an enqueued job for a class that implements the `Future` interface?

- Choose 2 answers
- A. View the Apex Flex Queue
 - B. View the Apex Status Page
 - C. View the Apex Jobs Page
 - D. Query the `AsyncApexJob` object

Mark this item for later review.

Remaining: 1:06:04

- 24 of 60. A developer must implement a `CheckPaymentProcessor` class that provides methods defined for payments in the `PaymentProcessor` interface.

```
public interface PaymentProcessor {  
    void pay(Decimal amount);  
}
```

Which is the correct implementation to use the `PaymentProcessor` interface?

- A. public class CheckPaymentProcessor implements PaymentProcessor {
 public void pay(Decimal amount) {}
}
- B. public class CheckPaymentProcessor implements PaymentProcessor {
 public void pay(Decimal amount);
}
- C. public class CheckPaymentProcessor extends PaymentProcessor {
 public void pay(Decimal amount);
}
- D. public class CheckPaymentProcessor extends PaymentProcessor {
 public void pay(Decimal amount) {}
}

for later review.

- 41 Universal Containers recently transitioned from Classic to Lightning Experience. One of its objects is the Opportunity object. A developer needs to send some information about an Opportunity object to an external system via an HTTP REST callout. Which two fields should the developer include in the callout payload? Choose 2 answers.

- Name
- Amount
- Account

Which two methods should the developer implement to fulfill the business requirement? Choose 2 answers.

- A. Create a Visualforce page that performs the HTTP REST callout, and use a Visualforce quick action on the Opportunity detail page.
- B. Create a Process Builder on the Opportunity object that executes an Apex immediate action when the Opportunity is updated.
- C. Create an after update trigger on the Opportunity object that calls a helper method using a REST callout.
- D. Create a Lightning component that performs the HTTP REST callout, and use a Lightning Action on the Opportunity detail page.

Mark this item for later review.

Time Remaining: 1:03:47

42 of 65. A developer has a requirement to create an Order when an Opportunity is converted. Which tool should be used to implement this requirement?

- A. Process Builder
- B. Lightning Component
- C. Lightning Flow
- D. Apex Trigger

50 items left to review.

OnePlus

Time Remaining: 1:03:07

43 of 65. What does the Lightning Component framework provide?

- A. Extended governor limits for applications
- B. Prebuilt components that can be reused
- C. Templates to create custom components
- D. Support for Classic and Lightning UIs

Mark this item for later review.

Salesforce Certified Platform Developer I (SP)

Time Remaining: 1:01:40

- 14 An org tracks customer orders on an Order object and the line items of an Order on the Line Item object. Master/Detail relationship to the Order object. A developer has a requirement to calculate the amount of each Line Item based on quantity and price.

What is the correct implementation?

- A. Implement the line amount as a numeric formula field and the order amount as a roll-up summary field.
- B. Write a single before trigger on the Line Item that calculates the item amount and updates the Order.
- C. Implement the line amount as a currency field and the order amount as a SUM formula field.
- D. Write a process on the Line Item that calculates the item amount and order amount and updates the Order.

Mark this item for later review.

Time Remaining: 1:01:13

45 of 65. Universal Containers decides to use exclusively declarative c

Which three options should be used to build out the database
Choose 3 answers

- A. Triggers
- B. Custom Objects and Fields
- C. Relationships
- D. Roll-up Summaries
- E. Process Builder

Mark this item for later review

KRYTERION

Webassessor™

Salesforce Certified Platform Developer I (SP20)

Time Remaining: 57:15

46 of 55. A developer is asked to create a Visualforce page for Opportunities that allows users to save or modify Opportunity amounts. Which approach should the developer use to meet this requirement?

- A. A custom controller
- B. A custom controller extension
- C. Visualforce page JavaScript
- D. Standard controller methods

Mark this item for later review.

Time Remaining: 54:49

- 47 of
65. As part of a class implementation, a developer must execute a SOQL query against a large data set. The method implementation is as follows:

```
List<Contact> retrievedContact = [Select Id, Name, Description FROM Contact];
for(Contact thisContact : retrievedContact){
    //perform field updates
}
```

Which two methods are best practices to implement heap size control for the above code?
Choose 2 answers

- A. Use the FOR UPDATE option on the SOQL query to lock down the records retrieved.
- B. Use the transient keyword when declaring the retrievedContact variable.
- C. Use a SOQL FOR loop, to chunk the result set in batches of 200 records.
- D. Use WHERE clauses on the SOQL query to reduce the number of records retrieved.

Mark this item for later review.

OnePlus

Time Remaining: 44:14

53 of 65. How can a developer check the test coverage of active Process Builders and Flows?

- A. Use the Flow Properties page.
- B. Use the Code Coverage Setup page.
- C. Use the ApexTestResult class.
- D. Use SOQL and the Tooling API.

Mark this item for later review.

Webassessor™

Time Remaining: 42:15

Salesforce Certified Platform Develop

54
of
65.

A developer must create an Apex class, ContactController, that a Lightning component should only be able to search for Contact records to which they

Which two will restrict the records correctly?
Choose 2 answers

- A. public without sharing class ContactController
- B. public class ContactController
- C. public with sharing class ContactController
- D. public inherited sharing class ContactController

Mark this item for later review.

Plus

Time Remaining: 41:33

Salesforce Certified

55 of 65.

Which code displays the contents of a Visualforce page as a PDF?

- A. `<apex:page contentType="pdf">`
- B. `<apex:page renderAs="application/pdf">`
- C. `<apex:page contentType="application/pdf">`
- D. `<apex:page renderAs="pdf">`

Mark this item for later review.

61 of
63. A developer needs to prevent the creation of Request records when certain conditions are met. Which of the following correctly describes how to implement this logic?

What is the correct implementation?

- A trigger RequestTrigger on Request (before insert) {
 If (RequestLogic.isInvalid(Request))
 Request.addError('Your request cannot be created at this time for legal review.');
- B trigger RequestTrigger on Request (before insert) {
 RequestLogic.validateRecords(trigger.new);
- C trigger RequestTrigger on Request (after insert) {
 RequestLogic.validateRecords(trigger.new);
- D trigger RequestTrigger on Request (after insert) {
 If (RequestLogic.isInvalid(Request))
 Request.addError('Your request cannot be created at this time for legal review.');

as time for legal review.

Time Remaining: 30:57

- 44 of 60.** A developer is tasked to perform a security review of the `contactSearch` method. The developer identifies the following method as a security threat:

```
List<Contact> performSearch(String lastName){  
    return Database.query('SELECT Id, FirstName, LastName FROM Contact  
    WHERE LastName = \'%'+lastName+'%\');  
}
```

What are two ways the developer can update the method to prevent a SOQL injection?

Choose 2 answers

- A. Use variable binding and replace the dynamic query with a static SOQL.
- B. Use the `escapeSingleQuotes` method to sanitize the parameter before it is used.
- C. Use a regular expression expression on the parameter to remove special characters.
- D. Use the `@readonly` annotation and the `with sharing` keyword on the class.

Mark this item for later review.

Salesforce Certified Plat

Time Remaining: 35:09

of 65. Which statement generates a list of Leads and Contacts that have

- A. List<list <object>> searchList = [SELECT Name, ID FROM Lead, Contact WHERE Name = "ACME"]
- B. List <object>> searchList = [FIND "ACME" IN ALL FIELDS]
- C. List<list <object>> searchList = [FIND "ACME" IN ALL FIELDS]
- D. Map <object> searchList = [FIND "ACME" IN ALL FIELDS]

as item for later review.

Time Remaining: 34:30

Salesforce

- 65 of 65 A developer is writing tests for a class and needs to ↓
which annotation method should be used to create re
- A @Parameter
B @TestSetup
C @Test
D @Test(Setup) / @TestTearDown

Mark this item for later review.

