Suricata

Suricata is a fast, free tool used to monitor network traffic and detect security threats. It can use multiple CPU cores to work more efficiently and can find and stop different types of network attacks. It also creates logs in formats like JSON, making it easier to analyze the data.

sudo apt update sudo apt instsall -y suricata

```
root@Ubantu:/home/vboxuser# sudo apt install -y suricata
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following packages were automatically installed and are no longer required:
  libllvm17t64 libsigsegv2 python3-netifaces
Use 'sudo apt autoremove' to remove them.
The following additional packages will be installed:
  isa-support libevent-2.1-7t64 libevent-core-2.1-7t64 libevent-pthreads-2.1-7t64 libfdt1 libhiredis1.1.0 libhtp2
  libhyperscan5 libnet1 libnetfilter-log1 librte-bus-pci24 librte-bus-vdev24 librte-eal24 librte-ethdev24
  librte-hash24 librte-ip-frag24 librte-kvargs24 librte-log24 librte-mbuf24 librte-mempool24 librte-meter24
  librte-net-bond24 librte-net24 librte-pci24 librte-rcu24 librte-ring24 librte-sched24 librte-telemetry24 libxdp1
  sse3-support suricata-update
Suggested packages:
  libtcmalloc-minimal4
The following NEW packages will be installed:
  isa-support libevent-2.1-7t64 libevent-core-2.1-7t64 libevent-pthreads-2.1-7t64 libfdt1 libhiredis1.1.0 libhtp2
  libhyperscan5 libnet1 libnetfilter-log1 librte-bus-pci24 librte-bus-vdev24 librte-eal24 librte-ethdev24
  librte-hash24 librte-ip-frag24 librte-kvargs24 librte-log24 librte-mbuf24 librte-mempool24 librte-meter24
  librte-net-bond24 librte-net24 librte-pci24 librte-rcu24 librte-ring24 librte-sched24 librte-telemetry24 libxdp1
  sse3-support suricata suricata-update
0 upgraded, 32 newly installed, 0 to remove and 1 not upgraded.
Need to get 7,094 kB of archives.
After this operation, 30.5 MB of additional disk space will be used.
Get:1 http://in.archive.ubuntu.com/ubuntu noble/universe amd64 isa-support amd64 21build1 [16.7 kB]
Get:2 http://in.archive.ubuntu.com/ubuntu noble/universe amd64 sse3-support amd64 21build1 [3,406 B]
Get:3 http://in.archive.ubuntu.com/ubuntu noble/main amd64 libevent-2.1-7t64 amd64 2.1.12-stable-9ubuntu2 [145 kB]
Get:4 http://in.archive.ubuntu.com/ubuntu noble/main amd64 libevent-core-2.1-7t64 amd64 2.1.12-stable-9ubuntu2 [91.3 kB]
Get:5 http://in.archive.ubuntu.com/ubuntu noble/main amd64 libevent-pthreads-2.1-7t64 amd64 2.1.12-stable-9ubuntu2 [7,98
2 B]
```

The command updates the package list and then installs the Suricata network analysis tool, automatically confirming any prompts during the installation process.

suricata -V

```
root@Ubantu:/home/vboxuser# suricata -V
This is Suricata version 7.0.3 RELEASE
root@Ubantu:/home/vboxuser#
```

suricata -V is a simple yet important command for checking the installed version of the Suricata tool, which can aid in system management and troubleshooting.

nano /etc/suricata/suricata.yml



Customizing the suricata.yml file lets you adjust Suricata to fit your needs and security setup. Always make a backup of the original file before making changes, and test your new settings to make sure they work correctly.

Change interface in same file at two places



Replace **eth0** (or the current interface name) with the name of the desired interface. For example, if you want to change it to **ens33**.



Replace **eth0** (or the current interface name) with the name of the desired interface. For example, if you want to change it to **ens33**.

systemctl start suricata

systemctl status suricata



The commands **systemctl start suricata** and **systemctl status suricata** are used to manage the Suricata service on a Linux system that uses **systemd** as its init system. Here the status of suricate should be active; not failed or showing error to start the suricata.

cat /var/log/suricata/fast.log