


CANTEEN OFFICE DRY 24 - TWIN



TYPE	MOBILE
MODEL	CANTEEN OFFICE DRY 24 - TWIN
CAPACITY	UP TO 14 - DESK SPACE FOR 1, BENCH SEATING FOR 13
BUILD	MILD STEEL
AXLE	DOUBLE
AXLE RATING	2 X 1800KG
HYDRAULICS	ELECTRIC
DEPLOYMENT	4 RAM
TOW HITCH	BALL HITCH
TOW HITCH COVER	ANTI-VANDAL FLAP
GENERATOR:	REDBOX POWER
	kVA 6kVA
	Engine YANMAR L100
	Alternator MECC ALTE S20W-110
	Service Intervals 200 HOURS
ELECTRICAL SPECIFICATION	EcoHybrid
	12V LED lighting FITTED AS STANDARD
	12V USB power outlets FITTED AS STANDARD
	Battery load shedder FITTED AS STANDARD
	AGM leisure battery FITTED AS STANDARD
	12V HVO/diesel heater FITTED AS STANDARD
	Battery monitor and auto-charging FITTED AS STANDARD
	500W 230V low power sockets FITTED AS STANDARD
	Solar panel OPTION FITTED
GOLD STANDARD ELECTRICS	CERTIFIED 100% COMPLIANT WITH CURRENT LEGISLATION - BS7671 18TH EDITION
TOILET TYPE	FRESH WATER MICRO-FLUSH TOILETS

	Attribute	Measurement
A	Unit Length	6988mm
	Unit Width	2300mm
B	Unit Height	2398mm
C	Towing Length	8364mm
	Towing Height	2756mm
D	Internal Height	1990mm
	Internal Width	2130mm
	Net Weight	2750kg
	Fresh Water Tank	250 litres
	Waste Tank	327 litres
	Fuel Tank	50 litres



WARRANTY

Cabin Warranty:
1 year

CANTEEN OFFICE DRY 24 - TWIN

Value Proposition



CANTEEN OFFICE DRY 24 - TWIN

Value Proposition



ELECTRICAL SPECIFICATION



Eco Hybrid is a highly-efficient electrical system that offers greatly reduced fuel consumption, low noise pollution and low carbon emissions without affecting any of the functions of a fully equipped worksite cabin. Eco Hybrid electrical system enables a number of items to run off battery power alone - 12V lighting; 12V USB charging sockets; low power inverted 3-pin plug sockets; 12V Webasto heating; and the 12V electric hydraulic ram system in a mobile cabin.

The average generator runtime is only 2.5 hours per full working day compared to an average 6 hours for a Standard electrical system - a 58% reduction in energy use which will save 35 litres of fuel a week and reduce CO2 emissions by 93.8kg per week, a yearly saving of 4877.6kg compared to a Standard system.

The Eco Hybrid system is fitted with a Smartgauge which automatically turns generator on to charge battery when level is low ensuring there is always sufficient 12V power for all functions.

 ↓ **58%** LESS FOSSIL FUEL USE

FINANCIAL BENEFITS

- ▶ Consumes an average 35 litres of fuel per week less than a standard cabin.*
- ▶ 58% fewer generator hours means longer service intervals and reduced service costs.*
- ▶ Less generator wear and tear lowers breakdown risk and extends lifespan cutting maintenance and replacement costs.
- ▶ Attractive to hirers as no need to run generator for lights, heating, USB charging and 3-pin sockets for computers, printers, etc.
- ▶ Automatic battery charging means no risk of financial loss due to flat battery repair and cabin downtime due to lack of power.

* Compared to Standard electrical system

ENVIRONMENTAL BENEFITS

- ▶ CO2 emissions cut by average 4877kg/year*
- ▶ Reduction in fuel use - saves approx. 1820 litres of fuel per year.*
- ▶ Noise pollution from generator cut by 58%.*
- ▶ Cut in environmental costs due to generator service visits (fuel use, carbon emissions, noise pollution, road congestion)*.
- ▶ Less generator use should mean fewer breakdown visits meaning less environmental costs (as above)
- ▶ Generator life expectancy increased due to lower usage.

* Compared to Standard electrical system



CO2 EMISSIONS
CUT BY AN
AVERAGE OVER A
YEAR*

4877 kg



AVERAGE FUEL
SPEND CUT BY
PER WEEK*

35 litres

 ↓ **58%**

AVERAGE REDUCTION
IN GENERATOR
USAGE*

ELECTRICAL UPGRADE SOLAR ENERGY

A 600W roof-mounted solar panel harvests free solar energy and decrease requirement for generator use. In field tests, each solar panel produces an average of 2.4kW energy per day.

FINANCIAL BENEFITS

- ▶ Energy from the solar panel reduces fuel use in a 7kVA generator by 1.3 litre per day approx..
- ▶ Reduction in generator hours means increased intervals between services and reduced service costs.
- ▶ Less wear and tear on generator lowers breakdown risk so less maintenance costs.

ENVIRONMENTAL & OTHER BENEFITS

- ▶ Reduced fuel consumption.
- ▶ Clean energy means less CO2 and other harmful exhaust emissions.
- ▶ More sustainable as generator will last longer through reduced usage.
- ▶ Less noise pollution from generator.
- ▶ Less generator usage leads to reduced servicing/breakdown visits and therefore less environmental pollution from service vehicles (fuel use, emissions, noise pollution and road congestion)

CANTEEN OFFICE DRY 24 - TWIN

Value Proposition



LAYOUT CANTEEN/OFFICE/DRY



Provides a separate drying/changing room as well as a dedicated separate office and a regular canteen in one unit. Office workers have a peaceful, secure place to operate and leave equipment and materials in safety while wet, dirty site clothes can dry, all without affecting the usual function of a busy on-site canteen/rest unit.

FINANCIAL BENEFITS

- ▶ Flexible design with triple use space is an attractive feature for hirers. No need to hire separate units for Canteen, Office and Changing rooms.
- ▶ Saves on transport costs - bring one multi-function unit to site rather than two or three.

ENVIRONMENTAL & OTHER BENEFITS

- ▶ Separate canteen/office/changing room layout provides a more productive functional environment for all types of user.
- ▶ Less fuel use/emissions as transporting fewer units for both functions.

DEPLOYMENT BATTERY OPERATED ELECTRIC HYDRAULICS

Simple to operate electric hydraulic deployment system. Battery powered so no need to turn generator on to deploy. Operated by just one person, deployment is very fast and the unit can be lowered and ready for use within three minutes of being on site.

FINANCIAL BENEFITS

- ▶ Just need one staff member to transport and deploy cabin.
- ▶ Fast deployment means less working hours spent and less downtime on cabins.

ENVIRONMENTAL & OTHER BENEFITS

- ▶ Quick and easy for any user to operate. No strength or exertion required.

DEPLOYMENT 4 RAM HYDRAULICS

The 4 ram system sees a ram mounted on each corner of the unit which, during deployment, lift the unit parallel to the floor. The unit is raised by just 6" (13.54cm) to take the wheels clear off the ground to allow for the axle locking pin to be disengaged.

FINANCIAL BENEFITS

- ▶ Unit can be deployed in areas of low-height overhead clearance such as under bridges, scaffolding, trees etc. giving increased hire potential.
- ▶ Unlike 2 ram system, the rear of the 4 ram unit does not touch the ground during deployment so there is no wear in this area. This can reduce need for repairs and extend cabin lifespan.

ENVIRONMENTAL & OTHER BENEFITS

- ▶ Due to low-height deployment, the unit can always be located as close as possible to workplace, reducing disruption for workers at break times.

CANTEEN OFFICE DRY 24 - TWIN

Value Proposition



TOILET TWIN CUBICLES



This unit is equipped with female and male toilet cubicles..

FINANCIAL BENEFITS

- ▶ Attractive to the end user as comply with all diversity requirements increasing hire value and potential.
- ▶ Twin toilet units cater for all users – female and male – eliminating potential need to hire and transport extra toilets.

ENVIRONMENTAL & OTHER BENEFITS

- ▶ Twin toilets meet on-site diversity requirements so compliant with all large-scale and governmental projects such as HS2.
- ▶ Less fuel use/emissions as need to transport fewer toilet units.

TOILET FRESH WATER MICRO-FLUSH

The fresh water toilet system comprises a water-saving micro-flush toilet which only uses 0.5 litres of water per flush with fresh water and waste water tanks integrated to the cabin and a stainless steel forearm sink with hot and cold water.

FINANCIAL BENEFITS

- ▶ A fresh water toilet is more attractive to the end user increasing hire value and potential.
- ▶ Low water consumption due to micro-flush lowers service requirements to fill water tanks and remove liquid waste.

ENVIRONMENTAL & OTHER BENEFITS

- ▶ Fresh water flush toilets eliminate the requirement for environmentally harmful chemicals to be used.
- ▶ Micro-flush uses as little as 0.5l of water per flush compared to 6l in a standard toilet. A water saving of up to 91.6%..
- ▶ Less servicing means less environmental pollution from service vehicles (fuel use, carbon emissions, noise pollution and road congestion)

BUILD MILD STEEL. RECYCLABLE MATERIALS

90.84%
MATERIALS USED RECYCLABLE
AT END OF CABIN LIFE

100% steel build.

Sustainable build – 90.84% materials used recyclable at end of cabin life.

Market-recognised superior build quality with highest resale value in the industry - average 22% higher than our closest competitor.

FINANCIAL BENEFITS

- ▶ Highest residual value cabins on market. Great resale potential with high return.
- ▶ High scrap value - can resell recyclable materials at end of cabin life..

ENVIRONMENTAL BENEFITS

- ▶ Highly sustainable build with 90.84% recyclability.
- ▶ Waste is reduced as high build quality means a longer cabin life with opportunity to resell.

CANTEEN OFFICE DRY 24 - TWIN

Value Proposition



GENERATOR ENERGY SOURCE HVO BIOFUEL

The generators in our mobile welfare cabins can be run on HVO biofuel, one of the world's purest and greenest fuels. Using HVO biofuel rather than traditional diesel will automatically reduce greenhouse gas emissions by up to 90% and significantly cut other emissions harmful to human health and the health of the planet.

However, if for any reason you are unable to source HVO biofuel, you can also use with traditional red diesel with no risk or damage to the generator from switching fuel.

FINANCIAL BENEFITS

- ▶ With companies keen to cut emissions and elevate their environmental performance, the ability to operate on biofuel is a positive hiring point.
- ▶ HVO biofuel is not much more expensive than traditional fossil fuel diesel and a lot cheaper than petrol or LPG (Liquid Petroleum Gas).

ENVIRONMENTAL & OTHER BENEFITS

- ▶ Biofuel (HVO) eliminates up to 90% of net CO2 emissions.
- ▶ Significantly reduces emissions of nitrogen oxide (NOx), Sulphur Dioxide (SOx), Benzene (C6H6), Hydro Carbons (HC), particulate matter (PM) and Carbon Monoxide (CO).
- ▶ A very safe fuel for transport and use.
- ▶ HVO biofuel is produced from natural renewable resources.

DEDICATED AFTERCARE FACILITY



Full comprehensive Customer Support Service is provided by the manufacturer's own dedicated Aftercare centre, incorporating Service, Refurbishment, Accident Repairs, Training and online Parts store.

Online Chat service for diagnosis and reporting of issues/faults, plus telephone support and Service Engineer callout facility.

FINANCIAL AND OTHER BENEFITS

- ▶ Full service support means fast diagnosis and solution of issues, avoiding cabin downtime.
- ▶ One-stop shop for service, repairs and parts means a seamless experience that saves time and money.
- ▶ Refurb service extends cabin life and versatility.
- ▶ Fast accident repair turnaround has cabins back in use within a short period with less loss of earnings.
- ▶ Training of cabin users and purchaser's own Service Engineers will prevent costly user errors and servicing mistakes.
- ▶ Full service support means satisfied end-users and therefore returning customers.

CANTEEN OFFICE DRY 24 - TWIN

Value Proposition



UNIQUE STANDARD FEATURES

FEATURE	FINANCIAL BENEFITS	OTHER BENEFITS
A Cabin Power Isolator is located within the cabin which turns all the electrics on or off. When this switch is off, the electric hydraulic rams cannot operate and there is no risk of the battery accidentally discharging.	- Simple-to-use system is attractive to hirers. - Lower insurance premiums due to decreased risk of theft as electrics cannot be 'hot-wired' from outside the cabin. - Less downtime of cabins due to theft/ vandalism - Prevents deep discharge of battery when cabin is left so less downtime/maintenance cost.	Convenient and simple way to operate the electrics.
Low-level lifting points avoid 'Working at Height' issues. Removable lifting eye system to combat risk of theft by crane.	- Increased efficiency as no need for H&S 'Working At Height' risk assessments and protective measures before lifting. - Reduced risk of theft may lower insurance premiums and will avoid inconvenience, disruption and cost of replacing stolen units.	- Avoids danger to operators as no need to work at height. - Easy fast lifting operation for site workers.
Exclusive design magnetic door stays eliminate the problem of users forgetting to unlatch traditional door stays, causing damage to cabins and/or stays or even risking an accident to themselves.	- Gives a unique edge over competitors when hiring. - Less risk of damage to cabins from broken door stays and slamming doors. Lower repair bills.	- Less risk of accidents onsite from doors slamming or fingers getting caught in door stays. - Easy to use, hard-wearing and durable. - Impossible to damage or cause damage to cabin
PIR-sensor 12V LED lighting in all areas of the cabin. Lights come on and switch off automatically when triggered. Run from battery power, no generator use required.	- Selling point for hirers due to improved functionality, reduced safety risk and energy efficiency. - Run from battery so no generator fuel consumption. - Contactless operation is more sanitary – positive hire point post-Covid-19.	- Environmental benefit of saving energy. - Very simple operation for user, no need to remember to switch off. - Lowers disease transmission risk. - Reduce risk of trip hazards from low light inside unit. - No noise pollution from generator as battery powered.
Safety locks on toilet door. An external key-operated lock in addition to the usual internal lock allows access in case of an emergency.	Safety feature will appeal to hirers.	- Could be a matter of life or death in a health emergency to be able to gain access to toilet. - Gives peace of mind to cabin users
Surface mounted LED road lights for ease of use. No need to install or remove any towing light panels. Just click in number plate and go.	- Removes risk of theft, loss of or damage to lighting board. - Less external electrical connections that can fail or be damaged.	Saves operator time when transporting.