water & sanitation
Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA

NATIONAL INTEGRATED WATER INFORMATION SYSTEM

Weekly Dam Status Report

Storage of the 151 major dams, inflows/outflows, alerts and 12-month outlook.

Generated	02 Nov 2026, 12:09 (SAST)
Data as of	02 Nov 2026
Area	South Africa (national)
Period	12M
Issued by	Department of Water and Sanitation, Republic of South Africa

Dam & Reservoir Status

Reservoir storage is not published yet. The database's storage, level and flow values fail the plausibility check (the reason is on each panel). Shown: the district reservoirs, their catchment rainfall and soil moisture, and every database variable below.

● Live · as of Nov 2026

Total Storage

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Current Volume

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Total Inflow

Inflow is withheld (8_1_reservoir_operational_master): daily values in 2000 only; from 2001 to 2026 one constant value per district (Vhembe 0.0548 mm/day, 6.346 m³/s for 26 years); inflow = runoff depth × the placeholder area of 10 000 km² (Vhembe: 0.0548 mm/day × 10 000 km² = 6.35 m³/s) and outflow ≈ inflow, so storage never changes

Total Outflow

Inflow is withheld (8_1_reservoir_operational_master): daily values in 2000 only; from 2001 to 2026 one constant value per district (Vhembe 0.0548 mm/day, 6.346 m³/s for 26 years); inflow = runoff depth × the placeholder area of 10 000 km² (Vhembe: 0.0548 mm/day × 10 000 km² = 6.35 m³/s) and outflow ≈ inflow, so storage never changes

Evaporation Loss

Evaporation is withheld (8_1_reservoir_operational_master): four values in the whole table (4.25–6 mm/day), identical in all 52 districts every day

Dams Below 25%

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Dams Above 90%

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies


Operational Alerts

Alert levels (spec §8.2: L1 < 50 %, L2 < 30 %, L3 < 15 % FSC) need valid storage. Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Reservoir Catchments by District

● Live · as of Aug 2026

Catchment rainfall (month) | Catchment soil moisture | Storage level (% FSC) | Storage anomaly | Inf



Major Dam Storage (Top 10 by Capacity)

Not yet available

Dam capacities are not in the database (FSL is 1 200 m in every row). Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Storage by Water Management Area

Not yet available

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Storage Level Distribution

Not yet available

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Storage Levels Trend (All Major Dams)

Not yet available

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Inflow and Outflow (Monthly)


Not yet available

Inflow is withheld (8_1_reservoir_operational_master): daily values in 2000 only; from 2001 to 2026 one constant value per district (Vhembe 0.0548 mm/day, 6.346 m³/s for 26 years); inflow = runoff depth × the placeholder area of 10 000 km² (Vhembe: 0.0548 mm/day × 10 000 km² = 6.35 m³/s) and outflow ≈ inflow, so storage never changes

Reservoir (Selected District)

Alfred Nzo Reservoir (GDW_794) / Alfred Nzo Reservoir (GDW_796)

● Live · as of Oct 2026



District	Alfred Nzo
Province	Eastern Cape
River	Alfred Nzo Catchment Drainage
Storage level	—
Storage volume	—
Alert level (spec §8.2)	—
Catchment rainfall, month total (Aug 2026)	10 mm
Catchment soil moisture, month mean (Oct 2026)	0.30 m^3/m^3

Not available: Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m^3 = 100 % FSC, level 1 200 m, 52.5 km^2 water area) on every day from January 2000 to October 2026; only Vhembe varies

Not available: Alert levels (spec §8.2: L1 < 50 %, L2 < 30 %, L3 < 15 % FSC) need valid storage. Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m^3 = 100 % FSC, level 1 200 m, 52.5 km^2 water area) on every day from January 2000 to October 2026; only Vhembe varies

Operational Status

Not yet available

Alert levels (spec §8.2: L1 < 50 %, L2 < 30 %, L3 < 15 % FSC) need valid storage. Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m^3 = 100 % FSC, level 1 200 m, 52.5 km^2 water area) on every day from January 2000 to October 2026; only Vhembe varies

Satellite Water Extent (NDWI)

Alfred Nzo Reservoir (GDW_794) / Alfred Nzo Reservoir (GDW_796)

Not yet available

The water extent is drawn from the reservoir's storage level, which the database cannot provide yet.

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Storage Level Trend (Selected Dam)

[Alfred Nzo Reservoir (GDW_794) / Alfred Nzo Reservoir (GDW_796)]

Not yet available

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Inflow and Outflow (Selected Dam)

[Alfred Nzo Reservoir (GDW_794) / Alfred Nzo Reservoir (GDW_796)]

Not yet available

Inflow is withheld (8_1_reservoir_operational_master): daily values in 2000 only; from 2001 to 2026 one constant value per district (Vhembe 0.0548 mm/day, 6.346 m³/s for 26 years); inflow = runoff depth × the placeholder area of 10 000 km² (Vhembe: 0.0548 mm/day × 10 000 km² = 6.35 m³/s) and outflow ≈ inflow, so storage never changes

Monthly Storage Comparison (Selected Dam)

[Alfred Nzo Reservoir (GDW_794) / Alfred Nzo Reservoir (GDW_796)]

Not yet available

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Operational Rule Curve (Selected Dam)

[Alfred Nzo Reservoir (GDW_794) / Alfred Nzo Reservoir (GDW_796)]



Not yet available

Operating rule curves are not in the database. Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Storage Anomaly (Selected Dam)

[Alfred Nzo Reservoir (GDW_794) / Alfred Nzo Reservoir (GDW_796)]



Not yet available

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Lowest / Highest Storage Dams

Lowest storage | Highest st



Not yet available

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

National Storage by Water Management Area



Not yet available

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Storage Level by Province



Not yet available

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Cumulative Inflow (Year to Date)



Not yet available

Inflow is withheld (8_1_reservoir_operational_master): daily values in 2000 only; from 2001 to 2026 one constant value per district (Vhembe 0.0548 mm/day, 6.346 m³/s for 26 years); inflow = runoff depth × the placeholder area of 10 000 km² (Vhembe: 0.0548 mm/day × 10 000 km² = 6.35 m³/s) and outflow ≈ inflow, so storage never changes

Database variables

Every table and column of the national database for this page, with the database's own names and units.

Spec coverage

● Live · as of Nov 2026

Dams: 1 table · 14 columns · 2 live · 12 withheld · 0 duplicates Show every column →

Live columns are plotted below. Withheld columns failed a check or hold placeholder values (reason given); duplicates repeat another column.

Reservoir Operational §8.1 `8_1_reservoir_operational_master`

2 live · 12 withheld · 0 duplicates data to Nov 2026

Reservoir Operational · Soil Moisture (m³/m³) · §8.1

● Live · as of Nov 2026


Soil Moisture (m³/m³)



Reservoir Operational · Rainfall / Evaporation / Runoff (mm/day) · §8.1

● Live · as of Aug 2026

Rainfall (mm/day) ~~Evaporation (mm/day)~~ ~~Runoff (mm/day)~~



Reservoir Operational · District Area / Water Area (km²) · §8.1

~~District Area (km²)~~ ~~Water Area (km²)~~

Not yet available

Withheld: District Area (km²) (10 000 km² for every district on most days (a placeholder area; real district areas are 1 645–126 836 km²)); Water Area (km²) (51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies)

Reservoir Operational · Mean NDWI · §8.1

~~Mean NDWI~~

Not yet available

Withheld: Mean NDWI (44 of 52 districts share one identical series)

Reservoir Operational · Storage Volume (m³) · §8.1

~~Storage Volume (m³)~~

Not yet available

Withheld: Storage Volume (m³) (51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies)

Reservoir Operational · Pct FSC (% FSC) · §8.1

~~Pct FSC (% FSC)~~

Not yet available

Withheld: Pct FSC (% FSC) (51 of 52 districts hold the same storage (251 997 542.57 m^3 = 100 % FSC, level 1 200 m, 52.5 km^2 water area) on every day from January 2000 to October 2026; only Vhembe varies)

Reservoir Operational · Fsl / Water Level (m amsl) · §8.1

~~Fsl (m amsl)~~ ~~Water Level (m amsl)~~

Not yet available

Withheld: Fsl (m amsl) (one value (1 200 m) in every row, identical in all 52 districts); Water Level (m amsl) (51 of 52 districts hold the same storage (251 997 542.57 m^3 = 100 % FSC, level 1 200 m, 52.5 km^2 water area) on every day from January 2000 to October 2026; only Vhembe varies)

Reservoir Operational · Inflow / Outflow (m^3/s) · §8.1

~~Inflow (m^3/s)~~ ~~Outflow (m^3/s)~~

Not yet available

Withheld: Inflow (m^3/s) (daily values in 2000 only; from 2001 to 2026 one constant value per district (Vhembe 0.0548 mm/day, 6.346 m^3/s for 26 years); inflow = runoff depth × the placeholder area of 10 000 km^2 (Vhembe: 0.0548 mm/day × 10 000 km^2 = 6.35 m^3/s) and outflow ≈ inflow, so storage never changes); Outflow (m^3/s) (daily values in 2000 only; from 2001 to 2026 one constant value per district (Vhembe 0.0548 mm/day, 6.346 m^3/s for 26 years); inflow = runoff depth × the placeholder area of 10 000 km^2 (Vhembe: 0.0548 mm/day × 10 000 km^2 = 6.35 m^3/s) and outflow ≈ inflow, so storage never changes)

Reservoir Operational · Seepage (m³/day) · §8.1

~~Seepage (m³/day)~~

Not yet available

Withheld: Seepage (m³/day) (5.5 m³/day in 94 % of days, identical in 51 districts)

Dam & Reservoir Status – Predictions & Forecasting

● Live · as of Nov 2026

Total Storage

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Current Volume

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Total Inflow

Inflow is withheld (8_1_reservoir_operational_master): daily values in 2000 only; from 2001 to 2026 one constant value per district (Vhembe 0.0548 mm/day, 6.346 m³/s for 26 years); inflow = runoff depth × the placeholder area of 10 000 km² (Vhembe: 0.0548 mm/day × 10 000 km² = 6.35 m³/s) and outflow ≈ inflow, so storage never changes

Total Outflow

Inflow is withheld (8_1_reservoir_operational_master): daily values in 2000 only; from 2001 to 2026 one constant value per district (Vhembe 0.0548 mm/day, 6.346 m³/s for 26 years); inflow = runoff depth × the placeholder area of 10 000 km² (Vhembe: 0.0548 mm/day × 10 000 km² = 6.35 m³/s) and outflow ≈ inflow, so storage never changes

Evaporation Loss

Evaporation is withheld (8_1_reservoir_operational_master): four values in the whole table (4.25–6 mm/day), identical in all 52 districts every day

Dams Below 25%

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Dams Above 90%


Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Operational Alerts

Alert levels (spec §8.2: L1 < 50 %, L2 < 30 %, L3 < 15 % FSC) need valid storage. Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Dam and Reservoir Storage Status (Current vs Forecast)

Storage level (%) | Forecast in 12 months | Change



Reservoir Storage Forecast (Next 12 Months)

South Africa | Western Cape | Eastern Cape | Northern Cape | Free State | Gauteng | KwaZulu-Na

Not yet available

Not available: page forecasts are statistical forecasts of the database's own variables; this product needs data the database does not hold. Any stored variable can be forecast in the Forecasting Studio (AI & Predictive Analytics page).

Inflow and Outflow Forecast (Next 12 Months)

South Africa | Western Cape | Eastern Cape | Northern Cape | Free State | Gauteng | KwaZulu-Na

Not yet available

Not available: page forecasts are statistical forecasts of the database's own variables; this product needs data the database does not hold. Any stored variable can be forecast in the Forecasting Studio (AI & Predictive Analytics page).

Number of Dams by Risk Category (Forecast)

Not yet available

Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Individual Dam Forecast (Selected Dam)

Alfred Nzo Reservoir (GDW_794) / Alfred Nzo Reservoir (GDW_796)

Not yet available

Not available: page forecasts are statistical forecasts of the database's own variables; this product needs data the database does not hold. Any stored variable can be forecast in the Forecasting Studio (AI & Predictive Analytics page).

Probability of Low Storage (< 30% FSC)

Not yet available

Storage probabilities need a forecast model and valid storage. Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Key Dams and Reservoirs – Forecast Summary (Next 12 Months)

Not yet available

Storage forecasts need a forecast model and valid storage. Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies

Dam and Reservoir Risk Outlook (Next 24 Months)

Not yet available

Storage forecasts need a forecast model and valid storage. Storage Volume is withheld (8_1_reservoir_operational_master): 51 of 52 districts hold the same storage (251 997 542.57 m³ = 100 % FSC, level 1 200 m, 52.5 km² water area) on every day from January 2000 to October 2026; only Vhembe varies