






DOSBox 0.74-3, Cpu speed: max 100% cycles, Frameskip 0, Pro...
Click here to read full topic
File
Debug
Project
Options
Window
Help
INFIXT~1.C
#include <stdio.h>
#include <conio.h>
#include <ctype.h>
#include <string.h>
#define MAX 100
char stack[MAX];
int top = -1;
void push(char ch)
{
if (top == MAX - 1)
printf("Stack Overflow\n");
else
stack[++top] = ch;
}
char pop()
1:1


DOSBox 0.74-3, Cpu speed: max 100% cycles, Frameskip 0, Pro...
File Edit Search Run Compile Debug Project Options Window Help
INFIXT~1.C
1
char pop()
{
if (top == -1)
return -1;
else
return stack[top--];
}
int priority(char ch)
{
if (ch == '^')
return 3;
else if (ch == '*' || ch == '/')
return 2;
else if (ch == '+' || ch == '-')
return 1;
else
return 0;
}
21:1
F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg Alt-F9 Compile F9 Make F10 Menu


DOSBox 0.74-3, Cpu speed: max 100% cycles, Frameskip 0, Pro...
File Edit Search Run Compile Debug Project Options Window Help
INFIXT~1.C
void infixToPostfix(char infix[])
{
char postfix[MAX];
int i, j = 0;
char ch;
for (i = 0; infix[i] != '\0'; i++)
{
ch = infix[i];
if (isalnum(ch))
{
postfix[j++] = ch;
}
else if (ch == '(')
{
push(ch);
}
else if (ch == ')')
{
63:1
F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg Alt-F9 Compile F9 Make F10 Menu


DOSBox 0.74-3, Cpu speed: max 100% cycles, Frameskip 0, Pro...
File Edit Search Run Compile Debug Project Options Window Help
INFIXT~1.C
else if (ch == ')')
{
while (top != -1 && stack[top] != '(')
{
postfix[j++] = pop();
}
pop();
}
else
{
while (top != -1 &&
stack[top] != '(' &&
priority(stack[top]) >= priority(ch))
{
postfix[j++] = pop();
}
push(ch);
}
}
while (top != -1)
{
82:1
F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg Alt-F9 Compile F9 Make F10 Menu


DOSBox 0.74-3, Cpu speed: max 100% cycles, Frameskip 0, Pro...
File Edit Search Run Compile Debug Project Options Window Help
INFIXT~1.C
}
while (top != -1)
{
postfix[j++] = pop();
}
postfix[j] = '\0';
printf("\nPostfix Expression = %s", postfix);
}
void main()
{
char infix[MAX];
clrscr();
printf("Enter Infix Expression: ");
scanf("%s", infix);
infixToPostfix(infix);
getch();
}
100:1
F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg Alt-F9 Compile F9 Make F10 Menu


DOSBox 0.74-3, Cpu speed: max 100% cycles, Frameskip 0, Pro...
Enter Infix Expression: A+B-C*D/E
Postfix Expression = AB+CD*E/-_