

Assignmnt1

1. Write a PHP code to print following series.

```
*  
  
* *  
  
* * *  
  
* * * *  
  
* * * * *
```

```
<?php  
// Number of rows  
$n = 5;  
  
// Loop to print the pattern  
for ($i = 1; $i <= $n; $i++) {  
    for ($j = 1; $j <= $i; $j++) {  
        echo "* ";  
    }  
    echo "<br>";  
}  
?>
```

O/P



```
*  
* *  
* * *  
* * * *  
* * * * *
```


2. Write a PHP code to redirect page to new webpage or website.

```
!

DOCTYPE html>
<html>
    <body>
        <form method="post">
            <label for="website">Select a website to visit:</label>
            <select name="website" id="website">
                <option value="https://www.google.com">Google</option>
                <option value="https://www.yahoo.com">Yahoo</option>
                <option value="https://www.bing.com">Bing</option>
                <option value="https://www.youtube.com">YouTube</option>
                <option value="https://www.facebook.com">Facebook</option>
            </select>
            <br><br>
            <input type="submit" value="Go">
        </form>

        <?php
            if ($_SERVER["REQUEST_METHOD"] == "POST") {
                $selectedWebsite = $_POST["website"]; // Get the selected website
                from dropdown
                if (!empty($selectedWebsite)) {
                    header("Location: $selectedWebsite"); // Redirect to the
                    chosen website
                    exit(); // Stop further script execution after redirection
                } else {
                    echo "Please select a website."; // Display an error if no
                    option is selected
                }
            }
        <?>
    </body>
</html>
```

O/P:



3. Write a PHP code to input array and display(Total No of elements must entered from user).

```
<html>
  <body>
    <form method="post">
      <label for="total">Enter total number of elements:</label>
      <input type="number" name="total" id="total" required>
      <br><br>
      <input type="submit" name="submit_count" value="Next">
    </form>

    <?php
      if (isset($_POST['submit_count'])) {
        $total = $_POST['total'];
        echo "<form method='post'>";
        for ($i = 0; $i < $total; $i++) {
          echo "Element " . ($i + 1) . ": <input type='text'
name='array[' . $i . "] required><br>";
        }
        echo "<br><input type='submit' name='submit_array'
value='Submit'></form>";
      }

      if (isset($_POST['submit_array'])) {
        $array = $_POST['array'];
        echo "<h3>Array Elements:</h3>";
        foreach ($array as $index => $value) {
          echo "Element " . ($index + 1) . ": " .
htmlspecialchars($value) . "<br>";
        }
      }
    <?>
  </body>
</html>
```

O/P:

localhost/AKASHSIRPRAC/ass3.php

⌵

Enter total number of elements:

Next

localhost/AKASHSIRPRAC/ass3.php

⌵

Enter total number of elements:

Next

Element 1:

Element 2:

Element 3:

Submit

Enter total number of elements:

Next

Array Elements:
Element 1: 2
Element 2: 22
Element 3: 222

4. Write a PHP code to check the type and value of variable.

```
<?php
// Define variables
$variable1 = 42; // Integer
$variable2 = "Hello, world!"; // String
$variable3 = 3.14; // Float
$variable4 = true; // Boolean

// Check and display the type and value of each variable
echo "Variable 1: Type = " . gettype($variable1) . ", Value = " . $variable1 .
"<br>";
echo "Variable 2: Type = " . gettype($variable2) . ", Value = " . $variable2 .
"<br>";
echo "Variable 3: Type = " . gettype($variable3) . ", Value = " . $variable3 .
"<br>";
echo "Variable 4: Type = " . gettype($variable4) . ", Value = " . ($variable4
? "true" : "false") . "<br>";
?>
```

Variable 1: Type = integer, Value = 42
Variable 2: Type = string, Value = Hello, world!
Variable 3: Type = double, Value = 3.14
Variable 4: Type = boolean, Value = true

5. Write a PHP code to demonstrate foreach in array((Total No of elements must entered from user).

```
<!DOCTYPE html>
<html>
  <body>
    <!-- Step 1: Form to input total number of elements -->
    <form method="post">
      <label for="total">Enter total number of elements:</label>
      <input type="number" name="total" id="total" required>
      <br><br>
      <input type="submit" name="submit_count" value="Next">
    </form>

    <?php
```


```

        // Step 2: Dynamically generate input fields based on the entered
count
        if (isset($_POST['submit_count'])) {
            $total = $_POST['total'];
            echo "<form method='post'>";
            echo "<input type='hidden' name='total' value='" . $total . "'>";
            for ($i = 0; $i < $total; $i++) {
                echo "Element " . ($i + 1) . ": <input type='text'
name='array[]' required><br>";
            }
            echo "<br><input type='submit' name='submit_array'
value='Submit'></form>";
        }

        // Step 3: Display array elements using foreach
        if (isset($_POST['submit_array'])) {
            $array = $_POST['array'];
            echo "<h3>Array Elements:</h3>";
            foreach ($array as $index => $value) {
                echo "Element " . ($index + 1) . ": " .
htmlspecialchars($value) . "<br>";
            }
        }
    ?>
</body>
</html>

```

O/P:



localhost/my/foreach.php

Enter total number of elements:

Next

localhost/my/foreach.php

Enter total number of elements:

Next

Element 1:

Element 2:

Element 3:

Submit

localhost/my/foreach.php

Enter total number of elements:

Next

Array Elements:

Element 1: 2

Element 2: 2

Element 3: 2

6. Write a PHP code to demonstrate switch statement.

```
<html>
  <body>
    <form method="GET" action="ass5.php">
      <input type="number" name="a">
      <input type="number" name="b">
      <select name="c">
        <option value="1"> Press 1 for add</option>
        <option value="2">Press 2 for sub</option>
        <option value="3">Press 3 for multi</option>
        <option value="4">Press 4 for div</option>
      </select>
      <input type="submit" name="submit">
    </form>
    <?php
      if(isset($_GET['a']) && isset($_GET['b']) && isset($_GET['c']))){
```



```

$a=$_GET['a'];
$b=$_GET['b'];
$c=$_GET['c'];
switch($c){
    case 1:
        $c=$a+$b;
        break;
    case 2:
        $c=$a-$b;
        break;
    case 3:
        $c=$a*$b;
        break;
    case 4:
        $c=$a/$b;
        break;
}
echo $c;
}
?>
</body>
</html>

```

4

7. Write a PHP code to demonstrate continue and break.

```

<?php
echo "BREAK";
for($i=0;$i<5;$i++){
    if($i==3){
        break;
    }
}

```

```

    }
    echo "<br>".$i;
}

echo " <br> CONTINUE";
for($i=0;$i<5;$i++){
    if($i==3)
    {
        continue;
    }
    echo "<br>".$i;
}

?>

```

```

BREAK
0
1
2
CONTINUE
0
1
2
4

```

7. Write a PHP code to find the factorial of the number entered by user.

```

<html>
  <body>
    <form method="POST" action="ass7.php">
      <input type="number" name="num">
      <input type="submit" name="submit">
    </form>
    <?php
    if(isset($_POST['num'])){
        $n=$_POST['num'];
        $f=1;

```

```

        for($i=$n;$i>=1;$i--){
            $f=$f*$i;
        }
        echo "<br>".$f;
    }
    ?>
</body>
</html>

```


120

8. Write a PHP code to print multiplication table of the number entered by user.

```

<html>
    <body>
        <form method="POST" action="ass8.php">
            <input type="number" name="num">
            <input type="submit" name="submit">

        </form>
        <?php
        if(isset($_POST['num'])){
            $n=$_POST['num'];
            for($i=1;$i<=10;$i++){
                $m=$n*$i;
                echo $n."*".$i."=".$m."<br/>";
            }
        }

        ?>
    </body>

</html>

```

4 Submit

4*1=4
4*2=8
4*3=12
4*4=16
4*5=20
4*6=24
4*7=28
4*8=32
4*9=36
4*10=40

10. Write a PHP code to take input from user for no of row and column and generate dynamic table.

```
<html>
  <body>
    <form method="POST" action="ass9.php">
      <label for="ROWS">ROWS</label>
      <input type="number" name="num">
      <label for="COLS">COLS</label>
      <input type="number" name="c">
      <input type="submit" name="submit">
    </form>
    <?php
    if(isset($_POST['num']) && isset($_POST['c'])){
      $r=$_POST['num'];
      $c=$_POST['c'];
      echo "<table border='1'>";
      for($i=0;$i<$r;$i++){
        echo "<tr>";
        for($j=0;$j<$c;$j++){
          echo "<td>";
          echo $i;
          echo "</td>";
        }
        echo "</tr>";
      }
      echo "</table>";
    }

    ?>
  </body>
```

```
</html>
```

O/P

ROWS	2	COLS	2	Submit
------	--------------------------------	------	--------------------------------	---------------------------------------

00
11

11. Write a PHP code to define use of \$_POST, \$_GET and \$_REQUEST.

```
<html>
  <body>
    <form action="DEMO.php" name="form1" method="POST">
      <input type="text" name="FN">
      <input type="text" name="LN">
      <input type="submit" name="submit">

    </form>
  </body>
</html>
```

```
<?php

echo $_POST["FN"];
echo $_POST["LN"];

?>
```


localhost/my/ass10.php

FN	a	LN	b	Submit
----	--------------------------------	----	--------------------------------	---------------------------------------



GET METHOD:

```
<html>
  <body>
    <form method="GET" action="demo1.php" name="f1">
      <input type="text" name="FN">
      <input type="text" name="LN">
      <input type="submit" name="submit">
    </form>
  </body>
</html>
<?php
echo $_GET["FN"];
echo $_GET["LN"];
?>
```



Requestmethod

```
<html>
  <body>
    <form method="POST" action="DEMO2.php" name="f1">
      <input type="text" name="FN">
      <input type="text" name="LN">
      <input type="submit" name="submit">
    </form>
  </body>
</html>
```

```
<?php
if($_SERVER["REQUEST_METHOD"]=="POST"){
    $f=$_POST["FN"];
    $l=$_POST["LN"];
    echo $f." ".$l;
}

?>
```

← → ↺ 🏠 ⓘ localhost/my/ass10(2).php



FN LN

12. Write a code to make user registration form and validate that form.

```
<!DOCTYPE html>
<html>
<head>
    <title>User Registration</title>
</head>
<body>
    <?php
        // Define variables and set to empty values
        $name = $email = $password = $confirm_password = "";
        $nameErr = $emailErr = $passwordErr = $confirmPasswordErr = "";

        if ($_SERVER["REQUEST_METHOD"] == "POST") {
            // Validate Name
            if (empty($_POST["name"])) {
                $nameErr = "Name is required";
            } else {
                $name = test_input($_POST["name"]);
                if (!preg_match("/^[a-zA-Z-' ]*$/", $name)) {
                    $nameErr = "Only letters and white spaces are allowed";
                }
            }
        }

        // Validate Email
        if (empty($_POST["email"])) {
            $emailErr = "Email is required";
        } else {
            $email = test_input($_POST["email"]);
            if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
                $emailErr = "Invalid email format";
            }
        }
    }
}
```



```

// Validate Password
if (empty($_POST["password"])) {
    $passwordErr = "Password is required";
} else {
    $password = test_input($_POST["password"]);
    if (strlen($password) < 6) {
        $passwordErr = "Password must be at least 6 characters long";
    }
}

// Validate Confirm Password
if (empty($_POST["confirm_password"])) {
    $confirmPasswordErr = "Please confirm your password";
} else {
    $confirm_password = test_input($_POST["confirm_password"]);
    if ($password != $confirm_password) {
        $confirmPasswordErr = "Passwords do not match";
    }
}
}

// Function to sanitize input
function test_input($data) {
    $data = trim($data);
    $data = stripslashes($data);
    $data = htmlspecialchars($data);
    return $data;
}
?>

<h2>User Registration Form</h2>
<form method="post" action="<?php echo
htmlspecialchars($_SERVER["PHP_SELF"]); ?>">
    Name: <input type="text" name="name" value="<?php echo $name; ?>">
    <span style="color: red;"><?php echo $nameErr; ?></span>
    <br><br>
    Email: <input type="text" name="email" value="<?php echo $email; ?>">
    <span style="color: red;"><?php echo $emailErr; ?></span>
    <br><br>
    Password: <input type="password" name="password" value="<?php echo
$password; ?>">
    <span style="color: red;"><?php echo $passwordErr; ?></span>
    <br><br>
    Confirm Password: <input type="password" name="confirm_password"
value="<?php echo $confirm_password; ?>">
    <span style="color: red;"><?php echo $confirmPasswordErr; ?></span>
    <br><br>

```

```
<input type="submit" name="submit" value="Register">
</form>

<?php
// Display success message after validation
if ($_SERVER["REQUEST_METHOD"] == "POST" && empty($nameErr) &&
empty($emailErr) && empty($passwordErr) && empty($confirmPasswordErr)) {
    echo "<h3>Registration Successful!</h3>";
    echo "<p>Name: " . $name . "</p>";
    echo "<p>Email: " . $email . "</p>";
}
?>
</body>
</html>
```

localhost/my/vali.php



User Registration Form

Name:

Email: Email is required

Password: Password is required

Confirm Password: Please confirm your password

User Registration Form

Name:

Email:

Password:

Confirm Password:

Registration Successful!

Name: A

Email: baggaashneet@gmail.com

Index.php:

```
<?php
// Using include to add the header
include "header.php";
?>

<p>This is the main content of the webpage. Here, we are learning the use of
include and require in PHP.</p>
```

```
<?php
// Using require to add the footer
require "footer.php";
?>
```

Header.php

```
<!DOCTYPE html>
<html>
<head>
    <title>Demo Page</title>
</head>
<body>
    <h1>Welcome to the Demo Page</h1>
    <hr>
```

Footer.php

```
<hr>
    <footer>
        <p>Footer Content &copy; 2025</p>
    </footer>
</body>
</html>
```

Welcome to the Demo Page

This is the main content of the webpage. Here, we are learning the use of include and require in PHP.

Footer Content © 2025

14.

Write a PHP code to make user registration form and display the given detail on another page in Table format.

```
<html>
```

```
<body>
    <form method="POST" name="F1" action="F2.php">
        <input type="text" name="FN">
        <input type="text" name="LN">
        <input type="email" name="email">
        <input type="password" name="password">
        <input type="submit" name="submit">
    </form>
</body>
</html>

<?php
if(isset($_POST["FN"])&& isset($_POST["LN"]) && isset($_POST["email"]) &&
isset($_POST["password"])){

    $ud=[
        'FirstName'=>$_POST["FN"],
        'LastName'=>$_POST["LN"],
        'EMAIL'=> $_POST["email"],
        'PWD'=>$_POST["password"]

    ];
    echo "<table border='1'>";
    foreach($ud as $k=>$v){
        echo "<tr>";
        echo "<th> $k</th>";
        <td>$v</td>";
        echo "</tr>";
    }
    echo "</table>";
}

?>
```

localhost/my/ass14.php

FN a LN b email baggaashneet@gmail.com password **** Submit

localhost/my/F2.php

FirstName	a
LastName	b
EMAIL	baggaashneet@gmail.com
PWD	1234

15. write a simple code Write a PHP code to demonstrate regular expression functions.

```
<?php
// Sample text
$text = "PHP is a great programming language. Learning PHP is fun and
rewarding.";

// 1. Using preg_match() to find the first occurrence of "PHP"
if (preg_match("/PHP/", $text, $match)) {
    echo "Match found using preg_match: " . $match[0] . "<br>";
} else {
    echo "No match found using preg_match.<br>";
}
```

```

}

// 2. Using preg_match_all() to find all occurrences of "PHP"
if (preg_match_all("/PHP/", $text, $matches)) {
    echo "Matches found using preg_match_all: " . implode(" ", $matches[0]) .
    "<br>";
} else {
    echo "No matches found using preg_match_all.<br>";
}

// 3. Using preg_split() to split the text by spaces
$split_text = preg_split("/\s+/", $text); // Split by one or more spaces
echo "Text split using preg_split:<br>";
foreach ($split_text as $word) {
    echo $word . "<br>";
}

// 4. Using preg_replace() to replace "PHP" with "Python"
$replaced_text = preg_replace("/PHP/", "Python", $text);
echo "Text after replacement using preg_replace: " . $replaced_text . "<br>";
?>

```

localhost/my/p15.php

Match found using preg_match: PHP
 Matches found using preg_match_all: PHP, PHP
 Text split using preg_split:
 PHP
 is
 a
 great
 programming
 language.
 Learning
 PHP
 is
 fun
 and
 rewarding.
 Text after replacement using preg_replace: Python is a great programming language. Learning Python is fun and rewarding.

Assignment -2

1. Write a PHP script to make a registration page and login page where details of user is stored in text file. After proper authentication Login is successful or not message must be displayed.

```
<!DOCTYPE html>
<html>

<body>
<?php
    if(isset($_POST["signup"])) {

        if(isset($_POST["name"]) && isset($_POST["pw"]) &&
isset($_POST["email"]))
        {
            $file = fopen("user.txt","a");
            fwrite($file,"\n".$_POST["name"].",". $_POST["pw"].",". $_POST["email"]);
        }
    }
    if(isset($_POST["login"])) {
        if(isset($_POST["loginname"]) && isset($_POST["loginpw"]))
        {
            $flag=FALSE;
            $file = fopen("user.txt","r");
            while(!feof($file))
            {
                $string=fgets($file);
                $array = explode(",", $string);
                //print_r($array);
                if(isset($array[1])){
                    if($array[0]==$_POST["loginname"] &&
$array[1]==$_POST["loginpw"]){
                        $flag=TRUE;
                    }
                }
            }
            if($flag){
                echo"Login Successful";
            } else {
                echo "User Not Found";
            }
        }
    }
}
```





```

    }
}
?>
<div class="login-page">
  <div class="form">
    <form class="login-form" name="loginfrm" method="post">
      <input type="text" placeholder="username" name="loginname"/>
      <input type="password" placeholder="password" name="loginpw"/>

      <input type="submit" name="login" Value="Login">
      <p class="message">Not registered? <a href="signup.php">Create an
account</a></p>
    </form>
  </div>
  <div class="login-page">
    <div class="form">
      <form class="register-form" name="signupfrm" method="post" action="<?php
echo $_SERVER["PHP_SELF"];?>">
        <input type="text" placeholder="name" name="name"/>
        <input type="password" placeholder="password" name="pw"/>
        <input type="text" placeholder="email address" name="email"/>
        <input type="submit" name="signup" Value="Sign Up">
        <p class="message">Already registered? <a href="login.php">Sign
In</a></p>
      </form>
    </div>
  </div>
</div>

</div>
</body>
</html>

```



2. Write a PHP script to make a simple calculator on webpage that will perform basic arithmetic operations.

```
<!DOCTYPE html>
<html>
<head>
  <title>Simple Calculator</title>
```

```

</head>
<body>
    <h2>Simple Calculator</h2>
    <form method="post" action="">
        <input type="number" name="num1" placeholder="Enter first number"
required>
        <select name="operation" required>
            <option value="add">Addition (+)</option>
            <option value="subtract">Subtraction (-)</option>
            <option value="multiply">Multiplication (×)</option>
            <option value="divide">Division (÷)</option>
        </select>
        <input type="number" name="num2" placeholder="Enter second number"
required>
        <button type="submit">Calculate</button>
    </form>



    <?php
    if ($_SERVER['REQUEST_METHOD'] == 'POST') {
        $num1 = $_POST['num1'];
        $num2 = $_POST['num2'];
        $operation = $_POST['operation'];
        $result = '';

        switch ($operation) {
            case 'add':
                $result = $num1 + $num2;
                break;
            case 'subtract':
                $result = $num1 - $num2;
                break;
            case 'multiply':
                $result = $num1 * $num2;
                break;
            case 'divide':
                if ($num2 != 0) {
                    $result = $num1 / $num2;
                } else {
                    $result = "Error: Division by zero!";
                }
                break;
            default:
                $result = "Invalid operation selected.";
        }

        echo "<h3>Result: $result</h3>";
    }
    ?>

```

```
</body>
</html>
```



3. Write a program to demonstrate all function for file handling(Take a file about yourself and perform read, write, random access etc on file with proper validation checks).

```
<?php
```

```

$fileName = "about_me.txt";

// Function to write to the file
function writeToFile($fileName, $content) {
    $file = fopen($fileName, "w"); // Open the file for writing
    if ($file) {
        fwrite($file, $content);
        fclose($file);
        echo "Content written to file successfully.<br>";
    } else {
        echo "Error: Could not open the file for writing.<br>";
    }
}

// Function to append to the file
function appendToFile($fileName, $content) {
    $file = fopen($fileName, "a"); // Open the file for appending
    if ($file) {
        fwrite($file, $content);
        fclose($file);
        echo "Content appended to file successfully.<br>";
    } else {
        echo "Error: Could not open the file for appending.<br>";
    }
}

// Function to read from the file
function readFromFile($fileName) {
    if (file_exists($fileName)) {
        $file = fopen($fileName, "r"); // Open the file for reading
        $content = fread($file, filesize($fileName));
        fclose($file);
        echo "File content:<br>" . nl2br($content) . "<br>";
    } else {
        echo "Error: File does not exist.<br>";
    }
}

// Function to demonstrate random access (read a specific number of bytes from a position)
function randomAccess($fileName, $position, $length) {
    if (file_exists($fileName)) {
        $file = fopen($fileName, "r"); // Open the file for reading
        fseek($file, $position); // Move the pointer to the desired position
        $content = fread($file, $length); // Read specified number of bytes
        fclose($file);
        echo "Random access content: " . nl2br($content) . "<br>";
    } else {

```

```

        echo "Error: File does not exist.<br>";
    }
}

// Validate and perform operations
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $action = $_POST['action'];
    $content = $_POST['content'] ?? '';
    $position = $_POST['position'] ?? 0;
    $length = $_POST['length'] ?? 0;

    switch ($action) {
        case 'write':
            writeToFile($fileName, $content);
            break;
        case 'append':
            appendToFile($fileName, $content);
            break;
        case 'read':
            readFromFile($fileName);
            break;
        case 'random':
            randomAccess($fileName, (int)$position, (int)$length);
            break;
        default:
            echo "Invalid action selected.<br>";
    }
}
?>

<!DOCTYPE html>
<html>
<head>
    <title>File Handling in PHP</title>
</head>
<body>
    <h2>File Handling Example</h2>
    <form method="post" action="">
        <label>Select Action:</label><br>
        <select name="action" required>
            <option value="write">Write to File</option>
            <option value="append">Append to File</option>
            <option value="read">Read from File</option>
            <option value="random">Random Access</option>
        </select><br><br>

        <label>Content (for Write/Append):</label><br>
        <textarea name="content" rows="4" cols="50"></textarea><br><br>

```

```
<label>Position (for Random Access):</label><br>
<input type="number" name="position"><br><br>

<label>Length (for Random Access):</label><br>
<input type="number" name="length"><br><br>

<button type="submit">Perform Action</button>
</form>
</body>
</html>
```

The screenshot shows a web browser window with the address bar displaying 'localhost/ass2/p3.php'. The page content includes a header 'Random access content: aa' and a section titled 'File Handling Example'. Below the title, there is a 'Select Action:' dropdown menu with 'Write to File' selected. A text input field labeled 'Content (for Write/Append):' contains the character 'a'. Below this, there are two more input fields: 'Position (for Random Access):' with a dropdown arrow and 'Length (for Random Access):' with a text input field. At the bottom of the form is a 'Perform Action' button. The browser's taskbar at the bottom shows various application icons and system information like '36°C', 'Smoke', and the date '04-04-2025'.

Random access content: aa

File Handling Example


Select Action:
Write to File

Content (for Write/Append):
a

Position (for Random Access):
-

Length (for Random Access):

Perform Action



4. Write a PHP script to take information from form about the students and marksheet and calculate the Total marks and percentage. Also store marksheet in file.

```
<html>
  <body>
    <form method="POST">
      Name<input type="text" name="n"><br>
      RNO:<input type="number" name="rno"><br>
      Course <input type="text" name="c"><br>
      marks1 <input type="number" name="m1"><br>
      marks2 <input type="number" name="m2"><br>
      marks3 <input type="number" name="m3"><br>
      marks4<input type="number" name="m4"><br>
      marks5<input type="number" name="m5"><br>
      <input type="submit" name="submit">

    </form>

  </body>
</html>

<?php
if(isset($_POST["submit"]))
{
```



```

$n=$_POST["n"] ;
$rno=$_POST["rno"];
$c=$_POST["c"];
$m1=$_POST["m1"];
$m2=$_POST["m2"];
$m3=$_POST["m3"];
$m4=$_POST["m4"];
$m5=$_POST["m5"];

$tm=$m1+$m2+$m3+$m4+$m5;
$p=($tm/500)*100;
$file1=fopen("file4.txt","w");
fwrite($file1,"Name $n,RNO $rno,C $c,marks1 = $m1,marks2= $m2,marks3=
$m3,marks4=$m4,marks5=$m5 ,Perc= $p\n");
fclose($file1);

echo " Name:" ".$n."<br>";
echo "RNO:" ".$rno."<br>";
echo "Course= ".$c."<br>";
echo "marks1 = ".$m1."<br>";
echo "marks2 = ".$m2."<br>";
echo "marks3 = ".$m3."<br>";
echo "marks4 = ".$m4."<br>";
echo "marks5 = ".$m5."<br>";
echo "Percentage= ".$p."<br>";

}

?>

```

localhost/ass2/p4.php

Name:

RNO:

Course:

mark1:

mark2:

mark3:

mark4:

mark5:

localhost/ass2/p4.php

Name:

RNO:

Course:

mark1:

mark2:

mark3:

mark4:



mark5:

Name: A
RNO: 2
Course: pgd
mark1 = 9
mark2 = 9
mark3 = 9
mark4 = 9
mark5 = 9
Percentage = 9

5. Write a PHP code to upload image file.

```
<html>
  <form method="POST" enctype="multipart/form-data" action="upl.php">
    <input type="file" name="fu">
    <input type="submit" name="submit">
  </form>
</html>
```

```
<?php
if($_SERVER["REQUEST_METHOD"]=="POST"){
    $DIR="uploads/";
    $up=$DIR.basename($_FILES["fu"]["name"]);
    move_uploaded_file($_FILES["fu"]["tmp_name"],$up);
}
?>
```



6. Write a PHP code to upload any file of size less than 20000 bytes.


```
<!DOCTYPE html>
<html>
<head>
    <title>File Upload</title>
</head>
<body>
    <h2>Upload a File (Max size: 20,000 bytes)</h2>
    <form action="upload.php" method="post" enctype="multipart/form-data">
        <input type="file" name="file" required>
        <button type="submit">Upload</button>
    </form>
</body>
</html>

<?php
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    // Check if a file is uploaded
    if (isset($_FILES['file'])) {
        $fileSize = $_FILES['file']['size']; // Get the file size in bytes
        $uploadDir = "uploads/"; // Set the upload directory
        $uploadFile = $uploadDir . basename($_FILES['file']['name']);

        // Validate file size
        if ($fileSize > 20000) {
            echo "Error: File size exceeds the limit of 20,000 bytes.";
            exit;
        }

        // Check if directory exists, create if necessary
        if (!is_dir($uploadDir)) {
            mkdir($uploadDir, 0777, true);
        }

        // Move uploaded file to the target directory
        if (move_uploaded_file($_FILES['file']['tmp_name'], $uploadFile)) {
            echo "File uploaded successfully!";
        } else {
            echo "Error: Failed to upload the file.";
        }
    } else {
        echo "Error: No file uploaded.";
    }
}
?>
```



7. Write a PHP code to upload MP3 file.

```
<!DOCTYPE html>
<html>
<head>
    <title>MP3 File Upload</title>
</head>
<body>
    <h2>Upload an MP3 File</h2>
    <form action="upload_mp3.php" method="post" enctype="multipart/form-data">
        <input type="file" name="mp3file" accept=".mp3" required>
        <button type="submit">Upload</button>
    </form>
</body>
</html>


<?php
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    // Define the upload directory
    $uploadDir = 'uploads/';
    $uploadFile = $uploadDir . basename($_FILES['mp3file']['name']);


    // Ensure the upload directory exists
```

```
if (!is_dir($uploadDir)) {
    mkdir($uploadDir, 0777, true);
}

// Validate the file type
$fileType = mime_content_type($_FILES['mp3file']['tmp_name']);
if ($fileType != 'audio/mpeg') {
    echo "Error: Only MP3 files are allowed.";
    exit;
}

// Move the uploaded file to the directory
if (move_uploaded_file($_FILES['mp3file']['tmp_name'], $uploadFile)) {
    echo "MP3 file uploaded successfully!";
} else {
    echo "Error: Failed to upload the file.";
}
}
?>
```





P8. Write a PHP Code to upload doc, pdf, ppt files.

```
<!DOCTYPE html>
<html>
<head>
  <title>File Upload</title>
</head>
<body>
  <h2>Upload a File (.doc, .pdf, .ppt)</h2>
  <form action="upload_files.php" method="post" enctype="multipart/form-
data">
    <input type="file" name="file" required>
    <button type="submit">Upload</button>
  </form>
</body>
</html>
```

```
<?php
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    // Define the upload directory
    $uploadDir = 'uploads/';
    $uploadFile = $uploadDir . basename($_FILES['file']['name']);


    // Ensure the upload directory exists
    if (!is_dir($uploadDir)) {
        mkdir($uploadDir, 0777, true);
    }

    // Validate the file type
    $allowedExtensions = ['doc', 'pdf', 'ppt'];
    $fileExtension = pathinfo($_FILES['file']['name'], PATHINFO_EXTENSION);

    if (!in_array($fileExtension, $allowedExtensions)) {
        echo "Error: Only .doc, .pdf, and .ppt files are allowed.";
        exit;
    }

    // Check file size (e.g., max 5MB)
    $maxFileSize = 5 * 1024 * 1024; // 5 MB
    if ($_FILES['file']['size'] > $maxFileSize) {
        echo "Error: File size exceeds 5 MB limit.";
        exit;
    }

    // Move the uploaded file to the upload directory
    if (move_uploaded_file($_FILES['file']['tmp_name'], $uploadFile)) {
        echo "File uploaded successfully!";
    } else {
        echo "Error: Failed to upload the file.";
    }
}
?>
```

9. Write a PHP script to generate a random number between two numbers given by the user.

```
<!DOCTYPE html>
<html>
<head>
    <title>Random Number Generator</title>
</head>
<body>
    <h2>Generate a Random Number</h2>
    <form method="post" action="">
        <label for="min">Enter Minimum Number:</label>
        <input type="number" id="min" name="min" required><br><br>

        <label for="max">Enter Maximum Number:</label>
        <input type="number" id="max" name="max" required><br><br>


        <button type="submit">Generate</button>
    </form>

    <?php
    if ($_SERVER['REQUEST_METHOD'] == 'POST') {
        $min = intval($_POST['min']);
        $max = intval($_POST['max']);
```

```

        if ($min > $max) {
            echo "Error: Minimum number should be less than or equal to the
maximum number.";
        } else {
            $randomNumber = rand($min, $max);
            echo "<h3>Random Number: $randomNumber</h3>";
        }
    }
    ?>
</body>
</html>

```



10. Make a webpage which contains Script 1 to 9 Buttons/Links. According to user click particular assignment from above definition 1 to 9 will open.

```

<!DOCTYPE html>
<html>
<head>
    <title>Assignments List</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            text-align: center;
            margin: 50px;

```

```

    }
    .button {
        display: inline-block;
        margin: 10px;
        padding: 15px 30px;
        font-size: 18px;
        color: #fff;
        background-color: #007bff;
        text-decoration: none;
        border-radius: 5px;
    }
    .button:hover {
        background-color: #0056b3;
    }
</style>
</head>
<body>
    <h1>Assignment Links</h1>
    <p>Select a script to view the corresponding functionality:</p>

    <!-- Buttons for each script -->
    <a href="script1.php" class="button">Script 1</a>
    <a href="script2.php" class="button">Script 2</a>
    <a href="script3.php" class="button">Script 3</a>
    <a href="script4.php" class="button">Script 4</a>
    <a href="script5.php" class="button">Script 5</a>
    <a href="script6.php" class="button">Script 6</a>
    <a href="script7.php" class="button">Script 7</a>
    <a href="script8.php" class="button">Script 8</a>
    <a href="script9.php" class="button">Script 9</a>
</body>
</html>

```

```


<!DOCTYPE html>
<html>
<head>
    <title>Random Number Generator</title>
</head>
<body>
    <h2>Random Number Generator</h2>
    <form method="post" action="">
        <label for="min">Enter Minimum Number:</label>
        <input type="number" id="min" name="min" required><br><br>
        <label for="max">Enter Maximum Number:</label>
        <input type="number" id="max" name="max" required><br><br>
    </form>


```

```

        <button type="submit">Generate</button>
    </form>
    <?php
    if ($_SERVER['REQUEST_METHOD'] == 'POST') {
        $min = intval($_POST['min']);
        $max = intval($_POST['max']);
        if ($min > $max) {
            echo "Error: Minimum should be less than or equal to maximum.";
        } else {
            echo "<h3>Random Number: " . rand($min, $max) . "</h3>";
        }
    }
    ?>
</body>
</html>

```





Assignemnt3 :

1.Develop a webpage that accepts the following information

from USER :

Username

Password

Confirm Password

First Name

Last Name

Email ID

Mobile No

Perform the following validation on submit:

1.Username do not contain any special characters like

@,\$,#,& etc

2.Password and confirm password should be matched

3.First Name and Last Name must have characters only

4.Email ID must contain @ and .(dot)

5.Mobile Number must be numeric and contains 10 Digits

If All Validations are successful than display following

information on another page in tabular format with title

User Information:

Username

First Name

Last Name

Email ID

Mobile No

```
<!DOCTYPE html>
<html>
<head>
  <title>User Registration</title>
</head>
<body>
```

```

<h2>User Registration Form</h2>
<form action="validate.php" method="post">
    <label for="username">Username:</label>
    <input type="text" id="username" name="username" required><br><br>

    <label for="password">Password:</label>
    <input type="password" id="password" name="password" required><br><br>

    <label for="confirm_password">Confirm Password:</label>
    <input type="password" id="confirm_password" name="confirm_password"
required><br><br>

    <label for="first_name">First Name:</label>
    <input type="text" id="first_name" name="first_name" required><br><br>

    <label for="last_name">Last Name:</label>
    <input type="text" id="last_name" name="last_name" required><br><br>

    <label for="email">Email ID:</label>
    <input type="email" id="email" name="email" required><br><br>

    <label for="mobile">Mobile Number:</label>
    <input type="text" id="mobile" name="mobile" required><br><br>

    <button type="submit">Submit</button>
</form>
</body>
</html>

```

```

<?php
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $username = htmlspecialchars($_POST['username']);
    $password = $_POST['password'];
    $confirm_password = $_POST['confirm_password'];
    $first_name = htmlspecialchars($_POST['first_name']);
    $last_name = htmlspecialchars($_POST['last_name']);
    $email = htmlspecialchars($_POST['email']);
    $mobile = htmlspecialchars($_POST['mobile']);

    $errors = [];

    // 1. Validate Username (No special characters)
    if (preg_match('/[@$#&]/', $username)) {
        $errors[] = "Username must not contain special characters like @, $,
#, &.";
    }
}

```

```

// 2. Validate Password (Match Confirm Password)
if ($password !== $confirm_password) {
    $errors[] = "Password and Confirm Password do not match.";
}

// 3. Validate First Name and Last Name (Only characters)
if (!preg_match('/^[a-zA-Z]+$/', $first_name)) {
    $errors[] = "First Name must only contain letters.";
}
if (!preg_match('/^[a-zA-Z]+$/', $last_name)) {
    $errors[] = "Last Name must only contain letters.";
}

// 4. Validate Email (Must contain @ and .)
if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
    $errors[] = "Invalid Email ID.";
}

// 5. Validate Mobile Number (Numeric and 10 digits)
if (!preg_match('/^[0-9]{10}$/', $mobile)) {
    $errors[] = "Mobile Number must be numeric and exactly 10 digits.";
}

// Display Errors or Successful Data
if (!empty($errors)) {
    echo "<h3>Validation Errors:</h3><ul>";
    foreach ($errors as $error) {
        echo "<li>$error</li>";
    }
    echo "</ul><a href='index.php'>Go back to the form</a>";
} else {
    // Display User Information
    echo "<h2>User Information:</h2>";
    echo "<table border='1' cellpadding='10'>";
    echo "<tr><th>Username</th><td>$username</td></tr>";
    echo "<tr><th>First Name</th><td>$first_name</td></tr>";
    echo "<tr><th>Last Name</th><td>$last_name</td></tr>";
    echo "<tr><th>Email ID</th><td>$email</td></tr>";
    echo "<tr><th>Mobile Number</th><td>$mobile</td></tr>";
    echo "</table>";
}
}
?>

```


localhost/ass3/p1.php

User Registration Form

Username:

Password:

Confirm Password:

First Name:

Last Name:

Email ID:

Mobile Number:

Ln 25, Col 22 Spaces: 4 UTF-8 CRLF PHP 8.0.30.8.2 Go Live
Air: Moderate 08:23 PM 04-04-2025

localhost/ass3/validate.php

Validation Errors:

- Mobile Number must be numeric and exactly 10 digits.

[Go back to the form](#)

Page 2 of 2 99 WORDS ENGLISH (INDIA)
Air: Moderate 08:24 PM 04-04-2025

2. 2. Develop a webpage that accepts the following information about

Product:

Product Name

Product Price

Product Quantity

Product Description

Product Image

Perform the following validation on submit:

1. Product Name do not contain any special characters like

@,\$,#,& etc

2. Product Price should be numerical value(int or float or Double)

3. Product Quantity should be numerical value(int)

4. Product Image must be of type jpeg/png

If All Validations are successful than display following information on

another page in tabular format with title Product Information:

Product Image(Display Image)

Product Name

Product Price

Product Quantity

Product Description

```
<!DOCTYPE html>
<html>
<head>
  <title>Product Information</title>
</head>
<body>
  <h2>Enter Product Details</h2>
  <form action="validate_product.php" method="post" enctype="multipart/form-
data">
    <label for="product_name">Product Name:</label>
```

```

        <input type="text" id="product_name" name="product_name"
required><br><br>

        <label for="product_price">Product Price:</label>
        <input type="text" id="product_price" name="product_price"
required><br><br>

        <label for="product_quantity">Product Quantity:</label>
        <input type="number" id="product_quantity" name="product_quantity"
required><br><br>

        <label for="product_description">Product Description:</label>
        <textarea id="product_description" name="product_description" rows="4"
cols="50" required></textarea><br><br>

        <label for="product_image">Product Image:</label>
        <input type="file" id="product_image" name="product_image"
accept=".jpeg, .png" required><br><br>

        <button type="submit">Submit</button>
    </form>
</body>
</html>

<?php
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $productName = htmlspecialchars($_POST['product_name']);
    $productPrice = htmlspecialchars($_POST['product_price']);
    $productQuantity = htmlspecialchars($_POST['product_quantity']);
    $productDescription = htmlspecialchars($_POST['product_description']);
    $productImage = $_FILES['product_image'];

    $errors = [];

    // 1. Validate Product Name
    if (preg_match('/[@$#&]/', $productName)) {
        $errors[] = "Product Name must not contain special characters like @,
$, #, &.";
    }

    // 2. Validate Product Price
    if (!is_numeric($productPrice)) {
        $errors[] = "Product Price must be a numerical value (int, float, or
double).";
    }

    // 3. Validate Product Quantity
    if (!filter_var($productQuantity, FILTER_VALIDATE_INT)) {

```

```


        $errors[] = "Product Quantity must be a numerical value (integer).";
    }

    // 4. Validate Product Image
    $imageType = mime_content_type($productImage['tmp_name']);
    if ($imageType != 'image/jpeg' && $imageType != 'image/png') {
        $errors[] = "Product Image must be of type JPEG or PNG.";
    }

    // Handle Errors or Display Product Information
    if (!empty($errors)) {
        echo "<h3>Validation Errors:</h3><ul>";
        foreach ($errors as $error) {
            echo "<li>$error</li>";
        }
        echo "</ul><a href='index.php'>Go back to the form</a>";
    } else {
        // Move the uploaded file to the "uploads" folder
        $uploadDir = "uploads/";
        if (!is_dir($uploadDir)) {
            mkdir($uploadDir, 0777, true);
        }
        $uploadFilePath = $uploadDir . basename($productImage['name']);
        move_uploaded_file($productImage['tmp_name'], $uploadFilePath);

        // Display Product Information
        echo "<h2>Product Information:</h2>";
        echo "<table border='1' cellpadding='10'>";
        echo "<tr><th>Product Image</th><td><img src='$uploadFilePath'";
        echo "width='200'></td></tr>";
        echo "<tr><th>Product Name</th><td>$productName</td></tr>";
        echo "<tr><th>Product Price</th><td>$productPrice</td></tr>";
        echo "<tr><th>Product Quantity</th><td>$productQuantity</td></tr>";
        echo "<tr><th>Product";
        echo "Description</th><td>$productDescription</td></tr>";
        echo "</table>";
    }
}
?>

```



3. Develop a webpage that accepts the following information about

Customer:

Customer First Name

Customer Last Name

Customer Email ID

Customer Mobile No

Customer Age

Perform the following validation on submit:

1. Customer Name do not contain any special characters like

@,\$,#,& etc

2. Customer First Name and Customer Last Name must have
characters only

3. Customer Email ID must contain @ and .(dot)

4. Customer Mobile Number must be numeric and contains 10
Digits

5. Customer age must be greater than 18

If All Validations are successful than display following information on another page in tabular format with title Customer Information:

Customer First Name

Customer Last Name

Customer Email ID

Customer Mobile No

Customer Age

```
<?php
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $firstName = htmlspecialchars($_POST['first_name']);
    $lastName = htmlspecialchars($_POST['last_name']);
    $email = htmlspecialchars($_POST['email']);
    $mobile = htmlspecialchars($_POST['mobile']);
    $age = intval($_POST['age']);

    $errors = [];

    // 1. Validate First Name and Last Name (Only letters, no special
characters)
    if (!preg_match('/^[a-zA-Z]+$/', $firstName)) {
        $errors[] = "Customer First Name must contain only letters.";
    }
    if (!preg_match('/^[a-zA-Z]+$/', $lastName)) {
        $errors[] = "Customer Last Name must contain only letters.";
    }

    // 2. Validate Email ID
    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $errors[] = "Customer Email ID must contain '@' and '.'";
    }

    // 3. Validate Mobile Number (Numeric and 10 digits)
    if (!preg_match('/^[0-9]{10}$/', $mobile)) {
        $errors[] = "Customer Mobile Number must be numeric and exactly 10
digits.";
    }

    // 4. Validate Age (Must be greater than 18)
    if ($age <= 18) {
        $errors[] = "Customer Age must be greater than 18.";
    }
}
```

```

}

// Display Errors or Successful Data
if (!empty($errors)) {
    echo "<h3>Validation Errors:</h3><ul>";
    foreach ($errors as $error) {
        echo "<li>$error</li>";
    }
    echo "</ul><a href='index.php'>Go back to the form</a>";
} else {
    // Display Customer Information
    echo "<h2>Customer Information</h2>";
    echo "<table border='1' cellpadding='10'>";
    echo "<tr><th>Customer First Name</th><td>$firstName</td></tr>";
    echo "<tr><th>Customer Last Name</th><td>$lastName</td></tr>";
    echo "<tr><th>Customer Email ID</th><td>$email</td></tr>";
    echo "<tr><th>Customer Mobile Number</th><td>$mobile</td></tr>";
    echo "<tr><th>Customer Age</th><td>$age</td></tr>";
    echo "</table>";
}
}
?>

```

```

<!DOCTYPE html>
<html>
<head>
    <title>Customer Information Form</title>
</head>
<body>
    <h2>Enter Customer Details</h2>
    <form action="validate_customerr.php" method="post">
        <label for="first_name">Customer First Name:</label>
        <input type="text" id="first_name" name="first_name" required><br><br>

        <label for="last_name">Customer Last Name:</label>
        <input type="text" id="last_name" name="last_name" required><br><br>

        <label for="email">Customer Email ID:</label>
        <input type="email" id="email" name="email" required><br><br>

        <label for="mobile">Customer Mobile Number:</label>
        <input type="text" id="mobile" name="mobile" required><br><br>

        <label for="age">Customer Age:</label>
        <input type="number" id="age" name="age" required><br><br>

        <button type="submit">Submit</button>
    </form>

```

```
</form>
</body>
</html>
```

The screenshot shows a web browser window with the address bar displaying 'localhost/ass3/p3.php'. The page content is a form titled 'Enter Customer Details'. The form contains five input fields: 'Customer First Name' with the value '2', 'Customer Last Name' with the value '2', 'Customer Email ID' with the value 'haggasheet@gmail.com', 'Customer Mobile Number' with the value 'QW', and 'Customer Age' with the value '2'. Below the fields is a 'Submit' button. The browser's developer tools are open at the bottom, showing the 'OUTLINE' and 'TIMELINE' tabs. The Windows taskbar is visible at the bottom of the screen.

The screenshot shows a web browser window with the address bar displaying 'localhost/ass3/validate_customer.php'. The page content is a section titled 'Validation Errors:' followed by a bulleted list of error messages: 'Customer First Name must contain only letters.', 'Customer Last Name must contain only letters.', 'Customer Mobile Number must be numeric and exactly 10 digits.', and 'Customer Age must be greater than 18.'. Below the list is a link that says 'Go back to the form'. The browser's developer tools are open at the bottom, showing the 'OUTLINE' and 'TIMELINE' tabs. The Windows taskbar is visible at the bottom of the screen.

4. Develop a webpage that read a text content from user about username, password, fullname and email ID.

Perform the following validation on submit:

1. User Name do not contain any special characters like @,\$,#,& etc
2. Full name must not contain any number
3. Customer Email ID must contain @ and .(dot)

If All Validations are successful than store the information in text file
if username is not present in file. If user name already in file than
print appropriate message.

```
<!DOCTYPE html>
<html>
<head>
  <title>User Information Form</title>
</head>
<body>
  <h2>Enter User Details</h2>
  <form action="process_user.php" method="post">
    <label for="username">Username:</label>
    <input type="text" id="username" name="username" required><br><br>

    <label for="password">Password:</label>
    <input type="password" id="password" name="password" required><br><br>

    <label for="fullname">Full Name:</label>
    <input type="text" id="fullname" name="fullname" required><br><br>

    <label for="email">Email ID:</label>
    <input type="email" id="email" name="email" required><br><br>

    <button type="submit">Submit</button>
  </form>
</body>
</html>
```

```

<?php
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $username = htmlspecialchars($_POST['username']);
    $password = htmlspecialchars($_POST['password']);
    $fullname = htmlspecialchars($_POST['fullname']);
    $email = htmlspecialchars($_POST['email']);

    $errors = [];
    $filePath = "users.txt";

    // 1. Validate Username (No special characters)
    if (preg_match('/[@$#&]/', $username)) {
        $errors[] = "Username must not contain special characters like @, $,
#,&.";
    }

    // 2. Validate Full Name (Must not contain numbers)
    if (preg_match('/[0-9]/', $fullname)) {
        $errors[] = "Full Name must not contain numbers.";
    }

    // 3. Validate Email ID (Must contain @ and .)
    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $errors[] = "Invalid Email ID format.";
    }

    // Display Errors or Proceed
    if (!empty($errors)) {
        echo "<h3>Validation Errors:</h3><ul>";
        foreach ($errors as $error) {
            echo "<li>$error</li>";
        }
        echo "</ul><a href='index.php'>Go back to the form</a>";
    } else {
        // Check if username already exists in the file
        $fileExists = file_exists($filePath);
        $userExists = false;

        if ($fileExists) {
            $users = file($filePath, FILE_IGNORE_NEW_LINES |
FILE_SKIP_EMPTY_LINES);
            foreach ($users as $user) {
                $userData = explode("|", $user);
                if (trim($userData[0]) === $username) {
                    $userExists = true;
                    break;
                }
            }
        }
    }
}

```


```


    }

    if ($userExists) {
        echo "<h3>Error: Username '$username' already exists in the
file.</h3>";
    } else {
        // Store the user information in the file
        $userEntry = "$username|$password|$fullname|$email\n";
        file_put_contents($filePath, $userEntry, FILE_APPEND);

        echo "<h3>User information has been saved successfully!</h3>";
        echo "<table border='1' cellpadding='10'>";
        echo "<tr><th>Username</th><td>$username</td></tr>";
        echo "<tr><th>Password</th><td>$password</td></tr>";
        echo "<tr><th>Full Name</th><td>$fullname</td></tr>";
        echo "<tr><th>Email ID</th><td>$email</td></tr>";
        echo "</table>";
    }
}
}
?>

```





5. Develop a login webpage which accept username and password and check in database/file that username and password is correct or not.

Before checking in database validate the form with following information

1. Username and password should not blank.
2. Username must have at least four characters
3. Password must have at least six characters

If all validation is ok than print appropriate message like Login Successful or not.

Save username and password in text file.

```
<!DOCTYPE html>
<html>
<head>
  <title>Login Page</title>
</head>
<body>
  <h2>Login</h2>
  <form action="validate_login.php" method="post">
    <label for="username">Username:</label>
    <input type="text" id="username" name="username" required><br><br>
```

```

        <label for="password">Password:</label>
        <input type="password" id="password" name="password" required><br><br>

        <button type="submit">Login</button>
    </form>
</body>
</html>

<?php
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $username = htmlspecialchars($_POST['username']);
    $password = htmlspecialchars($_POST['password']);
    $filePath = "users.txt";

    $errors = [];

    // 1. Validate Username and Password (Non-empty)
    if (empty($username)) {
        $errors[] = "Username cannot be blank.";
    }
    if (empty($password)) {
        $errors[] = "Password cannot be blank.";
    }

    // 2. Validate Username (Minimum 4 characters)
    if (strlen($username) < 4) {
        $errors[] = "Username must be at least 4 characters long.";
    }

    // 3. Validate Password (Minimum 6 characters)
    if (strlen($password) < 6) {
        $errors[] = "Password must be at least 6 characters long.";
    }

    // Display Errors or Proceed
    if (!empty($errors)) {
        echo "<h3>Validation Errors:</h3><ul>";
        foreach ($errors as $error) {
            echo "<li>$error</li>";
        }
        echo "</ul><a href='index.php'>Go back to the login page</a>";
    } else {
        // Check against stored data in the file
        if (file_exists($filePath)) {
            $users = file($filePath, FILE_IGNORE_NEW_LINES |
FILE_SKIP_EMPTY_LINES);
            $loginSuccess = false;


```


```

        foreach ($users as $user) {
            list($storedUsername, $storedPassword) = explode("|", $user);
            if (trim($storedUsername) === $username &&
trim($storedPassword) === $password) {
                $loginSuccess = true;
                break;
            }
        }

        if ($loginSuccess) {
            echo "<h3>Login Successful!</h3>";
        } else {
            echo "<h3>Login Failed: Incorrect Username or Password.</h3>";
        }
    } else {
        echo "<h3>Error: No user data found!</h3>";
    }
}
?>

```





P6 Develop a webpage which accept a file and validate the following information:

1. Filename must not contain any space(If it contains the space remove the space)
2. File should be of type pdf
3. File size should be less than 5mb
4. If above all validation is correct move file to folder named as yourname_rollno in your current directory

If srno 1 to 4 is successful save log in log.txt file like: File saved on Datetime (Current date and time stamp)

```
<!DOCTYPE html>
<html>
<head>
  <title>File Upload</title>
</head>
<body>
  <h2>Upload a File</h2>
  <form action="file_upload.php" method="post" enctype="multipart/form-
data">
    <label for="uploaded_file">Choose a PDF File:</label>
```

```

        <input type="file" id="uploaded_file" name="uploaded_file"
required><br><br>
        <button type="submit">Upload</button>
    </form>
</body>
</html>

<?php
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $file = $_FILES['uploaded_file'];
    $folderName = 'yourname_rollno'; // Replace with your actual name and roll
number
    $logFile = 'log.txt';
    $errors = [];

    // Validation 1: Check and remove spaces in the filename
    $fileName = str_replace(' ', '_', $file['name']); // Replace spaces with
underscores
    $filePath = "$folderName/$fileName";

    // Validation 2: File type should be PDF
    $fileType = mime_content_type($file['tmp_name']);
    if ($fileType !== 'application/pdf') {
        $errors[] = "File must be of type PDF.";
    }

    // Validation 3: File size should be less than 5MB
    if ($file['size'] > 5 * 1024 * 1024) { // 5MB in bytes
        $errors[] = "File size must be less than 5MB.";
    }

    // If no errors, process the file
    if (empty($errors)) {
        // Validation 4: Create directory if it does not exist
        if (!is_dir($folderName)) {
            mkdir($folderName, 0777, true); // Create the directory with write
permissions
        }


        // Move the file to the specified folder
        if (move_uploaded_file($file['tmp_name'], $filePath)) {
            // Log the operation in log.txt
            $dateTime = date('Y-m-d H:i:s'); // Get current date and time
            $logMessage = "File saved on $dateTime: $filePath\n";
            file_put_contents($logFile, $logMessage, FILE_APPEND);


            echo "File uploaded successfully!<br>";
        } else {

```



```
        echo "Failed to move the uploaded file.<br>";
    }
} else {
    // Display errors if validation failed
    echo "<h3>Validation Errors:</h3><ul>";
    foreach ($errors as $error) {
        echo "<li>$error</li>";
    }
    echo "</ul>";
}
}
?>
```





7. Develop a webpage that will accept information of students marksheet like roll no, name, five subject marks, course, month and year of exam etc with all validations. Calculate the percentage and class. And display Marksheet in appropriate format on another page. And store information in text file.

```
<!DOCTYPE html>
<html>
<head>
  <title>Student Marksheet</title>
</head>
<body>
  <h2>Enter Student Details</h2>
  <form action="generate_marksheet.php" method="post">
    <label for="roll_no">Roll Number:</label>
    <input type="text" id="roll_no" name="roll_no" required><br><br>

    <label for="name">Name:</label>
    <input type="text" id="name" name="name" required><br><br>

    <label for="course">Course:</label>
    <input type="text" id="course" name="course" required><br><br>

    <label for="subject1">Marks in Subject 1:</label>
    <input type="number" id="subject1" name="subject1" required><br><br>
```

```

<label for="subject2">Marks in Subject 2:</label>
<input type="number" id="subject2" name="subject2" required><br><br>

<label for="subject3">Marks in Subject 3:</label>
<input type="number" id="subject3" name="subject3" required><br><br>

<label for="subject4">Marks in Subject 4:</label>
<input type="number" id="subject4" name="subject4" required><br><br>

<label for="subject5">Marks in Subject 5:</label>
<input type="number" id="subject5" name="subject5" required><br><br>

<label for="month">Month of Exam:</label>
<input type="text" id="month" name="month" required><br><br>

<label for="year">Year of Exam:</label>
<input type="number" id="year" name="year" required><br><br>

<button type="submit">Submit</button>
</form>
</body>
</html>

```

```

<?php
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $rollNo = htmlspecialchars($_POST['roll_no']);
    $name = htmlspecialchars($_POST['name']);
    $course = htmlspecialchars($_POST['course']);
    $subject1 = intval($_POST['subject1']);
    $subject2 = intval($_POST['subject2']);
    $subject3 = intval($_POST['subject3']);
    $subject4 = intval($_POST['subject4']);
    $subject5 = intval($_POST['subject5']);
    $month = htmlspecialchars($_POST['month']);
    $year = intval($_POST['year']);

    $errors = [];

    // 1. Validate Roll Number (non-empty)
    if (empty($rollNo)) {
        $errors[] = "Roll number cannot be empty.";
    }

    // 2. Validate Name (letters only, no numbers or special characters)

```

```

if (!preg_match('/^[a-zA-Z ]+$/ ', $name)) {
    $errors[] = "Name must contain only letters.";
}

// 3. Validate Marks (should be between 0 and 100)
$subjects = [$subject1, $subject2, $subject3, $subject4, $subject5];
foreach ($subjects as $index => $marks) {
    if ($marks < 0 || $marks > 100) {
        $errors[] = "Marks for Subject " . ($index + 1) . " must be
between 0 and 100.";
    }
}

// 4. Validate Month and Year (non-empty)
if (empty($month) || empty($year)) {
    $errors[] = "Month and Year of Exam cannot be empty.";
}

// Display Errors or Proceed
if (!empty($errors)) {
    echo "<h3>Validation Errors:</h3><ul>";
    foreach ($errors as $error) {
        echo "<li>$error</li>";
    }
    echo "</ul><a href='index.php'>Go back to the form</a>";
} else {
    // Calculate Total Marks, Percentage, and Class
    $totalMarks = array_sum($subjects);
    $percentage = ($totalMarks / 500) * 100;

    if ($percentage >= 60) {
        $class = "First Class";
    } elseif ($percentage >= 50) {
        $class = "Second Class";
    } elseif ($percentage >= 40) {
        $class = "Pass Class";
    } else {
        $class = "Fail";
    }

    // Store Information in a Text File
    $filePath = "marksheets.txt";
    $marksheetData = "Roll No: $rollNo | Name: $name | Course: $course |
Subjects: " .
        implode(", ", $subjects) . " | Month: $month | Year: $year |
Total: $totalMarks | Percentage: " .
        number_format($percentage, 2) . "% | Class: $class\n";
    file_put_contents($filePath, $marksheetData, FILE_APPEND);
}

```

```

// Display Marksheet
echo "<h2>Marksheet</h2>";
echo "<table border='1' cellpadding='10'>";
echo "<tr><th>Roll Number</th><td>$rollNo</td></tr>";
echo "<tr><th>Name</th><td>$name</td></tr>";
echo "<tr><th>Course</th><td>$course</td></tr>";
echo "<tr><th>Month & Year of Exam</th><td>$month, $year</td></tr>";
echo "<tr><th>Subjects</th><td>" . implode(", ", $subjects) .
"</td></tr>";
echo "<tr><th>Total Marks</th><td>$totalMarks</td></tr>";
echo "<tr><th>Percentage</th><td>" . number_format($percentage, 2) .
"%</td></tr>";
echo "<tr><th>Class</th><td>$class</td></tr>";
echo "</table>";
}
}
?>

```

The screenshot shows a web browser window with the URL `localhost/ass3/p7.php`. The page displays a form titled "Enter Student Details". The form contains the following fields:

- Roll Number:
- Name:
- Course:
- Marks in Subject 1:
- Marks in Subject 2:
- Marks in Subject 3:
- Marks in Subject 4:
- Marks in Subject 5:
- Month of Exam:
- Year of Exam:
- Submit:

The browser's taskbar at the bottom shows the Windows operating system with various application icons and a system tray displaying the date and time as 09:02 PM on 04-04-2025.

localhost/ass3/generate_marksheet.php

Relaunch to update

All Bookmarks

Marksheet

Roll Number	A
Name	A
Course	PGD
Month & Year of Exam	A, 2024
Subjects	2, 2, 2, 2, 2
Total Marks	10
Percentage	2.00%
Class	Fail

Page 21 of 222174 WordsEnglish (India)

Type here to search

34°C · Smoke

09:03 PM04.04.2025

Assignment4:

1. Write a PHP script to add information of student's marksheet and store data in database and implement all CRUD operations.

```
<?php
require_once("conn.php");
if($_SERVER["REQUEST_METHOD"]=="POST"){
if(isset($_POST["submit"])){
    $name=$_POST["name"];
    $course=$_POST["course"];
    $m1=$_POST["m1"];
    $m2=$_POST["m2"];
    $per=($m1+$m2/200)*100;
    if($per>=80){
        $grade='A';
    }
    elseif($per>=70){
        $grade='B';
    }
    else{
        $grade="FAIL";
    }

    $query="INSERT INTO studentmarksheet(NAME,COURSE,m1,m2,grade)
VALUES('".$_.$name."', '".$_.$course."', '".$_.$m1."', '".$_.$m2."', '".$_.$grade."')";
    if(mysqli_query($conn,$query)){
        echo "RI";
    }
    else{
        echo "R N I".mysqli_error($conn);
    }
}
}
?>
<html>
    <body>
        <a href="dis.php">Display</a>
        <form method="POST" action="p1a4.php">
            Name:<input type="text" name="name">
            Course<input type="text" name="course">
            M1<input type="number" name="m1">
            M2<input type="number" name="m2">

            <input type="submit" name="submit">
```

```

        </form>
    </body>
</html>

<?php
include_once("conn.php");
$query="SELECT * from studentmarksheet ";
$row=mysqli_query($conn,$query )or die("UTC".mysqli_error($conn));
echo "<br>$query";

while($result=mysqli_fetch_assoc($row)){
    echo " <br>Name: ".$result['NAME']."";
    echo "<br>COURSE:".$result['COURSE']."";
    echo "<br>Marks1:".$result['m1']."";
    echo "<br>MARKS2:".$result['m2']."";
    echo "<br> GRADE:".$result['grade']."";
    echo "<a href='editt.php?id=".$result['SID']."'>UPDATE</a>";
    echo "<a onClick=\"javascript:return confirm('Sure want to del')\" \"
href='dele.php?id=".$result['SID']."'>DEL</a>";
}
?>

<?php
require_once("conn.php");
if(isset($_GET['id'])){
$id=$_GET['id'];
$query="SELECT * from studentmarksheet where SID= $id";
$res=mysqli_query($conn,$query) or die("DATA ERROR".mysqli_error($conn));
$r=mysqli_fetch_assoc($res);
}

?>

<html>
    <body>
        <form method="POST" action="up1.php">
            <input type="hidden" name="id" value="<?php echo $r['SID'];?>">
            <input type="text" name="n" value="<?php echo $r['NAME']; ?>">
            <input type="text" name="c" value="<?php echo $r['COURSE'];?>">
            <input type="number" name="m1" value="<?php echo $r['m1'];?>">
            <input type="number" name="m2" value="<?php echo $r['m2'];?>">
            <input type="submit" name="submit" value="submit">
        </form>
    </body>

```




```

</html>

<?php
require_once("conn.php");
if(isset($_GET['id'])){
    $id=$_GET['id'];
    $q="DELETE FROM table1 where SID=$id";
    if(mysqli_query($conn,$q)){
        echo "RD";
        header("Location:SD.php");

    }
    else{
        echo "RND".mysqli_error($conn);
    }
}
else{
    echo "NK";
}
?>

```



DC Display

Name: Course: M1: M2:

Practical Assig... x AlprozaOsh... x Lumin x Introducing C... x Swap case fun... x Camel to Snake... x localhost / 127... x Microsoft Cop... x localhost/prac... x localhost/prac... x Understanding... x +

localhost/practice/p1a4.php

DCRI Display

Name Course MI M2

Type here to search

Rohit Sharma is yet L... ENG 08:56 PM 19-04-2025

Practical Assig... x AlprozaOsh... x Lumin x Introducing C... x Swap case fun... x Camel to Snake... x localhost / 127... x Microsoft Cop... x localhost/prac... x localhost/prac... x Understanding... x +

localhost/practice/dis.php



DC

SELECT * from studentmarksheet

Name: A
COURSE: PGD
Marks: 85
MARKS: 87
GRADE: A [UPDATE](#) [DEL](#)

Name: A
COURSE: PGD
Marks: 85
MARKS: 85
GRADE: A [UPDATE](#) [DEL](#)

Name: A
COURSE: PGD
Marks: 3
MARKS: 3
GRADE: A [UPDATE](#) [DEL](#)



2. Write a PHP script to make a registration page and login page where details of user is stored in database. And display user information on home page using session.

```
<?php  
require_once("conn.php");
```

```

if($_SERVER["REQUEST_METHOD"]=="POST"){
    $un=$_POST["un"];

    $email=$_POST["email"];
    $pwd=$_POST["pwd"];
    $q="INSERT INTO user (username,email,password)
values('".$_.$un."','".$.email."','".$.pwd."')";
    if(mysqli_query($conn,$q)){
        echo "R inserted";
        header("Location:loginsirfinal.php");
    }
    else{
        echo "NI".mysqli_error($conn);
    }
}
?>

<html>
    <body>
        <form method="POST">
            <input type="text" name="un">

            <input type="email" name="email">
            <input type="password" name="pwd">
            <input type="submit" name="submit">
        </form>
    </body>
</html>

```

```

<?php
session_start();
require_once("conn.php");
$err="";
if($_SERVER["REQUEST_METHOD"]=="POST"){
    $un=$_POST["un"];
    $pwd=$_POST["pwd"];
    $q="SELECT * from user where    username='$un' AND password= '$pwd'";
    $r=mysqli_query($conn,$q);
    if(mysqli_num_rows($r)==1){
        $_SESSION["loggedin"]=true;
        $_SESSION["username"]=$un;
        header("Location:Welcome.php");
    }
    else{
        $err="In";
    }
}

```


```
?>

<html>
  <body>
    <form method="POST">
      <input type="text" name="un">
      <input type="password" name="pwd">
      <input type="submit" name="submit">
      <?php echo $err; ?>
      <a href="p3.php">Changepwd</a>
    </form>
  </body>
</html>
<?php
session_start();
if(!isset($_SESSION["loggedin"])){
    header("Location:loginsirfinal.php");
}

?>

<html>
  <body>
    <?php echo "Welcome".$_SESSION["username"]; ?>
    <a href="L.php">Loogout.php</a>
  </body>
</html>

<?php
session_start();
session_destroy();
header("Location:loginsirfinal.php");
?>
```



3. 3. Provide the change password functionality for login user using session(Take appropriate required page and database).

```



<?php
session_start();
require_once("conn.php");
if(!isset($_SESSION["username"])){
    header("Location:loginsirfinal.php");
}

if($_SERVER["REQUEST_METHOD"]=="POST"){
    $cp=$_POST["cp"];
    $np=$_POST["np"];
    $confirmpwd=$_POST["confirmpwd"];
    $un=$_SESSION["username"];
    $q="SELECT * from user where username='$un'";
    $r= mysqli_query($conn,$q) or die("error".mysqli_error($conn));
    if(mysqli_num_rows($r)==1){
        if($np==$confirmpwd){
            $query="UPDATE user set password='$np' where username='$un'";
            if(mysqli_query($conn,$query)){
                echo "R updated";
            }
        }
        else{
            echo "P no match";
        }
    }
    else{
        echo "R not found";
    }
}

?>

<html>
    <body>
        <form method="post">
            Current Password<input type="password" name="cp">
            NEW Password<input type="password" name="np">
            CHANGE Password<input type="password" name="confirmpwd">
            <input type="submit">
        </form>
    </body>
</html>

```



4. Demonstrate add to card functionality for any product. When user login again card item must be there(Take appropriate required page and database).

```
<?php
require_once("conn.php");
session_start();
if(isset($_POST["submit"])){
```



```

$un=$_POST["un"];
$p=$_POST["p"];
$q="SELECT * from user where    username='$un'";
$r=mysqli_query($conn,$q);
$user=mysqli_fetch_assoc($r);
while(mysqli_num_rows($r)==1){
    $_SESSION["userid"]=$user["uid"];
    echo "LS";
    header("Location:Addtocart.php");
}
}

?>

<html>
    <form method="post">
        <input type="text" name="un">
        <input type="password" name="p">
        <input type="submit" name="submit">
    </form>
</html>

```

```

<?php
require_once("conn.php");
session_start();
if(isset($_POST["submit"])){
    $un=$_POST["un"];
    $p=$_POST["p"];
    $q="SELECT * from user where    username='$un'";
    $r=mysqli_query($conn,$q);
    $user=mysqli_fetch_assoc($r);
    while(mysqli_num_rows($r)==1){
        $_SESSION["userid"]=$user["uid"];
        echo "LS";
        header("Location:Addtocart.php");
    }
}

?>

<html>
    <form method="post">
        <input type="text" name="un">
        <input type="password" name="p">
        <input type="submit" name="submit">
    </form>

```

```
</html>
```


```
<?php
require_once("conn.php");
session_start();
if(!isset($_SESSION["userid"])){
    header("Location:p4.php");
}
$userid=$_SESSION["userid"];
if(isset($_POST["ATC"])){
    $pn=$_POST["pn"];
    $q=$_POST["q"];
    $p=$_POST["p"];
    $query="INSERT INTO cart(userid,productname,qty,price)
values('$userid','$pn','$q','$p')";
    $r=mysqli_query($conn,$query);
}
$sql="select *from cart where userid='$userid'";
$cart=mysqli_query($conn,$sql);

?>

<html>
    <body>
        <form method="POST">
            <input type="text" name="pn">
            <input type="number" name="q">
            <input type="number" name="p">
            <input type="submit" name="ATC">

        </form>

        <?php
        $total_price=0;
        while ($item = mysqli_fetch_assoc($cart)) {
            $total_price += $item["price"] * $item["qty"]; // Add to total
price
            echo "<li>
                ".$item['productname'].
                ", ".$item['qty'].", ".$item['price'].", ".$item['qty']*$item['price'].")
            </li>";
        }
        ?>
    </body>
</html>
```



5. Compare two products on webpage like it is showing in Flipkart(Take appropriate required page and database).

```
<?php
require_once("conn.php");

// Fetch all products to display in dropdowns
$query = "SELECT * FROM products";
$result = mysqli_query($conn, $query);

$products = [];
while ($row = mysqli_fetch_assoc($result)) {
    $products[] = $row;
}

// Handle comparison form submission
if (isset($_POST["compare"])) {
    $product1_id = $_POST["product1"];
    $product2_id = $_POST["product2"];

    $query1 = "SELECT * FROM products WHERE id = '$product1_id'";
    $query2 = "SELECT * FROM products WHERE id = '$product2_id'";
```

```

$product1 = mysqli_fetch_assoc(mysqli_query($conn, $query1));
$product2 = mysqli_fetch_assoc(mysqli_query($conn, $query2));
}
?>

<!DOCTYPE html>
<html>
<body>
    <h1>Compare Two Products</h1>
    <form method="post">
        <label for="product1">Select Product 1:</label>
        <select name="product1" required>
            <option value="">-- Select Product 1 --</option>
            <?php foreach ($products as $product) { ?>
                <option value="<?php echo $product['id']; ?>"><?php echo
$product['name']; ?></option>
            <?php } ?>
        </select>
        <br><br>
        <label for="product2">Select Product 2:</label>
        <select name="product2" required>
            <option value="">-- Select Product 2 --</option>
            <?php foreach ($products as $product) { ?>
                <option value="<?php echo $product['id']; ?>"><?php echo
$product['name']; ?></option>
            <?php } ?>
        </select>
        <br><br>
        <input type="submit" name="compare" value="Compare Products">
    </form>


    <?php if (isset($_POST["compare"])) { ?>
        <h2>Comparison</h2>
        <table border="1">
            <tr>
                <th>Feature</th>
                <th><?php echo $product1["name"]; ?></th>
                <th><?php echo $product2["name"]; ?></th>
            </tr>
            <tr>
                <td>Price</td>
                <td><?php echo "₹" . number_format($product1["price"], 2);
?></td>
                <td><?php echo "₹" . number_format($product2["price"], 2);
?></td>
            </tr>
            <tr>
                <td>Brand</td>


```

```

        <td><?php echo $product1["brand"]; ?></td>
        <td><?php echo $product2["brand"]; ?></td>
    </tr>
    <tr>
        <td>Specifications</td>
        <td><?php echo $product1["specifications"]; ?></td>
        <td><?php echo $product2["specifications"]; ?></td>
    </tr>
</table>
<?php } ?>
</body>
</html>

```







6. 6. Preserved the form filled details on another load using session(Take appropriate required page and database).

```
<?php
session_start();
require_once("conn.php");
if(isset($_POST["submit"])){
$_SESSION["un"]=$_POST["name"];
$_SESSION["email"]=$_POST["email"];
if(isset($_SESSION["un"]) && isset($_SESSION["email"])){
    $u=$_SESSION["un"];
    $e= $_SESSION["email"];
}
}
?>

<html>
    <form method="post">
        name<input type="text" name="name" value="<?php echo $u ;?>">
        email <input type="email" name="email" value="<?php echo $e; ?>">
        <input type="submit" name="submit">

    </form>
</html>
```



7. 7. Conduct user surveys or feedback forms using PHP sessions to track responses and prevent duplicate submissions from the same user session(Take appropriate required page and database).

```
<?php
require_once("conn.php");
session_start();
if(isset($_SESSION["submitted"])){
```



```
        echo "F Submit already";
    }
    if($_SERVER["REQUEST_METHOD"]=="POST"){


        $r=$_POST["rat"];
        $fb=$_POST["c"];
        $q="INSERT INTO feedback(rating,fb) values('".$r."','".$fb."')";
        if(mysqli_query($conn,$q)){
            $_SESSION["submitted"]=true;
        }
        else{
            echo "ERR".mysqli_error($conn);
        }
    }

?>
```

```
<html>
    <body>
        <form method="post">

            rating<input type="number" name="rat" min="1" max="5">
            feedback <textarea id="c" name="c"></textarea>
            <input type="submit" name="submit">
        </form>
    </body>
</html>
```



8. Demonstrate the use of cookie on login page where username passwords are stored in cookie.

```
<?php
require_once("conn.php");
if(isset($_POST["submit"])){
    $un=$_POST["un"];
    $pwd=$_POST["pwd"];
    $q="SELECT *from user where username='$un'";
    $r=mysqli_query($conn,$q);
    if(mysqli_num_rows($r)==1){
        setcookie("username",$un,time()+(86400*30));
        setcookie("password",$pwd,time()+(86400*30));
        echo "login succsful";
    }
}
else{
    echo "WRONG";
}
}

?>

<html>
<body>
    <form method="post">
        <input type="text" name="un">
```

```
<input type="password" name="pwd">
<input type="submit" name="submit">
</form>
</body>
</html>
```

