

UPDATE

MCSL 378 — FedEx REST & PostNord Support Guide

PluginHive MCSL · Shopify · FedEx

| Story / card | Platform | Carrier scope | Toggle / prerequisite signal |

Generated May 2026 · PluginHive QA Team

Included Story Cards

Story / card	Platform	Carrier scope	Toggle / prerequisite signal
Remove Rates and Transit api from Fedex Rest	Shopify	FedEx	None detected
ZI-031	Shopify	PostNord	None detected
ZI-056	Shopify	PostNord	None detected
From SL: MCSL 378 Missing Importer of Record in Fedex Rest	Shopify	FedEx	None detected
Label generation fails for One Rate with custom box	Shopify	FedEx	None detected

How Support Should Use This Package

- › Use each card section as the support/demo guide for that feature.
- › Confirm customer/test platform, live store, carrier account, order/product, and toggle state before promising behavior.
- › Capture the escalation packet listed in the relevant card section if behavior does not match.

Remove Rates and Transit api from Fedex Rest - Remove Rates and Transit api from Fedex Rest

Support Guide: MCSL 378 — Remove Rates and Transit API from FedEx REST

Remove Rates and Transit api from Fedex Rest

Feature Summary

In MCSL 378, the FedEx REST integration was updated to remove the separate call to the `/availability/transittimes` (Time-in-Transit) API endpoint. Transit time data is now sourced directly from the fields already present in the `/rates/quotes` API response (`transitTime` and `operationalDetail`). This change eliminates a redundant API call that was causing intermittent 503 errors under load, improves checkout rate reliability, and reduces latency. All FedEx REST services continue to return rates and estimated delivery dates as before. This affects any Shopify store using FedEx REST for live rate retrieval at checkout.

Toggles & Prerequisites

Toggle / config note	What support should confirm
No feature toggle detected	Change is applied globally to all FedEx REST stores on MCSL 378+ — no per-store opt-in required
FedEx REST carrier account	Confirm the store is using FedEx REST (not FedEx SOAP/legacy) in hamburger menu > Carriers
MCSL release version	Confirm store is on MCSL 378 or later before troubleshooting transit time or rate issues
FedEx REST services in use	Confirm which FedEx REST services are enabled (e.g., Ground, 2Day, International Priority) — all should be unaffected
No carrier account credential change required	No FedEx API key or account changes are needed for this update

Step-by-Step Support Walkthrough

1. Confirm the store is on MCSL 378 or later.

Verify the installed plugin/app version in the store's MCSL admin or release metadata before proceeding with any FedEx REST transit time investigation.

2. Confirm FedEx REST is the active carrier configuration.

In MCSL: hamburger menu > Carriers — locate the FedEx entry and confirm it is configured as FedEx REST (not a legacy SOAP connection). Note the carrier account credentials on file.

3. Reproduce a live rate request at checkout.

On the Shopify storefront, add a product to cart and proceed to checkout. Enter a domestic shipping address and an international address (to cover both domestic and cross-border scenarios). Confirm that FedEx REST rates and estimated delivery dates appear for all enabled services (e.g., FedEx Ground, FedEx 2Day, FedEx International Priority).

4. Verify estimated delivery dates display correctly for all FedEx REST services.

At the Shopify checkout rate display, confirm that each FedEx REST service shows an estimated delivery date or transit time alongside the rate. This data is now sourced from the Rates API response rather than a separate transit call.

5. Inspect the request logs to confirm only one API call is made per rate request.

In MCSL: navigate to the request logs (Reports or log viewer, depending on store configuration). Trigger a fresh rate request and filter logs by FedEx REST. Confirm the following:

- › - Request nodes to verify: Only a single outbound call to `/rates/quotes` is present per checkout rate request. No call to `/availability/transittimes` should appear in the log for any FedEx REST rate fetch.

6. Verify transit time fields are populated from the Rates API response.

In the captured request/response log for the `/rates/quotes` call, confirm the response payload contains transit time data:

- › - Request/response nodes to verify: `transitTime` and `operationalDetail` fields within the `/rates/quotes` response body. These fields should be populated and should match the transit time displayed at Shopify checkout.

7. Run a regression check for existing FedEx REST stores.

For any store that was previously working with FedEx REST before MCSL 378, confirm that rates and transit times continue to display without change. No configuration update should be required on the merchant's side.

8. Check for 503 or timeout errors in logs (if reported).

If a customer reports intermittent rate failures or missing transit times, pull the request logs and confirm whether any `/availability/transittimes` calls are still being attempted. On MCSL 378+, none should appear. If they do, escalate — this may indicate the store is not on the correct release.

Expected Behaviour

What support should observe	How to confirm
FedEx REST rates appear at Shopify checkout for all enabled services	Reproduce a checkout rate request on the Shopify storefront and confirm rate cards display
Estimated delivery date / transit time displays alongside each FedEx REST rate	Visually confirm at checkout for domestic (e.g., FedEx Ground, FedEx 2Day) and international (e.g., FedEx International Priority) services
Only one outbound API call per rate request in the logs	In request logs, confirm a single <code>/rates/quotes</code> call — no <code>/availability/transittimes</code> call present
<code>transitTime</code> and <code>operationalDetail</code> fields present in the <code>/rates/quotes</code> response	Inspect the raw response payload in the request log for these nodes
No 503 or intermittent errors related to transit time lookup	Confirm absence of transit API errors in logs; the instability caused by the separate transit call should no longer occur
No change to merchant configuration required	FedEx REST carrier settings in hamburger menu > Carriers remain unchanged; no re-authentication or service re-selection needed
Existing FedEx REST stores unaffected by the change	Regression check on stores active before MCSL 378 shows identical rate and transit time output

Support Escalation Packet

- › **Story card:** Remove Rates and Transit API from FedEx REST — MCSL 378 (approved 2026-05-12); Trello URL: not available — confirm from internal release tracker
- › **Store URL and account UUID:** Collect from the affected merchant's MCSL account record
- › **Carrier account:** FedEx REST account credentials/account number associated with the store — confirm from hamburger menu > Carriers
- › **Order or session reference:** Provide the Shopify order number or checkout session ID used to reproduce the rate request
- › **Request log evidence:** Export the full request/response log for the /rates/quotes call, including the raw response body showing transitTime and operationalDetail fields; confirm no /availability/transittimes call is present
- › **Screenshots required:** Shopify checkout showing FedEx REST rates and estimated delivery dates; MCSL request log view showing the single Rates API call
- › **Toggle/config value:** No toggle — change is release-gated; confirm store is on MCSL 378+ before escalating
- › **If 503 or transit time errors persist post-378:** Include the full error log entry, the specific FedEx REST service affected, and the destination address type (domestic vs. international) in the escalation packet

ZI-031 - From SL: ZI-031 — PostNord service updates for May 2026 [#373200]

Support Guide: ZI-031 — PostNord Service Updates for May 2026

PostNord service list updated with May 2026 codes — MCSL 378 [SL #373200]

Feature Summary

This change updates the PostNord service-code mapping table in MCSL to align with PostNord's May 2026 service catalogue. Specific updates include a rename of service code P19, an update to P82, and the addition of a new Economy service code. Deprecated codes have been removed or remapped so they no longer appear as selectable options. The update affects the service dropdown in carrier configuration, checkout rate display, and label generation for both domestic and cross-border Nordic shipments on Shopify. This was triggered by SL #373200, where a customer reported outdated PostNord services appearing in the dropdown.

Toggles & Prerequisites

Toggle / config note	What support should confirm
No feature toggles detected	Change is applied globally for all stores using PostNord on MCSL 378
MCSL release prerequisite	Store must be on MCSL 378 or later; confirm the installed app version
PostNord carrier account prerequisite	An active PostNord carrier account must be connected in hamburger menu > Carriers

Toggle / config note	What support should confirm
Service code mapping update (P19, P82, new Economy code)	Confirm the updated codes appear in the PostNord service dropdown after upgrading to MCSL 378
Deprecated codes removed	Confirm previously available deprecated codes are no longer selectable in the dropdown
Customer/test platform	Shopify — validate on Shopify Admin and MCSL app accordingly

Step-by-Step Support Walkthrough

1. Confirm the store is running MCSL 378.

Navigate to the MCSL app on Shopify Admin and verify the installed version is 378 or later before proceeding with any PostNord service verification.

2. Verify the PostNord carrier account is connected.

In the MCSL app, go to **hamburger menu > Carriers**, locate the PostNord carrier entry, and confirm the account is active and credentials are saved correctly.

3. Check the PostNord service dropdown for updated codes.

In **hamburger menu > Carriers**, open the PostNord carrier configuration. Navigate to the service selection dropdown and confirm the following:

- › Updated **P19** service name/label is reflected correctly.
- › Updated **P82** service entry is present and correctly labelled.
- › The new **Economy** service code is listed and selectable.
- › - Request/log fields to verify: PostNord service code values in the carrier configuration payload – confirm P19, P82, and the new Economy code are present with correct identifiers.

4. Confirm deprecated codes are no longer available.

In the same PostNord service dropdown, scroll through all available options and verify that any previously deprecated codes are absent. The customer should not be able to select them.

- › - Request/log fields to verify: Confirm deprecated service codes do not appear in the service list API response or MCSL internal mapping table output.

5. Test rate display at checkout for updated services.

Place a test order on the Shopify storefront using a domestic PostNord-eligible address. Proceed to checkout and confirm that:

- › Rates are returned for the updated PostNord services (including the new Economy code where applicable).
- › No stale or deprecated service names appear in the checkout rate options.
- › - Request/response nodes to verify: PostNord rate request – confirm the service codes sent in the request match the updated May 2026 catalogue; confirm the response returns valid rates for P19, P82, and the new Economy code.

6. Generate a label for an updated domestic PostNord service.

In the MCSL **ORDERS** tab, locate a test order shipping via PostNord. Select an updated service code (e.g., updated P19 or P82) and generate a label. Confirm:

- › Label generation completes without error.
- › The label reflects the correct PostNord service.
- › - Request/response nodes to verify: PostNord label request – confirm the service code node in the request payload carries the updated code; confirm the response returns a valid tracking number and label URL.

7. Test cross-border Nordic label generation.

Repeat step 6 using a cross-border Nordic destination (e.g., Sweden to Denmark or Norway). Confirm rates are returned and a label generates successfully for the applicable updated service codes.

- › - Request/response nodes to verify: Cross-border PostNord label request – confirm service code, destination country, and label response nodes are valid.

8. Regression check.

Verify that existing PostNord services that were not part of this update (codes not renamed, deprecated, or newly added) continue to function normally — rates display at checkout and labels generate without error.

Expected Behaviour

What support should observe	How to confirm
Updated P19 service name appears correctly in the PostNord service dropdown	hamburger menu > Carriers > PostNord configuration > service dropdown
Updated P82 service entry is present and selectable	hamburger menu > Carriers > PostNord configuration > service dropdown
New Economy service code is listed and selectable	hamburger menu > Carriers > PostNord configuration > service dropdown
Deprecated PostNord service codes are absent from the dropdown	Scroll through all dropdown options; deprecated codes must not appear
Updated PostNord services return rates at Shopify checkout	Place a test order and proceed to checkout; confirm rate names match May 2026 catalogue
Label generation succeeds for updated domestic service codes (P19, P82)	Generate label from MCSL ORDERS tab; no error returned; label and tracking number issued
Label generation succeeds for the new Economy service code	Generate label from MCSL ORDERS tab using Economy code; confirm success
Cross-border Nordic rates and labels work correctly	Test with a Nordic cross-border destination; rates returned and label generated
No regression on unaffected PostNord services	Existing unmodified services continue to rate and label without error
PostNord API request carries correct May 2026 service code values	Inspect request log — service code node must reflect updated codes, not deprecated values

Support Escalation Packet

- › **Story card:** ZI-031 — PostNord Service Updates for May 2026 | **Trello URL:** Not provided — confirm from card context
- › **Release:** MCSL 378 | **Approved:** 2026-05-12
- › **Originating support ticket:** SL #373200 (customer reported outdated PostNord services in dropdown)
- › **Store URL:** Confirm from live store/card context
- › **Account UUID:** Confirm from live store/card context
- › **Carrier account:** PostNord — confirm account ID and credentials from hamburger menu > Carriers
- › **Order number(s) used for testing:** Confirm from QA or live store context
- › **Generated label / tracking identifier:** Capture label reference and tracking number from MCSL ORDERS tab for each tested service code (P19, P82, new Economy, cross-border)
- › **Screenshots required:**
 - › PostNord service dropdown showing updated codes (P19, P82, Economy) and absence of deprecated codes
 - › Checkout rate display showing updated PostNord service names
 - › Successful label generation screen for at least one updated domestic and one cross-border service
 - › Request and response log excerpts showing updated service code nodes in the PostNord API call
- › **Toggle / config value:** No feature toggle — change is release-gated to MCSL 378; confirm installed version before escalating

ZI-056 - From SL: ZI-056 — PostNord return label product codes [#379784]

Support Guide: ZI-056 — PostNord Return Label Product Codes

From SL: ZI-056 — PostNord return label product codes [#379784]

Feature Summary

Prior to MCSL 378, PostNord return label generation was failing because the API request was sending an invalid (outbound) product code instead of the correct return-specific product code. This fix adds a dedicated return product code mapping for all PostNord services that support return labels. The change ensures the PostNord API accepts the request, generates the return label successfully, and produces a downloadable PDF — without affecting outbound label generation for PostNord services.

Toggles & Prerequisites

Toggle / config note	What support should confirm
No feature toggles detected	No gating required; fix is active for all stores on MCSL 378+

Toggle / config note	What support should confirm
PostNord carrier account	Confirm the merchant has an active PostNord carrier account connected in MCSL (hamburger menu > Carriers)
Return label service enabled	Confirm the PostNord service selected by the merchant supports return labels per PostNord's service catalogue
MCSL release version	Confirm the store is running MCSL 378 or later
Shopify store (test/reported platform)	Validate on the merchant's Shopify store; confirm the plugin is installed and active
Outbound PostNord labels	Confirm outbound label generation is unaffected after any return label test

Step-by-Step Support Walkthrough

1. Confirm MCSL version and PostNord carrier setup

Navigate to the MCSL app on the merchant's Shopify store. Open **hamburger menu > Carriers** and confirm:

- › PostNord is listed and connected with valid credentials.
- › The carrier account is active and not in test/sandbox mode unless intentionally so.

2. Locate a test or affected order

Go to the **ORDERS** tab in MCSL. Identify an order that requires a PostNord return label, or use a known failing order from the merchant's report (reference SL #379784 for the original failing order if available).

3. Attempt to generate a PostNord return label

From the **ORDERS** tab, open the relevant order and trigger return label generation for the PostNord service. Confirm the merchant is selecting a PostNord service that is mapped for returns.

4. Verify the API request contains the correct return product code

After triggering label generation, pull the carrier request log from MCSL.

- › **Request node to verify:** `productCode` — must be a PostNord return-specific product code, not an outbound product code. Confirm from live store/card context which exact return product code values are expected per PostNord service.

5. Confirm the return label is generated successfully

Check that MCSL returns a success response from PostNord (no `invalid product code error`). The label status in the **ORDERS** tab should reflect successful generation.

6. Confirm the return label PDF is downloadable

From the **ORDERS** tab, attempt to download the return label PDF. Confirm the file opens correctly and displays PostNord return label content (return address, barcode, tracking reference).

7. Verify no regression on outbound PostNord labels

On a separate order (or the same store), generate a standard outbound PostNord label. Pull the request log and confirm:

- › **Request node to verify:** `productCode` — must be the standard outbound product code for the selected PostNord service, unchanged from pre-378 behaviour.

- › Confirm the outbound label generates and downloads without error.

8. Cross-check request/response logs for both label types

In MCSL request logs, compare the `productCode` value between a return label request and an outbound label request for the same PostNord service. They must differ, with the return label using the return-specific code.

- › **Request/response nodes to verify:** `productCode` in both the return label request and the outbound label request.

Expected Behaviour

What support should observe	How to confirm
PostNord return label API request contains a return-specific <code>productCode</code>	Check MCSL request log; <code>productCode</code> must be a PostNord return product code, not an outbound code
PostNord API accepts the request without an "invalid product code" error	No error response in the log; label status shows success in the ORDERS tab
Return label PDF is generated and downloadable	Download the label PDF from the ORDERS tab; file opens and displays valid return label content
Outbound PostNord label requests are unaffected	Generate an outbound label; <code>productCode</code> in the request log matches the expected outbound code for the selected service
No regression errors on outbound PostNord label generation	Outbound label generates, downloads, and logs cleanly with no new errors post-MCSL 378

Support Escalation Packet

- › **Story card:** ZI-056 — PostNord return label product codes | **Trello URL:** Not provided — confirm from release board or SL #379784
- › **SL ticket reference:** SL #379784 (merchant-reported PostNord return label failure: invalid product code)
- › **Store URL:** Confirm from merchant account or live ticket
- › **Account UUID:** Confirm from MCSL account record
- › **Carrier account:** PostNord — confirm account ID/credentials from hamburger menu > Carriers
- › **Order number:** Confirm the specific order used to reproduce or verify the fix
- › **Generated label/tracking identifier:** Capture the return label tracking number and PDF reference from the successful generation
- › **Screenshots required:**
 - › PostNord carrier setup page (hamburger menu > Carriers)
 - › ORDERS tab showing return label generation status (success or failure)
 - › Request log showing `productCode` value in the return label API request
 - › Request log showing `productCode` value in an outbound label API request (regression check)
 - › Downloaded return label PDF (confirm it opens and is valid)

- › **Exact toggle/config value:** No toggle gating detected; fix is unconditional on MCSL 378+. If behaviour is not observed, confirm MCSL version is 378 or later before escalating.

From SL: MCSL 378 Missing Importer of Record in Fedex Rest - From SL: MCSL 378 Missing Importer of Record in Fedex Rest

Support Guide: MCSL 378 — Missing Importer of Record in FedEx REST

From SL: MCSL 378 Missing Importer of Record in FedEx REST

Feature Summary

Prior to this fix, the FedEx REST API integration was not including the `importerOfRecord` block in the `/ship/v1/shipments` payload when an Importer of Record (IOR) was configured by the merchant. This caused international label generation to either fail or produce shipments with missing customs/compliance data. The fix ensures that when IOR details are saved in the app, the `requestedShipment.importerOfRecord` block — containing name, address, contact, and `accountNumber` — is correctly injected into the FedEx REST request. Shipments without IOR configured are unaffected. This applies to FedEx international services (including FedEx International Priority and FedEx International Economy) on Shopify stores using MCSL 378.

Toggles & Prerequisites

Toggle / config note	What support should confirm
No feature toggle detected	Fix is included in MCSL 378 release; confirm the store is on release MCSL 378 or later
IOR must be configured in the app	Confirm the merchant has entered Importer of Record details (name, address, contact, account number) in the app settings before testing
FedEx REST carrier account required	Confirm the store is connected via FedEx REST (not FedEx SOAP/legacy); confirm carrier account is active and credentialed for international shipping
International shipment required	IOR block is only relevant for international label generation; confirm the test order has an international destination
Shopify store (test/customer platform)	Validate on the merchant's Shopify store; confirm MCSL app is installed and active
Shipments without IOR configured	Confirm regression: orders where IOR is not set should generate labels normally with no <code>importerOfRecord</code> block in the request

Step-by-Step Support Walkthrough

1. Confirm the store is on MCSL 378 or later.

Log into the MCSL app on the merchant's Shopify store and verify the release version. If the store is on an earlier release, escalate for an update before proceeding.

2. Confirm FedEx REST carrier is configured.

Navigate to **hamburger menu > Carriers** in the MCSL app. Locate the FedEx carrier entry and confirm:

- › The carrier is using the **FedEx REST** integration (not legacy/SOAP).
- › The carrier account is active and has international shipping services enabled (e.g., FedEx International Priority, FedEx International Economy).

3. Confirm Importer of Record details are saved.

Navigate to the relevant IOR configuration area within the MCSL app (confirm exact path from live store/card context — typically under **hamburger menu > Carriers > FedEx > Advanced Settings** or a dedicated customs/IOR section). Verify the following fields are populated:

- › Name
- › Address
- › Contact
- › Account Number

4. Place or locate an international test order on Shopify Admin.

In **Shopify Admin > Orders**, identify an existing international order or create a test order with a non-domestic destination address. Confirm the order is assigned to the FedEx REST carrier in MCSL.

5. Trigger label generation for the international order.

In the MCSL app **ORDERS** tab, locate the international order and initiate label generation via FedEx REST. Confirm the label generation completes successfully without errors.

6. Verify the `importerOfRecord` block in the request log.

In the MCSL app, navigate to the **Request Logs** (confirm exact path from live store/card context — typically accessible via the ORDERS tab or a dedicated logs/diagnostics section). Open the FedEx REST `/ship/v1/shipments` request for the label just generated.

- › **Request nodes to verify:** `requestedShipment.importerOfRecord` — confirm the block is present and contains all four sub-fields: `name`, `address`, `contact`, `accountNumber`, each populated with the values saved in step 3.

7. Verify label generation succeeds.

Confirm a valid FedEx label and tracking number are returned in the response. Check the ORDERS tab for the generated label/tracking identifier against the test order.

8. Regression check — shipments without IOR.

Locate or create a domestic or international order where IOR is **not** configured. Generate a label for this order via FedEx REST. Open the corresponding request log and confirm:

- › The `requestedShipment.importerOfRecord` block is **absent** from the payload.
- › Label generation completes successfully with no errors.
- › **Request/log fields to verify:** Confirm `requestedShipment.importerOfRecord` does not appear in the payload for non-IOR shipments.

9. Test both FedEx International Priority and FedEx International Economy (if available on the account).

Repeat steps 4–6 for each service type to confirm the `importerOfRecord` block is included in both service payloads when IOR is configured.

Expected Behaviour

What support should observe	How to confirm
importerOfRecord block present in FedEx REST request when IOR is configured	Open request log for /ship/v1/shipments; verify requestedShipment.importerOfRecord node exists
Block contains name, address, contact, and accountNumber	Inspect each sub-field within requestedShipment.importerOfRecord in the request log; values must match what was saved in app settings
International label generates successfully with IOR	ORDERS tab shows a valid label and tracking number for the international order; no error returned from FedEx REST
FedEx International Priority includes importerOfRecord when IOR is set	Request log for an International Priority shipment shows the block populated correctly
FedEx International Economy includes importerOfRecord when IOR is set	Request log for an International Economy shipment shows the block populated correctly
Shipments without IOR configured are unaffected	Request log for non-IOR shipments does not contain requestedShipment.importerOfRecord; label generates without error
No regression on domestic or non-IOR international shipments	Label generation succeeds normally; request payload structure is unchanged for non-IOR orders

Support Escalation Packet

When escalating this issue, include all of the following:

- › **Story card:** MCSL 378 — *From SL: MCSL 378 Missing Importer of Record in FedEx REST*
- › **Trello URL:** Not provided — confirm from card owner or escalation lead
- › **Store URL:** Merchant's Shopify store URL
- › **Account UUID:** MCSL account UUID for the merchant
- › **Carrier account:** FedEx REST carrier account ID/credentials (confirm from hamburger menu > Carriers)
- › **Order number:** Shopify order number used for the international label generation test
- › **Generated label/tracking identifier:** FedEx tracking number returned for the test shipment
- › **Screenshots required:**
 - › IOR configuration screen showing saved name, address, contact, and account number
 - › MCSL ORDERS tab showing successful label generation for the international order
 - › Full request log for /ship/v1/shipments showing the requestedShipment.importerOfRecord block (or its absence for regression orders)
 - › Response log confirming label/tracking number returned by FedEx REST
- › **Toggle/config value:** No feature toggle — confirm store release is MCSL 378 or later; confirm IOR fields are populated in app settings before escalating

Label generation fails for One Rate with custom box - Label generation fails for One Rate with custom box

Support Guide: MCSL 378 — Label Generation Fails for One Rate with Custom Box

Label generation fails for One Rate with custom box

Feature Summary

Prior to MCSL 378, selecting a custom box with a FedEx One Rate service caused a silent `PACKAGING.MISMATCH` error from FedEx, resulting in label generation failure with no clear feedback to the merchant. This release adds pre-send validation on the `packagingType` field: when the selected service is a `ONE_RATE_` enum, MCSL now blocks the request if a custom box is detected and surfaces a clear error message instructing the merchant to select FedEx-branded packaging. Label generation for non-One-Rate services with custom boxes is unaffected. This change applies to FedEx on Shopify.

Toggles & Prerequisites

Toggle / config note	What support should confirm
No feature toggles detected	No gating — fix is active for all eligible stores on MCSL 378
Release prerequisite	Store must be on MCSL 378 or later
FedEx carrier account	A connected and active FedEx account is required for One Rate services to appear
One Rate service eligibility	FedEx One Rate is only available for domestic US shipments; confirm the store's origin and destination qualify
Packaging selection	Merchant must have a FedEx-branded packaging option configured (Envelope, PAK, Small Box, Medium Box, Large Box, Extra Large Box, or Tube)
Custom box definition	Confirm whether the merchant's box is defined as a custom/user-defined package in MCSL — not a FedEx-branded preset
Test platform	Shopify

Step-by-Step Support Walkthrough

1. Confirm the carrier and service selection

Navigate to **hamburger menu > Carriers** in MCSL. Confirm that FedEx is connected and that a `ONE_RATE_` service (e.g., FedEx One Rate, FedEx One Rate Express Saver) is enabled for the store.

2. Confirm the packaging configuration

Navigate to **hamburger menu > Products** in MCSL. Identify the product(s) involved in the failing order. Check whether the assigned box/packaging is a custom/user-defined box rather than a FedEx-branded packaging preset.

3. Reproduce the error condition on Shopify

In **Shopify Admin > Orders**, locate the relevant order (or create a test order). Attempt to generate a FedEx One Rate label using a custom box. Confirm that MCSL now displays a clear, explicit error message — for example: *"One Rate requires FedEx-branded packaging."* The label generation request should be blocked before it reaches FedEx.

4. Verify no silent failure occurs

Confirm that the old `PACKAGING.MISMATCH` error from FedEx is **not** appearing in the response. The validation should fire client-side/pre-send, meaning no malformed request is dispatched to FedEx when a custom box is paired with a One Rate service.

- › - Request node to verify: `packagingType` must **not** be `CUSTOM` when the service is a `ONE_RATE_` enum. If a request is sent, `packagingType` must be one of: `FEDEX_ENVELOPE`, `FEDEX_PAK`, `FEDEX_SMALL_BOX`, `FEDEX_MEDIUM_BOX`, `FEDEX_LARGE_BOX`, `FEDEX_EXTRA_LARGE_BOX`, or `FEDEX_TUBE`.

5. Verify successful label generation with FedEx-branded packaging

In **Shopify Admin > Orders**, attempt label generation for a One Rate service using a FedEx-branded packaging option (e.g., FedEx Small Box or FedEx Envelope). Confirm the label generates successfully and a tracking number is returned.

- › - Request node to verify: `packagingType` is set to a valid One Rate enum (e.g., `FEDEX_SMALL_BOX`, `FEDEX_ENVELOPE`) in the outbound FedEx label request.

6. Verify non-One-Rate services with custom boxes are unaffected

In **Shopify Admin > Orders**, generate a label using a standard FedEx service (non-One-Rate) with a custom box. Confirm label generation proceeds normally — no new errors or blocking behaviour should be introduced for this combination.

- › - Request node to verify: `packagingType` is `YOUR_PACKAGING` or the appropriate custom value for non-One-Rate services; no regression in this path.

7. Check request logs for payload evidence

In MCSL **ORDERS** tab or the request log viewer, pull the log for the order in question. Confirm the outbound FedEx request reflects the correct `packagingType` value based on the service selected.

- › - Request/log fields to verify: `packagingType` value in the FedEx label request payload; presence or absence of `PACKAGING.MISMATCH` in the FedEx response.

Expected Behaviour

What support should observe	How to confirm
Clear error message displayed when custom box + One Rate service is selected	Attempt label generation in Shopify Admin > Orders with a custom box and a <code>ONE_RATE_</code> service; error message should appear in the MCSL UI before any FedEx request is sent
No <code>PACKAGING.MISMATCH</code> error returned from FedEx	Check request logs — a pre-send validation block means no request reaches FedEx; FedEx error should not appear in the response
<code>packagingType</code> in outbound request is a valid One Rate enum when FedEx-branded packaging is selected	Inspect request log payload; <code>packagingType</code> must be one of <code>FEDEX_ENVELOPE</code> , <code>FEDEX_PAK</code> , <code>FEDEX_SMALL_BOX</code> , <code>FEDEX_MEDIUM_BOX</code> , <code>FEDEX_LARGE_BOX</code> , <code>FEDEX_EXTRA_LARGE_BOX</code> , or <code>FEDEX_TUBE</code>

What support should observe	How to confirm
Label generates successfully when FedEx-branded packaging is used with One Rate	Label and tracking number returned in Shopify Admin > Orders; no errors in MCSL UI or logs
Non-One-Rate services with custom boxes continue to generate labels without error	Test a standard FedEx service + custom box; label generation completes normally with no new blocking behaviour
packagingType is not CUSTOM in any One Rate request	Confirm via request log that CUSTOM packaging type is never dispatched to FedEx when service is ONE_RATE_

Support Escalation Packet

- › **Story:** MCSL 378 — Label generation fails for One Rate with custom box | Card URL: None provided
- › **Store URL:** Confirm from live store/card context
- › **Account UUID:** Confirm from live store/card context
- › **Carrier account:** FedEx account ID connected to the store (confirm from hamburger menu > Carriers)
- › **Order number:** Order used to reproduce or confirm the issue
- › **Generated label / tracking identifier:** Tracking number from successful One Rate label (if applicable), or confirmation that label was blocked pre-generation
- › **Screenshots required:**
 - › MCSL UI showing the error message when custom box + One Rate is selected
 - › hamburger menu > Carriers showing FedEx One Rate service enabled
 - › hamburger menu > Products showing the custom box configuration
 - › Request log payload showing packagingType value in the outbound FedEx label request
 - › FedEx response log confirming absence of PACKAGING.MISMATCH (or presence, if escalating a regression)
- › **Toggle / config value:** No feature toggle — confirm store is on MCSL 378 or later; confirm packaging type in use (custom vs. FedEx-branded preset)