

UPDATE

MCSL 378p

PluginHive MCSL · Shopify

| [Story / card](#) | [Platform](#) | [Carrier scope](#) | [Toggle / prerequisite signal](#) |

Generated May 2026 · PluginHive QA Team

Included Story Cards

Story / card	Platform	Carrier scope	Toggle / prerequisite signal
Remove Rates and Transit api from Fedex Rest	Shopify	FedEx	None detected
ZI-031	Shopify	PostNord	None detected
ZI-056	Shopify	PostNord	None detected
From SL: MCSL 378 Missing Importer of Record in Fedex Rest	Shopify	FedEx	None detected
FedEx One Rate Label Failure with Custom Box	Shopify	FedEx	None detected

CARD 1/5

Remove Rates and Transit api from Fedex Rest - Remove Rates and Transit api from Fedex Rest

Support Guide: MCSL-378p — Remove Separate Transit API Call (FedEx REST)

What Changed

FedEx REST no longer makes a separate transit-time API call. Transit time is now sourced directly from the /rates/quotes response. All FedEx REST services continue to return rates and estimated delivery dates.

Prerequisites

Check	What to confirm
Release	MCSL 378p is deployed
Carrier account	FedEx REST is configured and active (hamburger menu > Carriers)
Platform	Shopify store
Toggles	None required

How to Verify

1. Go to hamburger menu > Carriers and confirm FedEx REST is enabled.
2. Open the ORDERS tab and create or locate a test order with a Shopify storefront shipping rate request.
3. Check request logs — confirm only one outbound FedEx call is made per rate fetch (no separate transit endpoint call).
4. Verify domestic rates return correctly (TC1, TC3 — Ground and 2Day).
5. Verify an international shipment (e.g., International Priority) displays an estimated delivery date (TC2).

Request node to verify: estimated delivery date field in the rates response

Expected Result

What to observe	How to confirm
Rates display for all FedEx REST services	Shipping rates appear at Shopify checkout without errors
Estimated delivery date shown	Delivery date visible on domestic and international rate results
No separate transit API call in logs	Request logs show a single FedEx /rates/quotes call per rate request

ZI-031 - From SL: ZI-031 — PostNord service updates for May 2026 [#373200]

Support Guide: ZI-031 — PostNord Service Updates (May 2026)

What Changed

PostNord service codes have been updated for May 2026: deprecated codes are removed and new services are added to the service dropdown. Label generation is confirmed working with the updated codes.

Prerequisites

Check	What to confirm
Release	MCSL 378p or later is deployed
Carrier account	PostNord is connected and active in the store
Platform	Shopify
Toggles	None required

How to Verify

1. Go to **hamburger menu > Carriers** and confirm PostNord is listed as an active carrier.
2. Go to **ORDERS tab**, open a test order, and select PostNord as the carrier — open the service dropdown and confirm updated service codes are present.
3. Confirm deprecated service codes no longer appear in the dropdown.
4. Generate a label using one of the newly listed PostNord services and confirm it succeeds without errors.
5. Run a regression check on an existing PostNord service to confirm no previously working services are broken.

Expected Result

What to observe	How to confirm
Updated PostNord services visible	Service dropdown shows new codes; deprecated codes absent
Label generation succeeds	Label is produced without error for an updated service code
No regression	Previously working PostNord services still generate labels correctly

ZI-056 - From SL: ZI-056 — PostNord return label product codes [#379784]

Support Guide: ZI-056 — PostNord Return Label Product Codes

What Changed

PostNord return label API requests now use dedicated return-specific product codes instead of outbound product codes. This fixes a merchant-reported issue where PostNord return labels were failing to generate. Affects PostNord carrier on Shopify.

Prerequisites

Check	What to confirm
Release	MCSL 378p or later is deployed
Carrier account	PostNord is configured and active in hamburger menu > Carriers
Platform	Shopify store
Toggles	None required
Return product codes	Confirm valid PostNord return product codes are available from card/store context

How to Verify

1. In the ORDERS tab, locate a test order eligible for a PostNord return label.
2. Trigger a return label generation for that order.
3. Check request logs for the PostNord return label API call.

Request node to verify: `productCode` must be a return-specific code, not an outbound product code.

4. In the ORDERS tab, confirm the return label PDF is downloadable.
5. Generate a standard outbound PostNord label and confirm it completes without errors.

Expected Result

What to observe	How to confirm
Return label API uses return-specific product code	Check <code>productCode</code> value in request logs for the return label call
Return label PDF is generated and downloadable	Open the label from the ORDERS tab; PDF must download successfully
Outbound labels are unaffected	Generate an outbound PostNord label and confirm no errors or change in behavior

From SL: MCSL 378 Missing Importer of Record in Fedex Rest - From SL: MCSL 378 Missing Importer of Record in Fedex Rest

Support Guide: MCSL 378 – Missing Importer of Record in FedEx REST

What Changed

The FedEx REST integration now includes the `importerOfRecord` block in shipment requests when IOR is configured. The block carries name, address, contact, and `accountNumber`. Shipments without IOR configured are unaffected.

Prerequisites

Check	What to confirm
Release	MCSL 378p deployed
Carrier account	FedEx REST carrier configured in store
Platform	Shopify
IOR configuration	Importer of Record details entered on the FedEx carrier settings
Toggles	None required

How to Verify

1. Go to **hamburger menu > Carriers** and confirm the FedEx REST carrier has IOR details saved.
2. Place or locate a test order in the **ORDERS tab** that requires international shipping with IOR.
3. Generate a label for that order and check the **request logs** for the outbound FedEx REST request.

Request node to verify: `requestedShipment.importerOfRecord` — **confirm** name, address, contact, and `accountNumber` **are present**.

4. Confirm the label generates successfully with no errors.
5. Repeat with a domestic or non-IOR shipment and verify the `importerOfRecord` block is absent from the request log.

Expected Result

What to observe	How to confirm
<code>importerOfRecord</code> block present in request	Request log shows <code>requestedShipment.importerOfRecord</code> with all four fields populated
Label generates without error	Label file returned and downloadable from ORDERS tab
Non-IOR shipments unaffected	Request log for shipment without IOR contains no <code>importerOfRecord</code> block

FedEx One Rate Label Failure with Custom Box - FedEx One Rate Label Failure with Custom Box

Support Guide: FedEx One Rate Label Failure with Custom Box

What Changed

When a custom box is used with FedEx One Rate, MCSL now maps the packaging type to the lowest-priced eligible FedEx One Rate box (e.g., FEDEX_SMALL_BOX) instead of sending CUSTOM. This fixes label generation failures caused by an invalid packaging type in the rate and shipment requests.

Prerequisites

Check	What to confirm
Release	MCSL 378p is deployed
Carrier account	FedEx account with One Rate enabled
Platform	Shopify store
Toggle	None required

How to Verify

1. In the **ORDERS** tab, place a test order using a custom box with a FedEx One Rate service selected at checkout.
2. Open **request logs** for the rate request and confirm the packaging type is a valid One Rate box, not CUSTOM.

Request node to verify: `packagingType` — **must be** `FEDEX_SMALL_BOX` **or equivalent One Rate value**

3. In **request logs**, check the rates response for the One Rate indicator.

Request node to verify: `specialRatingApplied` — **must contain** `FEDEX_ONE_RATE`

4. Confirm the price displayed at checkout matches the `ratedShipmentDetails` price in the rates response.
5. Open **request logs** for the label (shipment creation) request and confirm the One Rate node is present.

Request node to verify: `FEDEX_ONE_RATE` **node present in shipment creation payload**