

Use Run Command Feature for VM Troubleshooting_RDP SSH

Last updated by | Subbu Konathala | Sep 11, 2025 at 9:42 PM GMT+5:30

Tags

cw.How-To

cw.RDP-SSH

cw.Reviewed-09-2025

MICROSOFT CONFIDENTIALITY & PRIVACY NOTICE

All content in this article is Microsoft Confidential and this data is considered covered under the Non-Disclosure Agreement (NDA).

This data should not be shared outside of the Microsoft Global Support organization, unless otherwise specified.

**This wiki uses automations for data collection and reporting.
See the [Privacy Notice](#) for more details.**

Contents

- [Summary](#)
 - [Reference](#)
- [Limitations](#)
- [Instructions](#)
- [List of current Run Command scripts](#)
- [Need additional help or have feedback?](#)

Summary

How to leverage the feature *Run Command* Feature whenever you are troubleshooting an Azure Virtual Machine

Reference

- [Run PowerShell scripts in your Windows VM with Run Command](#)

Limitations

1. This extension will work only if the VM has connectivity as this feature uses the same pipeline as [Custom Script Extension](#)
2. As any other extension, this extension will work if only the Azure Agent is installed and is working as expected
3. Only the very first time the extension is used, will inject the script to execute. If you use this feature later on, the extension will identify it was already used and will not upload the new script to execute. To avoid this, you will need to ensure the extension is not installed on the VM prior to its use
4. The minimum time to run a script is about 20 seconds
5. The maximum time a script can run is 90 minutes, after which it will time out

Instructions

1. On the portal select the Virtual Machine and under *Operations* you will have the option *Run Command* which when selected will give you a list of the scripts that have on the repository plus a *wildcard* option for you to upload any powershell script you'd like:

The screenshot shows the Microsoft Azure portal interface. On the left, the 'Virtual machines' link in the navigation pane is highlighted with a red circle labeled '1'. The main content area shows the 'Virtual machines' page for 'DumpDemo-8'. The 'DumpDemo-8' VM is selected in the list, indicated by a red circle labeled '2'. In the 'Operations' section on the right, the 'Run command' option is highlighted with a red circle labeled '3'. The 'Run command' page displays a list of available scripts with the following table:

NAME	DESCRIPTION
RunPowerShellScript	Executes a PowerShell script
EnableAdminAccount	Enable administrator account
EnableRemotePS	Enable remote PowerShell
IPConfig	List IP configuration
RDPSettings	Verify RDP Listener Settings
ResetRDPcert	Restore RDP Authentication mode to defaults
SetRDPPort	Set Remote Desktop port

2. After the script was run and completed, it will give you the outcome on screen:

The screenshot shows the Microsoft Azure portal interface. On the left, the 'Virtual machines' section is expanded, and 'DumpDemo-8' is selected. The main pane shows the 'Run Command' interface for the selected VM. The 'EnableRemotePS' script is highlighted in the list of available scripts. The 'Run' button has been clicked, and the 'Run Command Script' dialog is open, showing the script execution details and output.

Run Command Script
EnableRemotePS

Script execution complete

Details
Configure the machine to enable remote PowerShell.

Script

Parameters
No parameters

Run

Output

```
Enabled : True
Profile : Any
Platform : ()
Direction : Inbound
Action : Allow
EdgeTraversalPolicy : Block
LooseSourceMapping : False
LocalOnlyMapping : False
Owner :
PrimaryStatus : OK
Status : The rule was parsed successfully from the store.
(65536)
EnforcementStatus : NotApplicable
PolicyStoreSource : PersistentStore
PolicyStoreSourceType : Local

ResourceCreated
Address = http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous
ReferenceParameters
ResourceURI = http://schemas.microsoft.com/wbem/wsmman/1/config/listener
SelectorSet
Selector: Address = *, Transport = HTTPS
```

List of current Run Command scripts

Name	Description
RunPowerShellScript	Runs a PowerShell script
DisableNLA	Disable Network Level Authentication
DisableWindowsUpdate	Disable Windows Update Automatic Updates
EnableAdminAccount	Checks if the local administrator account is disabled, and if so enables it
EnableEMS	EnableS EMS - Emergency Management Services
EnableRemotePS	Configures the machine to enable remote PowerShell
IPConfig	Shows detailed information for the IP address, subnet mask, and default gateway for each adapter bound to TCP/IP
RDPSettings	Checks registry settings and domain policy settings. Suggests policy actions if the machine is part of a domain or modifies the settings to default values
SetRDPPort	Sets the default or user-specified port number for Remote Desktop connections. Enables firewall rules for inbound access to the port
IMDSCertCheck	Checks from within the virtual machine for known configuration issues that may be causing IMDS to not function properly
WindowsActivationValidation	Checks from within the virtual machine for known Windows Activation issues or concerns that may cause action to fail

Need additional help or have feedback?

<i>To engage the Azure RDP-SSH SMEs...</i>	<i>To provide feedback on this page...</i>	<i>To provide kudos on this page...</i>
If you are in the OneVM team then reach out to the RDP-SSH SMEs AVA channel via Teams. If you are a VM Delivery Partner then follow your team's process for swarming or ask your TA. Make sure to use the Ava process for faster assistance.	Use the RDP-SSH Feedback form to submit detailed feedback on improvements or new content ideas for RDP-SSH. Please note the link to the page is required when submitting feedback on existing pages! If it is a new content idea, please put N/A in the Wiki Page Link.	Use the RDP-SSH Kudos form to submit kudos on the page. Kudos will help us improve our wiki content overall! Please note the link to the page is required when submitting kudos!