

## IRA e-bulletin

**Newsletter For Health Professionals in Rheumatology** 

From the Editor's Desk



Latest Research



Expert Opinion



Conference Calendar



IRA Matters



News from



Do You Know?





## **Latest Research**

**9** Ten key recommendations for the role of imaging in the management of RA were developed using research-based evidence and expert opinion.

**EULAR Recommendations for the Use of Imaging of the Joints in the Clinical Management of Rheumatoid Arthritis** 

Colebatch AN, et al. Ann Rheum Dis. 2013;72(6):804-814.

Read More →

Patients were divided into two groups: Group 1 consisted of 30 patients diagnosed between 1968 and 1980; Group 2 consisted of 59 patients diagnosed between 1981 and 1990. In Group 1, patient survival at 20 years was 84% versus 95% in Group 2 (p=0.05).

Progressive Improvement of Patient and Renal Survival and Reduction of Morbidity Over Time in Patients with Lupus Nephritis (LN) Followed for 20 Years.

Moroni G, et al. Lupus. 2013 Jun 13. [Epub ahead of print]

Read More →

1 1 The rituxilup cohort demonstrates that oral steroids can be safely avoided in the treatment of LN. If findings are confirmed, it could mark a step change in the approach to the treatment of LN.

Prospective Observational Single-centre Cohort Study to Evaluate the Effectiveness of Treating Lupus Nephritis with Rituximab and Mycophenolate Mofetil but no Oral Steroids.

Condon MB, et al. Ann Rheum Dis. 2013 Jun 7. [Epub ahead of print]

Read More →

1 2 Double positive (DP) patients share extrarenal manifestations similar to AAV patients while the renal manifestations resemble anti-GBM patients clinically and histologically.

Characteristics and Outcome of Crescentic Glomerulonephritis in Patients with both Antineutrophil Cytoplasmic Antibody and Anti-glomerular Basement Membrane Antibody.

Srivastava A, et al. Clin Rheumatol. 2013 Apr 28. [Epub ahead of print]

Read More ->