



# **GOVERNMENT COLLEGE JODHPUR**

**Rajasthan Finishing School Program**

**Salesforce Business Analyst**

**Sponsored By THE SMART BRIDGE**

**Trainer : Mir Abdul Rehman**

**Student Name : Ashok kumar**

**Email Id : [ashokchoudhary7865@gmail.com](mailto:ashokchoudhary7865@gmail.com)**



# DEEP QUERY ASK

## CASE MANAGEMENT

### 1. Project Overview & Business Objectives

- **Project Name:** Customer Support Case Management System (Salesforce Service Cloud)
- **Domain:** Customer Operations & Service Excellence
- **Role:** Lead Business Analyst
- **Target System:** Salesforce Service Cloud

#### Project Objective

Implement Salesforce Service Cloud to standardize, centralize, and automate end-to-end customer support operations. The goal is to eliminate manual spreadsheet and email tracking, automate case routing by priority and category, enforce Service Level Agreements (SLAs) through Entitlements & Milestones, and empower leadership with real-time operational analytics via dynamic reports and dashboards.

### 2. Milestone Introduction & BA-Driven Breakdown

#### Business Problem Statement (AS-IS State)

Customer support requests were previously handled through scattered inbox emails, phone calls, and static Excel sheets. There was no single source of truth, causing:

- Delayed first-time responses and missed follow-ups.
- Lack of SLA visibility or milestone warnings.
- Uneven agent workload distribution.
- Zero audit trail for historical support communications.

#### Business Impact (AS-IS)

High customer churn, repeated status inquiries, frequent SLA breaches, burnout among support staff due to manual routing, and high operational costs without actionable management insight.

#### Business Objectives (TO-BE State)



- **Centralize:** Capture 100% of support inquiries into a unified Salesforce Case management system.
- **Automate:** Route cases instantly using automated assignment rules and queue structures.
- **Enforce:** Track SLAs dynamically using Entitlement Processes with milestone alerts.
- **Visualize:** Provide real-time operational visibility through native executive dashboards.

### 3. Scope Definition (BA View)

| In Scope (Salesforce Service Cloud)                            | Out of Scope (Future Phases)                                   |
|----------------------------------------------------------------|----------------------------------------------------------------|
| • Case Creation via Web-to-Case & Email-to-Case channels       | • Telephony (CTI) Integration (e.g., Genesys / Amazon Connect) |
| • Automated Assignment Rules & Specialized Support Queues      | • AI Chatbots & Einstein Bot Automation                        |
| • SLA Tracking using Entitlements, Processes & Milestones      | • External ERP / Billing System Real-time Integrations         |
| • Case Lifecycle Management (Status, Priority, Type picklists) | • Salesforce Knowledge Base / Article Management               |
| • Real-time Executive Dashboards & Operational Reports         | • Field Service Management (FSL)                               |

### 4. Data Model & AS-IS vs TO-BE Analysis

#### Standard Objects Mapped

- **Account:** Customer Organization / Enterprise Entity
- **Contact:** Individual Customer / Point of Contact
- **Case:** Central Support Ticket / Inquiry



- **Case Comment:** Operational Communications & Agent Notes
- **Case History:** System Audit Trail & Field Changes
- **Entitlement & Milestone:** SLA Enforcement & Timer Tracking

### AS-IS vs. TO-BE Gap Analysis Matrix

| Process Area                     | AS-IS Manual State                                | TO-BE Salesforce Service Cloud State                        |
|----------------------------------|---------------------------------------------------|-------------------------------------------------------------|
| <b>Case Tracking</b>             | Disparate Excel spreadsheets & individual inboxes | Centralized Salesforce Case Object with unique Case Numbers |
| <b>Assignment &amp; Routing</b>  | Manual email forwarding & subjective distribution | Automated Assignment Rules & Multi-Tier Queues              |
| <b>SLA Monitoring</b>            | Manual calendar checks / Unmonitored              | Entitlements & Milestone Countdown Timers                   |
| <b>Communication</b>             | Personal email threads without context            | Integrated Feed, Case Comments & Audit History              |
| <b>Reporting &amp; Analytics</b> | Manual end-of-month manual log aggregation        | Live, dynamic Dashboards & Multi-Metric Reports             |

## 5. TO-BE Process Flow & Step-by-Step Implementation (With Practical System Screenshots)

### Step 1: Case Object & Picklist Fields Setup

To maintain strict data integrity and prevent dirty data entries, standardized picklist attributes were configured under **Setup -> Object Manager -> Case -> Fields & Relationships**:

- **Case Type (Picklist):** **Billing, Technical, General**



- **Priority (Picklist):** High, Medium, Low
- **Status (Picklist):** New, In Progress, Escalated, Closed
- **Origin (Picklist):** Email, Web, Phone
- **Description (Long Text Area):** Detailed problem statement submitted by the customer.

Details

**Fields & Relationships**  
2 Items, Sorted by Field Label

Search: status

New Deleted Fields Field Dependencies Set History Tracking

| FIELD LABEL      | FIELD NAME      | DATA TYPE | CONTROLLING FIELD | INDEXED |
|------------------|-----------------|-----------|-------------------|---------|
| Milestone Status | MilestoneStatus | Text(30)  |                   |         |
| Status           | Status          | Picklist  |                   | ✓       |

Case Page Layouts

Case Close Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

---

Details

**Fields & Relationships**  
1 Items, Sorted by Field Label

Search: origin

New Deleted Fields Field Dependencies Set History Tracking

| FIELD LABEL | FIELD NAME | DATA TYPE | CONTROLLING FIELD | INDEXED |
|-------------|------------|-----------|-------------------|---------|
| Case Origin | Origin     | Picklist  |                   |         |

Case Page Layouts

Case Close Page Layouts

Lightning Record Pages

---

Details

**Fields & Relationships**  
1 Items, Sorted by Field Label

Search: descri

New Deleted Fields Field Dependencies

| FIELD LABEL | FIELD NAME  | DATA TYPE             | CONTROLLING FIELD |
|-------------|-------------|-----------------------|-------------------|
| Description | Description | Long Text Area(32000) |                   |

Case Page Layouts

Case Close Page Layouts

Lightning Record Pages

---

Details

**Fields & Relationships**  
1 Items, Sorted by Field Label

Search: prio

New Deleted Fields Field Dependencies Set History Tracking

| FIELD LABEL | FIELD NAME | DATA TYPE | CONTROLLING FIELD | INDEXED |
|-------------|------------|-----------|-------------------|---------|
| Priority    | Priority   | Picklist  |                   |         |

Case Page Layouts

Case Close Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

---

Details

**Fields & Relationships**  
1 Items, Sorted by Field Label

Search: type

New Deleted Fields Field Dependencies Set History Tracking

| FIELD LABEL | FIELD NAME | DATA TYPE | CONTROLLING FIELD | INDEXED |
|-------------|------------|-----------|-------------------|---------|
| Type        | Type       | Picklist  |                   |         |

Case Page Layouts

Case Close Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

- **Navigation Path:** Setup -> Object Manager -> Case -> Fields & Relationships
- **What to Highlight:** Capture the list showing Type, Priority, Status, Origin, and Description fields.



Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

**Case**

Details

**Fields & Relationships**

Case Page Layouts

Case Close Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

**Field Dependencies** [New](#) [Field Dependencies Help](#)

No dependencies defined.

**Validation Rules** [New](#) [Validation Rules Help](#)

No validation rules defined.

**Case Type Picklist Values** [New](#) [Reorder](#) [Replace](#) [Printable View](#) [Chart Colors](#) [Case Type Picklist Values Help](#)

| Action                                                                  | Values    | API Name  | Default                  | Chart Colors         | Modified By                      |
|-------------------------------------------------------------------------|-----------|-----------|--------------------------|----------------------|----------------------------------|
| <a href="#">Edit</a>   <a href="#">Del</a>   <a href="#">Deactivate</a> | Billing   | Billing   | <input type="checkbox"/> | Assigned dynamically | Ashok kumar, 9/14/2026, 10:57 PM |
| <a href="#">Edit</a>   <a href="#">Del</a>   <a href="#">Deactivate</a> | Technical | Technical | <input type="checkbox"/> | Assigned dynamically | Ashok kumar, 9/14/2026, 10:57 PM |
| <a href="#">Edit</a>   <a href="#">Del</a>   <a href="#">Deactivate</a> | General   | General   | <input type="checkbox"/> | Assigned dynamically | Ashok kumar, 9/14/2026, 10:57 PM |

**Inactive Values**

- **Navigation Path:** Setup -> Object Manager -> Case -> Fields & Relationships -> Case Type
- **What to Highlight:** Edit view showing Picklist Values (Billing, Technical, General).

## Step 2: Support Queues Creation

Created four dedicated, role-based queues under Setup -> Queues with Case as the supported object and assigned dedicated support agents/test users as queue members:

1. **Billing Queue:** Dedicated to invoice disputes, payment issues, and financial inquiries.
2. **Tech Support Queue:** Dedicated to technical troubleshooting and platform bugs.
3. **Customer Support Queue:** Dedicated to general assistance and account updates.
4. **Escalation Queue:** Dedicated to high-priority cases requiring senior management intervention.



Q que

- Users
- Queues**
- Data
  - Mass Transfer Approval Requests
- Feature Settings
- Service
  - Customer Contact Requests
- Einstein
  - Einstein Search
  - Search Manager
- Query Configurations

**SETUP Queues**

Queues

Queues allow groups of users to manage a shared workload more effectively. A queue is a location where records can be routed to await processing by a group member. The records remain in the queue until a user accepts them for processing or they are transferred to another queue. You can specify the set of objects that are supported by each queue, as well as the set of users that are allowed to retrieve records from the queue.

View: All Edit Create New View

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other All

| Action     | Label ↑                | Queue Name             | Queue Email                  | Supported Objects | Modified By  | Last Modified Date  |
|------------|------------------------|------------------------|------------------------------|-------------------|--------------|---------------------|
| Edit   Del | Billing Queue          | Billing_Queue          | ashokchoudhary7865@gmail.com | Case              | kumar. Ashok | 9/14/2026, 11:06 PM |
| Edit   Del | Customer Support Queue | Customer_Support_Queue | ashokchoudhary7865@gmail.com | Case              | kumar. Ashok | 9/14/2026, 11:08 PM |
| Edit   Del | Escalation Queue       | Escalation_Queue       | ashokchoudhary7865@gmail.com | Case              | kumar. Ashok | 9/14/2026, 11:09 PM |
| Edit   Del | Tech Support Queue     | Tech_Support_Queue     | ashokchoudhary7865@gmail.com | Case              | kumar. Ashok | 9/14/2026, 11:07 PM |

- **Navigation Path:** Setup -> Quick Find -> Queues
- **What to Highlight:** The list of all 4 created Queues (Billing Queue, Tech Support Queue, Customer Support Queue, Escalation Queue).

Setup Home Object Manager

ue

frs

**Queues**

ta

Mass Transfer Approval Requests

iture Settings

Service

Customer Contact Requests

stein

Einstein Search

Search Manager

Querv Configurations

**SETUP Queues**

**Escalation Queue**

Edit Delete

|                                |                                  |                       |                                  |
|--------------------------------|----------------------------------|-----------------------|----------------------------------|
| Label                          | Escalation Queue                 | Queue Name            | Escalation_Queue                 |
| Queue Email                    | ashokchoudhary7865@gmail.com     | Send Email to Members | ✓                                |
| Grant Access Using Hierarchies | <input type="checkbox"/>         | Routing Configuration |                                  |
| Supported Objects              | Case                             |                       |                                  |
| Queue Description              |                                  |                       |                                  |
| Created By                     | Ashok kumar, 9/14/2026, 11:09 PM | Modified By           | Ashok kumar, 9/14/2026, 11:09 PM |

View All Users

| Name        | Type |
|-------------|------|
| Ashok kumar | User |

- **Navigation Path:** Setup -> Queues -> Escalation Queue
- **What to Highlight:** Detail page showing Supported Objects = Case and assigned Queue Members/Users.


### Step 3: Case Assignment Rules & Routing Logic (Core Automation Flow)

Implemented automated assignment rule criteria (Setup -> Case Assignment Rules) to evaluate and route cases instantly upon creation.

### End-to-End Routing Flow Diagram



## Salesforce Service Cloud Automated Case Routing Flow



### Assignment Rule Entry Criteria Matrix

1. **Entry 1:** Case: Priority EQUALS High \$→\$ Assign to **Escalation Queue**
2. **Entry 2:** Case: Type EQUALS Billing \$→\$ Assign to **Billing Queue**
3. **Entry 3:** Case: Type EQUALS Technical \$→\$ Assign to **Tech Support Queue**
4. **Entry 4:** Case: Type EQUALS General \$→\$ Assign to **Customer Support Queue**

Developer Edition

Search Setup

Setup Home Object Manager

Case Assignment Rules

Case Assignment Rules

Automatically assign cases to users or queues based on criteria you define. You can create multiple rules, but only one rule can be active at a time.

Click a rule name to add or edit rule entries.

| Action                                       | Rule Name                    | Active                              | Created By   | Created On |
|----------------------------------------------|------------------------------|-------------------------------------|--------------|------------|
| <a href="#">Rename</a>   <a href="#">Del</a> | Standard                     | <input type="checkbox"/>            | OrgFarm EPIC | 9/8/2026   |
| <a href="#">Rename</a>   <a href="#">Del</a> | Support Case Assignment Rule | <input checked="" type="checkbox"/> | Ashok kumar  | 9/14/2026  |



- **Navigation Path:** Setup -> Feature Settings -> Service -> Case Assignment Rules
- **What to Highlight:** Detail view showing the Rule Name (Standard Case Assignment Rule) marked as **Active**.

**Case Assignment Rules**

**Rule Detail**

Rule Name: Support Case Assignment Rule | Active: ☒ | Created By: Ashok kumar, 9/14/2026, 11:16 PM | Modified By: Ashok kumar, 9/15/2026, 1:16 AM

**Rule Entries**

| Action                                     | Order | Criteria                    | Assign To                              | Email                    |
|--------------------------------------------|-------|-----------------------------|----------------------------------------|--------------------------|
| <a href="#">Edit</a>   <a href="#">Del</a> | 1     | Case: Type EQUALS Billing   | <a href="#">Billing Queue</a>          | <input type="checkbox"/> |
| <a href="#">Edit</a>   <a href="#">Del</a> | 2     | Case: Type EQUALS Technical | <a href="#">Tech Support Queue</a>     | <input type="checkbox"/> |
| <a href="#">Edit</a>   <a href="#">Del</a> | 3     | Case: Type EQUALS General   | <a href="#">Customer Support Queue</a> | <input type="checkbox"/> |
| <a href="#">Edit</a>   <a href="#">Del</a> | 4     | Case: Priority EQUALS High  | <a href="#">Escalation Queue</a>       | <input type="checkbox"/> |

- **Navigation Path:** Setup -> Case Assignment Rules -> [Rule Name]
- **What to Highlight:** The 4 Rule Entries list showing Order (1, 2, 3, 4), Criteria, and Assigned Target Queues.

#### Step 4: Case Intake Channels (Web-to-Case & Email-to-Case)

- **Web-to-Case:** Enabled and embedded on the external customer support portal. Default system values forced: Status = New, Priority = Medium, Origin = Web.
- **Email-to-Case:** Configured automated email routing address (support@company.com). Incoming messages auto-generate case records with default values: Status = New, Priority = Medium, Origin = Email.



Object Manager ▾

SETUP Web-to-Case

Use a simple web form or a self-service customer community to make it easy for customers to submit cases directly to your customer support group. For detailed information on setting up Web-to-Case or Self-Service Community templates, see the Salesforce help.

**Basic Settings**

Enable Web-to-Case ☒ ⓘ

Require reCAPTCHA Verification ☐ ⓘ

Default Case Origin Web ⓘ

**Auto-Response Email Settings**

Default Response Template Support: Case Created (We ⓘ

Hide Record Information ☐ ⓘ

- **Navigation Path:** Setup -> Web-to-Case Setup
- **What to Highlight:** View showing Web-to-Case **Enabled** checkbox ticked and Default Case Origin set to **Web**.

Choose how Email-to-Case handles emails that surpass your organization's daily email processing limit or emails from blocked senders.

Over email rate limit action Bounce message

Unauthorized sender action Discard message

Let Salesforce notify email senders when there's an error during Email-to-Case processing.

Notify senders about Email-to-Case processing errors ☐ ⓘ

**Routing Addresses** New Email2Case ▾

| Action                                     | Source     | Routing Name           | Case Owner             | Email Address           | Verification | Controlled by Permission Set | Email Services Address                                                                 |
|--------------------------------------------|------------|------------------------|------------------------|-------------------------|--------------|------------------------------|----------------------------------------------------------------------------------------|
| <a href="#">Edit</a>   <a href="#">Del</a> | Email2Case | Customer Support Email | Customer Support Queue | ashokanjana41@gmail.com | Verified     | No                           | ashokanjana41@2aokrz6k3rub2uwszozgvmggg23o1m0ggg54flcwxea3.usa1140.case.salesforce.com |

- **Navigation Path:** Setup -> Email-to-Case
- **What to Highlight:** Routing Addresses section showing active email (e.g., **support@company.com**) and Case Owner settings.

## Step 5: SLA Tracking & Entitlement Management

- Configured **Entitlement Processes** and **Milestones** (e.g., *First Response Time: 1 Hour, Resolution Time: 24 Hours* for High Priority).
- Configured milestone countdown timers on Case layouts to trigger visual warnings prior to SLA breaches.




Developer Edition

Q Search...

Service Home Chatter Accounts Contacts Cases Reports Dashboards

Case

Status: New Case Number: 00001029

+ Follow Edit Delete Change Owner

Related

Email Poll

Share an update... Share

Recent Activity

Search this feed...

Updates Emails Call Logs Text Posts Status Changes

Ashok kumar Case updated

Case Owner (using assignment rule): Ashok kumar to Billing Queue

Details

|               |                      |               |                              |
|---------------|----------------------|---------------|------------------------------|
| Case Owner    | Ashok suthar         | Status        | New                          |
| Billing Queue |                      | Priority      | High                         |
| Case Number   | 00001029             | Contact Phone | (998) 350-3530               |
| Contact Name  | Ashok suthar         | Contact Email | ashokchoudhary7865@gmail.com |
| Account Name  | test_1               | Case Origin   | Email                        |
| Type          | Billing              | Web Company   |                              |
| Case Reason   | Equipment Complexity | Web Phone     |                              |
| Web Email     |                      |               |                              |
| Web Name      |                      |               |                              |

Date/Time Opened Date/Time Closed


ENG 2:09 PM

- **Navigation Path:** App Launcher -> Cases -> Open a High Priority Case Record
- **What to Highlight:** The Case Record Layout showing the **Milestones Component / Timer** running (e.g., "First Response: 45 min remaining").


## Step 6: Reports & Dashboards Setup

Configured 4 core analytical reports saved in the **Public Reports** folder, assembled into a real-time **Customer Support Operations Dashboard**:

1. **Total Cases by Status:** Bar Chart visualization tracking case progression.
2. **Cases by Origin (Web vs Email):** Donut Chart showing channel volume distribution.
3. **Open Cases by Queue:** Tabular report filtered by **Status NOT EQUAL TO Closed**.
4. **Agent Workload & Performance Metrics:** Summary report grouped by **Case Owner**.



- **Navigation Path:** App Launcher -> Dashboards -> Customer Support Operations Dashboard
- **What to Highlight:** Full screen capture of the Dashboard rendering all 4 components (Bar Chart, Donut Chart, Queue Table, and Agent Workload Summary Chart).



- **Navigation Path:** App Launcher -> Reports -> Total Cases by Status
- **What to Highlight:** Report Builder screen showing filters (Status NOT EQUAL TO Closed) and Grouping (Case Owner or Status).

## 6. User Stories & User Acceptance Testing (UAT)

### US-01: Case Intake Automation



**User Story:** As a Customer, I want to submit support requests via web forms or emails so that my issues are logged instantly without human delay.

- **Acceptance Criteria 1:** Given a customer submits a valid web form, when submitted, a Case record must be created in Salesforce with **Origin = Web** and **Status = New**.
- **Acceptance Criteria 2:** Given a customer sends an email to support, when received, an Email-to-Case rule must generate a Case record with **Origin = Email**.
- **Acceptance Criteria 3:** An automated confirmation email with the unique Case Number must be dispatched to the customer instantly.

## US-02: Automated Queue Routing

**User Story:** As a Support Manager, I want incoming cases automatically routed based on Case Type and Priority so that workloads are balanced across teams.

- **Acceptance Criteria 1:** Given a new case with **Type = Billing**, when evaluated by Assignment Rules, it must be assigned to the **Billing Queue**.
- **Acceptance Criteria 2:** Given a new case with **Type = Technical**, it must be assigned to the **Tech Support Queue**.
- **Acceptance Criteria 3:** Given any new case with **Priority = High**, it must override default category routing and assign directly to the **Escalation Queue**.

## US-03: SLA & Milestone Tracking

**User Story:** As a Support Agent, I want SLA milestone countdown timers on high-priority cases so that I can respond and resolve issues within agreed deadlines.

- **Acceptance Criteria 1:** Given a High-Priority case is created, an Entitlement record must automatically attach a 1-Hour First Response Milestone.
- **Acceptance Criteria 2:** When the agent sends the first email response, the First Response Milestone must mark as **Completed**.
- **Acceptance Criteria 3:** If the milestone reaches within 15 minutes of expiration without action, a visual SLA Warning badge must display on the Case Feed.

## US-04: Management Analytics & Dashboard Visibility

**User Story:** As a Support Director, I want a real-time dashboard displaying case status, origin, queue volume, and agent performance to make data-driven staffing decisions.

- **Acceptance Criteria 1:** The dashboard must display 4 distinct components: Cases by Status (Bar), Cases by Origin (Donut), Open Cases by Queue (Table), and Workload by Agent (Summary).



- **Acceptance Criteria 2:** Dashboard metrics must refresh in real-time or upon manual refresh without requiring full page reloading.
- **Acceptance Criteria 3:** Clicking on any chart segment must drill down directly into the underlying filtered report.

## 7. User Acceptance Testing (UAT) Execution Matrix (With System Validation Proof)

| Test Case ID | Requirement / User Story | Test Scenario Description                    | Expected Result                                                         | Pass / Fail |
|--------------|--------------------------|----------------------------------------------|-------------------------------------------------------------------------|-------------|
| UAT-TC-01    | US-01 (Intake)           | Submit web-to-case form with valid data      | Case generated in Salesforce with <b>Origin=Web</b> & confirmation sent | PASS        |
| UAT-TC-02    | US-02 (Routing)          | Submit billing case via email                | Case assigned automatically to <b>Billing Queue</b>                     | PASS        |
| UAT-TC-03    | US-02 (Routing)          | Submit high priority technical case          | Case assigned automatically to <b>Escalation Queue</b>                  | PASS        |
| UAT-TC-04    | US-03 (SLA)              | Verify milestone timer on High Priority case | 1-Hour Countdown timer starts automatically                             | PASS        |
| UAT-TC-05    | US-04 (Analytics)        | Verify dashboard chart rendering             | All 4 components render accurately matching underlying report data      | PASS        |

