

DevOps Handouts

1. Working with GIT, checking status and committing in local machine.

```
->4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (main)
```

```
$ git init
```

```
Initialized empty Git repository in C:/Users/4mca/Desktop/DevOps/.git/
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
```

```
$ cat>>abc.txt
```

```
RIT
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
```

```
$ ls
```

```
abc.txt
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
```

```
$ git status
```

```
On branch master
```

```
No commits yet
```

```
Untracked files:
```

```
(use "git add <file>..." to include in what will be committed)
```

```
abc.txt
```

```
nothing added to commit but untracked files present (use "git add" to track)
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
```

```
$ git add abc.txt
```

```
warning: in the working copy of 'abc.txt', LF will be replaced by CRLF the next time Git touches it
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
```

```
$ git commit -m "created for a practice purpose"
```

```
[master (root-commit) 4d570c3] created for a practice purpose
```

```
1 file changed, 1 insertion(+)
```

```
create mode 100644 abc.txt
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
```

```
$ git status
```

```
On branch master
```

```
nothing to commit, working tree clean
```

2. Adding multiple files in local machine.

```
->
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (main)
```

```
$ git init
```

Initialized empty Git repository in C:/Users/4mca/Desktop/DevOps/.git/

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

\$ cat>>a.txt

HII

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

\$ cat>>b.txt

Hello

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

\$ ls

a.txt b.txt

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

\$ git status

On branch master

No commits yet

Untracked files:

(use "git add <file>..." to include in what will be committed)

a.txt

b.txt

nothing added to commit but untracked files present (use "git add" to track)

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

\$ git add -A

warning: in the working copy of 'a.txt', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'b.txt', LF will be replaced by CRLF the next time Git touches it

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

\$ git commit -a -m"added"

[master (root-commit) edbdd8b] added

2 files changed, 2 insertions(+)

create mode 100644 a.txt

create mode 100644 b.txt

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

\$ ls

a.txt b.txt

3.Creating a new branch add texts in that and merge that files with master.

->4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (main)

```
$ git init
Initialized empty Git repository in C:/Users/4mca/Desktop/DevOps/.git/
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ cat>>a.txt
hii
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ cat>>b.txt
hello
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ git status
On branch master
```

No commits yet

```
Untracked files:
(use "git add <file>..." to include in what will be committed)
a.txt
b.txt
```

nothing added to commit but untracked files present (use "git add" to track)

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ git add -A
warning: in the working copy of 'a.txt', LF will be replaced by CRLF the next time Git
touches it
warning: in the working copy of 'b.txt', LF will be replaced by CRLF the next time Git
touches it
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ git commit -a -m "added"
[master (root-commit) ee44bf0] added
2 files changed, 2 insertions(+)
create mode 100644 a.txt
create mode 100644 b.txt
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ git status
On branch master
nothing to commit, working tree clean
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ ls
a.txt b.txt
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ git branch firstbranch
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

```
$ git checkout firstbranch  
Switched to branch 'firstbranch'
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (firstbranch)

```
$ ls  
a.txt b.txt
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (firstbranch)

```
$ cat >>c.txt  
namaste
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (firstbranch)

```
$ ls  
a.txt b.txt c.txt
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (firstbranch)

```
$ git add c.txt  
warning: in the working copy of 'c.txt', LF will be replaced by CRLF the next time Git  
touches it
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (firstbranch)

```
$ git commit -m "added c.txt"  
[firstbranch 9a1b11a] added c.txt  
1 file changed, 1 insertion(+)  
create mode 100644 c.txt
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (firstbranch)

```
$ ls  
a.txt b.txt c.txt
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (firstbranch)

```
$ git checkout master  
Switched to branch 'master'
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

```
$ ls  
a.txt b.txt
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

```
$ git checkout firstbranch  
Switched to branch 'firstbranch'
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (firstbranch)

```
$ ls  
a.txt b.txt c.txt
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (firstbranch)
```

```
$ git checkout master  
Switched to branch 'master'
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
```

```
$ git merge firstbranch  
Updating ee44bf0..9a1b11a  
Fast-forward  
c.txt | 1 +  
1 file changed, 1 insertion(+)  
create mode 100644 c.txt
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
```

```
$ ls  
a.txt b.txt c.txt
```

4. Renaming a branch, pull the data from GitHub make changes and then push to GitHub.

->

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (main)
```

```
$ git init  
Initialized empty Git repository in C:/Users/4mca/Desktop/DevOps/.git/
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
```

```
$ git branch -m main
```

Create new repository ->name->public->add a read readMe file Modify in github if needed(adding content)

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (main)
```

```
$ git remote add origin "https://github.com/VasanthaNagaraj/VN.git"
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (main)
```

```
$ git pull origin main  
remote: Enumerating objects: 7, done.  
remote: Counting objects: 100% (7/7), done.  
remote: Compressing objects: 100% (3/3), done.  
remote: Total 7 (delta 0), reused 0 (delta 0), pack-reused 0  
Unpacking objects: 100% (7/7), 1.74 KiB | 98.00 KiB/s, done.  
From https://github.com/VasanthaNagaraj/VN  
* branch      main      -> FETCH_HEAD  
* [new branch] main      -> origin/main
```

Make changes in local machine

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (main)
```

```
$ git add .
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (main)
```

```
$ git commit -m"changed"
```

```
[main 18877d7] changed
1 file changed, 1 insertion(+)
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (main)
```

```
$ git status
```

```
On branch main
```

```
nothing to commit, working tree clean
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (main)
```

```
$ git push origin main
```

```
Enumerating objects: 5, done.
```

```
Counting objects: 100% (5/5), done.
```

```
Writing objects: 100% (3/3), 251 bytes | 251.00 KiB/s, done.
```

```
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
```

```
To https://github.com/VasanthaNagaraj/VN.git
```

```
b5e5f9a..18877d7 main -> main
```

5. When you want to merge with master then checkout to master(MERGE CONFLICT).

```
->
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (firstbranch)
```

```
$ git init
```

```
Initialized empty Git repository in C:/Users/91733/Desktop/Vasantha/.git/
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)
```

```
$ cat >> a.txt
```

```
Hello
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)
```

```
$ cat >> b.txt
```

```
Hii
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)
```

```
$ git add .
```

```
warning: in the working copy of 'a.txt', LF will be replaced by CRLF the next time Git touches it
```

```
warning: in the working copy of 'b.txt', LF will be replaced by CRLF the next time Git touches it
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)
```

```
$ git commit -m "created two text files"
```

```
[master (root-commit) 7805c87] created two text files
```

```
2 files changed, 2 insertions(+)
```

```
create mode 100644 a.txt
```

```
create mode 100644 b.txt
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)
```

```
$ cat a.txt
```

```
Hello
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)
$ git branch f1
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)
$ git branch f2
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)
$ git checkout f1
Switched to branch 'f1'
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (f1)
$ cat a.txt
Hello
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (f1)
$ git add .
warning: in the working copy of 'a.txt', LF will be replaced by CRLF the next time Git
touches it
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (f1)
$ git commit -m"changed a.txt in f1"
[f1 892ae42] changed a.txt in f1
1 file changed, 1 insertion(+)
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (f1)
$ cat a.txt
Hello
Gud Night
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (f1)
$ git checkout master
Switched to branch 'master'
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)
$ cat a.txt
Hello
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)
$ git merge f1
Updating 7805c87..892ae42
Fast-forward
 a.txt | 1 +
1 file changed, 1 insertion(+)
```

```
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)
$ cat a.txt
Hello
Gud Night
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)
$ git checkout f2
```

Switched to branch 'f2'

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (f2)

```
$ cat a.txt
Hello
```

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (f2)

```
$ git add .
```

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (f2)

```
$ git commit -m"changed a.txt in f2"
[f2 5557927] changed a.txt in f2
1 file changed, 1 insertion(+)
```

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (f2)

```
$ cat a.txt
Hello
Bye
```

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (f2)

```
$ git checkout master
Switched to branch 'master'
```

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)

```
$ cat a.txt
Hello
Gud Night
```

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)

```
$ git merge f2
Auto-merging a.txt
CONFLICT (content): Merge conflict in a.txt
Automatic merge failed; fix conflicts and then commit the result.
```

RESOLVING BY MERGE TOOL

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master|MERGING)

```
$ git mergetool
```

This message is displayed because 'merge.tool' is not configured.
See 'git mergetool --tool-help' or 'git help config' for more details.
'git mergetool' will now attempt to use one of the following tools:
opendiff kdiff3 tkdiff xxdiff meld tortoisemerge gvimdiff diffuze diffmerge ecmerge p4merge
araxis bc codecompare smerge emerge vimdiff nvimdiff
Merging:
a.txt


Normal merge conflict for 'a.txt':

```
{local}: modified file
{remote}: modified file
```

Hit return to start merge resolution tool (vimdiff):

4 files to edit

ENTER



```
MINGW64/c/Users/91733/Desktop/Vasantha
Hello
Gud Night
Hello
Hello
Bye
< 13/12/2022>2,10 A11 <0 13/12/2022>1,6 A11 ./a_REMOTE_1217.txt [dos] (22:20 13/12/2022) 2,4 A11
Hello
<<<<<< HEAD
Gud Night
=====
Bye
>>>>>> f2
a.txt [dos] (22:20 13/12/2022) 6,10 A11
Type here to search
20°C
ENG
22:22
13-12-2022
```

Remove <<<head using i then shift + then :wq enter do this process three times
91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master|MERGING)

\$ git status

On branch master

All conflicts fixed but you are still merging.

(use "git commit" to conclude merge)

Changes to be committed:

modified: a.txt

Untracked files:

(use "git add <file>..." to include in what will be committed)

a.txt.orig

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master|MERGING)

\$ git add .

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master|MERGING)

\$ git commit -m "Resolved merge conflict"

[master dc0b00b] Resolved merge conflict

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)

\$ git merge f2

Already up to date.

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/Vasantha (master)

\$ cat a.txt

Hello

Gud Night

Bye

6.How to revert back to the previous version.

->

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/VN (master)

\$ git init

Reinitialized existing Git repository in C:/Users/91733/Desktop/VN/.git/

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/VN (master)

\$ cat >>a.txt

Hii

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/VN (master)

\$ git add .

warning: in the working copy of 'a.txt', LF will be replaced by CRLF the next time Git touches it

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/VN (master)

\$ git commit -m"added"

[master (root-commit) 3b6acb0] added

1 file changed, 3 insertions(+)

create mode 100644 a.txt

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/VN (master)

\$ cat a.txt

Hii

Vasanth

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/VN (master)

\$ git log

commit 3b6acb087c1b6e234003ddfb8f7de59cc7ac8398 (HEAD -> master)

Author: Vasanth Nagaraj <vasanthajalaja4@gmail.com>

Date: Tue Dec 13 22:51:10 2022 +0530

added

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/VN (master)

\$ git checkout 3b6acb08 a.txt

Updated 0 paths from 977fc1d

91733@DESKTOP-VF5T9OD MINGW64 ~/Desktop/VN (master)

\$ cat a.txt

Hii

Vasanth

7.Create a local branch (push the branch to GitHub) add on some file to it.

->

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (main)

\$ git init

Initialized empty Git repository in C:/Users/4mca/Desktop/DevOps/.git/

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

```
$ git remote add origin "https://github.com/VasanthaNagaraj/VN.git"
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

```
$ git pull origin main
```

remote: Enumerating objects: 13, done.

remote: Counting objects: 100% (13/13), done.

remote: Compressing objects: 100% (5/5), done.

remote: Total 13 (delta 0), reused 3 (delta 0), pack-reused 0

Unpacking objects: 100% (13/13), 2.57 KiB | 119.00 KiB/s, done.

From https://github.com/VasanthaNagaraj/VN

* branch main -> FETCH_HEAD

* [new branch] main -> origin/main

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

```
$ git branch feature
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

```
$ git checkout feature
```

Switched to branch 'feature'

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (feature)

```
$ cat>>vn.txt
```

GOOD MORNING

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (feature)

```
$ git add .
```

warning: in the working copy of 'vn.txt', LF will be replaced by CRLF the next time Git touches it

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (feature)

```
$ git commit -m"created vn.txt in feature branch"
```

[feature 10ff9cf] created vn.txt in feature branch

1 file changed, 1 insertion(+)

create mode 100644 vn.txt

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (feature)

```
$ ls
```

README.md vn.txt

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (feature)

```
$ git checkout master
```

Switched to branch 'master'

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

```
$ ls
```

README.md

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
```

```
$ git checkout feature  
Switched to branch 'feature'
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (feature)
```

```
$ git push origin feature  
Enumerating objects: 4, done.  
Counting objects: 100% (4/4), done.  
Delta compression using up to 8 threads  
Compressing objects: 100% (2/2), done.  
Writing objects: 100% (3/3), 287 bytes | 287.00 KiB/s, done.  
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0  
remote:  
remote: Create a pull request for 'feature' on GitHub by visiting:  
remote:   https://github.com/VasanthaNagaraj/VN/pull/new/feature  
remote:  
To https://github.com/VasanthaNagaraj/VN.git  
* [new branch]   feature -> feature
```

In GitHub->compare and pull->merge pull request->confirm merge.

8.Cloning.

Cloning a repository gives you a copy of that repository and configures the original repository as a remote. Copying a repository just gives you a copy of that repository.

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (main)
```

```
$ git init  
Initialized empty Git repository in C:/Users/4mca/Desktop/DevOps/.git/
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
```

```
$ cat>>a.txt  
hii
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
```

```
$ cat>>b.txt  
hello
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
```

```
$ git add .  
warning: in the working copy of 'a.txt', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'b.txt', LF will be replaced by CRLF the next time Git touches it
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
```

```
$ git commit -a -m "added two text files"  
[master (root-commit) 3cf09c8] added two text files
```

```
2 files changed, 2 insertions(+)
create mode 100644 a.txt
create mode 100644 b.txt
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ git status
On branch master
nothing to commit, working tree clean
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ ls
a.txt b.txt
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ git branch vasantha
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ git clone "https://github.com/VasanthaNagaraj/MCA.git"
Cloning into 'MCA'...
remote: Enumerating objects: 10, done.
remote: Counting objects: 100% (10/10), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 10 (delta 0), reused 3 (delta 0), pack-reused 0
Receiving objects: 100% (10/10), done.
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ ls
MCA/ a.txt b.txt
```

9.Fetch.

```
->
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (main)
$ git init
Initialized empty Git repository in C:/Users/4mca/Desktop/DevOps/.git/
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ git fetch origin main
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.
```

Please make sure you have the correct access rights
and the repository exists.

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ git remote add origin "https://github.com/VasanthaNagaraj/VASANTHA.git"
```

```
4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)
$ git fetch origin main
remote: Enumerating objects: 13, done.
remote: Counting objects: 100% (13/13), done.
```

```
remote: Compressing objects: 100% (6/6), done.
remote: Total 13 (delta 0), reused 6 (delta 0), pack-reused 0
Unpacking objects: 100% (13/13), 2.26 KiB | 96.00 KiB/s, done.
From https://github.com/VasanthaNagaraj/VASANTHA
* branch      main    -> FETCH_HEAD
* [new branch] main    -> origin/main
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

```
$ git merge origin/main
Updating b4a2cc7..090c491
Fast-forward
 README.md | 1 +
 1 file changed, 1 insertion(+)
```

4mca@MCALAB-009 MINGW64 ~/Desktop/DevOps (master)

```
$ git log
commit 090c4916db182f6455b59b353290ce1fa5561d45 (HEAD -> master, origin/main)
Author: VasanthaNagaraj <112241640+VasanthaNagaraj@users.noreply.github.com>
Date:   Wed Dec 14 15:56:37 2022 +0530
```

Update README.md

commit b4a2cc79b188569052efde996ddf2358a14bd1c0

```
Merge: 8a45f4a a47ba51
Author: VasanthaNagaraj <112241640+VasanthaNagaraj@users.noreply.github.com>
Date:   Tue Dec 13 15:06:58 2022 +0530
```

Merge pull request #1 from VasanthaNagaraj/feature

created aa.txt in feature branch

commit a47ba51c520d53aedd1cccdee53edc7a4da5954e

```
Author: Bob <bob@gmail.com>
Date:   Tue Dec 13 15:00:43 2022 +0530
```

created aa.txt in feature branch

commit 8a45f4a3f8bd039170be0f95dccf5bf8a539e4e7

```
Author: Bob <bob@gmail.com>
Date:   Fri Dec 9 09:54:10 2022 +0530
```

changed in local

commit bea414e3f9bd2bf3544d614c39503fec5894672f

```
Author: VasanthaNagaraj <112241640+VasanthaNagaraj@users.noreply.github.com>
Date:   Fri Dec 9 09:37:50 2022 +0530
```

CHANGES

commit 35f6aeba8931350ae16be8e75dfc14ecda633bde

Author: VasanthaNagaraj <112241640+VasanthaNagaraj@users.noreply.github.com>
Date: Fri Dec 9 09:37:29 2022 +0530

Initial commit