Deliver to Ashok
San Marcos 78666
Electronics
Search Amazon
EN
Hello, Ashok
Account & Lists
Returns
& Orders
0

All
Join Prime
Early Prime Deals
Prime Video
Buy Again
TV & Video
Coupons
Kindle Books
Books
Customer Service
Best Sellers
Subscribe & Save

Computers
Laptops
Desktops
Monitors
Tablets
Computer Accessories
PC Components
PC Gaming
Deals

Electronics › Computers & Accessories › Monitors



2 VIDEOS

Click to see full view

Ask Alexa

What devices is this screen compatible with?
Does it need extra drivers?
Is it easy to install?
Why you might like this
Compare with similar
Ask something else

Hosyond 3.5 inch 320x480 IPS Capacitive Touch Screen LCD Module SPI Serial ST7796U Driver for Arduino R3/Mega2560

Visit the Hosyond Store

4.0 (129) | Search this page

Amazon's Choice

50+ bought in past month

$18.99 Price history

FREE Returns

Save 5% on 2 select item(s) Shop items ›

Save up to 7% with business pricing. Sign up for a free Amazon Business account

Size: **3.5"**

2.8"	3.2"	3.5"	4.0"
$16.99	$17.99	$18.99	$20.99

- Capacitive touch responds instantly without calibration needed
- IPS panel delivers vibrant colors and wide viewing angles
- Dual connection options with FPC cable for custom board layouts

Summarized from product information

About this item

- 3.5-inch color screen, upgraded to use IPS full-viewing panel, 320x480 resolution, 300cd/m2 brightness and up to 16.7M RGB colors to ensure excellent display effects.
- Newly upgraded to a capacitive touch panel, the touch is more sensitive and precise compared to the resistive screen.
- On-board level conversion circuit, compatible with 5V and 3.3V MCUs. Adopt 4-wire SPI serial bus to save I/O pins.
- The input supports 2.54 pin header interface and FPC extension interface, and comes with a micro TF card slot for easy storage expansion.
- Provide rich sample learning programs (ESP32/STM32/Arduino R3&Mega2560/C51/CH32), provide underlying driver technical support, and update the information online.

› See more product details

prime
Enjoy fast, free delivery, exclusive deals, and award-winning movies & TV shows.
Join Prime

$18.99 Price history

FREE delivery **Sunday, October 4** on orders shipped by Amazon over $35

Or Prime Young Adults get FREE delivery **Thursday, October 1**. Join now

Deliver to Ashok - San Marcos 78666

Quantity: 1

Add to cart

Buy Now

Ships from Amazon
Sold by HONGXINBAORUI
Returns FREE 30-day refund/replacement
Payment Secure transaction

See more

Add to Auto Buy

Add to List

Report an issue with this product or seller

Similar item with fast delivery

Amazon's Choice



Hosyond 3.2 Inches TFT LCD Touch Screen Shield Display Module 320x240 SPI Serial ILI9341 with Touch Pen Compatible with Arduino R3/Mega2560 Development Board

(224)

$16.99

amazon business


Save up to 7% on this product with business-only pricing.

Create a free account

Frequently bought together



+



+



Total price: $44.96

Add all 3 to Cart

These items are shipped from and sold by different sellers.
Show details

This item: Hosyond 3.5 inch 320x480 IPS Capacitive Touch Screen LCD Module SPI Serial…

$18.99

Hosyond 3Pack ESP32-S3 Development Board N16R8 MCU with Dual-Mode Wi-Fi Bluetoot…

$18.99

ELEGOO 120pcs Multicolored Dupont Wire M-F, M-M, F-F for Breadboard Jumper | 40pin Mal…

$6.98

Similar items that may deliver to you quickly

Page 1 of 2



Hosyond 3.5 inch 480X320 TFT Touch Screen Module LCD Display Shield with SD Card Socket Compatibl…

37

$16.99

Get it as soon as **Sunday, Oct 4**

FREE Shipping on orders over $35 shipped by Amazon



Hosyond 3.5 Inches TFT LCD Touch Screen Shield Display Module 480x320 SPI Serial ILI9488 with Touch Pen Compatible…

224

$17.99

Get it as soon as **Sunday, Oct 4**

FREE Shipping on orders over $35 shipped by Amazon



Waveshare 3.5inch Capacitive Touch Display Module, Compatible with Raspberry Pi 5/4B/3B/Zero/Zero…

42

$27.99

Get it as soon as **Thursday, Oct 8**



Hosyond 3.5" 320x480 Touch Screen ESP32 Display with WiFi+BT, ST7796U Driver LCD TFT Screen Module for…

234

$18.99

Get it as soon as **Sunday, Oct 4**

FREE Shipping on orders over $35 shipped by Amazon



Hosyond ESP32-S3 Touchscreen Module, 2.8" 240x320 IPS LCD EPS32 Display with WiFi…

82

#1 Best Seller

$18.99

Get it as soon as **Sunday, Oct 4**

FREE Shipping on orders over $35 shipped by Amazon

Only 15 left in stock - order…



3.5 Inch 480x320 Touch Screen TFT LCD SPI Display Panel for Raspberry Pi 5, Pi4B, 3B+, 3B, 2B

30

$17.97

Get it as soon as **Sunday, Oct 4**

FREE Shipping on orders over $35 shipped by Amazon



Hosyond 4.0 Inches 480x320 TFT Touch Screen LCD Display Module SPI ST7796S Driver for Arduino…


224

$19.99

Get it as soon as **Sunday, Oct 4**

FREE Shipping on orders over $35 shipped by Amazon

From the brand



Product description

Product Description

- 3.5-inch color touchscreen with a 320x480 resolution and 16.7M rich display colors.
- Onboard level-shifting circuit, compatible with both 5V and 3.3V MCUs.
- Uses a 4-wire SPI serial bus to save I/O pins.
- Supports both 2.54mm pin header and FPC extension interface for input connection.
- Equipped with a micro TF card slot for convenient storage expansion.
- Provides abundant example programs for ESP32, STM32, Arduino UNO & Mega2560, C51, and CH32.






Tips

We can provide a wealth of **program examples and documentation**. If you encounter difficulties during use, please ask us for help first and we will do our best to solve the problem.

Pin Function Description

No.	Pin Label	Description of Pins
1	VCC	Power positive(It is recommended to connect to 5V. When connected to 3.3V, the backlight brightness will be slightly dim)
2	GND	Power ground
3	LCD_CS	LCD selection control signal, Low level active
4	LCD_RST	LCD reset control signal, Low level reset
5	LCD_RS	LCD command / data selection control signal High level: data, low level: command
6	SDI(MOSI)	SPI bus write data signal(SD card and LCD screen used together)
7	SCK	SPI bus clock signal(SD card and LCD screen used together)
8	LED	LCD backlight control signal (If you need control, please connect the pins. If you don't need control, you can skip it)
9	SDO(MISO)	SPI bus read data signal (SD card and LCD screen used together)
10	CTP_SCL	Capacitive touch screen IIC bus clock signal (modules without touch screens do not need to be connected)
11	CTP_RST	Capacitor touch screen reset control signal, low-level reset (modules without touch screens do not need to be connected)
12	CTP_SDA	Capacitive touch screen IIC bus data signal (modules without touch screens do not need to be connected)
13	CTP_INT	Capacitor touch screen IIC bus touch interrupt signal, when generating touch, input low level to the main control (modules without touch screens do not need to be connected)
14	SD_CS	SD card selection control signal, low level active (without SD card function, can be disconnected)



Interface Function Description

No.	Interface	Function Description
①	14 Pin Header	2.54mm spacing row pins, module signal input pins
②	Micro SD Slot	Insert a Micro SD card to expand storage space, such as storing big data content such as fonts and images
③	14P FPC	0.5mm FPC terminal, used for module signal input with the same function as ①

Parameters

- Screen Size: 3.5 inches
- Screen Type: IPS
- Resolution: 320xRGBx480 (pixels)
- Number of Colors(Max): 16.7M
- LCD Driver IC: ST7796U
- Display Interface: 4-Line SPI
- Brightness(TYP): 300(cd/m2)
- Backlight Type: White LED*6
- Touch Screen Type: Capacitive Touch Screen
- Touchscreen Driver IC: FT6336U
- Touch Screen Visual Area: 49.56(w)x74.04(H)(mm)
- Communication Interface: IIC
- Working Voltage: 5.0 V/3.3V(Recommended to connect to 5V)
- Power: 0.5 W
- Interface: 14P 2.54mm spacing Header and 0.5mm spacing FPC seat

Package include:

- 1pcs 3.5 Inches TFT LCD Touch Screen
- 1pcs FPC cables
- 1pcs plastic box




Looking for specific info?

Ask Alexa or search reviews and Q&A


What devices is this screen compatible with? Does it need extra drivers? Is it easy to install?

Can it be used for gaming? Does it have a protective case?


Product Videos



Videos for this product



IPS Capacitive Touch Screen for Arduino
HONGXINBAORUI



Hosyond Capacitive Touch Screen: In Depth Tutorial
MostlyBuilds



Hosyond 2.8 inch 240x320 IPS Capacitive Touch Screen SPI Serial...

129

$16.99



Hosyond 3.2 inch 240x320 IPS Capacitive Touch Screen LCD Module...

129

$17.99



Hosyond 3.5 inch Capacitive Touch

129

$18.99

Product information

Features & Specs

Item details

Additional details

Warranty & Support

Amazon.com Return Policy: You may return any new computer purchased from Amazon.com that is "dead on arrival," arrives in damaged condition, or is still in unopened boxes, for a full refund within 30 days of purchase. Amazon.com reserves the right to test "dead on arrival" returns and impose a customer fee equal to 15 percent of the product sales price if the customer misrepresents the condition of the product. Any returned computer that is damaged through customer misuse, is missing parts, or is in unsellable condition due to customer tampering will result in the customer being charged a higher restocking fee based on the condition of the product. Amazon.com will not accept returns of any desktop or notebook computer more than 30 days after you receive the shipment. New, used, and refurbished products purchased from Marketplace vendors are subject to the returns policy of the individual vendor.

Product Warranty: For warranty information about this product, please click here

Feedback

Would you like to **tell us about a lower price?**

What's in the box

- 1 x 3.5 inch touch screen, FPC cables, Plastic protective box

Customer reviews

4 out of 5

129 global ratings

5 star 62%

4 star 11%

3 star 6%

2 star 4%

Customers say

Customers give positive feedback about the display's clarity and brightness, with one noting it's easy to read in bright environments. The functionality, hardware quality, touch sensitivity, compatibility, color quality, and ease of use receive mixed reviews, with some customers reporting it works right out of the box while others find it extremely difficult to program.

Generated from the text of customer reviews

Select to learn more

Display (33) | Display brightness (11) | Functionality (39) | Hardware quality (25) | Touch sensitivity (18) | Compatibility (14) | Color quality (13) | Ease of use (12)

1 star 17%

How customer reviews and ratings work


Review this product

Share your thoughts with other customers

Write a customer review

Customer photos and videos

See all ›



Top reviews from the United States

Scott S.

Recommended Drivers Work

Reviewed in the United States on December 17, 2024

Size: 4.0" **Verified Purchase**

This is for the 4" 320x480 capacitive touch display with ST7796s.

I first tested out the display itself, and found the TFT_eSPI to work well. For reading the touchscreen, I only really tested position and haven't looked into gestures yet, but I found that both RAK14014-FT6336U and the Arduino-FT6336U libraries worked equally well for what I tested. The RAK library actually used up a bit more program memory, about 240 bytes more, so if your processor is small in that department, might consider that.

Here are some tidbits that I needed to learn through experimentation that might help others get running quicker:

1) SPI interface to the display runs well at 80MHz. I used ESP32 DEV, so no problem.

2) On ESP32, use default SPI pins in order to use hardware driver, which is fastest.

3) On I2C interface for touchpad, use default pins for SDA and SCLK. Easiest way to check which pins

Read more

46 people found this helpful

Helpful Report

Pedro

Great screen. Bright and good view angle.

Reviewed in the United States on September 15, 2024

Size: 4.0" **Verified Purchase**

Arduino MEGA works with Adafruit_ST7796S_kbv

Teensy 4.1 works with ILI9488_t3

Touch works with FT6336U (FT6336U CPT Controller).

Touch did not work with RAK14014_FT6336U as another review suggests. That library is missing the definition of reset pin. Maybe Needs to use the main board reset pin. That said, I did not spend too much time trying to debug it.

I am only using the touch for pressing buttons, so I do not know how it works for gestures. For simple touches, it works way better than a resistive touch. No debouncing needed and very clean touch coordinates.

Read more

4 people found this helpful

Helpful Report

Larry Scott

Another poorly documented TFT.

Reviewed in the United States on October 3, 2025

Size: 4.0" **Verified Purchase**

The display looks fully featured, but the included code is old, obsolete, and does not work

I will spend a few more hours trying to get it to work, but will likely send it back



One person found this helpful

Helpful Report

Krustion?

Bright and colorful works with esp32

Reviewed in the United States on May 11, 2025

Size: 4.0" **Verified Purchase**

Worked with ESP32-S3-R8N16 using TFT_eSPI.h family and the User_Setup.h settings below. It's an ST7796 screen but the config works with the ILI9488 driver.

I'm using it to animate some dials and it refreshes the bitmap's well with good colors. I think it runs at 30hz but I'm not sure.

Make sure all the pins are connected to the board. RST goes to the board's RST pin. This screen RST pin must be connected to the controller's RST pin, or you'll get white screen. LED/backlight is always on so LED pin is not necessary.

The SD card works by simply connecting the SD pin. It's a microSD card which is excellent! Some other ones use a standard SD card.

Spacing and quality of the pins are acceptable. The added ribbon cable is a nice addition but I have no use for it.

Read more

7 people found this helpful

Helpful Report

Jimmy in Pittsburgh

Great little display module!

Reviewed in the United States on June 1, 2026

Size: 3.2" **Verified Purchase**



This is a very nice display. It is bright and crisp. Colors look really good. When it arrived I was pleasantly surprised to find that it already had the header soldered on! It worked right out of the box. I used an ESP32 MCU to drive the display. I used the Adafruit_GFX and Adafruit_ILI9341 libraries in the Arduino IDE and they worked perfectly. The only issue I had was, as a couple other reviews have mentioned, the colors were inverted. However this was easily remedied using the tft.invertDisplay(true) command that is found in the Adafruit_ILI9341 library. I tested it with

Read more



Helpful Report

Neo

Great Display, just takes tweeking

Reviewed in the United States on May 30, 2026

Size: 2.8" **Verified Purchase**

These are very nice displays. I was able to use the Adafruit ST7789 library on the Mega but had to make a few strange tweeks.

ISSUE 1) My colors were totally wrong

Colors were off so had to: BGR() macro on all colors in my config (like this)

// This display swaps R and B channels. Macro corrects all color values.

// RGB565 format: RRRRR GGGGGG BBBBB

#define BGR(c) (((c & 0xF800) >> 11) | (c & 0x07E0) | ((c & 0x001F) << 11))

// ── Papyrus palette (RGB565, BGR-corrected) ──────────────────────────────

Read more



2 people found this helpful

Helpful Report

Spencer S.

Great display once it's working

Reviewed in the United States on November 22, 2024

Size: 3.2" **Verified Purchase**

The doc is useless as are the libraries and samples.

I'm running this on a teensy 3.2 and it finally works well. I'm using ILI9341_t3 library but took a few hours of playing and searching to figure out that i had to add tft.invertDisplay(1) to get the colors to be correct. The doc from the manufacture is terrible. The examples from the manufacture don't work and the libraries from the manufacture don't work. There are many typos in both and are not worth even looking at.

At this point I'm not using the touch part of the screen and I am only just starting to play with the SD card

One person found this helpful

Helpful Report

D. Smith

Nice display

Reviewed in the United States on July 30, 2026

Size: 4.0" **Verified Purchase**

Nice display well made. Sharp characters. I did have some problems with the tutorial but figured it out in a few hours.

Helpful Report

See more reviews

Top reviews from other countries

Translate all reviews to English

Doug Robinson

clear display, ok documentation but some easily corrected issues

Reviewed in Canada on February 11, 2025

Size: 4.0" **Verified Purchase**

Using it with Mega2560. The display is crisp and clear. The website for this product has some of the best documentation I've seen. Physical drawings, libraries, example programs, connection diagrams, technical specs, etc. Very happy with it but a couple of little issues to get it going...

Issue #1: the demo programs declare either my_lcd or mylcd. Either spelling is fine, but they try to use both in the same sketch causing errors at compile. Edit the demo programs so you have either my_lcd or mylcd, not both.

Issue #2 In each demo there are lines similar to this at the beginning. //LCDWIKI_SPI mylcd(130,130,10,9,8,A3); . You need to "uncomment" (remove the two slashes at the beginning of the line) ONE of those lines. For the 4.0 inch, I used the line where it says the module is not known and edited it to LCDWIKI_SPI mylcd(320,480,10,9,8,A3);

Issue #3 The line in issue #2 assigns the LED control to pin A3 (assuming you are setting up for a Mega2560) but the library needs a uint_8 (8 bit unsigned integer) and does not understand what A3

Read more


Report

Eric Godin

TFT à toucher capacitif, c'est merveilleux

Reviewed in Canada on February 4, 2026

Size: 4.0" **Verified Purchase**



Fonctionne parfaitement, toucher sensible et parfaitement opérationnel image parfaite

Report

Translate review to English

Phil

Good screen but bad SD slot

Reviewed in Canada on June 10, 2026

Size: 3.5" **Verified Purchase**

Unfortunately, the SD slot is instable and causing issue on this product. The screen is great though.

Report

Os

works just as it should!

Reviewed in Canada on September 21, 2026

Size: 4.0" **Verified Purchase**

Worked perfectly!

Report

Brady

Not an ILI19341 this is an ILI19488, Listing needs correcting

Reviewed in Canada on December 21, 2023

Size: 2.8" **Verified Purchase**

Was going crazy trying to figure out why I couldn't get this thing going. This thing has the newer ILI19488 chipset, eSPI_TFT has a profile for it. Follow the pin mapping in the profile preset, it works. To the seller: Seriously, update the listing, you wasted too much of my time.

Screen looks great, documentation exists, the touchscreen seems to be hard to deal with, though i may have gotten a bad unit

Report

See more reviews

Back to top

Amazon Newsletter
About Amazon
Accessibility
Sustainability
Press Center
Investor Relations
Amazon Devices
Amazon Science

Sell apps on Amazon
Supply to Amazon
Protect & Build Your Brand
Become an Affiliate
Become a Delivery Driver
Start a Package Delivery Business
Advertise Your Products
Self-Publish with Us
Become an Amazon Hub Partner
› See More Ways to Make Money

Amazon Store Card
Amazon Secured Card
Amazon Business Card
Shop with Points
Credit Card Marketplace
Reload Your Balance
Gift Cards
Amazon Currency Converter
Promotional Financing

Your Orders
Customer Service
Shipping Rates & Policies
Amazon Prime
Returns & Replacements
Manage Your Content and Devices
Recalls and Product Safety Alerts
Registry & Gift List

English
United States

Amazon Music
Stream millions of songs

Amazon Ads
Reach customers wherever they spend their time

6pm
Score deals on fashion brands

AbeBooks
Books, art & collectibles

ACX
Audiobook Publishing Made Easy

Sell on Amazon
Start a Selling Account

Veeqo
Shipping Software Inventory Management

Amazon Business
Everything For Your Business

Groceries at Amazon
Groceries & More Right To Your Door

AmazonGlobal
Ship Orders Internationally

Home Services
Experienced Pros Happiness Guarantee

Amazon Web Services
Scalable Cloud Computing Services

Audible
Listen to Books & Original Audio Performances

Box Office Mojo
Find Movie Box Office Data

Goodreads
Book reviews & recommendations

IMDb
Movies, TV & Celebrities

IMDbPro
Get Info Entertainment Professionals Need

Kindle Direct Publishing
Indie Digital & Print Publishing Made Easy

Amazon Photos
Unlimited Photo Storage Free With Prime

Prime Video Direct
Video Distribution Made Easy

Shopbop
Designer Fashion Brands

Amazon Resale
Great Deals on Quality Used Products

Whole Foods Market
America's Healthiest Grocery Store

Woot!
Deals and Shenanigans

Zappos
Shoes & Clothing

Ring
Smart Home Security Systems

eero WiFi
Stream 4K Video in Every Room

Blink
Smart Security for Every Home

Neighbors App
Real-Time Crime & Safety Alerts

PillPack
Pharmacy Simplified

Amazon Renewed
Refurbished tech you can trust

Amazon Luna
Video games from the cloud, no console required

Conditions of Use Privacy Notice Consumer Health Data Privacy Disclosure Your Ads Privacy Choices
© 1996-2026, Amazon.com, Inc. or its affiliates