Syntax 1		
Child: >		
Sibling: +		
Climb-up: ^		
Grouping: ()		
Multiplication: *		
Naming and numbering: \$ 2		
ID and CLASS attributes2		
Custom attributes2		
Text: {} 2		
Implicit tag names		
HTML 3		
Form, Input, Button 4		
CSS 7		
Visual Formatting		
Margin & Padding 9		
Box Sizing		
Font		
Text		
Background 13		
Color 14		
Generated content 14		
Outline 15		
Tables 15		
Border 15		
Lists 18		
Print 18		
Others 18		
Animation 19		
Flex 20		
Transform, Transition 21		
XSL 22		
HTML DOCTYPES . 23		

SYNTAX

Child: >

nav>ul>li

Sibling: +

Climb-up: ^

```
div+div>p>span+em^bq
  <div></div>
    <div>
        <span></span><em></em>
        <blockquote></blockquote>
        </div>
```

Grouping: ()

```
</header>
<footer>

</footer>
</div>
```

(div>dl>(dt+dd)*3)+footer>p

Multiplication: *

ul>li*5

<\li><\li>< <\li><\li><\li>

<\li><\li>

Naming and numbering: \$

ul>li.sample\$*5

h\$[title=topic\$]{Headline \$}*3

<h1 title="topic1">Headline 1</h1>
<h2 title="topic2">Headline 2</h2>
<h3 title="topic3">Headline 3</h3>

ul>li.item\$\$\$*5

ul>li.item\$@-*5

ul>li.item\$@3*5

ID and CLASS attributes

#header

<div id="header"></div>

.title

<div class="title"></div>

form#search.wide

<form id="search" class="wide"></
form>

p.class1.class2.class3

Custom attributes

p[title="Hello world"]

td[rowspan=2 colspan=3 title]

Text: {}

a{Click me}

Click me

p>{Click }+a{here}+{ to continue}
 Click here to
 continue

Implicit tag names

.class

<div class="class"></div>

em>.class

</
em>

ul>.class

table>.row>.col

HTML

All unknown abbreviations will be transformed to tag, e.g. foo \rightarrow <foo></foo>.

a

a:link

a:mail

abbr

<abbr title=""></abbr>

acronym, acr

<acronym title=""></acronym>

base

<base href="" />

basefont

<basefont />

br

frame

<frame />

hr

<hr />

bdo

<bdo dir=""></bdo>

bdo:r

<bdo dir="rtl"></bdo>

bdo:1

<bdo dir="ltr"></bdo>

col

<col />

link

link rel="stylesheet" href="" />

link:css

<link rel="stylesheet"
href="style.css" />

link:print

<link rel="stylesheet"
href="print.css" media="print" />

link:favicon

<link rel="shortcut icon"
type="image/x-icon" href="favicon.
ico" />

link:touch

<link rel="apple-touch-icon"
href="favicon.png" />

link:rss

<link rel="alternate"
type="application/rss+xml"
title="RSS" href="rss.xml" />

link:atom

<link rel="alternate"
type="application/atom+xml"
title="Atom" href="atom.xml" />

link:import, link:im

<link rel="import"
href="component.html" />

meta

<meta />

meta:utf

<meta http-equiv="Content-Type"
content="text/html;charset=UTF-8"
/>

meta:win

<meta http-equiv="ContentType" content="text/
html;charset=windows-1251" />

meta:vp

<meta name="viewport"
content="width=device-width, userscalable=no, initial-scale=1.0,
maximum-scale=1.0, minimumscale=1.0" />

meta:compat

<meta http-equiv="X-UA-Compatible"
content="IE=7" />

style

<style></style>

script

<script></script>

script:src

<script src=""></script>

img

img:srcset, img:s

img:sizes, img:z

<img sizes="" srcset="" src=""
alt="" />

picture

<picture></picture>

source, src

<source />

source:src, src:sc

<source src="" type="" />

```
Form, Input, Button
source:srcset, src:s
   <source srcset="" />
                                          form
source:media, src:m
                                             <form action=""></form>
   <source media="(min-width: )"</pre>
                                          form:get
   srcset="" />
                                             <form action="" method="get">
source:type, src:t
   <source srcset="" type="image/" />
                                          form:post
source:sizes, src:z
                                             <form action="" method="post"></
   <source sizes="" srcset="" />
source:media:type, src:mt
                                          label
   <source media="(min-width: )"</pre>
                                             <label for=""></label>
   srcset="" type="image/" />
                                          input
source:media:sizes, src:mz
                                             <input type="text" />
   <source media="(min-width: )"</pre>
                                          inp
   sizes="" srcset="" />
                                             <input type="text" name="" id=""</pre>
source:sizes:type, src:zt
   <source sizes="" srcset=""</pre>
                                          input:hidden, input:h
   type="image/" />
                                             <input type="hidden" name="" />
iframe
                                          input:text, input:t
   <iframe src="" frameborder="0"></</pre>
                                             <input type="text" name="" id=""</pre>
   iframe>
                                             />
embed
                                          input:search
   <embed src="" type="" />
                                             <input type="search" name="" id=""</pre>
object
   <object data="" type=""></object>
                                          input:email
param
                                             <input type="email" name="" id=""</pre>
   <param name="" value="" />
                                             />
map
                                          input:url
   <map name=""></map>
                                             <input type="url" name="" id="" />
area
                                          input:password, input:p
   <area shape="" coords="" href=""</pre>
                                             <input type="password" name=""</pre>
   alt="" />
                                             id="" />
area:d
                                          input:datetime
   <area shape="default" href=""</pre>
                                             <input type="datetime" name=""</pre>
  alt="" />
                                             id="" />
area:c
                                          input:date
   <area shape="circle" coords=""</pre>
                                             <input type="date" name="" id=""</pre>
  href="" alt="" />
                                             />
area:r
                                          input:datetime-local
   <area shape="rect" coords=""</pre>
                                             <input type="datetime-local"</pre>
  href="" alt="" />
                                             name="" id="" />
area:p
                                          input:month
   <area shape="poly" coords=""</pre>
                                             <input type="month" name="" id=""</pre>
   href="" alt="" />
                                             />
                                          input:week
                                             <input type="week" name="" id=""</pre>
                                             />
                                          input:time
                                             <input type="time" name="" id=""</pre>
```

<u>5</u>	
<pre>input:tel <input id="" name="" type="tel"/></pre>	<pre>audio <audio src=""></audio></pre>
<pre>input:number <input id="" name="" type="number"/></pre>	<pre>html:xml <html xmlns="http://www. w3.org/1999/xhtml"></html></pre>
<pre>input:color <input id="" name="" type="color"/></pre>	keygen /> semmend
<pre>input:checkbox, input:c <input id="" name="" type="checkbox"/></pre>	<pre>command</pre>
<pre>input:radio, input:r <input <="" id="" name="" pre="" type="radio"/></pre>	<pre></pre>
<pre>input:range</pre>	<pre>button:disabled, button:d, btn:d <button disabled="disabled"><!-- button--></button></pre>
<pre>input:file, input:f <input id="" name="" type="file"/> input:cubmit input:c</pre>	<pre>fieldset:disabled, fieldset:d, fset:d <fieldset disabled="disabled"><!--/pre--></fieldset></pre>
<pre>input:submit, input:s <input type="submit" value=""/></pre>	fieldset>
<pre>input:image, input:i <input alt="" src="" type="image"/></pre>	<pre></pre>
<pre>input:button, input:b <input type="button" value=""/></pre>	<pre>figc <figcaption></figcaption></pre>
<pre>isindex <isindex/></pre>	<pre>pic <pre> <pre> <pre></pre></pre></pre></pre>
<pre>input:reset <input type="reset" value=""/> select</pre>	<pre>ifr <iframe frameborder="0" src=""><!--//r--></iframe></pre>
<pre><select id="" name=""></select></pre>	iframe>
<pre>select:disabled, select:d <select disabled="disabled" id="" name=""></select></pre>	<pre><embed src="" type=""/> obj <pre></pre></pre>
<pre>option, opt <option value=""></option></pre>	<pre><object data="" type=""></object> cap</pre>
<pre>textarea <textarea cols="30" id="" name="" rows="10"></textarea></pre>	<pre><caption></caption> colg</pre>
<pre>marquee <marquee behavior="" direction=""></marquee></pre>	<pre>fst, fset <fieldset></fieldset> btn</pre>
<pre>menu:context, menu:c <menu type="context"></menu></pre>	<pre><button></button> optg</pre>
<pre>menu:toolbar, menu:t <menu type="toolbar"></menu></pre>	<pre><optgroup></optgroup> tarea</pre>
video <pre> <pre> <pre> video <pre> <pre> <pre> <pre> <pre> </pre> </pre> <pre> <pre< td=""><td><textarea cols="30" id="" name="" rows="10"></textarea></td></pre<></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>	<textarea cols="30" id="" name="" rows="10"></textarea>

```
leg
                                     ri:type, ri:t
   <legend></legend>
                                         <picture>
                                           <source srcset="" type="image/"</pre>
sect
                                        />
   <section></section>
                                           <img src="" alt="" />
art
                                        </picture>
   <article></article>
hdr
                                     ol+
   <header></header>
                                        <\li>
ftr
                                        <footer></footer>
                                     ul+
adr
                                        ul>
   <address></address>
                                           dlg
                                         <dialog></dialog>
                                     dl+
str
                                        <dl>
   <strong></strong>
                                           <dt></dt>
prog
                                           <dd></dd>
   cprogress>
                                        </dl>
mn
                                     map+
   <main></main>
                                        <map name="">
                                           <area shape="" coords=""</pre>
tem
                                        href="" alt="" />
   <template></template>
                                        </map>
                                     table+
   <datagrid></datagrid>
                                        datal
                                           <datalist></datalist>
                                              kg
                                           <keygen />
                                        out
                                     colgroup+, colg+
   <output></output>
                                         <colgroup>
                                           <col />
det
                                        </colgroup>
   <details></details>
                                     tr+
cmd
                                        <command />
                                           ri:dpr, ri:d
                                        <img srcset="" src="" alt="" />
                                     select+
                                         <select name="" id="">
ri:viewport, ri:v
   <img sizes="" srcset="" src=""</pre>
                                           <option value=""></option>
  alt="" />
                                        </select>
ri:art, ri:a
                                     optgroup+, optg+
                                         <optgroup>
   <picture>
                                           <option value=""></option>
     <source media="(min-width: )"</pre>
  srcset="" />
                                        </optgroup>
```

pic+

<picture>

</picture>

<source srcset="" />

</picture>

CSS module uses fuzzy search to find unknown abbreviations, e.g. ov:h == ov-h == ovh == oh.

If abbreviation wasn't found, it is transformed into property name: foo-bar \rightarrow foo-bar: |:

You can prefix abbreviations with hyphen to produce vendor-prefixed properties: -foo

Visual Formatting

```
pos
```

position:relative;

pos:s

position:static;

pos:a

position:absolute;

pos:r

position:relative;

pos:f

position: fixed;

top:;

t:a

top:auto;

right::

right:auto;

bottom:;

bottom:auto;

left:;

l:a

left:auto;

index::

z:a

z-index:auto;

fl

float:left:

fl:n

float:none;

fl:1

float:left;

float:right;

cl

clear:both;

cl:n

clear:none;

cl:1

clear:left;

cl:r

clear:right; cl:b

clear:both;

d

display:block;

d:n display:none;

d:b

display:block;

d:f

display:flex;

d:if

display:inline-flex;

d:i

display:inline;

d:ib

display:inline-block;

d:li

display:list-item;

d:ri

display:run-in;

d:cp

display:compact;

d:tb

display:table;

d:itb

display:inline-table;

d:tbcp

display:table-caption;

d:tbcl

display:table-column;

d:tbclg

display:table-column-group;

d:tbhg

display:table-header-group;

```
d:tbfg
                                         ovx:a
   display:table-footer-group;
                                            overflow-x:auto;
d:thr
                                         ovy
   display:table-row;
                                            overflow-y:hidden;
d:tbrg
                                         ovy:v
   display:table-row-group;
                                            overflow-y:visible;
d:tbc
                                         ovv:h
   display:table-cell;
                                            overflow-y:hidden;
d:rb
                                         ovy:s
   display:ruby;
                                            overflow-y:scroll;
d:rbb
                                         ovy:a
   display:ruby-base;
                                            overflow-v:auto;
d:rbbg
                                         ovs
   display:ruby-base-group;
                                            overflow-style:scrollbar;
d:rbt
                                         ovs:a
                                            overflow-style:auto;
   display:ruby-text;
d:rbtg
                                         ovs:s
   display:ruby-text-group;
                                            overflow-style:scrollbar;
V
   visibility:hidden;
                                            overflow-style:panner;
v:v
                                         ovs:m
   visibility:visible;
                                            overflow-style:move;
v:h
                                         ovs:mg
   visibility:hidden;
                                            overflow-style:marquee;
v:c
                                         zoo, zm
   visibility:collapse;
                                            zoom:1;
ov
                                         Ср
   overflow:hidden;
                                            clip:;
ov:v
                                         cp:a
   overflow:visible;
                                            clip:auto;
ov:h
                                         cp:r
   overflow:hidden;
                                            clip:rect(top right bottom left);
ov:s
   overflow:scroll;
                                            resize:;
ov:a
                                         rsz:n
   overflow:auto;
                                            resize:none;
ovx
                                         rsz:b
   overflow-x:hidden;
                                            resize:both;
ovx:v
                                         rsz:h
   overflow-x:visible;
                                            resize:horizontal;
ovx:h
                                         rsz:v
   overflow-x:hidden;
                                            resize:vertical;
ovx:s
                                         cur
   overflow-x:scroll;
                                            cursor:${pointer};
```

```
cur:a
   cursor:auto;
                                            padding-left:;
cur:d
   cursor:default;
                                          Box Sizing
cur:c
                                        bxz
   cursor:crosshair;
                                            box-sizing:border-box;
cur:ha
                                        bxz:cb
   cursor:hand;
                                            box-sizing:content-box;
cur:he
                                        bxz:bb
   cursor:help;
                                            box-sizing:border-box;
cur:m
   cursor:move;
                                            box-shadow:inset hoff voff blur
cur:p
   cursor:pointer;
                                        bxsh:r
                                           box-shadow:inset hoff voff blur
cur:t
                                           spread rgb(0, 0, 0);
   cursor:text;
                                        bxsh:ra
 Margin & Padding
                                           box-shadow:inset h v blur spread
                                           (rgba(0, 0, 0, .5);)
   margin:;
                                        bxsh:n
                                            box-shadow:none;
m:a
   margin:auto;
                                            width:;
   margin-top:;
                                           width:auto;
mt:a
   margin-top:auto;
                                            height::
mr
   margin-right:;
                                        h:a
                                            height:auto;
mr:a
   margin-right:auto;
                                            max-width:;
mb
   margin-bottom:;
                                        maw:n
                                            max-width:none;
mb:a
   margin-bottom:auto;
                                           max-height::
ml
                                        mah:n
   margin-left:;
                                            max-height:none;
ml:a
   margin-left:auto;
                                            min-width:;
   padding:;
                                            min-height:;
   padding-top::
                                          Font
pr
   padding-right:;
                                            font:
pb
```

padding-bottom:;

```
ff:t
   font:1em Arial,sans-serif;
                                           font-family: "Times New Roman",
                                           Times, Baskerville, Georgia, serif;
   font-weight:;
                                           font-family: Verdana, Geneva,
                                           sans-serif;
   font-weight:normal;
                                        fef
fw:b
                                           font-effect:;
   font-weight:bold;
                                        fef:n
                                           font-effect:none:
   font-weight:bolder;
                                        fef:eg
fw:lr
                                           font-effect:engrave;
   font-weight:lighter;
                                        fef:eb
fs, fs:i
                                           font-effect:emboss;
   font-style:italic;
                                        fef:o
                                           font-effect:outline;
   font-style:normal;
fs:o
                                           font-emphasize:
   font-style:oblique;
                                        femp
                                          font-emphasize-position:;
   font-variant:;
                                        femp:b
fv:n
                                           font-emphasize-position:before;
   font-variant:normal;
                                           font-emphasize-position:after;
   font-variant:small-caps;
                                          font-emphasize-style:;
   font-size:;
                                        fems:n
                                           font-emphasize-style:none;
   font-size-adjust:;
                                        fems:ac
fza:n
                                           font-emphasize-style:accent;
   font-size-adjust:none;
                                           font-emphasize-style:dot;
   font-family:;
                                        fems:c
                                           font-emphasize-style:circle;
   font-family:serif;
                                        fems:ds
ff:ss
                                           font-emphasize-style:disc;
   font-family:sans-serif;
                                          font-smooth:;
   font-family:cursive;
ff:f
                                           font-smooth:auto;
   font-family:fantasy;
```

font-family:monospace;

font-family: Arial, "Helvetica
Neue", Helvetica, sans-serif;

font-smooth:never;

font-smooth:always;

fsm:aw

th:a

th:f

text-height:auto;

text-height:font-size;

ta, ta:l

ta:c

text-align:left;

text-align:center;

```
12
th:t
   text-height:text-size;
                                           text-wrap::
th:m
                                        tw:n
   text-height:max-size;
                                           text-wrap:normal;
   text-indent:;
                                           text-wrap:none;
ti:-
                                        tw:u
   text-indent:-9999px;
                                           text-wrap:unrestricted;
   text-justify:;
                                           text-wrap:suppress;
ti:a
                                        tsh
   text-justify:auto;
                                           text-shadow:hoff voff blur #000;
tj:iw
  text-justify:inter-word;
                                            text-shadow:h v blur rgb(0, 0, 0);
ti:ii
                                            text-shadow:h v blur rgba(0, 0, 0,
   text-justify:inter-ideograph;
tj:ic
                                        tsh+
   text-justify:inter-cluster;
                                           text-shadow:0 0 0 #000;
                                        tsh:n
   text-justify:distribute;
                                           text-shadow:none;
ti:k
  text-justify:kashida;
                                            .ine-height:
ti:t
                                        lts
   text-justify:tibetan;
                                            letter-spacing:;
to
                                        lts-n
   text-outline:;
                                           letter-spacing:normal;
to+
  text-outline:0 0 #000;
                                           white-space:;
to:n
                                        whs:n
   text-outline:none;
                                           white-space:normal;
                                        whs:p
  text-replace:;
                                           white-space:pre;
                                        whs:nw
   text-replace:none;
                                           white-space:nowrap;
tt
                                        whs:pw
   text-transform:uppercase;
                                           white-space:pre-wrap;
tt:n
                                        whs:pl
  text-transform:none;
                                           white-space:pre-line;
tt:c
                                        whsc
   text-transform:capitalize;
                                           white-space-collapse:;
tt:u
   text-transform:uppercase;
                                           white-space-collapse:normal;
tt:l
                                        whsc:k
   text-transform:lowercase;
                                           white-space-collapse:keep-all;
```

```
whsc:l
                                         Background
   white-space-collapse:loose;
                                        bg
whsc:bs
                                           background: #000;
   white-space-collapse:break-strict;
                                        bg+
whsc:ba
                                           background:#fff url() 0 0
   white-space-collapse:break-all;
                                          no-repeat;
wob
                                        bg:n
  word-break:;
                                           background:none;
wob:n
                                        bgc
   word-break:normal;
                                           background-color:#fff;
wob:k
                                        bgc:t
   word-break:keep-all;
                                           background-color:transparent;
wob:ba
                                       bgi
   word-break:break-all;
                                          background-image:url();
WOS
                                        bgi:n
   word-spacing:;
                                           background-image:none;
WOW
                                       bgr
   word-wrap:;
                                           background-repeat:;
wow:nm
   word-wrap:normal;
                                           background-repeat:no-repeat;
wow:n
                                        bgr:x
   word-wrap:none;
                                           background-repeat:repeat-x;
wow:u
                                        bgr:y
   word-wrap:unrestricted;
                                           background-repeat:repeat-y;
wow:s
                                        bgr:sp
   word-wrap:suppress;
                                           background-repeat:space;
wow:b
                                        bgr:rd
   word-wrap:break-word;
                                           background-repeat:round;
                                          background-attachment:;
                                        bga:f
                                           background-attachment:fixed;
                                           background-attachment:scroll;
                                        bgp
                                           background-position:0 0;
                                        bgbx
                                           background-position-x:;
                                        bgpv
                                           background-position-y:;
                                       bgbk
                                          background-break:;
                                        bgbk:bb
                                           background-break:bounding-box;
```

```
bgbk:eb
                                         Color
   background-break:each-box;
                                        C
bgbk:c
                                           color:#000;
   background-break:continuous;
                                        c:r
                                           color:rgb(0, 0, 0);
   background-clip:padding-box;
                                        c:ra
bgcp:bb
                                           color:rgba(0, 0, 0, .5);
   background-clip:border-box;
                                        op
bgcp:pb
                                           opacity:;
   background-clip:padding-box;
                                         Generated content
bgcp:cb
   background-clip:content-box;
                                        cnt
bgcp:nc
                                           content:'';
   background-clip:no-clip;
                                        cnt:n, ct:n
                                           content:normal;
  (background-origin:;
                                        cnt:oq, ct:oq
bgo:pb
                                           content:open-quote;
   background-origin:padding-box;
                                        cnt:noq, ct:noq
bgo:bb
                                           content:no-open-quote;
   background-origin:border-box;
                                        cnt:cq, ct:cq
bgo:cb
                                           content:close-quote;
   background-origin:content-box;
                                        cnt:ncq, ct:ncq
bgsz
                                           content:no-close-quote;
  (background-size:;
                                        cnt:a, ct:a
                                           content:attr();
bgsz:a
   background-size:auto;
                                        cnt:c, ct:c
bgsz:ct
                                           content:counter();
   background-size:contain;
                                        cnt:cs, ct:cs)
                                           content:counters();
bgsz:cv
   background-size:cover;
                                           content:
                                           quotes:;
                                           quotes:none;
                                        q:ru
                                           quotes: '\00AB' ,\00BB' ,\201E'
                                           ,\201C';
                                        q:en
                                           quotes:'\201C' ,\201D' ,\2018'
                                           ,\2019';
                                           counter-increment:;
                                        cor
                                           counter-reset:;
```

15 Outline **Tables** ol tbl table-layout:; outline:; tbl:a ol:n outline:none; table-layout:auto; olo table-layout:fixed; outline-offset: olw cps outline-width:; caption-side:; olw:tn cps:t caption-side:top; outline-width:thin; olw:m cps:b outline-width: medium; caption-side:bottom; olw:tc ec empty-cells:; outline-width:thick; ols ec:s outline-style:; empty-cells:show; ols:n ec:h outline-style:none; empty-cells:hide; ols:dt Border outline-style:dotted; bd ols:ds border:; outline-style:dashed; hd+ ols:s border:1px solid #000; outline-style:solid; bd:n ols:db border:none; outline-style:double; bdbk ols:g border-break:close; outline-style:groove; bdbk:c ols:r border-break:close; outline-style:ridge; bdcl ols:i border-collapse:; outline-style:inset; bdcl:c ols:o border-collapse:collapse; outline-style:outset; bdcl:s olc border-collapse:separate; outline-color:#000; bdc olc:i border-color:#000; outline-color:invert; bdc:t border-color:transparent; bdi border-image:url() bdi:n

border-image:none;

<pre>bdti (border-top-image:url();)</pre>	<pre>bdbli:c border-bottom-left-image:continue;</pre>
bdti:n	bdf
border-top-image:none;	border-fit:repeat;
bdri	bdf:c
<pre>border-right-image:url();</pre>	<pre>border-fit:clip;</pre>
bdri:n	bdf:r
<pre>border-right-image:none;</pre>	<pre>border-fit:repeat;</pre>
bdbi	bdf:sc
<pre>border-bottom-image:url();</pre>	border-fit:scale;
bdbi:n	bdf:st
border-bottom-image:none;	border-fit:stretch;
bdli)	bdf:ow
<pre>border-left-image:url();</pre>	border-fit:overwrite;
bdli:n	bdf:of
border-left-image:none;	border-fit:overflow;
bdci	bdf:sp
<pre>border-corner-image:url();</pre>	border-fit:space;
bdci:n	(bdlen)
border-corner-image:none;	<pre>(border-length:;)</pre>
bdci:c	bdlen:a
border-corner-image:continue;	border-length:auto;
bdtli)	(bdsp)
<pre>(border-top-left-image:url();</pre>	(border-spacing:;)
<pre>bdtli:n border-top-left-image:none;</pre>	<pre>bds border-style:;)</pre>
<pre>bdtli:c border-top-left-image:continue;</pre>	<pre>bds:n border-style:none;</pre>
<pre>bdtri) (border-top-right-image:url();)</pre>	<pre>bds:h border-style:hidden;</pre>
bdtri:n	bds:dt
border-top-right-image:none;	border-style:dotted;
bdtri:c	bds:ds
border-top-right-image:continue;	border-style:dashed;
bdbri	bds:s
<pre>(border-bottom-right-image:url();)</pre>	border-style:solid;
bdbri:n	bds:db
border-bottom-right-image:none;	border-style:double;
bdbri:c	bds:dtds
border-bottom-right-image:continue;	border-style:dot-dash;
bdbli	bds:dtdtds
<pre>border-bottom-left-image:url();</pre>	border-style:dot-dot-dash;
bdbli:n	bds:w
<pre>border-bottom-left-image:none;</pre>	border-style:wave;

```
bdb+
bds:g
   border-style:groove;
                                          border-bottom:1px solid #000;
bds:r
                                       bdb:n
   border-style:ridge;
                                          border-bottom:none;
bds:i
                                       bdbw
   border-style:inset;
                                          border-bottom-width:;
bds:o
                                       bdbs
   border-style:outset;
                                          border-bottom-style:;
bdw
                                       bdbs:n
  border-width:
                                          border-bottom-style:none;
bdt, bt
                                       bdbc
  border-top:;
                                          border-bottom-color:#000;
hdt+
                                       bdbc:t
   border-top:1px solid #000;
                                          border-bottom-color:transparent;
bdt:n
                                       bdl, bl
   border-top:none;
                                          border-left:;
                                       bdl+
bdtw
                                          border-left:1px solid #000;
  border-top-width:;
bdts
                                       bdl:n
  border-top-style:;
                                          border-left:none;
bdts:n
                                       bdlw
   border-top-style:none;
                                          border-left-width:;
bdtc
                                       bdls
   border-top-color:#000;
                                          border-left-style:;
bdtc:t
                                       bdls:n
   border-top-color:transparent;
                                          border-left-style:none;
bdr, br
                                       bdlc
  border-right:;
                                          border-left-color:#000;
bdr+
                                       bdlc:t
   border-right:1px solid #000;
                                          border-left-color:transparent;
bdr:n
                                       bdrs
   border-right:none;
                                          border-radius:;
                                       bdtrrs
bdrw
  border-right-width:;
                                          border-top-right-radius:;
  border-right-style:;
                                          border-top-left-radius:;
bdrst:n
   border-right-style:none;
                                          border-bottom-right-radius:;
bdrc
   border-right-color:#000;
                                          border-bottom-left-radius:;
bdrc:t
   border-right-color:transparent;
bdb, bb
```

border-bottom:;

```
pgbb:r
 Lists
                                           page-break-before:right;
lis
                                        pgbi
   list-style:;
                                           page-break-inside:;)
lis:n
                                        pgbi:au
   list-style:none;
                                           page-break-inside:auto;
                                        pgbi:av
   list-style-position:;
                                           page-break-inside:avoid;
lisp:i
                                        pgba
   list-style-position:inside;
                                           page-break-after:;
lisp:o
   list-style-position:outside;
                                        pgba:au
                                           page-break-after:auto;
list
                                        pgba:al
  (list-style-type:;)
                                           page-break-after:always;
list:n
                                        pgba:l
   list-style-type:none;
                                           page-break-after:left;
list:d
                                        pgba:r
   list-style-type:disc;
                                           page-break-after:right;
list:c
   list-style-type:circle;
                                           orphans:;
   list-style-type:square;
                                            widows:;
list:dc
   list-style-type:decimal;
                                         Others
list:dclz
                                        !
   list-style-type:decimal-leading-
                                           !important
  zero;
list:lr
                                           @font-face {
   list-style-type:lower-roman;
                                              font-family:;
                                              src:url(|);
   list-style-type:upper-roman;
                                        af+
lisi
   list-style-image:;
                                           @font-face {
                                              font-family: ,FontName';
lisi:n
                                              src: url(,FileName.eot');)
   list-style-image:none;
                                              src: url(,FileName.eot?#iefix')
                                           format(,embedded-opentype'),
 Print
                                                  url(,FileName.woff
                                           format(,woff'),
                                                  url(,FileName.ttf')
   page-break-before:;
                                            format(,truetype'),
pgbb:au
                                                  url(,FileName.)
   page-break-before:auto;
                                           svg#FontName() format(,svg();)
                                              font-style: normal;
pgbb:al
                                              font-weight: normal;
   page-break-before:always;
pgbb:l
   page-break-before:left;
```

```
@import
                                         Animation
                                        anim
                                           animation::
   @-webkit-keyframes identifier {
                                           animation: name duration timing
                                           function delay iteration-count
                                           direction fill-mode;
   a-o-keyframes identifier
                                        animdel
                                           animation-delay:time;
                                        animdir
   a-moz-keyframes identifier
                                           animation-direction:normal;
                                        animdir:a
                                           animation-direction:alternate;
   @keyframes identifier
                                        animdir:ar
                                           animation-direction:alternate-
                                           reverse:
                                        animdir:n
   @media
                                           animation-direction:normal;
   @media screen {
                                        animdir:r
                                           animation-direction:reverse;
   align-content:
                                        animdur
ac:c
                                           animation-duration:0s;
   align-content:center;
                                        animfm
ac:fe
                                           animation-fill-mode:both;
   align-content: flex-end;
                                        animfm:b
ac:fs
                                           animation-fill-mode:backwards;
   align-content:flex-start;
                                        animfm:bt, animfm:bh
ac:s
                                           animation-fill-mode:both;
   align-content:stretch;
                                        animfm:f
                                           animation-fill-mode:forwards;
   align-content:space-around;
                                        animic
ac:sb
                                           animation-iteration-count:1;
   align-content:space-between;
                                        animic:i
                                           animation-iteration-count:infinite;
   align-items:
                                        animn
ai:b
                                           animation-name:none;
   align-items:baseline;
                                        animps
ai:c
                                           animation-play-state:running;
   align-items:center;
                                        animps:p
ai:fe
                                           animation-play-state:paused;
   align-items:flex-end;
                                        animps:r
ai:fs
                                           animation-play-state:running;
   align-items:flex-start;
                                        animtf
                                           animation-timing-function:linear;
   align-items:stretch;
```

```
animtf:cb
                                        colmf
   animation-timing-function:cubic-
                                            column-fill:;
  bezier(0.1, 0.7, 1.0, 0.1);
animtf:e
                                            column-gap:;
   animation-timing-function:ease;
                                        colmr
animtf:ei
                                            column-rule:;
   animation-timing-function:ease-in;
animtf:eio
                                            column-rule-color:;
   animation-timing-function:ease-in-
  out;
                                         colmrs
                                            column-rule-style:;
animtf:eo
  animation-timing-function:ease-out;
                                        colmrw
                                            column-rule-width:;
animtf:l
   animation-timing-function:linear;
                                            column-span:;
ap
   appearance: ${none};
                                        colmw
                                           column-width:;
   align-self:
                                        d:ib+
                                           display: inline-block;
as:a
                                            *display: inline;
   align-self:auto;
                                            *zoom: 1;
as:b
   align-self:baseline;
                                         Flex
   align-self:center;
as:fe
   align-self:flex-end;
                                            flex-basis:;
as:fs
                                         fxd
   align-self:flex-start;
                                           flex-direction::
as:s
                                        fxd:c
   align-self:stretch;
                                           flex-direction:column;
                                        fxd:cr
  backface-visibility:
                                           flex-direction:column-reverse;
bfv:h
                                        fxd:r
   backface-visibility:hidden;
                                           flex-direction:row;
bfv:v
                                        fxd:rr
   backface-visibility:visible;
                                            flex-direction:row-reverse;
  filter:progid:DXImageTransform.
                                            flex-flow:;
  Microsoft.AlphaImageLoader(src='x.
  png',sizingMethod='crop');
                                            lex-grow:;
    * ${child} *.
                                            lex-shrink:;
   columns:;
                                            flex-wrap:
   column-count:;
```

```
fxw:n
                                         Transform, Transition
   flex-wrap:nowrap;
fxw:w
                                           transform:;
   flex-wrap:wrap;
fxw:wr
                                           transform: rotate(angle);)
   flex-wrap:wrap-reverse;
ic
                                           transform: rotateX(angle);
   justify-content:;
jc:c
                                           transform: rotateY(angle);
   justify-content:center;
ic:fe
                                            ransform: rotateZ(angle);
   justify-content:flex-end;
ic:fs
                                            ransform: scale(x, y);
   justify-content: flex-start;
                                        trf:sc3
                                           transform: scale3d(x, y, z);
   justify-content:space-around;
                                        trf:scx
ic:sb
                                           transform: scaleX(x);
   justify-content:space-between;
                                        trf:scv
                                           transform: scaleY(y);
   max-resolution:res;
                                        trf:scz
mir
                                           transform: scaleZ(z);
   min-resolution:res;
                                        trf:skx
op+
                                           transform: skewX(angle);
   opacity: ;
                                        trf:sky
   filter: alpha(opacity=);
                                           transform: skewY(angle);
op:ie
   filter:progid:DXImageTransform.
                                           transform: translate(x, y);
  Microsoft.Alpha(Opacity=100);
                                        trf:t3
op:ms
                                           transform: translate3d(tx, ty,
   -ms-filter:'progid:DXImageTransform.
   Microsoft.Alpha(Opacity=100)';
                                        trf:tx
ord
                                           transform: translateX(x);
  order:;
                                            transform: translateY(y);
  orientation:;
ori:l
                                           transform: translateZ(z);
   orientation:landscape:
ori:p
                                           (transform-origin:;)
   orientation:portrait;
tov
                                           transform-style:preserve-3d;
   text-overflow:${ellipsis};
                                        trs
tov:c
                                           transition:prop time;
   text-overflow:clip;
                                        trsde
tov:e
                                           transition-delay:time;
   text-overflow:ellipsis:
```

```
trsdu
   transition-duration:time:
                                         tmatch, tm
                                            <xsl:template match="" mode="">
   transition-property:prop;
                                            xsl:template>
                                         tname, tn
   transition-timing-function:tfunc
                                            <xsl:template name="">
                                            xsl:template>
                                         call
   user-select:${none};
                                            <xsl:call-template name="" />
wfsm
                                         ap
   -webkit-font-
                                            <xsl:apply-templates select=""</pre>
  smoothing:${antialiased};
                                            mode="" />
wfsm:a
                                         api
   -webkit-font-smoothing:antialiased;
                                            <xsl:apply-imports />
                                         dmi
   -webkit-font-smoothing:none;
                                            <xsl:import href="" />
wfsm:s, wfsm:sa
                                         inc
   -webkit-font-smoothing:subpixel-
                                            <xsl:include href="" />
   antialiased;
                                         ch
wm
                                            <xsl:choose></xsl:choose>
   writing-mode:lr-tb;
                                         xsl:when, wh
                                            <xsl:when test=""></xsl:when>
wm:btl
   writing-mode:bt-lr;
                                         ot
                                            <xsl:otherwise></xsl:otherwise>
wm:btr
   writing-mode:bt-rl;
                                         if
                                            <xsl:if test=""></xsl:if>
wm:lrb
                                         par
   writing-mode:lr-bt;
                                            <xsl:param name=""></xsl:param>
wm:lrt
                                         pare
   writing-mode:lr-tb;
                                            <xsl:param name="" select="" />
wm:rlb
                                         var
   writing-mode:rl-bt;
                                            <xsl:variable name="">
                                            xsl:variable>
wm:rlt
   writing-mode:rl-tb;
                                            <xsl:variable name="" select="" />
wm:tbl
   writing-mode:tb-lr;
                                            <xsl:with-param name="" select="" />
wm:tbr
   writing-mode:tb-rl;
                                         key
                                            <xsl:key name="" match="" use="" />
                                         elem
                                            <xsl:element name=""></xsl:element>
                                         attr
                                            <xsl:attribute name="">
                                            xsl:attribute>
                                            <xsl:attribute-set name=""></</pre>
                                            xsl:attribute-set>
                                         CD
```

<xsl:copy select="" />

```
HTML DOCTYPES
CO
   <xsl:copy-of select="" />
                                          !. html:5
                                             <!DOCTYPE html>
val
                                             <html lang="en">
   <xsl:value-of select="" />
                                             <head>
each, for
                                                 <meta charset="UTF-8" />
   <xsl:for-each select="">
                                                 <title>Document</title>
   xsl:for-each>
                                             </head>
tex
                                             <body>
   <xsl:text></xsl:text>
com
                                             </body>
   <xsl:comment></xsl:comment>
                                             </html>
msg
                                          doc
   <xsl:message terminate="no">
                                             <html>
   xsl:message>
                                             <head>
fall
                                                 <meta charset="UTF-8" />
   <xsl:fallback></xsl:fallback>
                                                 <title>Document</title>
num
                                             </head>
   <xsl:number value="" />
                                             <body>
nam
   <namespace-alias stylesheet-prefix=""
                                             </body>
   result-prefix="" />
                                             </html>
pres
                                          doc4
   <xsl:preserve-space elements="" />
                                             <html>
strip
                                             <head>
   <xsl:strip-space elements="" />
                                                 <meta http-equiv="Content-Type"</pre>
proc
                                             content="text/html;charset=UTF-8"
   <xsl:processing-</pre>
   instruction name=""></
                                                <title>Document</title>
   xsl:processing-instruction>
                                             </head>
                                             <body>
   <xsl:sort select="" order="" />
                                             </body>
choose+
                                             </html>
   <xsl:choose>
      <xsl:when test=""></xsl:when>
                                          html:4t
      <xsl:otherwise></xsl:otherwise>
                                             <!DOCTYPE HTML PUBLIC "-//W3C//
   </xsl:choose>
                                             DTD HTML 4.01 Transitional//EN"
xsl
                                             "http://www.w3.org/TR/html4/loose.
   |}
                                             dtd">
   <?xml version="1.0"
                                             <html lang="en">
   encoding="UTF-8"?>
                                             <head>
   <xsl:stylesheet version="1.0"</pre>
                                                 <meta http-equiv="Content-Type"</pre>
   xmlns:xsl="http://www.w3.org/1999/
                                             content="text/html;charset=UTF-8"
   XSL/Transform"></xsl:stylesheet>
111
                                                 <title>Document</title>
   <?xml version="1.0"
                                             </head>
   encoding="UTF-8"?>
                                             <body>
                                             </body>
                                             </html>
```

html:4s

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD
HTML 4.01//EN" "http://www.w3.org/
TR/html4/strict.dtd">
<html lang="en">
<head>
   <meta http-equiv="Content-Type"</pre>
content="text/html;charset=UTF-8"
   <title>Document</title>
</head>
<body>
</body>
</html>
```

html:xt

```
<!DOCTYPE html PUBLIC "-//W3C//
DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">
<html xmlns="http://www.
w3.org/1999/xhtml" xml:lang="en">
<head>
   <meta http-equiv="Content-Type"</pre>
content="text/html;charset=UTF-8"
/>
   <title>Document</title>
</head>
<body>
</body>
</html>
```

html:xs

</html>

```
<!DOCTYPE html PUBLIC "-//W3C//DTD
XHTML 1.0 Strict//EN" "http://www.
w3.org/TR/xhtml1/DTD/xhtml1-strict.
dtd">
<html xmlns="http://www.
w3.org/1999/xhtml" xml:lang="en">
<head>
   <meta http-equiv="Content-Type"
content="text/html;charset=UTF-8"
/>
   <title>Document</title>
</head>
<body>
</body>
```

html:xxs

```
<!DOCTYPE html PUBLIC "-//W3C//DTD
  XHTML 1.1//EN" "http://www.w3.org/
  TR/xhtml11/DTD/xhtml11.dtd">
   <html xmlns="http://www.
  w3.org/1999/xhtml" xml:lang="en">
   <head>
      <meta http-equiv="Content-Type"</pre>
  content="text/html;charset=UTF-8"
      <title>Document</title>
   </head>
   <body>
   </body>
   </html>
!!!
```

<!DOCTYPE html>

!!!4t

<!DOCTYPE HTML PUBLIC "-//W3C// DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose. dtd">

!!!4s

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/ TR/html4/strict.dtd">

!!!xt

<!DOCTYPE html PUBLIC "-//W3C//</pre> DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/ xhtml1-transitional.dtd">

!!!xs

<!DOCTYPE html PUBLIC "-//W3C//DTD</pre> XHTML 1.0 Strict//EN" "http://www. w3.org/TR/xhtml1/DTD/xhtml1-strict. dtd">

!!!xxs

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN" "http://www.w3.org/ TR/xhtml11/DTD/xhtml11.dtd">