Web basics: HTML, CSS and JavaScript

50 multiple-choice questions with answers

Name: _____ **Class:** _____ **Score:** _____ / 50

Choose **one** answer (A, B, C or D) for every question and circle it. The answer key and short explanations are on the last pages. Mix of questions: 30 easy, 15 medium and 5 challenging, shown as (E), (M) and (C) in the key.

Part 1: HTML

1. What does HTML stand for?

- **A** HyperText Markup Language
- **B** High Tech Modern Language
- **C** Hyper Transfer Markup Logic
- **D** Home Tool Markup Language

2. Which tag creates the largest heading?

- **A** <h6>
- **B** <head>
- **C** <title>
- **D** <h1>

3. Which tag creates a paragraph?

- **A** <para>
- **B** <pg>
- **C** <p>
- **D** <text>

4. Which tag creates a hyperlink?

- **A** <link>
- **B** <a>
- **C** <href>
- **D** <url>

5. Which attribute of the <a> tag holds the web address?

- **A** src
- **B** href
- **C** link
- **D** url

6. Which tag inserts a picture into a page?

- **A** <img>
- **B** <picture-file>
- **C** <image-src>
- **D** <pic>

7. Which tag makes a line break?

- **A** <break>
- **B** <lb>
- **C** <newline>
- **D**

8. Which tag creates a bulleted (unordered) list?

- **A**
- **B**
- **C**
- **D** <list>

9. Which tag defines one item inside a list?

- **A** <item>
- **B**
- **C**
- **D** <td>

10. Which element sets the text shown on the browser tab?

- **A** <h1>
- **B** <title>
- **C** <header>
- **D** <meta>

11. Which attribute gives alternative text for an image?

- **A** alt
- **B** title-text
- **C** name
- **D** caption

12. Which element holds all the visible content of a page?

- **A** <head>
- **B** <html>
- **C** <footer>
- **D** <body>

13. Which tag creates a numbered list?

- **A**
- **B** <nl>
- **C** <dl>
- **D**

14. Which attribute opens a link in a new tab?

- **A** new="tab"
- **B** open="new"
- **C** target="_blank"
- **D** href="_new"

15. Which tag defines a table row?

- **A** <td>
- **B** <tr>
- **C** <th>
- **D** <row>

16. Which element is the semantic choice for a block of main navigation links?

- **A** <nav>
- **B** <menu-list>
- **C**
- **D** <section-links>

17. What is the purpose of <!DOCTYPE html> at the top of a page?

- **A** It tells the browser the page uses HTML5
- **B** It adds a title to the page
- **C** It links the CSS file
- **D** It creates the body

Part 2: CSS

18. What does CSS stand for?

- **A** Computer Style Systems
- **B** Creative Style Syntax
- **C** Colourful Style Sheets
- **D** Cascading Style Sheets

19. Which property changes the colour of text?

- **A** text-color
- **B** font-color
- **C** color
- **D** fgcolor

20. Which property changes the background colour?

- **A** bgcolor
- **B** background-color
- **C** color-back
- **D** back-color

21. Which property changes the size of text?

- **A** text-size
- **B** font-size
- **C** size
- **D** font-height

22. How do you select all elements with class "box"?

- **A** .box
- **B** #box
- **C** box
- **D** *box

23. How do you select the element with id "title"?

- **A** .title
- **B** title
- **C** &title
- **D** #title

24. Which property makes text bold?

- **A** font-style
- **B** text-bold
- **C** font-weight
- **D** bold

25. Which declaration centres text?

- **A** align: middle;
- **B** text-center: yes;
- **C** text-align: center;
- **D** font-align: center;

26. Where is inline CSS written?

- **A** In the title tag
- **B** In the style attribute of a tag
- **C** Only in a .js file
- **D** After the closing body tag

27. Which symbol ends a CSS declaration?

- **A** ;
- **B** .
- **C** :
- **D** /

28. From the inside out, what is the correct order of the box model?

- **A** Content, margin, border, padding
- **B** Padding, content, margin, border
- **C** Border, content, padding, margin
- **D** Content, padding, border, margin

29. Which property adds space inside an element, between content and border?

- **A** margin
- **B** spacing
- **C** gap-inside
- **D** padding

30. Which property gives an element rounded corners?

- **A** corner-round
- **B** border-curve
- **C** border-radius
- **D** round-edge

31. What does display: flex do to a container?

- **A** Hides the container
- **B** Lays its children out as flexible items in a row
- **C** Makes the text flash
- **D** Removes all padding

32. Which is a valid CSS comment?

- **A** /* comment */
- **B** // comment
- **C** <!-- comment -->
- **D** # comment

33. Two rules style the same paragraph: p {color:red} and #intro {color:blue}. The paragraph has id="intro". What colour is the text?

- **A** Blue
- **B** Red
- **C** Purple
- **D** Black

34. What does margin: 10px 20px; mean?

- **A** 10px left and right, 20px top and bottom
- **B** 10px top, 20px bottom only
- **C** 10px on all sides, then 20px extra
- **D** 10px top and bottom, 20px left and right

Part 3: JavaScript

35. Which keyword declares a variable whose value can change?

- **A** fixed
- **B** set
- **C** let
- **D** static

36. Which function shows a message in a pop-up box?

- **A** popup()
- **B** alert()
- **C** message()
- **D** show()

37. How do you write a single-line comment in JavaScript?

- **A** # comment
- **B** // comment
- **C** <!-- comment -->
- **D** / comment

38. Which operator checks that two values are equal AND of the same type?

- **A** ===
- **B** =
- **C** ==
- **D** =>

39. What data type is "Hello"?

- **A** Number
- **B** Boolean
- **C** Array
- **D** String

40. Which symbol assigns a value to a variable?

- **A** ==
- **B** ===
- **C** =
- **D** =>

41. Which statement prints a message to the browser console?

- **A** print("Hi")
- **B** echo "Hi"
- **C** console.log("Hi")
- **D** write.console("Hi")

42. Which keyword starts the definition of a function?

- **A** define
- **B** function
- **C** func:
- **D** method

43. Which is a correct array?

- **A** [1, 2, 3]
- **B** (1, 2, 3)
- **C** {1; 2; 3}
- **D** <1, 2, 3>

44. What does a for loop do?

- **A** Stores a value
- **B** Stops the page
- **C** Draws a border
- **D** Repeats a block of code

45. What is the result of "5" + 3 ?

- **A** 8
- **B** "8"
- **C** Error
- **D** "53"

46. Which method finds an element by its id?

- **A** document.findId()
- **B** page.getId()
- **C** document.getElementById()
- **D** window.element()

47. Which array method adds an item to the end?

- **A** add()
- **B** push()
- **C** append()
- **D** insertEnd()

48. When does the code in if (x > 10) { ... } run?

- **A** Only when x is greater than 10
- **B** Always
- **C** Only when x equals 10
- **D** Only when x is less than 10

49. What is the value of 2 + 3 * 4 ?

- **A** 14
- **B** 20
- **C** 24
- **D** 12

50. What does this code print? let n = 0; for (let i = 1; i <= 4; i++) { n += i; } console.log(n);

- **A** 4
- **B** 24
- **C** 16
- **D** 10

Answer key

Teacher and student copy. (E) easy, (M) medium, (C) challenging.

No.	Answer	Level	Why
1	**A** HyperText Markup Language	E	HTML is the markup language used to structure web pages.
2	**D** <h1>	E	<h1> is the top-level (largest) heading.
3	**C**	E	Paragraphs use ... .
4	**B** <a>	E	The anchor tag <a> makes links.
5	**B** href	E	<a href="..."> sets the destination.
6	**A** <img>	E	<img src="..." alt="..."> shows an image.
7	**D** 	E	 ends the line without starting a paragraph.
8	**C**	E	holds bullets; is numbered.
9	**C**	E	Each list item is .
10	**B** <title>	E	<title> inside <head> is shown on the tab.
11	**A** alt	M	alt is read by screen readers and shown if the image fails.
12	**D** <body>	M	Visible content goes inside <body>.
13	**D**	M	is an ordered list.
14	**C** target="_blank"	M	target="_blank" opens the link in a new tab.
15	**B** <tr>	M	<tr> is a row; <td> is a cell in it.
16	**A** <nav>	C	<nav> tells browsers and screen readers it holds navigation.
17	**A** It tells the browser the page uses HTML5	C	It sets the document type so the browser uses standards mode.
18	**D** Cascading Style Sheets	E	CSS controls how HTML looks.
19	**C** color	E	color sets the text colour.
20	**B** background-color	E	background-color sets the background.
21	**B** font-size	E	font-size sets text size.
22	**A** .box	E	A dot selects a class.
23	**D** #title	E	A hash selects an id.
24	**C** font-weight	E	font-weight: bold;
25	**C** text-align: center;	E	text-align controls horizontal alignment.
26	**B** In the style attribute of a tag	E	e.g. .
27	**A** ;	E	Each declaration ends with a semicolon.
28	**D** Content, padding, border, margin	M	Content is inside padding, then border, then margin.
29	**D** padding	M	Padding is inside the border; margin is outside.
30	**C** border-radius	M	border-radius: 10px;
31	**B** Lays its children out as flexible items in a row	M	Flexbox arranges children in a row by default.
32	**A** /* comment */	M	CSS comments use /* ... */.
33	**A** Blue	C	An id selector is more specific than an element selector.

No.	Answer	Level	Why
34	**D** 10px top and bottom, 20px left and right	C	Two values: vertical then horizontal.
35	**C** let	E	let (or var) allows reassignment; const does not.
36	**B** alert()	E	alert("Hello") shows a pop-up.
37	**B** // comment	E	// starts a one-line comment.
38	**A** ===	E	=== is strict equality.
39	**D** String	E	Text in quotes is a string.
40	**C** =	E	x = 5 stores 5 in x.
41	**C** console.log("Hi")	E	console.log() writes to the console.
42	**B** function	E	function greet() { ... }
43	**A** [1, 2, 3]	E	Arrays use square brackets.
44	**D** Repeats a block of code	E	Loops repeat code a number of times.
45	**D** "53"	M	With a string, + joins text, so 5 and 3 become "53".
46	**C** document.getElementById()	M	Used to read or change an HTML element.
47	**B** push()	M	fruits.push("kiwi")
48	**A** Only when x is greater than 10	M	The block runs when the condition is true.
49	**A** 14	M	Multiplication happens first: 3 * 4 = 12, then + 2.
50	**D** 10	C	1 + 2 + 3 + 4 = 10.