1. The probability of a leap year selected at random contain 53					
Sunday is:					
		(c) $2/7$			
2. A bag contains	s 3 red and 2 b	lue marbles. A r	narble is drawn at		
random. The prol	•	•			
(a) 3/5	(b) 2/5	(c) $0/5$	(d) 1/5		
3. The probabilit	-		.85. What is the		
probability that it					
• •	` '		(d) none of these		
•	•		ed from the numbers		
(1, 2, 3,,15	-				
		(c) 2/15			
5. What are the					
• •		(c) 8	• •		
-	•	number selecte	d at random from the		
numbers (1,2,3, .		4 >	4.3		
• •		, ,	(d) none of these		
7. The sum of th	•				
• •		0 (d) none			
	-	are given; choos	e the correct answer		
for that which is					
* *	, ,		(d) none of these.		
		ultaneously, tha	n the probability of		
getting at least tw			(1) 1 (0)		
		(c) ½			
10. A letter is ch					
ASSASSINATIO	JN. The prob	pability that the	letter chosen has: (d) none of these.		
(a) 6/13	(b) //13	(c) 1	(d) none of these.		
	. =	bb.ete	•		
			ing an even number.		
(A) 2/3	(B) I	(C) 5/6	D) 1/2		
12. Two coins are thrown at the same time. Find the probability of getting both heads.					
(A) 3/4 (B) 1/4		(D) 0			
13. Two dice are thrown simultaneously. The probability of getting a					

sum of 9 is:

(A) 1/10	(B) 3/10	(C) 1/9	(D) 4	/9			
14. 100 cards are numbered from 1 to 100. Find the probability of getting a prime number.							
(A) 3/4	(B) 27/50	(C) 1/4	(D)	29/100			
of drawing a blue balls in	a blue ball is do n a bag is:	uble that of a	red ball, the	If the probability en the number of			
(A) 5	(B) 10 (	C) 15	(D) 20				
16. A box of 600 bulbs contains 12 defective bulbs. One bulb is taken out at random from this box. Then the probability that it is non-defective bulb is:							
(A) 143/150	(B) 147/	(C)	1/25	(D) 1/50			
17. Cards marked with numbers 2 to 101 are placed in a box and mixed thoroughly. One card is drawn from this box randomly, then the probability that the number on card is a perfect square.  (A) 9/100 (B) 1/10 (C) 3/10 (D) 19/100							
<b>18.</b> What is the probability of getting <b>53</b> Mondays in a leap year? (A) 1/7 (B) 53/366 (C) 2/7 (D) 7/366							
19. A card is drawn from a well shuffled deck of 52 cards. Find the probability of getting a king of red suit. (A) $1/26$ (B) $3/26$ (C) $7/52$ (D) $1/13$							
20. A game of chance consists of spinning an arrow which is equally likely to come to rest pointing to one of the number 1,2,312 ,then the probability that it will point to an odd number is:  (A) 1/6 (B) 1/12 (C) 7/12 (D) 5/12							
21. A game consists of tossing a one rupee coin 3 times and noting its outcome each time. Aryan wins if all the tosses give the same result i.e. three heads or three tails and loses otherwise. Then the probability that Aryan will lose the game.  (A) 3/4 (B) 1/2 (C) 1 (D) 1/4							

22. Riya and Kajal are friends. Probability that both will have the same birthday is the same birthday is:						
(A) 364/365	(B) 31/365	(C) 1/365	(D) 1/133225			
2. Then the	per <i>x</i> is chosen at r probability that x <sup>2</sup> B) 2/5 (C) 3/5	< 2 is?	umbers -2, -1, 0 , 1,			
24. A jar contains 24 marbles. Some are red and others are white. If a marble is drawn at random from the jar, the probability that it is red is 2/3, then the number of white marbles in the jar is:  (A) $10$ (B) $6$ (C) 8 (D) $7$						
Then the pro		a multiple of 3 and	0 natural numbers. l 4 is:			
26. Consider a dice with the property that that probability of a face with n dots showing up is proportional to n. The probability of face showing 4 dots is?						
a) $\frac{1}{7}$	b) $\frac{5}{42}$	c) $\frac{1}{21}$	d) 4/21			
27. Runs scored by batsman in 5 one day matches are 50, 70, 82, 93, and 20. The standard deviation is						
		c) 25.29	d) 25.69			
28. Find median and mode of the messages received on 9 consecutive days 15, 11, 9, 5, 18, 4, 18, 13, 17.						
a) 13, 15	b) 13, 18	c) 18, 15	d) 13, 16			
29. A coin is tossed up 4 times. The probability that tails turn up in 3 cases is						
	riate between 0 a	c) $\frac{1}{4}$ nd 3. The value of c) 27				
31.The rand						

respectively. Let Z= 5X-2Y. The variance of Z is?

probability?	•		n one is not poss	sible in
a) $P(x) = 1$ c) $P(x) = 0.5$	b) ∑ x d) P(	P(x) = 3 x) = -0.5		
33.If E(x) =	<b>2 and E(z) = 4</b> b) 6	<b>4, then E(z -</b> c) 0	•	sufficient data
34.The cov	ariance of two	independer	nt random varial	ole is
a) 1	b) 0	c) - 1	d) Uı	ndefined
<b>35.If Σ P(x)</b> a) 0	b) 1	, the value o c) 3		sufficient data
• •	<b>0.5 and x = 4,</b> b) 0.5	* *	? d) 2	
37.In a disc is always?	rete probabili	ty distributio	on, the sum of a	l probabilities
a) 0	b) Infinite	c) 1	d) Un	defined
38.If the pr variance.	obability of hi	tting the tar	get is 0.4, find n	nean and
	b) 0.6,	0.24	c) 0.4, 0.16	d) 0.6, 0.16
-	-	mbs are dro	pped from a place opped, find mear 0.4, 0.16	
a) 2	e mean of toss b) 4 the mean and	c) 8	d) 1 or standard norn	nal distribution?

c) 5

d) 7

a) 3

b) 4

				•		d variance and varianc		
		e of a rand b) E(X			•		. d) (E(X))2	
43.l a) E	<b>43.Mean of a random variable X is given by a)</b> E(X)							
44.N a) 0	44.Mean of a constant 'a' is a) 0							
<b>45.V</b> a) 0	<b>45.Variance of a constant 'a' is</b> . a) 0							
46.Find the mean and variance of X?								
,   	Х	0	1	2	3	4		
	f(x)	1/9	2/9	3/9	2/9	1/9		
a) 2,	, 4/3	b) 3	3, 4/3		c) 2, 2/3	<b>10</b>	d) 3, 2/3	

47. Find the expectation of a random variable X?

	Х	0	1	2	3		
	f(x)	1/6	2/6	2/6	1/6		
a) (	).5		b) 1.5		c)	2.5	d) 3.5

48. In a Binomial Distribution, if p, q and n are probability of success, failure and number of trials respectively then variance is given by

\_\_\_\_\_

c) np2q

- d) npq2
- 49. If 'X' is a random variable, taking values 'x', probability of success and failure being 'p' and 'q' respectively and 'n' trials being conducted, then what is the probability that 'X' takes values 'x'? Use **Binomial Distribution.**
- a) P(X = x) = nCx px qx
- b) P(X = x) = nCx px q(n-x)
- c) P(X = x) = xCn qx p(n-x)
- d) P(x = x) = xCn pn qx
- 50. If 'p', 'q' and 'n' are probability pf success, failure and number of trials respectively in a Binomial Distribution, what is its Standard **Deviation?**

- a)  $\sqrt{np}$  b)  $\sqrt{pq}$  c) (np)2