Nessus Report

Nessus Scan Report Mon, 22 Aug 2016 20:52:12 IST

Table Of Contents

Vulnerabilities By Host	3
etest-proof webpapps com	4

Vulnerabilities By Host

test-proof.weboapps.com

Scan Information

Start time: Mon Aug 22 20:49:46 2016

End time: Mon Aug 22 20:52:12 2016

Host Information

DNS Name: ec2-52-23-179-239.compute-1.amazonaws.com

IP: 52.23.179.239

Results Summary

Critical	High	Medium	Low	Info	Total
0	0	0	0	1	1

Results Details

0/tcn

10180 - Ping the remote host

Synopsis

It was possible to identify the status of the remote host (alive or dead)

Description

This plugin attempts to determine if the remote host is alive using one or more ping types:

- An ARP ping, provided the host is on the local subnet and Nessus is running over ethernet.
- An ICMP ping.
- A TCP ping, in which the plugin sends to the remote host a packet with the flag SYN, and the host will reply with a RST or a SYN/ACK.
- A UDP ping (DNS, RPC, NTP, etc).

Solution

n/a

Risk Factor

None

Plugin Information:

Publication date: 1999/06/24, Modification date: 2014/06/04

Ports

tcp/0

The remote host is up

The remote host replied to a TCP SYN packet sent to port 80 with a SYN, ACK packet