



Tracking Empty Directories

```
Shashwats-MacBook-Pro:explore_california ashhekhar$ git status  
On branch master  
nothing to commit, working tree clean  
Shashwats-MacBook-Pro:explore_california ashhekhar$
```



```
Shashwats-MacBook-Pro:explore_california ashshshekhar$ git status  
On branch master  
nothing to commit, working tree clean  
Shashwats-MacBook-Pro:explore_california ashshshekhar$
```



Miscellaneous

```
Shashwats-MacBook-Pro:explore_california ashshekhar$ git commit -am "Moved sunglasses"
[master 47e4d4d] Moved sunglasses
 3 files changed, 6 insertions(+), 5 deletions(-)
Shashwats-MacBook-Pro:explore_california ashshekhar$ git status
  branch master
Changes not staged for commit:
  (use "git add <file>" to update what will be committed)
    (use "git restore <file>" to discard changes in working directory)
           modified: resources.html

no changes added to commit (use "git add" and/or "git commit -a")
Shashwats-MacBook-Pro:explore_california ashshekhar$ git add resources.html
Shashwats-MacBook-Pro:explore_california ashshekhar$ git status
  branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified: resources.html

Shashwats-MacBook-Pro:explore_california ashshekhar$ git command --amend -m "Reorder items"
  'command' is not a git command. See 'git --help'.
  Shashwats-MacBook-Pro:explore_california ashshekhar$
```

Git Essential Training: The Basics

Amend commits

1,978 17,496 ↗

Terminal Shell Edit View Window Help

git restore resources.html -- stash -99+25

Commit la22930be4c2968ape3165c3a6bd17e18c6f9533 (HEAD -> master)

Author: Kevin Skoglund <someone@nowhere.com>

Date: Sun Apr 14 17:12:46 2019 -0400

Reorder recommended items for trip

```
diff --git a/resources.html b/resources.html
index a4176c6..1fb2a81 100755
--- a/resources.html
+++ b/resources.html
@@ -94,14 +94,14 @@


- <li>Comfortable hiking shoes</li>
- <li>Hat</li>
- <li>Water bottle</li>
- <li>Sunscreen</li>
- <li>Insect repellent</li>
- <li>Wet/dry bag to protect valuables</li>
- <li>Uncomfortable backpack</li>
- <li>Strong sturdy water bottle</li>
- <li>Multi-purpose tool</li>
- <li>Pack no more than one additional day of clothing</li>
- <li>Insect repellent</li>
- <li>Sunglasses</li>


@@ -106,11 +106,11 @@
<li>No guitars are allowed in campsites</li>
<li>No firearms or other weapons are allowed on tours</li>
<li>Leave expensive jewelry at home</li>
<li>We recommend packing a small first aid kit</li>

```

kevin\$

resources.html 1001

LF ⌂ master ⌂ No remote ⌂ GitHub ⌂ LinkedIn

That message wasn't a great message.

```
Shashwats-MacBook-Pro:~/first_git_project ashshshekhar$ git add .
Shashwats-MacBook-Pro:~/first_git_project ashshshekhar$ git commit -m "Initial commit"
[master (root-commit) 29c6d41] Initial commit
 1 file changed, 2 insertions(+)
 create mode 100644 first_file.txt
Shashwats-MacBook-Pro:~/first_git_project ashshshekhar$
```

Contents

Git Essential Training: The Basics
Your first commit

1,974 17,496

Your First Commit

- Make changes
- Add the changes
- Commit changes to the repository with a message

LinkedIn LEARNING

There's going to be some options

1.75x

A set of small, semi-transparent navigation icons typically found in video player interfaces, including symbols for play, pause, volume, and search.

Shashwats-MacBook-Pro:explore_california ashshekhar\$

The screenshot shows a Mac OS X desktop environment. In the foreground, a terminal window titled "Terminal" is open, showing a session between users "kevin" and "ashshekhar". The terminal output includes commands like "git clean -n", "git status", and "git add junk1.txt". In the background, a web browser window titled "Git Essential Training: The Basics" is displayed, showing a slide about removing untracked files.

```
kevin$ git clean -n
Would remove junk2.txt
Would remove junk3.txt
kevin$ git status
On branch master
Changes to be committed:
  (use "git reset HEAD <file>..." to unstage)

    new file:   junk1.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)

    junk2.txt
    junk3.txt

kevin$ git add junk1.txt
kevin$ git status
On branch master
Changes to be committed:
  (use "git reset HEAD <file>..." to unstage)

    new file:   junk1.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)

    junk2.txt
    junk3.txt

kevin$ git clean -n
Would remove junk2.txt
Would remove junk3.txt
kevin$ git _
```

Now let's try running git clean with the dash f option.

Shashwats-MacBook-Pro:explore_california ashshukhekar\$ git status
On branch master
nothing to commit, working tree clean
Shashwats-MacBook-Pro:explore_california ashshukhekar\$

Contents Git Essential Training: The Basics
Track empty directories

1,978 17,496 ↗

If it does exist

|| ⏪ ⏴ ⏵ ⏹ 3:24 / 3:59 2x CC ⚙ 🔍

```

Shashwats-MacBook-Pro:explore_california ashshekhar$ git diff
diff --git a/index.html b/index.html
index 84a0ca3..fd7bcc0 100755
--- a/index.html
+++ b/index.html
@@ -27,7 +27,7 @@ 
     <li><a href="tours.html" title="find tours">Tour Finder</a></li>
   </ul>
-  <li><a href="mission.html" title="What we believe">Mission <br /><span class="tagline">what makes us
+  <li><a href="mission.html" title="What we truly believe">Mission <br /><span class="tagline">what ma
  kes us different?</span></a></li>
    <li><a href="resources.html" title="planning resources">Resources <br /><span class="tagline">plan y
  our trip</span></a>
      <ul>
        <li><a href="resources/faq.html" title="Got questions?">Tour FAQ</a></li>
Shashwats-MacBook-Pro:explore_california ashshekhar$ git add index.html
Shashwats-MacBook-Pro:explore_california ashshekhar$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    modified: index.html

Shashwats-MacBook-Pro:explore_california ashshekhar$ git reset HEAD index.html
Unstaged changes after reset:
M index.html
Shashwats-MacBook-Pro:explore_california ashshekhar$ git status
On branch master
Changes to be committed:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified: index.html

no changes added to commit (use "git add" and/or "git commit -a")
Shashwats-MacBook-Pro:explore_california ashshekhar$
```

kevint git status

On branch master

Changes to be committed:

(use "git reset HEAD <file>..." to unstage)

modified: mission.html

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git checkout -- <file>..." to discard changes in working directory)

modified: contact.html

modified: explorers.html

modified: index.html

modified: resources.html

modified: support.html

modified: tours.html

modified: tour_detail/backpack_cal.html

modified: tour_detail/bigsur.html

kevint git reset HEAD _

Project Find Results

\$158

\$175

File/directory pattern: For example 'src' to search in the "src" directory: ".js" to search all

Find All

Replace All

Y master ⌂ No remote ⌂ GitLab ⌂ LinkedIn ⌂ GitHub

and now we can unstage it with git reset
HEAD,