


Mirusoft Oracle

store Data Rows & columns (Tarsle)

													_																		
			none		1	agl		200		(17					->relord -																
	_		4.	704	-	-	Τ	_		_		-	•	T	_`)	>-	7	~		c	7	6-6	人			′					
		▔					Т					Ι-	7	Н																	
		٠					Н		- 1			ŀ																			
		٠		-			Н		- 1			ŀ		ŀ																	
		٠		- 1			Н		- 1			ŀ																			
			Γ	- 1			T					Γ																			
		.	Ι.				Ι.					_																			



=> Mysal => installation of Neurolator => trysel -> Guill -> Doile Mysel - worksind esoul } => Create DataBare; SQL-) standard Ly commands -> capital lettl case insensitive y => DataBale -> creation ly use Database name => (reate table =) Pradorm => CRUD =) operations => (reation ay Database=) Create Datable incuron; INEURON => Table => rows & columny d use encuron; 4 Create table taskmane (\_\_\_\_\_); CREATE => Database =) Table =) =) CREATE TABLE student ( ---- ); create table student ( - - - ); incuron puskills Deta Take

nummil => int use incuron; String =) vatchar CREATE TABLE student (256) <=> id int(5); 12145 id int, name varchay (50), name varihal, age on +(5), City variable (25) City variable SHOW DATABASES; show Databanes; Show tasks; of Describe task \_> { Disc task 3 CRUD opination & Addre DB recation & task recation C -> insit statimints R -> select statements U => update statements D -> delete statements