
Chapter 4 - Practical Data Visualization

Segment 1 - Creating standard data graphics

```
import numpy as np
'''import numpy as np
import pandas as pd
from pandas import Series, DataFrame
from numpy.random import randn
import matplotlib.pyplot as plt
from matplotlib import rcParams
'''
from numpy.random import randn
import pandas as pd
from pandas import Series, DataFrame
import matplotlib.pyplot as plt
from matplotlib import rcParams
```

- Creating a line chart from a list object
- ▼ Plotting a line chart in matplotlib

```
x = range(1,10)
y = [1,2,3,4,0,4,3,2,1]
'''x=range(1,10)
y=[1,2,3,4,5,6,7,8,9]
plt.plot(x,y)'''
plt.plot(x,y)
```



▼ Plotting a line chart from a Pandas object


```
address = 'C:/Users/Lillian/Desktop/ExerciseFiles/Data/mtcars.csv'

cars = pd.read_csv(address)
    cars.columns = ['car_names','mpg','cyl','disp', 'hp', 'drat', 'wt', 'qsec', 'vs', 'am', 'gear', 'carb']
'''    cars=pd.read_csv(data)
    cars.columns=[]
    mpg=cars['mpg']
'''

mpg = cars['mpg']

mpg.plot()
'''mpg.plot()'''
```

<matplotlib.axes._subplots.AxesSubplot at 0x1d416071cf8>



▼ Creating bar charts

Creating a bar chart from a list


```
plt.bar(x, y)
'''plt.bar(x,y)'''
```

```
<BarContainer object of 9 artists>
```

▼ Creating bar charts from Pandas objects

```
mpg.plot(kind="bar")
#mpg.plot(kind='bar')
```


<matplotlib.axes._subplots.AxesSubplot at 0x1d41657d6d8>



```
mpg.plot(kind="barh")
#mpg.plot(kind='barh')
```

▼ Creating a pie chart

```
x = [1,2,3,4,0.5]
plt.pie(x)
plt.show()
'''x=[1,2,3,4]
matplotlib.pyplot.pie(x)
matplotlib.pyplot.show()'''
```



▼ Saving a plot

```
plt.pie(x)
plt.savefig('pie_chart.png')
plt.show()
''' plt.pie(x)
plt.savefig('pie.jpg')
plt.show()'''
```



%pwd

 $\verb|'C:\Users\Lillian\Desktop\ExerciseFiles\04_01_begin'|$