



InterviewBit

# Java 8 Interview Questions



To view the live version of the page, [click here.](#)

© Copyright by Interviewbit

**DIVE  
DEEP**

WITH

  
**LIVE  
LEARNING  
SESSIONS**

While a broad working knowledge is valuable, specific insights are more important when preparing for an interview. To this end, it might benefit you to attend our upcoming LIVE Masterclass on the topic, conducted by a top instructor. Don't hesitate to register, the session is FREE!

**Shubh  
Agrawal**B.Tech, IIIT,  
Bhagalpur

“As a regular attendee of the Masterclass, I feel the **most valuable part about Scaler Academy's Masterclasses is the unparalleled content quality** that they deliver. A 3 hour Masterclass is very helpful and good enough for the teaching part and doubt clearing sessions. I use the study material they provide before each Masterclass. In these times when nothing is for free, **these classes are a life-savior!**”

“The session was so well structured and simplified. **3 engaging hours of learning, interesting polls and lots of doubt resolution!** The best part was, he saw curious learners and extended the session for another hour for people who wished to stay. **Recommend it to all beginners out there** who are clueless about starting HLD themselves! This is a must!!”

**Abhinav  
Koppula**Developer,  
Mckinsey

If interested, don't hesitate to attend this **FREE** session.

**REGISTER NOW**

# Contents

---

## Java 8 Interview Questions for Freshers

1. Describe the newly added features in Java 8?
2. In which programming paradigm Java 8 falls?
3. What are the significant advantages of Java 8?
4. What is MetaSpace? How does it differ from PermGen?
5. What are functional or SAM interfaces?
6. Can a functional interface extend/inherit another interface?
7. What is the default method, and why is it required?
8. What are static methods in Interfaces?
9. What are some standard Java pre-defined functional interfaces?
10. What are the various categories of pre-defined function interfaces?
11. What is the lambda expression in Java and How does a lambda expression relate to a functional interface?

## Java 8 Interview Questions for Experienced

12. What is the basic structure/syntax of a lambda expression?
13. What are the features of a lambda expression?
14. What is a type interface?
15. What are the types and common ways to use lambda expressions?
16. In Java 8, what is Method Reference?
17. What does the String::ValueOf expression mean?
18. What is an Optional class?

## Java 8 Interview Questions for Experienced

(.....Continued)

19. What are the advantages of using the Optional class?
20. What are Java 8 streams?
21. What are the main components of a Stream?
22. What are the sources of data objects a Stream can process?
23. What are Intermediate and Terminal operations?
24. What are the most commonly used Intermediate operations?
25. What is the stateful intermediate operation? Give some examples of stateful intermediate operations.
26. What is the most common type of Terminal operations?
27. What is the difference between `findFirst()` and `findAny()`?
28. How are Collections different from Stream?
29. What is the feature of the new Date and Time API in Java 8?
30. What are the important packages for the new Data and Time API?
31. Explain with example, `LocalDate`, `LocalTime`, and `LocalDateTime` APIs.
32. Define Nashorn in Java 8
33. What is the use of JJS in Java 8?

# Let's get Started

---

Java, originally evolved from the Oak language, was born in early 1996 with its major version as Java 1 or JDK 1.0. Java was initially designed and developed by Sir James Gosling at Sun Microsystems. [Java 8](#) or JDK 8.0 is one of the major releases of the Java programming language in 2014. It is also known by the codename Spider. [Java](#) is an open-source project and is currently managed by Oracle Corporation.

This article would walk you through the Java 8 interview questions for freshers and experienced, scope, and opportunities.

## Java 8 Interview Questions for Freshers

### 1. Describe the newly added features in Java 8?

Here are the newly added features of Java 8:



Feature Name	Description
Lambda expression	A function that can be shared or referred to as an object.
Functional Interfaces	Single abstract method interface.
Method References	Uses function as a parameter to invoke a method.
Default method	It provides an implementation of methods within interfaces enabling 'Interface evolution' facilities.
Stream API	Abstract layer that provides pipeline processing of the data.
Date Time API	New improved joda-time inspired APIs to overcome the drawbacks in previous versions
Optional	Wrapper class to check the null values and helps in further processing based on the value.
Nashorn, JavaScript Engine	An improvised version of JavaScript Engine that enables JavaScript executions in Java, to replace Rhino.


## 2. In which programming paradigm Java 8 falls?

- Object-oriented programming language.
- Functional programming language.
- Procedural programming language.
- Logic programming language

### 3. What are the significant advantages of Java 8?

- Compact, readable, and reusable code.
- Less boilerplate code.
- Parallel operations and execution.
- Can be ported across operating systems.
- High stability.
- Stable environment.
- Adequate support

### 4. What is MetaSpace? How does it differ from PermGen?



**PremGen:** MetaData information of classes was stored in PremGen (Permanent-Generation) memory type before Java 8. PremGen is fixed in size and cannot be dynamically resized. It was a contiguous Java Heap Memory.

**MetaSpace:** Java 8 stores the MetaData of classes in native memory called 'MetaSpace'. It is not a contiguous Heap Memory and hence can be grown dynamically which helps to overcome the size constraints. This improves the garbage

Functional interfaces can have any number of default, static, and overridden methods. For declaring Functional Interfaces `@FunctionalInterface` annotation is optional to use. If this annotation is used for interfaces with more than one abstract method, it will generate a compiler error.

```
@FunctionalInterface // Annotation is optional
public interface Foo() {
    // Default Method - Optional can be 0 or more
    public default String HelloWorld() {
        return "Hello World";
    }
    // Static Method - Optional can be 0 or more
    public static String CustomMessage(String msg) {
        return msg;
    }
    // Single Abstract Method
    public void bar();
}

public class FooImplementation implements Foo {
    // Default Method - Optional to Override
    @Override
    public default String HelloWorld() {
        return "Hello Java 8";
    }
    // Method Override
    @Override
    public void bar() {
        System.out.println("Hello World");
    }
}

public static void main(String[] args) {

    FooImplementation fi = new FooImplementation();
    System.out.println(fi.HelloWorld());
    System.out.println(fi.CustomMessage("Hi"));
    fi.bar();
}
```

## 6. Can a functional interface extend/inherit another interface?

A functional interface cannot extend another interface with abstract methods as it will void the rule of one abstract method per functional interface. E.g:



```
interface Parent {  
    public int parentMethod();  
}  
@FunctionalInterface // This cannot be FunctionalInterface  
interface Child extends Parent {  
    public int childMethod();  
    // It will also extend the abstract method of the Parent Interface  
    // Hence it will have more than one abstract method  
    // And will give a compiler error  
}
```

It can extend other interfaces which do not have any abstract method and only have the default, static, another class is overridden, and normal methods. For eg:

```
interface Parent {  
    public void parentMethod(){  
        System.out.println("Hello");  
    }  
}  
@FunctionalInterface  
interface Child extends Parent {  
    public int childMethod();  
}
```

## 7. What is the default method, and why is it required?

A method in the interface that has a predefined body is known as the default method. It uses the keyword `default`. default methods were introduced in Java 8 to have 'Backward Compatibility in case JDK modifies any interfaces. In case a new abstract method is added to the interface, all classes implementing the interface will break and will have to implement the new method. With default methods, there will not be any impact on the interface implementing classes. default methods can be overridden if needed in the implementation. Also, it does not qualify as `synchronized` or `final`.

```
@FunctionalInterface // Annotation is optional
public interface Foo() {
    // Default Method - Optional can be 0 or more
    public default String HelloWorld() {
        return "Hello World";
    }
    // Single Abstract Method
    public void bar();
}
```

## 8. What are static methods in Interfaces?

Static methods, which contains method implementation is owned by the interface and is invoked using the name of the interface, it is suitable for defining the utility methods and cannot be overridden.

## 9. What are some standard Java pre-defined functional interfaces?

Some of the famous pre-defined functional interfaces from previous Java versions are Runnable, Callable, Comparator, and Comparable. While Java 8 introduces functional interfaces like Supplier, Consumer, Predicate, etc. Please refer to the [java.util.function](#) doc for other predefined functional interfaces and its description introduced in Java 8.

**Runnable:** use to execute the instances of a class over another thread with no arguments and no return value.

**Callable:** use to execute the instances of a class over another thread with no arguments and it either returns a value or throws an exception.

**Comparator:** use to sort different objects in a user-defined order

**Comparable:** use to sort objects in the natural sort order

## 10. What are the various categories of pre-defined function interfaces?

**Function:** To transform arguments in returnable value.

**Predicate:** To perform a test and return a Boolean value.

**Consumer:** Accept arguments but do not return any values.

**Supplier:** Do not accept any arguments but return a value.

**Operator:** Perform a reduction type operation that accepts the same input types.

## 11. What is the lambda expression in Java and How does a lambda expression relate to a functional interface?

Lambda expression is a type of function without a name. It may or may not have results and parameters. It is known as an anonymous function as it does not have type information by itself. It is executed on-demand. It is beneficial in iterating, filtering, and extracting data from a collection.

As lambda expressions are similar to anonymous functions, they can only be applied to the single abstract method of Functional Interface. It will infer the return type, type, and several arguments from the signature of the abstract method of functional interface.

## Java 8 Interview Questions for Experienced

### 12. What is the basic structure/syntax of a lambda expression?

```
FunctionalInterface fi = (String name) -> {  
    System.out.println("Hello "+name);  
    return "Hello "+name;  
}
```

Lambda expression can be divided into three distinct parts as below:

#### 1. List of Arguments/Params:

(String name)

A list of params is passed in () round brackets. It can have zero or more params. Declaring the type of parameter is optional and can be inferred for the context.

#### 2. Arrow Token:

->

Arrow token is known as the lambda arrow operator. It is used to separate the parameters from the body, or it points the list of arguments to the body. 3.

Expression/Body:

```
{  
System.out.println("Hello "+name);  
return "Hello "+name;  
}
```

A body can have expressions or statements. {} curly braces are only required when there is more than one line. In one statement, the return type is the same as the return type of the statement. In other cases, the return type is either inferred by the return keyword or void if nothing is returned.

### 13. What are the features of a lambda expression?

Below are the two significant features of the methods that are defined as the lambda expressions:

- Lambda expressions can be passed as a parameter to another method.
- Lambda expressions can be standalone without belonging to any class.

### 14. What is a type interface?

Type interface is available even in earlier versions of Java. It is used to infer the type of argument by the compiler at the compile time by looking at method invocation and corresponding declaration.

### 15. What are the types and common ways to use lambda expressions?

A lambda expression does not have any specific type by itself. A lambda expression receives type once it is assigned to a functional interface. That same lambda expression can be assigned to different functional interface types and can have a different type.

For eg consider expression `s -> s.isEmpty()` :

```
Predicate<String> stringPredicate = s -> s.isEmpty();  
Predicate<List> listPredicate = s -> s.isEmpty();  
Function<String, Boolean> func = s -> s.isEmpty();  
Consumer<String> stringConsumer = s -> s.isEmpty();
```

### Common ways to use the expression

Assignment to a functional Interface → `Predicate<String> stringPredicate = s -> s.isEmpty();`

Can be passed as a parameter that has a functional type → `stream.filter(s -> s.isEmpty())`

Returning it from a function → `return s -> s.isEmpty();`

Casting it to a functional type → `(Predicate<String>) s -> s.isEmpty();`

## 16. In Java 8, what is Method Reference?

Method reference is a compact way of referring to a method of functional interface. It is used to refer to a method without invoking it. :: (double colon) is used for describing the method reference. The syntax is `class::methodName`

For e.g.:

```
Integer::parseInt(str) \ \ method reference
```

```
str -> Integer.parseInt(str); \ \ equivalent lambda
```


## 17. What does the String::ValueOf expression mean?

It is a static method reference to method `Valueof()` of class `String`. It will return the string representation of the argument passed.


## 18. What is an Optional class?

Optional is a container type which may or may not contain value i.e. zero(null) or one(not-null) value. It is part of `java.util` package. There are pre-defined methods like `isPresent()`, which returns true if the value is present or else false and the method `get()`, which will return the value if it is present.

```
static Optional<String> changeCase(String word) {
    if (name != null && word.startsWith("A")) {
        return Optional.of(word.toUpperCase());
    }
    else {
        return Optional.ofNullable(word); // someString can be null
    }
}
```



Optional with changeCase object



Empty Optional



## Optional Class

### 19. What are the advantages of using the Optional class?

Below are the main advantage of using the Optional class:

It encapsulates optional values, i.e., null or not-null values, which helps in avoiding null checks, which results in better, readable, and robust code. It acts as a wrapper around the object and returns an object instead of a value, which can be used to avoid run-time `NullPointerExceptions`.


### 20. What are Java 8 streams?

A stream is an abstraction to express data processing queries in a declarative way.

A Stream, which represents a sequence of data objects & series of operations on that data is a data pipeline that is not related to Java I/O Streams. It does not hold any data permanently.

The key interface is `java.util.stream.Stream`. It accepts Functional Interfaces so

- A data source
- Set of Intermediate Operations to process the data source
- Single Terminal Operation that produces the result



Components of Stream

## 22. What are the sources of data objects a Stream can process?

A Stream can process the following data:

- A collection of an Array.
- An I/O channel or an input device.
- A reactive source (e.g., comments in social media or tweets/re-tweets)
- A stream generator function or a static factory.

## 23. What are Intermediate and Terminal operations?

### Intermediate Operations:

- Process the stream elements.
- Typically transforms a stream into another stream.
- Are lazy, i.e., not executed till a terminal operation is invoked.
- Does internal iteration of all source elements.
- Any number of operations can be chained in the processing pipeline.
- Operations are applied as per the defined order.
- Intermediate operations are mostly lambda functions.

## 24. What are the most commonly used Intermediate operations?

**Filter(Predicate<T>)** - Allows selective processing of Stream elements. It returns elements that are satisfying the supplied condition by the predicate.

**map(Function<T, R>)** - Returns a new Stream, transforming each of the elements by applying the supplied mapper function.  
**sorted()** - Sorts the input elements and then passes them to the next stage.

**distinct()** - Only pass on elements to the next stage, not passed yet.

**limit(long maxsize)** - Limit the stream size to maxsize.

**skip(long start)** - Skip the initial elements till the start.

**peek(Consumer)** - Apply a consumer without modification to the stream.

**flatMap(mapper)** - Transform each element to a stream of its constituent elements and flatten all the streams into a single stream.

## 25. What is the stateful intermediate operation? Give some examples of stateful intermediate operations.

To complete some of the intermediate operations, some state is to be maintained, and such intermediate operations are called stateful intermediate operations. Parallel execution of these types of operations is complex.

For Eg: `sorted()` , `distinct()` , `limit()` , `skip()` etc.

Sending data elements to further steps in the pipeline stops till all the data is sorted for `sorted()` and stream data elements are stored in temporary data structures.

## 26. What is the most common type of Terminal operations?



- `collect()` - Collects single result from all elements of the stream sequence.
- `reduce()` - Produces a single result from all elements of the stream sequence
  - `count()` - Returns the number of elements on the stream.
  - `min()` - Returns the min element from the stream.
  - `max()` - Returns the max element from the stream.
- Search/Query operations
  - `anyMatch()` , `noneMatch()` , `allMatch()` , ... - Short-circuiting operations.
  - Takes a Predicate as input for the match condition.
  - Stream processing will be stopped, as and when the result can be determined.
- Iterative operations
  - `forEach()` - Useful to do something with each of the Stream elements. It accepts a consumer.
  - `forEachOrdered()` - It is helpful to maintain order in parallel streams.

## 27. What is the difference between `findFirst()` and `findAny()`?

<code>findFirst()</code>	<code>findAny()</code>
Returns the first element in the Stream	Return any element from the Stream
Deterministic in nature	Non-deterministic in nature

## 28. How are Collections different from Stream?

Collections are the source for the Stream. Java 8 collection API is enhanced with the default methods returning `Stream<T>` from the collections.

Collections	Streams
Data structure holds all the data elements	No data is stored. Have the capacity to process an infinite number of elements on demand
External Iteration	Internal Iteration
Can be processed any number of times	Traversed only once
Elements are easy to access	No direct way of accessing specific elements
Is a data store	Is an API to process the data

## 29. What is the feature of the new Date and Time API in Java 8?

- Immutable classes and Thread-safe
- Timezone support
- Fluent methods for object creation and arithmetic
- Addresses I18N issue for earlier APIs
- Influenced by popular joda-time package
- All packages are based on the ISO-8601 calendar system

## 30. What are the important packages for the new Data and Time API?

- java.time
  - dates
  - times
  - Instants
  - durations
  - time-zones
  - periods
- Java.time.format
- Java.time.temporal
- java.time.zone

## 31. Explain with example, LocalDate, LocalTime, and LocalDateTime APIs.

### LocalDate

- Date with no time component
- Default format - yyyy-MM-dd (2020-02-20)
- LocalDate today = LocalDate.now(); // gives today's date
- LocalDate aDate = LocalDate.of(2011, 12, 30); //(year, month, date)

### LocalTime

- Time with no date with nanosecond precision
- Default format - hh:mm:ss:zzz (12:06:03.015) nanosecond is optional
- LocalTime now = LocalTime.now(); // gives time now
- LocalTime aTime2 = LocalTime.of(18, 20, 30); // (hours, min, sec)

### LocalDateTime

- Holds both Date and Time
- Default format - yyyy-MM-dd-HH-mm-ss.zzz (2020-02-20T12:06:03.015)
- LocalDateTime timestamp = LocalDateTime.now(); // gives timestamp now
- //(year, month, date, hours, min, sec)
- LocalDateTime dt1 = LocalDateTime.of(2011, 12, 30, 18, 20, 30);

## 32. Define Nashorn in Java 8

Nashorn is a JavaScript processing engine that is bundled with Java 8. It provides better compliance with ECMA (European Computer Manufacturers Association) normalized JavaScript specifications and better performance at run-time than older versions.

### 33. What is the use of JJS in Java 8?

As part of Java 8, JJS is a command-line tool that helps to execute the JavaScript code in the console. Below is the example of CLI commands:

```
JAVA>jjs
jjs> print("Hello, Java 8 - I am the new JJS!")
Hello, Java 8 - I am the new JJS!
jjs> quit()
>>
```


### Conclusion

All in all, Java is a prevalent programming language securing the second rank in popularity in both TIOBE and PYPL programming language ranking. The world's leading tech giants like Twitter, LinkedIn, Amazon, PayPal, etc., use Java to build their web apps and backend web systems. Java is also one of the primary languages used to develop Android apps; an operating system backed and promoted by Google.

As of today, there are 1,751,661 questions around Java on StackOverflow and 123,776 Java public repositories on GitHub and continuously increasing. Considering Java 8 to be one of the most stable versions, there are immense career opportunities and scope in the same. Just understand the concepts, implement them and get ready for the interviews!

### Additional Resources

- [Practice Coding](#)
- [Java MCQ](#)
- [Java Tutorials](#)
- [Spring Boot Interview Questions](#)
- [Hibernate Interview Questions](#)
- [How To Become A Java Developer](#)
- [Online Java Compiler](#)
- [Features of Java](#)
- [Java 9 Features](#)
- [Java IDEs](#)
- [Java Frameworks](#)
- [Highest Paying Jobs In India \(IT Sector\)](#)



**DIVE  
DEEP**

WITH

  
**LIVE  
LEARNING  
SESSIONS**

While a broad working knowledge is valuable, specific insights are more important when preparing for an interview. To this end, it might benefit you to attend our upcoming LIVE Masterclass on the topic, conducted by a top instructor. Don't hesitate to register, the session is FREE!

**Shubh  
Agrawal**B.Tech, IIIT,  
Bhagalpur

“As a regular attendee of the Masterclass, I feel the **most valuable part about Scaler Academy's Masterclasses is the unparalleled content quality** that they deliver. A 3 hour Masterclass is very helpful and good enough for the teaching part and doubt clearing sessions. I use the study material they provide before each Masterclass. In these times when nothing is for free, **these classes are a life-savior!**”

“The session was so well structured and simplified. **3 engaging hours of learning, interesting polls and lots of doubt resolution!** The best part was, he saw curious learners and extended the session for another hour for people who wished to stay. **Recommend it to all beginners out there** who are clueless about starting HLD themselves! This is a must!!”

**Abhinav  
Koppula**Developer,  
Mckinsey

If interested, don't hesitate to attend this **FREE** session.

**REGISTER NOW**

# Links to More Interview Questions

---

[C Interview Questions](#)

[Php Interview Questions](#)

[C Sharp Interview Questions](#)

[Web Api Interview Questions](#)

[Hibernate Interview Questions](#)

[Node Js Interview Questions](#)

[Cpp Interview Questions](#)

[Oops Interview Questions](#)

[Devops Interview Questions](#)

[Machine Learning Interview Questions](#)

[Docker Interview Questions](#)

[Mysql Interview Questions](#)

[Css Interview Questions](#)

[Laravel Interview Questions](#)

[Asp Net Interview Questions](#)

[Django Interview Questions](#)

[Dot Net Interview Questions](#)

[Kubernetes Interview Questions](#)

[Operating System Interview Questions](#)

[React Native Interview Questions](#)

[Aws Interview Questions](#)

[Git Interview Questions](#)

[Java 8 Interview Questions](#)

[Mongodb Interview Questions](#)

[Dbms Interview Questions](#)

[Spring Boot Interview Questions](#)

[Power Bi Interview Questions](#)

[Pl Sql Interview Questions](#)

[Tableau Interview Questions](#)

[Linux Interview Questions](#)

[Ansible Interview Questions](#)

[Java Interview Questions](#)

[Jenkins Interview Questions](#)