




RAG

Lab: Creating a Mini-Model via RAG

Step 1: Go to <https://cloud.google.com/?hl=en>

[Overview](#)[Solutions](#)[Products](#)[Pricing](#)[Resources](#)[Contact us](#)

[Docs](#)[Support](#)[Console](#)



Build what's next

Create agentic applications using Vertex AI—now with Gemini 3.

[Try Vertex AI](#)[Contact sales](#)

Ask anything about Google Cloud

Built with [Gemini Enterprise](#)



How can I try Google Cloud products for free?

How do I build and use AI agents?

Discover solutions for my industry

Summarize what's new with Google Cloud

Try Gemini 2.5, our most intelligent model now available in Vertex AI

[What's new in AI](#)[Developers](#)[Business leaders](#)


EVENT

Accelerate your technical AI mastery at Google Cloud Technical



30-DAY TRIAL OFFER

Bring the best of Google AI to every employee, for every workflow with



PRODUCT ANNOUNCEMENT

Introducing Gemini Enterprise for Customer Experience: a new era of



Step 2 : Click on Console



Build what's next

Create agentic applications using Vertex AI—now with Gemini 3.

[Try Vertex AI](#)

[Contact sales](#)

Ask anything about Google Cloud

Built with [Gemini Enterprise](#)



How can I try Google Cloud products for free?

How do I build and use AI agents?

Discover solutions for my industry

Summarize what's new with Google Cloud

[Try Gemini 2.5, our most intelligent model now available in Vertex AI](#)



[What's new in AI](#)

[Developers](#)

[Business leaders](#)


EVENT

Accelerate your technical AI mastery at Google Cloud Technical



30-DAY TRIAL OFFER

Bring the best of Google AI to every employee, for every workflow with



PRODUCT ANNOUNCEMENT

Introducing Gemini Enterprise for Customer Experience: a new era of



Step 3 : Click on projects listed at left hand side


Google Cloud

n8n test

Search (/) for resources, docs, products, and more

Search





Welcome

You're working in [n8n test](#)

Project number: 370103678878  Project ID: trim-icon-453719-r5 

[Cloud Hub](#)

[+ Create a VM](#)

[+ Run a query in BigQuery](#)

[+ Deploy an application](#)

[+ Create a storage bucket](#)

Join the Google Developer Program to learn new skills and dev tools at no cost.

Join today [→](#)

Quick access

APIs & Services

IAM & Admin

Billing

Compute Engine

Cloud Storage


BigQuery

VPC network

Kubernetes Engine

[View all products](#)

Step 4 : Press Create new project



The screenshot shows the Google Cloud console interface. A modal dialog titled "Select a project" is open in the center. The dialog has a search bar at the top with the placeholder text "Search projects and folders". Below the search bar are three tabs: "Recent", "Starred", and "All". The "Recent" tab is selected, and it displays a table of recent projects. The table has four columns: "Name", "Type", "ID", and a star icon. The first row is selected and has a checkmark in the "Name" column. The "Name" column contains a link to the project, followed by a small icon. The "Type" column contains the word "Project". The "ID" column contains a long alphanumeric string. The "New project" button is located in the top right corner of the dialog, highlighted by a red dashed box. An arrow points from the text "Step 4 : Press Create new project" to this button. The background of the console is dimmed, showing the "Welcome" message and various navigation options.

Google Cloud

Search (/) for resources, docs, products, and more

Search

Welcome

You're working in

Project number: 3701

Cloud Hub

Create a VM

Create a storage

Quick access

APIs & Service

Cloud Storage

View all products

Select a project

Search projects and folders

Recent Starred All

Name	Type	ID	
✓ nln test ⓘ	Project	trim-icon-453719-r5	☆
Docs Extractor ⓘ	Project	stone-fortress-454704-d2	☆
My First Project ⓘ	Project	kinetic-primer-452417-e4	☆
My First Project ⓘ	Project	graphite-bliss-448710-h1	☆

Cancel

New project

Step 4 : Name the project as per your desire

Google Cloud

Search (/) for resources, docs, products, and more

Search



New Project

 You have 5 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)

[Manage Quotas](#)

Project name *



Project ID: colab-**nln-youtube** changed later. [Edit](#)

Location *

 No organization

[Browse](#)

Parent organization or folder

Create

Cancel

Step 5 : Then click create

The screenshot shows the Google Cloud 'New Project' page. At the top, there is a Google Cloud logo and a search bar. Below the header, a yellow warning box states: 'You have 5 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)'. Below this, the 'Project name' field contains 'n'. The 'Project ID' field contains 'nln-youtube' with a note 'changed later' and an 'Edit' link. The 'Location' dropdown is set to 'No organization' with a 'Browse' button. At the bottom, the 'Create' button is highlighted with a red dashed box, and an arrow from the text 'Step 5 : Then click create' points to it. A 'Cancel' button is also visible next to the 'Create' button.

Google Cloud

Search (/) for resources, docs, products, and more

Search

New Project

You have 5 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)

[Manage Quotas](#)

Project name *

n

Project ID: **nln-youtube** changed later. [Edit](#)


Location

No organization [Browse](#)

From organization or folder

Create Cancel

Step 6 : Wait for project to get created,once done , it will start reflecting on the left



Step 7 : Now press the hamburger menu,go to “API & Services”

The screenshot displays the Google Cloud console interface. On the left, the hamburger menu is open, showing a list of products. The 'APIs & Services' item is highlighted with a red dashed box, and a black arrow points to it from the instruction text above. Below this item, a sub-menu is visible with the following options: 'Enabled APIs & services', 'Library', 'Credentials', 'OAuth consent screen', and 'Page usage agreements'. The main content area of the console shows a 'Welcome' message for the project 'nln test' (Project ID: trim-icon-453719-r5). It includes buttons for 'Create a VM', 'Run a query in BigQuery', 'Deploy an application', and 'Create a storage bucket'. A 'Join the Google Developer Program' banner is also present. At the bottom, a status bar indicates 'Now viewing project "nln test" in organization "No organization"'.

Google Cloud

Cloud Hub

Cloud overview

Solutions

Recently visited

Favorite products

Favorite products appear here

Products

Billing

IAM & Admin

Marketplace

APIs & Services

Vertex AI

Compute Engine

Kubernetes Engine

Cloud Storage

Security

BigQuery

Monitoring

Cloud Run

VPC Network

View all products

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

Welcome

You're working in **nln test**

Project number: 370103678878 Project ID: trim-icon-453719-r5

Cloud Hub

Create a VM

Run a query in BigQuery

Deploy an application

Create a storage bucket

Join the Google Developer Program to learn new skills and dev tools at no cost.

Join today

Now viewing project "nln test" in organization "No organization"

Step 8: Then click on Enabled API & Services

The screenshot displays the Google Cloud console interface. On the left, a sidebar contains navigation links. The 'APIs & Services' link is highlighted, and a sub-menu is visible with 'Enabled APIs & services' selected. A red dashed box highlights this option, with an arrow pointing to it from the top right. The main content area shows a 'Welcome' message for the project 'nñn test', along with project details and various action buttons like 'Create a VM', 'Run a query in BigQuery', and 'Deploy an application'. A 'Join the Google Developer Program' banner is also present on the right. At the bottom, a status bar indicates 'Now viewing project 'nñn test' in organization 'No organization''.

Google Cloud

Cloud Hub

Cloud overview

Solutions

Recently visited

Favorite products

Favorite products appear here

Products

Billing

IAM & Admin

Marketplace

APIs & Services

Vertex AI

Compute Engine

Kubernetes Engine

Cloud Storage

Security

BigQuery

Monitoring

Cloud Run

VPC Network

View all products

Search (/) for resources, docs, products, and more

Search

Welcome

You're working in **nñn test**

Project number: 370103678878

Project ID: trim-icon-453719-r5

Cloud Hub

Create a VM

Run a query in BigQuery

Deploy an application

Create a storage bucket

Join the Google Developer Program to learn new skills and dev tools at no cost.

Join today

Work access

APIs & Services

IAM & Admin

Billing

Compute Engine

Cloud Storage

BigQuery

VPC network

Kubernetes Engine

View all products

Now viewing project 'nñn test' in organization 'No organization'

Step 9 : Then click on “Enable API & Services”

The screenshot shows the Google Cloud 'APIs & Services' page. The 'Enable APIs and services' button is highlighted with a red dashed box and an arrow pointing to it from the text 'Step 9 : Then click on “Enable API & Services”'. The page displays a list of enabled APIs and their associated metrics.

APIs & Services

[+ Enable APIs and services](#)

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

Traffic

Errors

Median latency

1 hour 6 hours 12 hours ☒ 1 day 2 days 4 days 7 days 14 days 30 days

UTC+8:00 6:00 AM 12:00 PM 6:00 PM 6:00 PM

UTC+8:00 6:00 AM 12:00 PM 6:00 PM 6:00 PM

UTC+8:00 6:00 AM 12:00 PM 6:00 PM 6:00 PM

Filter

Name	Requests	Errors (%)	Latency, median (ms)	Latency, 95% (ms)
Google Drive API	4	0	262	943
Analytics Hub API				
Artifact Registry API				
BigQuery API				
BigQuery Connection API				
BigQuery Data Policy API				
BigQuery Migration API				
BigQuery Reservation API				
BigQuery Storage API				
Cloud Dataplex API				
Cloud Datastore API				
Cloud Logging API				
Cloud Monitoring API				

Step 10 : Search "google drive"

The screenshot shows the Google Cloud API Library interface. At the top, the Google Cloud logo and a project name 'nln test' are visible. The main heading is 'Welcome to the API Library' with a subtext 'The API Library has documentation, links, and a smart search experience.' A search bar in the center contains the text 'google drive', which is highlighted with a red dashed box. Below the search bar, a dropdown menu shows two suggestions: 'google drive api' and 'google drive activity api'. A black arrow points from the text 'Step 10 : Search "google drive"' to the search bar. The left sidebar contains a 'Filter' section with categories like Visibility, Category, Analytics, Big data, Databases, Machine learning, Maps, DevOps, Compute, and Advertising. The main content area displays a grid of API cards under the heading 'Maps'. The cards include 'Maps SDK for Android', 'Maps SDK for iOS', 'Maps JavaScript API', 'Places API', 'Roads API', and 'Directions API'. Below the 'Maps' section, there is a 'Machine learning' section with cards for 'Dialogflow API', 'Cloud Vision API', 'Cloud Natural Language API', 'Cloud Speech-to-Text API', 'Cloud Translation API', and 'AI Platform Training & Prediction API'. A black notification bar at the bottom center states 'Now viewing project "nln test" in organization "No organization"'.

Google Cloud

nln test

APIs & Services / API Library

API Library

Welcome to the API Library

The API Library has documentation, links, and a smart search experience.

google drive

google drive api

google drive activity api

Filter Type to filter

Visibility

Public (504)

Private (3)

Category

Analytics (11)

Big data (21)

Databases (6)

Machine learning (14)

Maps (32)

DevOps (25)

Compute (13)

Advertising (14)

Maps

View all (32)

Maps SDK for Android

Google

Maps for your native Android app.

Maps SDK for iOS

Google

Maps for your native iOS app.

Maps JavaScript API

Google

Maps for your website

Places API

Google Enterprise API

Get detailed information about 100 million places

Roads API

Google Enterprise API

Snap-to-road functionality to accurately trace GPS breadcrumbs.

Directions API

Google Enterprise API

Directions between multiple locations.

Machine learning

View all (16)

Dialogflow API

Google Enterprise API

Builds conversational interfaces

Cloud Vision API

Google Enterprise API

Image Content Analysis

Cloud Natural Language API

Google Enterprise API

Cloud Speech-to-Text API

Google Enterprise API

Cloud Translation API

Google Enterprise API

Integrates text translation into your website or application.

AI Platform Training & Prediction API

Google Enterprise API

An API to enable creating and using machine learning models.

Now viewing project "nln test" in organization "No organization"

Step 11: Select "Google Drive API"

Google Cloud in test

APIs & Services / API Library / Browse

API Library

API Library > "google drive"

Filter Type to filter

Visibility ^

Public (10)

Category ^

Analytics (2)

Big data (2)

Databases (1)

Maps (1)

DevOps (1)

Healthcare & Life Sciences (1)

Google Enterprise APIs (4)

Developer stacks (1)

Storage (2)

Google Workspace (4)

10 results

 **Google Drive API**
Google Enterprise API ⓘ
With the Google Drive API, you can access resources from Google Drive to create files, manage file sharing, search for files and folders, and more.

 **Google Drive Activity API**
Google Enterprise API ⓘ
With the Google Drive Activity API, you can retrieve information about a user's Google Drive activity. This provides additional functionality on top the Google Drive API for your app to display activity on a user's files, track changes to specific files or folders, or alert a user to new comments or changes to files.


 **Drive Labels API**
Google
Use the Drive Labels API to define custom metadata taxonomies to organize, find, enforce policy, and support business processes on Google Drive files and folders.

 **Google Workspace Marketplace SDK**
Google
A toolkit for publishing add-ons, Drive apps, Chat apps, and other integrations on the Google Workspace Marketplace.

 **Eventarc API**
Google Enterprise API ⓘ
Eventarc lets you asynchronously deliver events react to state changes. Eventarc requires no infr

Now viewing project "in test" in organization "No organization" X that g an

Step 12 : Enable the API



The screenshot displays the Google Cloud console interface for the Google Drive API. At the top, the Google Cloud logo and a 'learn-more' button are visible. Below the header, the 'Product details' section shows the Google Drive API logo and the text 'Google Enterprise API'. A description states 'Create and manage resources in Google Drive.' Below this, there are two buttons: 'Enable' and 'Try this API'. The 'Enable' button is highlighted with a red dashed box, and a black arrow points from the title 'Step 12 : Enable the API' to it. Below the buttons, there is a link 'Click to enable this API'. The bottom navigation bar includes 'Overview', 'Documentation', 'Support', and 'Related Products'. The 'Overview' section provides a brief description of the API and a 'Learn more' link. The 'Additional details' section lists the API type, last product update, category, and service name.

Google Cloud [learn-more](#)

Product details

 **Google Drive API**
[Google Enterprise API](#)

Create and manage resources in Google Drive.

[Enable](#) [Try this API](#)

[Click to enable this API](#)

[Overview](#) [Documentation](#) [Support](#) [Related Products](#)

Overview

With the Google Drive API, you can access resources from Google Drive to create files, manage file sharing, search for files and folders, and more.

[Learn more](#)

Additional details


Type: [SaaS & APIs](#)

Last product update: 2/7/23

Category: [Google Enterprise APIs](#), [Storage](#), [Google Workspace](#)

Service name: [drive.googleapis.com](#)

Step 13 : Again go back to the screen and then select “ Auth consent screen”



Step 14: Once on screen , press “ Get Started”

Google Cloud learn:nln


Search (/) for resources, docs, products, and more

Google Auth Platform / Overview

Overview

- Branding
- Audience
- Clients
- Data Access
- Verification Center

OAuth Overview



Google Auth Platform not configured yet

Get started to configure your application's identity and manage credentials for calling Google APIs and Sign-in with Google. [Learn more](#)

Get started

Step 15 : Give App name and choose the email id from drop down,then press next

Google Cloud | learn-nln

Search (/) for resources, docs, products, and more

Google Auth Platform / Overview / Create branding

Overview | Branding | Audience | Clients | Data Access | Verification Center

Project configuration

1 App Information

App name *

nln

The name of the app asking for consent

User support email *

jamie.nln@gmail.com

For users to contact you with questions about their consent. [Learn more](#)

Next


2 Audience

3 Contact Information

4 Finish

Create Cancel

Step 16 : Select "External"



Google Cloud learn-n8n

Search (/) for resources, docs, products, and more Search

Google Auth Platform / Overview / Create branding

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

1 App Information

2 Audience

☐ Internal ⓘ

Only available to users within your organization. You will not need to submit your app for verification. [Learn more about user type](#) ⓘ

☒ External ⓘ

Available to any test user with a Google Account. Your app will start in testing mode and will only be available to users you add to the list of test users. Once your app is ready to push to production, you may need to verify your app. [Learn more about user type](#) ⓘ


Next

3 Contact Information

4 Finish

Create Cancel

Step 17 : Put any email in your contact information



The screenshot shows the Google Cloud console interface for configuring a project. The left sidebar contains a navigation menu with the following items: Overview (selected), Branding, Audience, Clients, Data Access, and Verification Center. The main content area is titled 'Project configuration' and displays a progress bar with four steps: 1. App Information (checked), 2. Audience (checked), 3. Contact Information (active), and 4. Finish. In the 'Contact Information' step, there is a text input field labeled 'Email addresses *' containing the text 'support@yourdomain.com'. Below the input field, a note states: 'These email addresses are for Google to notify you about any changes to your project.' A 'Next' button is located below the note. At the bottom of the configuration area, there are 'Create' and 'Cancel' buttons. A search bar at the top right contains the text 'search (/) for resources, docs, products, and more'. A notification banner at the bottom right reads: 'Now viewing project "learn-n8n" in organization "No organization"'.

Google Cloud

learn-n8n

search (/) for resources, docs, products, and more

Google Auth Platform / Overview / Create branding

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

1 App Information

2 Audience

3 Contact Information

4 Finish

Email addresses *

support@yourdomain.com

These email addresses are for Google to notify you about any changes to your project.

Next

Create Cancel

Now viewing project "learn-n8n" in organization "No organization"

Step 18 : Press Finish and agree to the T&C ,then press "Create"

The screenshot shows the Google Cloud console interface for creating a Google Auth Platform project. The top navigation bar includes the Google Cloud logo, a user profile icon labeled 'learn-n8n', and a search bar. The breadcrumb trail indicates the current location: 'Google Auth Platform / Overview / Create branding'. The left sidebar contains a list of navigation options: Overview (selected), Branding, Audience, Clients, Data Access, and Verification Center. The main content area is titled 'Project configuration' and displays a progress list with four steps: 'App Information', 'Audience', 'Contact Information', and 'Finish' (the final step, indicated by a blue circle with the number 4). Below the 'Finish' step, there is a checkbox labeled 'I agree to the Google API Services: User Data Policy'. A black arrow points to this checkbox. Below the checkbox is a 'Continue' button. At the bottom of the configuration area, there is a red dashed box containing two buttons: 'Create' (a blue button) and 'Cancel' (a grey button).

Step 19 : Press "Create OAuth Client"

The screenshot shows the Google Cloud console interface for the Google Auth Platform. The top navigation bar includes the Google Cloud logo, a user profile icon labeled 'learn:nln', a search bar with the placeholder text 'Search (/) for resources, docs, products, and more', and several utility icons on the right. Below the navigation bar, the breadcrumb 'Google Auth Platform / Overview' is visible. A left-hand sidebar contains a list of navigation items: 'Overview' (highlighted with a blue bar), 'Branding', 'Audience', 'Clients', 'Data Access', and 'Verification Center'. The main content area is titled 'OAuth Overview' and is divided into two sections. The 'Metrics' section contains a light blue informational message: 'You haven't configured any OAuth clients for this project yet.' To the right of this message is a button labeled 'Create OAuth client', which is highlighted by a red dashed rectangular border. A black arrow originates from the text 'Step 19 : Press "Create OAuth Client"' at the top left and points directly to this button. The 'Project Checkup' section below contains another light blue message: 'No project health recommendations found for your project.' with a 'Learn more about OAuth 2.0 Policies' link on the right.

Google Cloud learn:nln Search (/) for resources, docs, products, and more Search

Google Auth Platform / Overview

Overview

Branding

Audience

Clients

Data Access

Verification Center

OAuth Overview

Metrics

You haven't configured any OAuth clients for this project yet.


Create OAuth client

Project Checkup


No project health recommendations found for your project.

Learn more about OAuth 2.0 Policies

Step 20 : Choose "Web Application"



Step 21: Name it as "n8n-client"



Google Cloud learn-n8n Search (/) for resources, docs, products, and more Search

Google Auth Platform / Clients / Create client

Overview
Branding
Audience
Clients
Data Access
Verification Center

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
n8n-client

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

i The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins ⓘ

For use with requests from a browser

+ Add URI

Authorized redirect URIs ⓘ


For use with requests from a web server

+ Add URI

Note: It may take 5 minutes to a few hours for settings to take effect

Create Cancel

Step 22 : Go to "Add URL"



Google Cloud learn-n8n Search (/) for resources, docs, products, and more Search

Google Auth Platform / Clients / Create client

Overview
Branding
Audience
Clients
Data Access
Verification Center

← Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
n8n-client

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

i The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins ⓘ

For use with requests from a browser

+ Add URI

Authorized redirect URIs ⓘ

For use with requests from a web server

+ Add URI

Note: It may take 5 minutes to a few hours for settings to take effect

Create Cancel

Step 23 : Go to OAuth Redirect URL in n8n flow and copy it

Save

×

Need help filling out these fields? [Open docs](#)

✚ n8n AI

for setup instructions

OAuth Redirect URL

https://oauth.n8n.cloud/oauth2/callback

In YouTube, use the URL above when prompted to enter an OAuth callback or redirect URL

Client ID *

Client Secret *

.....|

Allowed HTTP Request Domains

All

ⓘ Enterprise plan users can pull in credentials from external vaults. [More info](#)

Step 24 : Paste it in the URL

Google Cloud learn-n8n Search (/) for resources, docs, products, and more Search

Google Auth Platform / Clients / Create client

Overview
Branding
Audience
Clients
Data Access
Verification Center

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
n8n-client

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins

For use with requests from a browser

+ Add URI

Authorized redirect URIs

For use with requests from a web server

URIs 1 *

Invalid Redirect URL must not be empty.

+ Add URI

Note: It may take 5 minutes to a few hours for settings to take effect

OAuth configuration created!

Step 25 : Once done click " Create"

Google Cloud learn-n8n

Search (/) for resources, docs, products, and more Search

Google Auth Platform / Clients / Create client

Overview
Branding
Audience
Clients
Data Access
Verification Center

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
n8n-client

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins

For use with requests from a browser

+ Add URI

Authorized redirect URIs

For use with requests from a web server

URIs 1 *

+ Add URI

Note: It may take 5 minutes to a few hours for settings to take effect

Create Cancel

OAuth configuration created!

Step 26 : You will get the "Client ID"

Google Cloud | learn-n8n | Search (/) for resources, docs, products, and more | Search

Google Auth Platform / Clients / Create client

Overview | Branding | Audience | **Clients** | Data Access | Verification Center

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
n8n-client

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

i The domains of the URIs you add below will be used to identify your app to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins **i**

For use with requests from a browser

+ Add URI

Authorized redirect URIs **i**

For use with requests from a web server

URIs 1 *
`http://localhost:5678/rest/oauth2-credential/callback`

+ Add URI

Note: It may take 5 minutes to a few hours for settings to take effect

Create Cancel

OAuth client created

The client ID can always be accessed from Clients tab under Google Auth Platform.

i OAuth access is restricted to the [test users](#) listed on your [OAuth consent screen](#)

Client ID	633360295177-qago2jqcwr7atq685dtd4oal40kia66f.apps.googleusercontent.com
-----------	--

Download JSON

Copy Client ID

OK

Step 27 : Click "OK" to go back on the screen

Google Cloud | learn-n8n | Search (/) for resources, docs, products, and more | Search

Google Auth Platform / Clients / Create client

← Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
n8n-client

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

i The domains of the URIs you add below will be added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins ⓘ
For use with requests from a browser

+ Add URI

Authorized redirect URIs ⓘ
For use with requests from a web server

URIs 1 *
`http://localhost:5678/rest/oauth2-credential/callback`

+ Add URI

OAuth client created

The client ID can always be accessed from Clients tab under Google Auth Platform.

i OAuth access is restricted to the [test users](#) listed on your [OAuth consent screen](#).

Client ID
633360295177-
qago2jqcwr7atq685d4oal40kia66f.apps
.googleusercontent.com

Download JSON

OK

Step 28 : Again select your project in this case “n8n-client”

Google Cloud | learn-n8n

Search (/) for resources, docs, products, and more

Google Auth Platform / Clients

Overview
Branding
Audience
Clients
Data Access
Verification Center

Clients [+ Create client](#) [Delete](#) [Restore deleted OAuth clients](#)

OAuth 2.0 Client IDs

☐	Name	Creation date	Type	Client ID	Actions
☐	n8n-client	Aug 8, 2025	Web application	633360295177-qago...	Edit Delete

Step 29 : Click "Client Secret"

The screenshot shows the Google Cloud console interface for a specific OAuth 2.0 client. The left sidebar contains navigation links: Overview, Branding, Audience, Clients (selected), Data Access, and Verification Center. The main content area is titled 'Client ID for Web application' and includes a 'Delete' button. It features several sections: 'Name' (with a text input field containing 'nln-client'), 'Additional information' (a table with Client ID, Creation date, and Last used date), 'Authorized JavaScript origins' (with an '+ Add URI' button), 'Authorized redirect URIs', and 'Client secrets' (a table with Client secret, Creation date, and Status). An arrow points from the text 'Step 29 : Click "Client Secret"' to the 'Client secret' field in the 'Client secrets' table.

Google Cloud | learn-nln

Search (/) for resources, docs, products, and more

Google Auth Platform / Clients / Client: 633360295177-qago2jqcv7atq685dtd4oa40kia66f.apps.googleusercontent.com

Overview
Branding
Audience
Clients
Data Access
Verification Center

← Client ID for Web application Delete

Name *
nln-client

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins ⓘ
For use with requests from a browser

+ Add URI

Authorized redirect URIs ⓘ
For use with requests from a web server

Additional information

Client ID	633360295177-qago2jqcv7atq685dtd4oa40kia66f.apps.googleusercontent.com
Creation date	August 8, 2025 at 6:27:05 PM GMT+7
Last used date	August 8, 2025 (Note: this data could be delayed by a day or more.)


Inactive OAuth clients are subject to deletion if they are not used for 6 months. You will be notified of deletion due to inactivity, and can restore clients up to 30 days after deletion. [Learn more](#)

Client secrets

If you are in the process of changing client secrets, you can manually rotate them without downtime. [Learn more](#)

Client secret	****Eiyu	🔍 🗑️ ⬆️
Creation date	August 8, 2025 at 6:27:05 PM GMT+7	
Status	🟢 Enabled	

Step 30 : In Console , Go to “Audience” and then “Publish App”



Step 31 : Once Client Secret and Client id is copy pasted , Sign in with Google in n8n

← Back to canvas

Create spreadsheet

Execute step

INPUT

OUTPUT

Google Sheets account

Google Sheets OAuth2 API

Connection

Need help filling out these fields? [Open docs](#)

Sharing

Details

Connect using *

☒ OAuth2 (recommended)

☐ Service Account

OAuth Redirect URL

In Google Sheets, use the URL above when prompted to enter an OAuth callback or redirect URL

Client ID *

Client Secret *

Make sure you enabled the following APIs & Services in the Google Cloud Console: Google Drive API, Google Sheets API. [More info.](#)

 Sign in with Google

Enterprise plan users can pull in credentials from external vaults. [More info](#)

Step 32 : Verify the App , using “Continue”

← Back to canvas

Create spreadsheet Execute step

INPUT OUTPUT

Google Sheets account
Google Sheets OAuth2 API

Connection

Need help filling out these fields? [Open docs](#)

Sharing

Details

OAuth Redirect URL

`http://localhost:5678/rest/oauth2-credential/callback`

In Google Sheets, use the URL above when prompted to enter an OAuth callback or redirect URL.

Client ID *

`633360295177-qago2jqcvr7atq685dtd4oa140kia66l.apps.googleusercontent.com`

Client Secret *

.....

Make sure you enabled the following APIs & Services in the Google Cloud Console: Google Drive API, Google Sheets API, [More info](#).

Sign in with Google

Google hasn't verified this app

You've been given access to an app that's currently being tested. You should only continue if you know the developer that invited you.

Continue

Back to safety

English (United States)

[Help](#) [Privacy](#) [Terms](#)

Step 33: Press "Select All"

← Back to canvas

Create spreadsheet Execute step

INPUT OUTPUT

Google Sheets account

Google Sheets OAuth2 API

Connection

Need help filling out these fields? [Open docs](#)

Sharing

Details

OAuth Redirect URL

`http://localhost:5678/rest/oauth2-credential/callback`

In Google Sheets, use the URL above when prompted to enter an OAuth callback or redirect URL.

Client ID *

`633360295177-qago2jqcvr7atq685dtd4cal40kla66f.apps.googleusercontent.com`

Client Secret *

.....

Make sure you enabled the following APIs & Services in the Google Cloud Console: Google Drive API, Google Sheets API. [More info.](#)

Sign in with Google

Sign in with Google

n8n wants access to your Google Account

→ [jamie.n8n@gmail.com](#)

Select what n8n can access

- Select all
- View and manage metadata of files in your Google Drive. [Learn more](#)
- See, edit, create, and delete only the specific Google Drive files you use with this app. [Learn more](#)
- See, edit, create, and delete all your Google Sheets spreadsheets. [Learn more](#)

Make sure you trust n8n

Step 34 : Then press continue. and this message will pop up

← Back to canvas

INPUT

Create spreadsheet

Execute step

OUTPUT

Google Sheets account

Google Sheets OAuth2 API

Connection

Need help filling out these fields? [Open docs](#)

OAuth Redirect URL

`http://localhost:5678/rest/oauth2-credential/callback`

In Google Sheets, use the URL above when prompted to enter an OAuth callback or redirect URL.

Client ID *

`633360295177-qago2jqcvr7atq685dtd4cal40kia66f.apps.googleusercontent.com`

Client Secret *

.....

Make sure you enabled the following APIs & Services in the Google Cloud Console: Google Drive API, Google Sheets API. [More info.](#)

 Sign in with Google



Documentation

https://docs.n8n.io/integrations/builtin/credentials/google/oauth-single-service/?utm_source=n8n_app&utm_medium=credential_settings&utm_campaign=create_new_credentials_modal#finish-your-n8n-credential

Video Tutorial



Github Repository

ashumishra2104/
n8n_theory_and_projects



 1

Contributor

 0

Issues

 0

Stars

 0

Forks



n8n_theory_and_projects/Project/RAG_Agent at main · ashumishra2104/n8n_theory_and_projects

Contribute to ashumishra2104/n8n_theory_and_projects development by creating an account on GitHub.

 GitHub

Excel Link

Loading the data to vector database	
Node Name	Action
Google Drive Trigger	
Mode	Every Minute
Trigger on	Changes involving a specific folder
Folder-From List	Your Google drive where files are uploaded
Watch for	File created
Download File	
Resource	File
Operation	Download
File-by id	{{ \$json.id }}
Creating database on Pinecone vector Db	
Step 1 - Go to	https://www.pinecone.io/
Step 2	Create Index [on the top right corner]
Step 3	Give the index a name
Step 4	Under Configuration ,select " text-embedding-3-small "
Step 5	Press "Create Index"
Step 6	On the left , press API Key
Step 7	Create API key ,and copy paste in n8n node
Integrating Pinecone	
Sheet1	

Text Splitters

 Claude


BY ANTHROPIC

Text Splitter Demo: Compare AI Chunking Methods


Interactive demo comparing character, recursive, and token-based text splitters. Load samples or paste text to see how AI breaks down documents into chunks.

 Claude


Loading the data





Retrieving the data



Loading of data in pinecone vector store





Using the loaded data in a chatbot

Retrieval of data

