



RAG

Lab: Creating a Mini-Model via RAG

Step 1: Go to <https://cloud.google.com/?hl=en>



Build what's next

Create agentic applications using Vertex AI—now with Gemini 3.

[Try Vertex AI](#)[Contact sales](#)

Ask anything about Google Cloud

Built with [Gemini Enterprise](#)



How can I try Google Cloud products for free?

How do I build and use AI agents?

Discover solutions for my industry

Summarize what's new with Google Cloud

[Try Gemini 2.5](#), our most intelligent model now available in Vertex AI



What's new in AI

Developers

Business leaders

EVENT

Accelerate your technical AI mastery at Google Cloud Technical



30-DAY TRIAL OFFER

Bring the best of Google AI to every employee, for every workflow with



PRODUCT ANNOUNCEMENT

Introducing Gemini Enterprise for Customer Experience: a new era of



Step 2 : Click on Console



Build what's next

Create agentic applications using Vertex AI—now with Gemini 3.

[Try Vertex AI](#)[Contact sales](#)

Ask anything about Google Cloud

Built with [Gemini Enterprise](#)



- How can I try Google Cloud products for free?
- How do I build and use AI agents?
- Discover solutions for my industry
- Summarize what's new with Google Cloud

[Try Gemini 2.5, our most intelligent model now available in Vertex AI](#)

[What's new in AI](#)[Developers](#)[Business leaders](#)

EVENT

Accelerate your technical AI mastery at Google Cloud Technical



30-DAY TRIAL OFFER

Bring the best of Google AI to every employee, for every workflow with



PRODUCT ANNOUNCEMENT

Introducing Gemini Enterprise for Customer Experience: a new era of



Step 3 : Click on projects listed at left hand side

 Google Cloud

n8n test

Search (/) for resources, docs, products, and more

Search







Welcome

You're working in [n8n test](#)

Project number: 370103678878  Project ID: trim-icon-453719-r5 

[Cloud Hub](#)

 Create a VM

 Run a query in BigQuery

 Deploy an application

 Create a storage bucket

Quick access

 APIs & Services

 IAM & Admin

 Billing

 Compute Engine

 Cloud Storage

 BigQuery

 VPC network

 Kubernetes Engine

 [View all products](#)

Join the Google Developer Program to learn new skills and dev tools at no cost.

Join today 

Step 4 : Press Create new project



You're working in

Project number: 3701

[Cloud Hub](#)

[+ Create a VM](#)

[+ Create a storage](#)

Quick access

[APIs & Services](#)

[Cloud Storage](#)

[View all products](#)

Select a project

Search projects and folders



[Recent](#)

[Starred](#)

[All](#)

Name	Type	ID	
✓ n8n test ?	Project	trim-icon-453719-r5	☆
Docs Extractor ?	Project	stone-fortress-454704-d2	☆
My First Project ?	Project	kinetic-primer-452417-e4	☆
My First Project ?	Project	graphite-bliss-448710-h1	☆



[New project](#)

Cancel

Step 4 : Name the project as per your desire

Google Cloud

Search (/) for resources, docs, products, and more

Search

New Project

You have 5 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)

Manage Quotas

Project name *

n

Project ID: cobalt-p

n8n-youtube

changed later. [Edit](#)

Location *

No organization

Browse

Parent organization or folder

Create

Cancel

Step 5 : Then click create

The screenshot shows the Google Cloud 'New Project' page. At the top, there's a navigation bar with the Google Cloud logo, a search bar, and several icons. Below the navigation bar, the title 'New Project' is visible. A yellow warning banner states: 'You have 5 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)'. Below this, there's a 'Project name' field with the text 'n' and a help icon. Underneath, the 'Project ID' is shown as 'n8n-youtube', with a note 'changed later.' and an 'Edit' link. The 'Location' is set to 'No organization' with a 'Browse' button. At the bottom, there's a 'Parent organization or folder' field. The 'Create' button is highlighted with a red dashed box, and a black arrow points from the text 'Step 5 : Then click create' to it. A 'Cancel' button is also present.

Google Cloud

Search (/) for resources, docs, products, and more

Search

New Project

You have 5 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)

[Manage Quotas](#)

Project name *

n

Project ID: default-**n8n-youtube** changed later. [Edit](#)

Location *

No organization [Browse](#)

Parent organization or folder

Create Cancel

Step 6 : Wait for project to get created,once done , it will start reflecting on the left

Google Cloud **n8n-training** Open project picker (⌘O)

Search (/) for resources, docs, products, and more Search

Welcome

You're working in **n8n-training**

Project number: 971382095281 Project ID: n8n-training-463212

[Dashboard](#) [Cloud Hub](#) [New](#)

[+ Create a VM](#) [+ Run a query in BigQuery](#) [+ Deploy an application](#)

[+ Create a storage bucket](#)

Explore the Gemini 2.5 model family

Try in Vertex AI →

Quick access

API APIs & Services IAM & Admin Billing Compute Engine

Step 7 : Now press the hamburger menu,go to “API & Services”

The screenshot shows the Google Cloud console interface. On the left, the hamburger menu is open, displaying a list of navigation options. The 'APIs & Services' option is highlighted with a red dashed box, and a black arrow points from the title 'Step 7 : Now press the hamburger menu,go to “API & Services”' to this option. A sub-menu is visible for 'APIs & Services', listing 'Enabled APIs & services', 'Library', 'Credentials', 'OAuth consent screen', and 'Page usage agreements'. The main content area shows a 'Welcome' message for a project named 'n8n test' with project number 370103678878 and ID trim-icon-453719-r5. It includes buttons for 'Create a VM', 'Run a query in BigQuery', 'Deploy an application', and 'Create a storage bucket'. A 'Join the Google Developer Program' banner is also present. At the bottom, a notification bar states 'Now viewing project "n8n test" in organization "No organization"'. The URL in the address bar is <https://console.cloud.google.com/apis?hl=en&project=trim-icon-453719-r5>.

Google Cloud

- Cloud Hub
- Cloud overview
- Solutions
- Recently visited

Favorite products

Favorite products appear here

Products

- Billing
- IAM & Admin
- Marketplace
- APIs & Services**
- Vertex AI
- Compute Engine
- Kubernetes Engine
- Cloud Storage
- Security
- BigQuery
- Monitoring
- Cloud Run
- VPC Network

Enabled APIs & services

- Library
- Credentials
- OAuth consent screen
- Page usage agreements

Welcome

You're working in **n8n test**

Project number: 370103678878 Project ID: trim-icon-453719-r5

[Cloud Hub](#)

[Create a VM](#) [Run a query in BigQuery](#) [Deploy an application](#) [Create a storage bucket](#)

[Join the Google Developer Program to learn new skills and dev tools at no cost.](#)

[Join today](#)

[View all products](#)

Now viewing project "n8n test" in organization "No organization"

Step 8: Then click on Enabled API & Services

The screenshot displays the Google Cloud console interface. On the left, a sidebar menu is open, showing various navigation options. The 'APIs & Services' option is selected, and a sub-menu is visible, with 'Enabled APIs & services' highlighted by a red dashed box and an arrow pointing to it. The main content area shows a 'Welcome' message for the project 'n8n test', along with project details and several action buttons like 'Create a VM', 'Run a query in BigQuery', and 'Deploy an application'. A 'Join the Google Developer Program' banner is also present on the right. At the bottom, a status bar indicates the current project and organization.

Google Cloud

- Cloud Hub
- Cloud overview
- Solutions
- Recently visited

Favorite products

Favorite products appear here

Products

- Billing
- IAM & Admin
- Marketplace
- APIs & Services**
 - Enabled APIs & services**
 - Library
 - Credentials
 - OAuth consent screen
 - Page usage agreements
- Vertex AI
- Compute Engine
- Kubernetes Engine
- Cloud Storage
- Security
- BigQuery
- Monitoring
- Cloud Run
- VPC Network

View all products

Welcome

You're working in **n8n test**

Project number: 370103678878 Project ID: trim-icon-453719-r5

[Cloud Hub](#)

[Create a VM](#) [Run a query in BigQuery](#) [Deploy an application](#)

[Create a storage bucket](#)

Join the Google Developer Program to learn new skills and dev tools at no cost.

Join today →

APIs & Services IAM & Admin Billing Compute Engine

Cloud Storage BigQuery VPC network Kubernetes Engine

[View all products](#)

Now viewing project "n8n test" in organization "No organization"

<https://console.cloud.google.com/apis?hl=en&project=trim-icon-453719-r5>

Step 9 : Then click on “Enable API & Services”

Google Cloud

n8n test

drive

Search

APIs & Services

APIs & Services

+ Enable APIs and services

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

1 hour

6 hours

12 hours

✓ 1 day

2 days

4 days

7 days

14 days

30 days

Traffic

Errors

Median latency

Filter

Filter

?

Name	↓ Requests	Errors (%)	Latency, median (ms)	Latency, 95% (ms)
Google Drive API	4	0	262	943
Analytics Hub API				
Artifact Registry API				
BigQuery API				
BigQuery Connection API				
BigQuery Data Policy API				
BigQuery Migration API				
BigQuery Reservation API				
BigQuery Storage API				
Cloud Dataplex API				
Cloud Datastore API				
Cloud Logging API				
Cloud Monitoring API				

Step 10 : Search "google drive"

The screenshot shows the Google Cloud API Library interface. At the top, the Google Cloud logo and a project selector showing 'n8n test' are visible. The breadcrumb navigation indicates 'APIs & Services / API Library'. A large banner area contains the text 'Welcome to the API Library' and 'The API Library has documentation, links, and a smart search experience.' Below this, a search bar contains the text 'google drive', which is highlighted with a red dashed box. A black arrow points from the title 'Step 10 : Search "google drive"' to this search bar. A dropdown menu below the search bar shows two suggestions: 'google drive api' and 'google drive activity api'. On the left side, there is a filter sidebar with sections for 'Visibility' (Public: 506, Private: 3) and 'Category' (Analytics: 11, Big data: 21, Databases: 6, Machine learning: 16, Maps: 32, DevOps: 25, Compute: 13, Advertising: 14). The main content area is divided into two sections: 'Maps' and 'Machine learning'. The 'Maps' section includes cards for 'Maps SDK for Android', 'Maps SDK for iOS', 'Maps JavaScript API', 'Places API', 'Roads API', and 'Directions API'. The 'Machine learning' section includes cards for 'Dialogflow API', 'Cloud Vision API', 'Cloud Natural Language API', 'Cloud Speech-to-Text API', 'Cloud Translation API', and 'AI Platform Training & Prediction API'. A notification banner at the bottom states 'Now viewing project "n8n test" in organization "No organization"'.

Google Cloud n8n test

APIs & Services / API Library

API Library

Welcome to the API Library

The API Library has documentation, links, and a smart search experience.

google drive

google drive api

google drive activity api

Filter Type to filter

Visibility

Public (506)

Private (3)

Category

Analytics (11)

Big data (21)

Databases (6)

Machine learning (16)

Maps (32)

DevOps (25)

Compute (13)

Advertising (14)

Maps

View all (32)

Maps SDK for Android

Google

Maps for your native Android app.

Maps SDK for iOS

Google

Maps for your native iOS app.

Maps JavaScript API

Google

Maps for your website

Places API

Google Enterprise API

Get detailed information about 100 million places

Roads API

Google Enterprise API

Snap-to-road functionality to accurately trace GPS breadcrumbs.

Directions API

Google Enterprise API

Directions between multiple locations.

Machine learning

View all (16)

Dialogflow API

Google Enterprise API

Builds conversational interfaces

Cloud Vision API

Google Enterprise API

Image Content Analysis

Cloud Natural Language API

Google Enterprise API

Cloud Speech-to-Text API

Google Enterprise API

Cloud Translation API

Google Enterprise API

Integrates text translation into your website or application.

AI Platform Training & Prediction API

Google Enterprise API

An API to enable creating and using machine learning models.

Now viewing project "n8n test" in organization "No organization"

Step 11: Select "Google Drive API"

Google Cloud

n8n test

API APIs & Services / API Library / Browse

API API Library

API Library > "google drive"

Filter

Type to filter

Visibility ^

Public (10)

Category ^

Analytics (2)

Big data (3)

Databases (1)

Maps (1)

DevOps (1)

Healthcare & Life Sciences (1)

Google Enterprise APIs (6)

Developer stacks (1)

Storage (2)

Google Workspace (4)

10 results



Google Drive API

Google Enterprise API ?

With the Google Drive API, you can access resources from Google Drive to create files, manage file sharing, search for files and folders, and more.



Google Drive Activity API

Google Enterprise API ?

With the Google Drive Activity API, you can retrieve information about a user's Google Drive activity. This provides additional functionality on top the Google Drive API for your app to display activity on a user's files, track changes to specific files or folders, or alert a user to new comments or changes to files.



Drive Labels API

Google

Use the Drive Labels API to define custom metadata taxonomies to organize, find, enforce policy, and support business processes on Google Drive files and folders.



Google Workspace Marketplace SDK

Google

A toolkit for publishing add-ons, Drive apps, Chat apps, and other integrations on the Google Workspace Marketplace.



Eventarc API

Google Enterprise API ?

Eventarc lets you asynchronously deliver events to your backend services. Eventarc requires no infrastructure.

Now viewing project "n8n test" in organization "No organization"

that g an

Step 12 : Enable the API

 learn-n8n



 Product details



Google Drive API

[Google Enterprise API](#)

Create and manage resources in Google Drive.

Enable

Try this API 

Click to enable this API

[Overview](#) [Documentation](#) [Support](#) [Related Products](#)

Overview

With the Google Drive API, you can access resources from Google Drive to create files, manage file sharing, search for files and folders, and more.

[Learn more !\[\]\(cb65566174cc9295803440b3dcf14f8e_img.jpg\)](#)

Additional details

Type: [SaaS & APIs](#)

Last product update: 2/7/23

Category: [Google Enterprise APIs](#), [Storage](#), [Google Workspace](#)

Service name: drive.googleapis.com

Step 13 : Again go back to the screen and then select “ Auth consent screen”

The screenshot displays the Google Cloud console interface. On the left, the 'APIs & Services' menu is open, showing a list of services including Billing, IAM & Admin, Marketplace, APIs & Services, Vertex AI, Compute Engine, Kubernetes Engine, Cloud Storage, Security, BigQuery, Monitoring, Cloud Run, and VPC Network. The 'APIs & Services' menu is further expanded, showing a sub-menu with 'Enabled APIs & services', 'Library', 'Credentials', 'OAuth consent screen', and 'Page usage agreements'. The 'OAuth consent screen' option is highlighted with a red dashed border. A black arrow points from the top of the page to this option. The main content area shows a 'Welcome' message for the 'n8n test' project, with project number 370103678878 and project ID trim-icon-453719-r5. It includes buttons for 'Create a VM', 'Run a query in BigQuery', 'Deploy an application', and 'Create a storage bucket'. A 'Join the Google Developer Program' banner is also visible on the right.

Google Cloud

Cloud Hub >

Cloud overview >

Solutions >

Recently visited >

Favorite products

Favorite products appear here

Products

Billing ☆

IAM & Admin ☆ >

Marketplace ☆

APIs & Services ☆ >

Vertex AI ☆ >

Compute Engine ☆ >

Kubernetes Engine ☆ >

Cloud Storage ☆ >

Security ☆ >

BigQuery ☆ >

Monitoring ☆ >

Cloud Run ☆ >

VPC Network ☆ >

View all products

Search (/) for resources, docs, products, and more Search

Welcome

You're working in n8n test

Project number: 370103678878 Project ID: trim-icon-453719-r5

Cloud Hub

Create a VM Run a query in BigQuery Deploy an application

Create a storage bucket

Join the Google Developer Program to learn new skills and dev tools at no cost.

Join today →

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

APIs & Services

IAM & Admin

Billing

Compute Engine

Cloud Storage

BigQuery

VPC network

Kubernetes Engine

View all products

https://console.cloud.google.com/apis?project=trim-icon-453719-r5

Step 14: Once on screen , press “ Get Started”

Google Cloud

learn-n8n

Search (/) for resources, docs, products, and more

Search

Google Auth Platform / Overview

Overview

Branding


Audience

Clients

Data Access

Verification Center

OAuth Overview



Google Auth Platform not configured yet

Get started to configure your application's identity and manage credentials for calling Google APIs and Sign-in with Google. [Learn more](#)

Get started

Step 15 : Give App name and choose the email id from drop down,then press next

Google Cloud

learn-n8n

Search (/) for resources, docs, products, and more

Search

Google Auth Platform / Overview / Create branding

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

1 App Information

App name *
n8n
The name of the app asking for consent.

User support email *
jamie.n8n@gmail.com
For users to contact you with questions about their consent. [Learn more](#)

Next

2 Audience

3 Contact Information

4 Finish

Create Cancel

Step 16 : Select "External"

Google Cloud

learn-n8n

Search (/) for resources, docs, products, and more

Search

Google Auth Platform / Overview / Create branding

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

1

App Information

2

Audience

3

Contact Information

4

Finish

☒ Internal ?

Only available to users within your organization. You will not need to submit your app for verification. [Learn more about user type](#)

☒ External ?


Available to any test user with a Google Account. Your app will start in testing mode and will only be available to users you add to the list of test users. Once your app is ready to push to production, you may need to verify your app. [Learn more about user type](#)

Next

Create

Cancel

Step 17 : Put any email in your contact information



The screenshot shows the Google Auth Platform interface for creating branding. The left sidebar contains a menu with the following items: Overview (selected), Branding, Audience, Clients, Data Access, and Verification Center. The main content area is titled 'Project configuration' and displays a progress bar with four steps: 1. App Information (checked), 2. Audience (checked), 3. Contact Information (active), and 4. Finish. In the 'Contact Information' step, there is a text input field labeled 'Email addresses *' containing the text 'support@yourdomain.com'. Below the input field, a note states: 'These email addresses are for Google to notify you about any changes to your project.' A 'Next' button is located below the note. At the bottom of the configuration area, there are 'Create' and 'Cancel' buttons. A black arrow points from the top right towards the 'Email addresses' input field. At the bottom of the screen, a status bar indicates: 'Now viewing project "learn-n8n" in organization "No organization"'.

Google Cloud learn-n8n

Search (7) for resources, docs, products, and more Search

Google Auth Platform / Overview / Create branding

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

1 App Information

2 Audience

3 Contact Information

4 Finish

Email addresses *

support@yourdomain.com

These email addresses are for Google to notify you about any changes to your project.

Next

Create Cancel

Now viewing project "learn-n8n" in organization "No organization"

Step 18 : Press Finish and agree to the T&C ,then press "Create"

Google Cloud learn-n8n

Search (/) for resources, docs, products, and more Search

Google Auth Platform / Overview / Create branding

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

✓ App Information

✓ Audience

✓ Contact Information

4 Finish

☐ I agree to the [Google API Services: User Data Policy](#)

Continue

Create Cancel

Step 19 : Press "Create OAuth Client"

The screenshot shows the Google Cloud OAuth Overview page. At the top, there's a Google Cloud header with a search bar and navigation icons. Below the header, the page title is "OAuth Overview". On the left, there's a sidebar with navigation links: Overview, Branding, Audience, Clients, Data Access, and Verification Center. The main content area has a "Metrics" section with a message: "You haven't configured any OAuth clients for this project yet." To the right of this message is a button labeled "Create OAuth client", which is highlighted with a red dashed border. A black arrow points from the text "Step 19 : Press 'Create OAuth Client'" to this button. Below the "Metrics" section is a "Project Checkup" section with a message: "No project health recommendations found for your project." and a link to "Learn more about OAuth 2.0 Policies".

Google Cloud

learn-n8n

Search (/) for resources, docs, products, and more

Search

Google Auth Platform / Overview

Overview

Branding

Audience

Clients

Data Access

Verification Center

OAuth Overview

Metrics

i You haven't configured any OAuth clients for this project yet.


Create OAuth client

Project Checkup

i No project health recommendations found for your project.

[Learn more about OAuth 2.0 Policies](#)

Step 20 : Choose “Web Application”



The screenshot shows the Google Cloud console interface. At the top, there's a header with the Google Cloud logo, a user profile 'learn-n8n', and a search bar. Below the header, the breadcrumb trail reads 'Google Auth Platform / Clients / Create client'. The left sidebar contains a navigation menu with options: Overview, Branding, Audience, Clients (highlighted), Data Access, and Verification Center. The main content area is titled 'Create OAuth client ID' and includes a back arrow. Below the title, there's explanatory text about client IDs and links to 'Setting up OAuth 2.0' and 'Learn more'. The 'Application type' dropdown menu is open, showing a list of options: Web application (highlighted with a red dashed box), Android, Chrome Extension, iOS, TVs and Limited Input devices, Desktop app, and Universal Windows Platform (UWP). A black arrow from the title points to the 'Web application' option.

Google Cloud learn-n8n

Search (/) for resources, docs, products, and more Search

Google Auth Platform / Clients / Create client


← Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *

- Web application
- Android
- Chrome Extension
- iOS
- TVs and Limited Input devices
- Desktop app
- Universal Windows Platform (UWP)

Step 21: Name it as "n8n-client"



Google Cloud learn-n8n Search (/) for resources, docs, products, and more Search

Google Auth Platform / Clients / Create client

Overview
Branding
Audience
Clients
Data Access
Verification Center

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
n8n-client

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

i The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins ?

For use with requests from a browser

+ Add URI

Authorized redirect URIs ?


For use with requests from a web server

+ Add URI

Note: It may take 5 minutes to a few hours for settings to take effect

Create Cancel

Step 22 : Go to "Add URL"



Google Cloud learn-n8n

Search (/) for resources, docs, products, and more Search

Google Auth Platform / Clients / Create client

Overview
Branding
Audience
Clients
Data Access
Verification Center

← Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
n8n-client

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

i The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins ?

For use with requests from a browser

+ Add URI

Authorized redirect URIs ?

For use with requests from a web server

+ Add URI

Note: It may take 5 minutes to a few hours for settings to take effect

Create Cancel

Step 23 : Go to OAuth Redirect URL in n8n flow and copy it

Save

×

Need help filling out these fields? [Open docs](#)

 n8n AI

 for setup instructions

OAuth Redirect URL

`https://oauth.n8n.cloud/oauth2/callback`

In YouTube, use the URL above when prompted to enter an OAuth callback or redirect URL

Client ID *

Client Secret *

.....|

Allowed HTTP Request Domains

All

ⓘ Enterprise plan users can pull in credentials from external vaults. [More info](#)

Step 24 : Paste it in the URL

Google Cloud learn-n8n Search (/) for resources, docs, products, and more Search

Google Auth Platform / Clients / Create client

Overview
Branding
Audience
Clients
Data Access
Verification Center

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
n8n-client

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

i The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins ?

For use with requests from a browser

+ Add URI

Authorized redirect URIs ?

For use with requests from a web server

URIs 1 *
https://www.example.com

i Invalid Redirect: URL must not be empty

+ Add URI

Note: It may take 5 minutes to a few hours for settings to take effect

OAuth configuration created!

Step 25 : Once done click " Create"

Google Cloud learn-n8n Search (/) for resources, docs, products, and more Search

Google Auth Platform / Clients / Create client

Overview Branding Audience Clients Data Access Verification Center

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
n8n-client

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

i The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins ?

For use with requests from a browser

+ Add URI

Authorized redirect URIs ?

For use with requests from a web server

URIs 1 *

+ Add URI

Note: It may take 5 minutes to a few hours for settings to take effect

Create Cancel

OAuth configuration created!

Step 26 : You will get the "Client ID"

www.youtube.com – to exit full screen, press `esc`

Google Cloud learn-n8n

Search (/) for resources, docs, products, and more

Google Auth Platform / Clients / Create client

Overview
Branding
Audience
Clients
Data Access
Verification Center

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
n8n-client

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

The domains of the URIs you add below will be added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins

For use with requests from a browser

+ Add URI

Authorized redirect URIs

For use with requests from a web server

URIs 1 *
`http://localhost:5678/rest/oauth2-credential/callback`

+ Add URI

Note: It may take 5 minutes to a few hours for settings to take effect

Create Cancel

OAuth client created

The client ID can always be accessed from Clients tab under Google Auth Platform.

OAuth access is restricted to the [test users](#) listed on your [OAuth consent screen](#).


Client ID	633360295177-qago2jqcwr7atq685dtd4oal40kia66f.apps.googleusercontent.com
-----------	--

Download JSON

Copy Client ID

OK

Step 27 : Click "OK" to go back on the screen



The screenshot shows the Google Cloud console interface. The top navigation bar includes the Google Cloud logo, a user profile icon labeled 'learn-n8n', and a search bar. The left sidebar contains a menu with options: Overview, Branding, Audience, Clients (selected), Data Access, and Verification Center. The main content area is titled 'Create OAuth client ID' and includes a back arrow. Below the title, there is a paragraph explaining the client ID and links to 'Setting up OAuth 2.0' and 'Learn more'. A form section shows 'Application type' set to 'Web application' and 'Name' set to 'n8n-client'. Below this, an information box states that the domains of the URIs added will be added to the OAuth consent screen as authorized domains. The 'Authorized JavaScript origins' section has a sub-header and a description, followed by an '+ Add URI' button. The 'Authorized redirect URIs' section also has a sub-header, description, and an input field containing 'http://localhost:5678/rest/oauth2-credential/callback', with an '+ Add URI' button below it. A modal dialog box titled 'OAuth client created' is overlaid on the right. It contains the text: 'The client ID can always be accessed from Clients tab under Google Auth Platform.' Below this is an information box stating: 'OAuth access is restricted to the test users listed on your OAuth consent screen'. The dialog displays the 'Client ID' as '633360295177-qago2jqcwr7atq685dtd4oal40kia66f.apps.googleusercontent.com' with a copy icon. At the bottom of the dialog is a 'Download JSON' button. The 'OK' button at the bottom right of the dialog is highlighted with a red dashed box. A black arrow points from the text 'Step 27 : Click "OK" to go back on the screen' to the 'OK' button.

Google Cloud learn-n8n Search (/) for resources, docs, products, and more Search

Google Auth Platform / Clients / Create client

← Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
n8n-client

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

i The domains of the URIs you add below will be added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins ?
For use with requests from a browser

+ Add URI

Authorized redirect URIs ?
For use with requests from a web server

URIs 1 *
http://localhost:5678/rest/oauth2-credential/callback

+ Add URI

OAuth client created

The client ID can always be accessed from Clients tab under Google Auth Platform.

i OAuth access is restricted to the [test users](#) listed on your [OAuth consent screen](#).

Client ID
633360295177-qago2jqcwr7atq685dtd4oal40kia66f.apps.googleusercontent.com

Download JSON

OK

Step 28 : Again select your project in this case “n8n-client”

Google Cloud

learn-n8n

Search (/) for resources, docs, products, and more

Search

7

Google Auth Platform / Clients

Overview

Branding

Audience

Clients

Data Access

Verification Center

Clients

+ Create client

Delete

Restore deleted OAuth clients

OAuth 2.0 Client IDs

☐	Name	Creation date ↓	Type	Client ID	Actions
☐	n8n-client	Aug 8, 2025	Web application	633360295177-qago...	

Step 29 : Click "Client Secret"

Google Cloud

learn-n8n

Search (/) for resources, docs, products, and more

Search

Google Auth Platform / Clients / Client: 633360295177-qago2jqcvr7atq685dtd4oal40kia66f.apps.googleusercontent.com

Overview

Branding

Audience

Clients

Data Access

Verification Center

← Client ID for Web application Delete

Name *
n8n-client

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins ?
For use with requests from a browser

+ Add URI

Authorized redirect URIs ?
For use with requests from a web server

Additional information

Client ID	633360295177-qago2jqcvr7atq685dtd4oal40kia66f.apps.googleusercontent.com
Creation date	August 8, 2025 at 6:27:05 PM GMT+7
Last used date	August 8, 2025 (Note: this data could be delayed by a day or more.)

Inactive OAuth clients are subject to deletion if they are not used for 6 months. You will be notified of deletion due to inactivity, and can restore clients up to 30 days after deletion. [Learn more](#)

Client secrets

If you are in the process of changing client secrets, you can manually rotate them without downtime. [Learn more](#)

Client secret	****Eiyu	🗑️ 📄 ⬇️
Creation date	August 8, 2025 at 6:27:05 PM GMT+7	
Status	🟢 Enabled	

Step 30 : In Console , Go to “Audience” and then “Publish App”

The screenshot shows the Google Cloud console interface. At the top, there's a header with the Google Cloud logo, a user profile icon labeled 'learn-n8n', and a search bar. Below the header, the breadcrumb trail reads 'Google Auth Platform / Audience'. On the left sidebar, there's a navigation menu with options: Overview, Branding, Audience (highlighted), Clients, Data Access, and Verification Center. The main content area is titled 'Audience' and contains several sections: 'Publishing status' with a help icon, 'Testing' with a 'Publish app' button, 'User type' with 'External' selected and a 'Make internal' button, 'OAuth user cap' with a help icon and explanatory text, a progress bar showing '1 user (0 test, 1 other) / 100 user cap', and 'Test users' with an '+ Add users' button. At the bottom, there's a 'Filter' section with a search input and a 'User information' table header.

Google Cloud learn-n8n Search (/) for resources, docs, products, and more Search

Google Auth Platform / Audience

Overview
Branding
Audience
Clients
Data Access
Verification Center

Audience

Publishing status ?

Testing

Publish app

User type

External ?

Make internal

OAuth user cap ?

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

1 user (0 test, 1 other) / 100 user cap ?

Test users

+ Add users

Filter Enter property name or value ?

User information

Step 31 : Once Client Secret and Client id is copy pasted , Sign in with Google in n8n

← Back to canvas

Create spreadsheet

Execute step

INPUT

OUTPUT

Google Sheets account

Google Sheets OAuth2 API

Connection

Sharing

Details

Need help filling out these fields? [Open docs](#)

Connect using *

☒ OAuth2 (recommended)

☐ Service Account

OAuth Redirect URL

In Google Sheets, use the URL above when prompted to enter an OAuth callback or redirect URL

Client ID *

Client Secret *

Make sure you enabled the following APIs & Services in the Google Cloud Console: Google Drive API, Google Sheets API. [More info.](#)

 Sign in with Google

Enterprise plan users can pull in credentials from external vaults. [More info](#)

Step 32 : Verify the App , using “Continue”

← Back to canvas

+

INPUT

OUTPUT

Create spreadsheet

Execute step

 **Google Sheets account**
Google Sheets OAuth2 API

Connection

Sharing

Details

Need help filling out these fields? [Open docs](#)

OAuth Redirect URL

In Google Sheets, use the URL above when prompted to enter an OAuth callback or redirect URL

Client ID *

Client Secret *

Make sure you enabled the following APIs & Services in the Google Cloud Console: Google Drive API, Google Sheets API. [More info.](#)

 [Sign in with Google](#)



Google hasn't verified this app

You've been given access to an app that's currently being tested. You should only continue if you know [the developer](#) that invited you.

[Continue](#)[Back to safety](#)

English (United States) ▾

[Help](#)[Privacy](#)[Terms](#)

Step 33: Press "Select All"

← Back to canvas

Create spreadsheet

Execute step

INPUT

OUTPUT

 Google Sheets account
Google Sheets OAuth2 API

Connection

Sharing

Details

Need help filling out these fields? [Open docs](#)

OAuth Redirect URL

http://localhost:5678/rest/oauth2-credential/callback

In Google Sheets, use the URL above when prompted to enter an OAuth callback or redirect URL

Client ID *

633360295177-qago2jqcwr7atq685dtd4oal40kia66f.apps.googleusercontent.com

Client Secret *

.....

Make sure you enabled the following APIs & Services in the Google Cloud Console: Google Drive API, Google Sheets API. [More info.](#)

 Sign in with Google

 Sign in with Google

n8n wants access to your Google Account

 jamie.n8n@gmail.com

Select what n8n can access

 Select all

 View and manage metadata of files in your Google Drive. [Learn more](#)

 See, edit, create, and delete only the specific Google Drive files you use with this app. [Learn more](#)

 See, edit, create, and delete all your Google Sheets spreadsheets. [Learn more](#)

Make sure you trust n8n

Step 34 : Then press continue. and this message will pop up

← Back to canvas

Create spreadsheet Execute step

INPUT OUTPUT

Google Sheets account

Google Sheets OAuth2 API

Connection

Need help filling out these fields? [Open docs](#)

Sharing

Details

OAuth Redirect URL

`http://localhost:5678/rest/oauth2-credential/callback`

In Google Sheets, use the URL above when prompted to enter an OAuth callback or redirect URL

Client ID *


`633360295177-qago2jqcwr7atq685dtd4oal40kia66f.apps.googleusercontent.com`

Client Secret *

.....

Make sure you enabled the following APIs & Services in the Google Cloud Console: Google Drive API, Google Sheets API. [More info.](#)

 Sign in with Google




Documentation



https://docs.n8n.io/integrations/builtin/credentials/google/oauth-single-service/?utm_source=n8n_app&utm_medium=credential_settings&utm_campaign=create_new_credentials_modal#finish-your-n8n-credential

Video Tutorial




Loading of data in pinecone vector store





Retrieval of data



Using the loaded data in a chatbot

