




BOM Table				
ITEM	QTY	DESCRIPTION	MATERIAL	CANRIG PART No.
1	1	WELDMENT, CATWALK ODS BEAM, R2D, PC4100	SEE BOM	AY30010
2	1	WELDMENT, CATWALK DS BEAM, R2D, PC4100	SEE BOM	AY30009
3	2	PLATE, ROLL BAR END CAP, PC4100	A572 Gr. 50	DT34313
4	4	PLATE, BACK MID STOP RIB, PC4100	A572 Gr. 50	DT34402
5	2	PIPE, CABLE ROLL, PC4100	A.S.T.M. A106 GR.B	DT34403
6	2	W-BEAM, REAR CATWALK INNER WEB, PC4100	A992 / A572	DT34404
7	1	CARRIER RAIL BOTTOM STIFFNER, DS, PC4100	A36/S275JR	DT34405
8	1	CARRIER RAIL BOTTOM STIFFNER, ODS, PC4100	A36/S275JR	DT34406
9	7	CHANNEL, UPN200x2198 LG	A572 Gr. 50	
10	1	PLATE, BOTTOM PLATE, JUNK BOX, PC4100	ASTM A572 Gr. 50 /A516 Gr.70/ S355JR	DT34390
11	1	CHANNEL, UPN80.000X4672.000 LG	A36/S275JR	
12	5	CHANNEL, UPN80X1143 LG	A36/S275JR	
13	1	CHANNEL, UPN80.000X4623.000 LG	A36/S275JR	UPN80x4623
14	1	BAR, FLAT, 45.000 X 6.000 X 329.406 LG	A36/S275JR/SA 516 GR.70	FB45X6X329
15	1	PI 6" SCH XS X 2388mm	G40.21-44W	
16	1	BAR, FLAT, 45.000 X 6.000 X 280.194 LG	A36/S275JR/SA 516 GR.70	FB45X6X280
17	1	PLATE, FRONT LIP, JUNK BOX, PC4100	ASTM A572 Gr. 50 /A516 Gr.70/ S355JR	DT34389
18	1	CHANNEL, UPN80.000 LG	A36/S275JR	UPN80X1651
19	1	BAR, FLAT, 80.000 X 6.000 X 4634.000 LG	A36/S275JR/SA 516 GR.70	FB80X6X4634
20	1	BAR, FLAT, 80.000 X 6.000 X 4585.000 LG	A36/S275JR/SA 516 GR.70	FB80X6X4585
21	2	BAR, FLAT, 5 X 38 X67 LG	A36/S275JR/SA 516 GR.70	AY30006.002
22	1	PLATE, LEFT SIDE WALL, JUNK BOX, PC4100	ASTM A572 Gr. 50 /A516 Gr.70/ S355JR	DT34392
23	1	PLATE, BACK LIP, JUNK BOX, PC4100	ASTM A572 Gr. 50 /A516 Gr.70/ S355JR	DT34391
24	1	PLATE, RIGHT SIDE WALL , JUNK BOX, PC4100	ASTM A572 Gr. 50 /A516 Gr.70/ S355JR	DT34388
25	1	PLATE, BOTTOM PLATE, JUNK BOX, PC4100	ASTM A572 Gr. 50 /A516 Gr.70/ S355JR	DT34387
26	1	FLANGE, SCULLY, 3/4" NPT	CARBON STEEL	M11504
27	10	PLATE, CROSS CHANNEL GUSSET, PC4100	A572 Gr. 50	DT34314

NOTES:


1. ALL WELDS 6 mm (1/4") SEAL UNLESS OTHERWISE NOTED. BEVEL WELD AS REQUIRED ALL NECESSARY FLUSH-END INTERSECTIONS
2. SEE MPI REQUIREMENTS- SHEET 5
3. NOTES CONTINUED ON SHEET 2

A	PRODUCTION RELEASE	ECN
REV	REVISION DESCRIPTION	

WELDING PROCEDURE AS PER CANRIG SPECIFICATION - ENG 704, UNLESS NOTED OTHERWISE			
CONFIDENTIAL AND PROPRIETARY. THE USE, REPRODUCTION OR DISTRIBUTION WITHOUT PRIOR WRITTEN CONSENT IS PROHIBITED. ALL RIGHTS RESERVED.	UNLESS OTHERWISE SPECIFIED		
	INTERPRET DRAWING PER ASME Y14.5-1994		
	INTERPRET CASTINGS AND FORGINGS PER ASME Y14.8-1996		
	REMOVE SHARP CORNERS AND BURRS		
	RUN OUT .003		
MACHINING [IMPERIAL]	MACHINING [METRIC]		
	DECIMAL x ± .030"		
	DECIMAL x ± .015"		
	.xxx ± .005"		
	ANGULAR MACHINING ± 1°		
TOLERANCE - UNLESS OTHERWISE SPECIFIED	FABRICATING [IMPERIAL]		
	FABRICATING [METRIC]		
	0 to 24" ± 1/16"		
	24" to 60" ± 1/8"		
	60 to 120" ± 3/16"		
MACHINING [IMPERIAL]	MACHINING [METRIC]		
	DECIMAL x ± .030"		
	DECIMAL x ± .015"		
	.xxx ± .005"		
	ANGULAR MACHINING ± 1°		

INITIAL DESIGN		
MODELED	ITC	2018/01/16
DRAWN	ITC	2018/01/16
CHECKED	Travis Burke	-
APPROVED	T.Burke	2019-01-16
RELEASE DATE		2019-09-04
REVISION		
MODELED	K.Bala	2019-07-23
DRAWN	K.Bala	2019-07-23
CHECKED	D.Pharm	2019-09-03
APPROVED	T.Burke	2019-09-03
REVISION RELEASE DATE		2019-09-04



SHEET 1 OF 5		
THIRD ANGLE PROJECTION		
DO NOT SCALE DRAWING		
SHEET SIZE D		
WELDMENT, R2D CATWALK, LEV 1, PC4100		
EST. WEIGHT	SCALE	AY30011
3208 Kg [7057.6 lbs]	1:20	REV A



NOTES:

- 4. ALL WELDS 6 mm (1/4") SEAL UNLESS OTHERWISE NOTED. BEVEL WELD AS REQUIRED ALL NECESSARY FLUSH-END INTERSECTIONS
- 5. SEE MPI REQUIREMENTS- SHEET 5
- 6. NOTES CONTINUED ON SHEET 3

UNLESS OTHERWISE SPECIFIED SEE SHEET 1 FOR DEFAULT TOLERANCES AND SPECIFICATIONS	THIRD ANGLE PROJECTION 	
	DO NOT SCALE DRAWING	
	WELDMENT, R2D CATWALK, LEV 1, PC4100	
	SHEET 2 OF 5	
SCALE 1:12 SHEET SIZE D	AY30011	REV A



- NOTES:
- 7. ALL WELDS 6 mm (1/4") SEAL UNLESS OTHERWISE NOTED. BEVEL WELD AS REQUIRED ALL NECESSARY FLUSH-END INTERSECTIONS
 - 8. SEE MPI REQUIREMENTS- SHEET 5
 - 9. NOTES CONTINUED ON SHEET 4

UNLESS OTHERWISE SPECIFIED SEE SHEET 1 FOR DEFAULT TOLERANCES AND SPECIFICATIONS	THIRD ANGLE PROJECTION 	
CONFIDENTIAL AND PROPRIETARY. THE USE, REPRODUCTION OR DISTRIBUTION WITHOUT PRIOR WRITTEN CONSENT IS PROHIBITED. ALL RIGHTS RESERVED.	DO NOT SCALE DRAWING	
WELDMENT, R2D CATWALK, LEV 1, PC4100		
SCALE 1:10 SHEET SIZE D	SHEET 3 OF 5	AY30011 REV A

G

F

E

D

C

B

A

G

F


E

D


C

B


A




SECTION G-G




SECTION H-H




DETAIL J
SCALE 1 : 4



DETAIL K
SCALE 1 : 4





DETAIL L



DETAIL M
SCALE 1 : 2

NOTES:
10. ALL WELDS 6 mm (1/4") SEAL UNLESS OTHERWISE NOTED. BEVEL WELD AS REQUIRED ALL NECESSARY FLUSH-END INTERSECTIONS
11. SEE MPI REQUIREMENTS- SHEET 5
12. NOTES CONTINUED ON SHEET 5

UNLESS OTHERWISE SPECIFIED SEE SHEET 1 FOR DEFAULT TOLERANCES AND SPECIFICATIONS	THIRD ANGLE PROJECTION 		
CONFIDENTIAL AND PROPRIETARY. THE USE, REPRODUCTION OR DISTRIBUTION WITHOUT PRIOR WRITTEN CONSENT IS PROHIBITED. ALL RIGHTS RESERVED.	DO NOT SCALE DRAWING		WELDMENT, R2D CATWALK, LEV 1, PC4100
SCALE 1:8 SHEET SIZE D	SHEET 4 OF 5		AY30011 REV A



MPI INSPECTION CHART				
LINE #	DESCRIPTION	INSPECTION TYPE	% OF WELD INSPECTED	APPROVAL MARK
1	ALL WELDS JOINING ITEMS 4 & 15	MPI	100	
2	ALL WELDS JOINING ITEMS 15 & 5	MPI	100	
3	ALL WELDS JOINING ITEMS 5 & 1	MPI	100	
4	ALL WELDS JOINING ITEMS 5 & 2	MPI	100	

NOTES:

13. ALL WELDS 6 mm (1/4") SEAL UNLESS OTHERWISE NOTED. BEVEL WELD AS REQUIRED ALL NECESSARY FLUSH-END INTERSECTIONS

14. SEE MPI REQUIREMENTS

UNLESS OTHERWISE SPECIFIED
SEE SHEET 1 FOR DEFAULT
TOLERANCES AND
SPECIFICATIONS

THIRD ANGLE PROJECTION

CANRIG

CONFIDENTIAL AND
PROPRIETARY. THE USE,
REPRODUCTION OR
DISTRIBUTION WITHOUT
PRIOR WRITTEN CONSENT IS
PROHIBITED. ALL RIGHTS
RESERVED.

DO NOT SCALE DRAWING

WELDMENT, R2D CATWALK, LEV 1, PC4100

SCALE 1:2 SHEET SIZE D

SHEET 5 OF 5

AY30011

REV A