




ITEM	QTY	DESCRIPTION	MATERIAL	CANRIG PART No.
1	1	WELDMENT, PC4100, 42' CATWALK, RAMP A	-	AY30131
2	2	WELDMENT,RAMP PIVOT, PC4100	-	AY30132
3	4	SAFETY LOOP, PC4100	AISI C1045	DT34615
4	2	PLATE,RAMP CARRIER LEAD-IN FISH PLATE, PC4100	A572 Gr. 50	DT34616
5	2	PLATE,RAMP RIB, PC4100	A572 Gr. 50	DT34599
6	4	STAIR RETAINER PLATE, PC4100	ASTM A572 Gr. 50 /A516 Gr.70/ S355JR	DT34617

- NOTES:
- 1. ALL WELDS 6 mm (1/4") FILLET UNLESS OTHERWISE NOTED. BEVEL WELD AS REQUIRED ALL NECESSARY FLUSH-END INTERSECTIONS.
 - 2. SEE SHEET 2 FOR ORTHOGRAPHIC VIEWS.
 - 3. SEE MPI REQUIREMENTS SHEET 3 FOR ALL WELDS JOINING ITEMS 1 AND 2.
 - 4. NOTES CONTINUED ON SHEET 2.

A	PRODUCTION RELEASE	3286
REV	REVISION DESCRIPTION	ECN

WELDING PROCEDURE AS PER CANRIG SPECIFICATION - ENG 704, UNLESS NOTED OTHERWISE

CONFIDENTIAL AND PROPRIETARY. THE USE, REPRODUCTION OR DISTRIBUTION WITHOUT PRIOR WRITTEN CONSENT IS PROHIBITED. ALL RIGHTS RESERVED.

UNLESS OTHERWISE SPECIFIED

INTERPRET DRAWING PER ASME Y14.5-2009
INTERPRET CASTINGS AND FORGINGS PER ASME Y14.8-1996

REMOVE SHARP CORNERS AND BURRS

— RUN OUT .003

— STRAIGHTNESS .005 IN 5 INCHES

— PERPENDICULARITY .010 IN 5 INCHES

— PARALLELISM .010 IN 5 INCHES

— FLATNESS .010 or as Shown

MACHINED SURFACES
MIN. RADIUS UNLESS SHOWN = 0.03 MAX.

TOLERANCE - UNLESS OTHERWISE SPECIFIED

FABRICATING [IMPERIAL]	FABRICATING [METRIC]
0 to 24" ± 1/16"	0 TO 610 mm ± 1 mm
24" to 60" ± 1/8"	610 TO 1525 ± 3 mm
60 to 120" ± 3/16"	1525 TO 3048 ± 5 mm
120" to 280" ± 1/4"	3048 TO 7112 ± 7 mm
280" & OVER ± 1/2"	7112 & OVER ± 13 mm

MACHINING [IMPERIAL]	MACHINING [METRIC]
DECIMAL .x ± .030"	DECIMAL .x ± .8 mm
.xx ± .015"	.xx ± .40 mm
.xxx ± .005"	.xxx ± .13 mm

ANGULAR MACHINING ± 1° FABRICATION ± 2°

INITIAL DESIGN		
MODELED	ITC	2018/03/19
DRAWN	ITC	2018/03/19
CHECKED	G.Young	2019-04-25
APPROVED	T.Burke	2019/01/15
RELEASE DATE	2019-04-30	

REVISION		
MODELED	K.Balasubramanian	2019-04-09
DRAWN	K.Balasubramanian	2019-04-09
CHECKED	G.Young	2019-04-25
APPROVED	T.Burke	2019-04-29
REVISION RELEASE DATE	2019-04-30	

SHEET 1 OF 3


THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

SHEET SIZE **D**

WELDMENT, PC4100,42' CATWALK, RAMP B

EST. WEIGHT	SCALE	AY30130	REV A
4003 Kg [8806.6 lbs]	1:20		



NOTES:
5. ALL WELDS 6 mm (1/4") FILLET UNLESS OTHERWISE NOTED. BEVEL WELD AS REQUIRED ALL NECESSARY FLUSH-END INTERSECTIONS.
6. SEE MPI REQUIREMENTS SHEET 3 FOR ALL WELDS JOINING ITEM 1 AND 2.
7. NOTES CONTINUED ON SHEET 3.

UNLESS OTHERWISE SPECIFIED
SEE SHEET 1 FOR DEFAULT
TOLERANCES AND
SPECIFICATIONS

CONFIDENTIAL AND
PROPRIETARY. THE USE,
REPRODUCTION OR
DISTRIBUTION WITHOUT
PRIOR WRITTEN CONSENT IS
PROHIBITED. ALL RIGHTS
RESERVED.


SCALE 1:20 SHEET SIZE **D**

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

WELDMENT, PC4100,42' CATWALK, RAMP B

SHEET 2 OF 3



C
C
SEE SHEET 3

3
3
2 SEE NOTES
E
E
SEE SHEET 3
A
SEE SHEET 3
3
2X 10 [3/8]
3

B
SEE SHEET 3
B

F SEE SHEET 3

4

11 10 9 8 IF IN DOUBT....PLEASE ASK! 5 4 3 2 1

G

F







E

D

C

B

A



MPI INSPECTION CHART				
LINE #	DESCRIPTION	INSPECTION TYPE	% OF WELD INSPECTED	APPROVAL MARK
1	ALL WELDS JOINING ITEMS 1 AND 2 SEE DRAWING VIEWS	MPI	100	

NOTES:
8. ALL WELDS 6 mm (1/4") FILLET UNLESS OTHERWISE NOTED. BEVEL WELD AS REQUIRED ALL NECESSARY FLUSH-END INTERSECTIONS.

UNLESS OTHERWISE SPECIFIED SEE SHEET 1 FOR DEFAULT TOLERANCES AND SPECIFICATIONS

CONFIDENTIAL AND PROPRIETARY. THE USE, REPRODUCTION OR DISTRIBUTION WITHOUT PRIOR WRITTEN CONSENT IS PROHIBITED. ALL RIGHTS RESERVED.

SCALE 1:6 SHEET SIZE D

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

WELDMENT, PC4100,42' CATWALK, RAMP B

SHEET 3 OF 3

AY30130

REV A

11 10 9 8 IF IN DOUBT....PLEASE ASK! 5 4 3 2 1