Daffodils Public School



INFORMATICS PRACTICES (OLD) BOARD EXAM PROJECT

TOPIC – EMPLOYEE PAYROLL MANAGEMENT SOFTWARE

Certificate

This is to certify that ***Ashutosh*** *of* ***class XII*** *of* ***DAFFODILS PUBLIC SCHOOL, LOHIA TALAB – MIRZAPUR,*** *has successfully completed his Informatics Practices(OLD) project entitled* ***Employee Payroll Management Software*** *during the* ***academic year 2019-20.***

He has taken utmost sincerity in completion of his project. The approach towards the subject has been sincere and scientific.

I certify that the project is up to my expectations and as per the guidelines issued by CBSE.

.....

Examiner's Signature

…….……. .....

Teacher's Signature **Principal's Signature**

Date……. **School Stamp**

EMPLOYEE PAYROLL MANAGEMENT SOFTWARE

NETBEANS CODES

1- Welcome Page




SOURCE CODE

```
import javax.swing.JOptionPane;
public class Welcome_page extends javax.swing.JFrame {
 /** Creates new form Welcome_page */
   public Welcome_page() {
      initComponents();
```

```
    }
private void gotoLogin(java.awt.event.MouseEvent evt) {
        // TODO add your handling code here:
                int m = JOptionPane.showConfirmDialog(null,"Are you sure to continue to Login Page?");
        if(m == JOptionPane.YES_OPTION){
          dispose();
       LoginPage dp = new LoginPage();
       this.setVisible(false);
       dp.setVisible(true);
        }
        else
           if(m == JOptionPane.NO_OPTION)
           this.setVisible(true);
}

    private void EXIT(java.awt.event.MouseEvent evt) {
       // TODO add your handling code here:
       int n = JOptionPane.showConfirmDialog(null, "Do you really wish to close the software?");
       if(n == JOptionPane.YES_OPTION){
       System.exit(0);
       }
       else
          this.setVisible(true);
    }
public static void main(String args[]) {
        java.awt.EventQueue.invokeLater(new Runnable() {
           public void run() {
              new Welcome_page().setVisible(true);
           }
        });
    }
}
```

2- Login Page



SOURCE CODE

```
import javax.swing.JOptionPane;
import java.sql.*;
public class LoginPage extends javax.swing.JFrame {
   Connection con = null;
   Statement st = null;
   ResultSet rs = null;

   /** Creates new form LoginPage */
   public LoginPage() {
      initComponents();
   }


private void btnLoginActionPerformed(java.awt.event.ActionEvent evt) {
       // TODO add your handling code here:
      String user = txtUser.getText();
      String pass = new String(txtPass.getPassword());
          if (user.equals("Ashutosh") &&[credential redacted]     {
     JOptionPane.showMessageDialog(null,"Login Success.", "Success",
JOptionPane.INFORMATION_MESSAGE);
          dispose();
```

```
      MainMenu dm = new MainMenu();
      this.setVisible(false);
      dm.setVisible(true);
      }
      else{
      JOptionPane.showMessageDialog(null, "Invalid Username OR Password", "Can't login",
JOptionPane.ERROR_MESSAGE);
      txtUser.setText("");
      txtPass.setText("");
      txtUser.requestFocus();
      }
}

private void btnBackActionPerformed(java.awt.event.ActionEvent evt) {
       // TODO add your handling code here:
       int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
       if(m == JOptionPane.YES_OPTION){
          dispose();
          Welcome_page dm = new Welcome_page();
          this.setVisible(false);
          dm.setVisible(true);
       }
       else this.setVisible(true);
}

public static void main(String args[]) {
       java.awt.EventQueue.invokeLater(new Runnable() {
          public void run() {
             new LoginPage().setVisible(true);
          }
       });
   }
}
```

3 – Main Menu



SOURCE CODE

```
import javax.swing.JOptionPane;
public class MainMenu extends javax.swing.JFrame {

   /** Creates new form MainMenu */
   public MainMenu() {
      initComponents();
   }
private void btnAllowanceActionPerformed(java.awt.event.ActionEvent evt) {
       // TODO add your handling code here:
         int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
       if(m == JOptionPane.YES_OPTION){
          dispose();
      AllowanceMAin dm = new AllowanceMAin();
      this.setVisible(false);
      dm.setVisible(true);
```

```
        }
        else
            if(m == JOptionPane.NO_OPTION)
            this.setVisible(true);

}

    private void btnUpdateSalActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
          int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
          dispose();
       UpdateSal dm = new UpdateSal();
       this.setVisible(false);
       dm.setVisible(true);
        }
        else
            if(m == JOptionPane.NO_OPTION)
            this.setVisible(true);
}

    private void btnUpdateActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
          int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
          dispose();
       Update_Main dm = new Update_Main();
       this.setVisible(false);
       dm.setVisible(true);
        }
        else
            if(m == JOptionPane.NO_OPTION)
            this.setVisible(true);
}


    private void btnAddEmpActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
          dispose();
       AddEmployee dm = new AddEmployee();
       this.setVisible(false);
       dm.setVisible(true);
        }
        else
            if(m == JOptionPane.NO_OPTION)
            this.setVisible(true);
 }
```

```
  private void btnSearchActionPerformed(java.awt.event.ActionEvent evt) {
       // TODO add your handling code here:
         int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
       if(m == JOptionPane.YES_OPTION){
          dispose();
      SearchEmp dm = new SearchEmp();
      this.setVisible(false);
      dm.setVisible(true);
       }
       else
           if(m == JOptionPane.NO_OPTION)
           this.setVisible(true);
 }

    private void btnFamilyActionPerformed(java.awt.event.ActionEvent evt) {
       // TODO add your handling code here:
         int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
       if(m == JOptionPane.YES_OPTION){
          dispose();
      family_details dm = new family_details();
      this.setVisible(false);
      dm.setVisible(true);
       }
       else
           if(m == JOptionPane.NO_OPTION)
           this.setVisible(true);
}
    private void btnExitActionPerformed(java.awt.event.ActionEvent evt) {
       // TODO add your handling code here:
         int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
       if(m == JOptionPane.YES_OPTION){
          dispose();
      LoginPage dp = new LoginPage();
      this.setVisible(false);
      dp.setVisible(true);
       }
      else
           if(m == JOptionPane.NO_OPTION)
           this.setVisible(true);
    }
public static void main(String args[]) {
       java.awt.EventQueue.invokeLater(new Runnable() {
           public void run() {
              new MainMenu().setVisible(true);
           }
       });
```

```
    }
}
```

4 – Add Employee



SOURCE CODE

```
import java.sql.*;
import javax.swing.JOptionPane;
public class AddEmployee extends javax.swing.JFrame {
    Connection con = null;
    Statement st = null;
    ResultSet rs = null;


    /** Creates new form AddEmployee */
    public AddEmployee() {
        initComponents();
    }
private void btnClearActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        txtID.setText("");
```


```
        txtFName.setText("");
        txtLName.setText("");
        txtEmail.setText("");
        txtContact.setText("");
        txtAdd1.setText("");
        txtAdd2.setText("");
        txtAppn.setText("");
        txtLm.setText("");
        txtPost.setText("");
        txtDesignation.setText("");
        txtStatus.setText("");
        txtDate.setText("");
        txtBSal.setText("");
        txtJob.setText("");
        txtDOB.setText("");
        optM.setSelected(false);
        optF.setSelected(false);
}
private void btbAddActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    JOptionPane.showMessageDialog(null, "One record is being added", "Inform",
JOptionPane.INFORMATION_MESSAGE);
    try{
        Class.forName("java.sql.Driver");
        con = DriverManager.getConnection("jdbc:mysql://localhost/boardexamproject", "root", "1873");
        st = con.createStatement();
        int m = 0;
        if (optM.isSelected()==true)
            m = 1;
        else
            if (optF.isSelected()==true)
                m = 2;
      String a = "Insert into employee_details values("+txtID.getText() + ", '"+txtFName.getText()+"',
'"+txtLName.getText()+"' , " + m +", '"+txtEmail.getText()+"', "+txtContact.getText()+",
'"+txtAdd1.getText()+"', '"+txtAdd2.getText()+"', " +txtAppn.getText()+", '"+txtLm.getText()+"', "
+txtPost.getText()+", '"+txtDesignation.getText()+"', '" +txtStatus.getText()+"', '"+txtDate.getText()+"', "
+txtBSal.getText()+", '"+txtJob.getText()+"' , '"+txtDOB.getText()+"');";

        st.executeUpdate(a);
        JOptionPane.showMessageDialog(null, "Record Successfully added into table Employee_Details",
"Success", JOptionPane.INFORMATION_MESSAGE);
        rs.close();
        st.close();
        con.close();
    }
    catch(Exception e){JOptionPane.showMessageDialog(null, "Error in Record addition into table
Employee_Details", "Error", JOptionPane.ERROR_MESSAGE);}
}
```

```
private void btnLogOutActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
      if(m == JOptionPane.YES_OPTION){
         dispose();
         LoginPage dp = new LoginPage();
         this.setVisible(false);
         dp.setVisible(true);
      } else
         if(m == JOptionPane.NO_OPTION)
            this.setVisible(true);
}

   private void btnBackActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
      if(m == JOptionPane.YES_OPTION){
        dispose();
     MainMenu dm = new MainMenu();
     this.setVisible(false);
     dm.setVisible(true);
      }
      else this.setVisible(true);
   }
public static void main(String args[]) {
      java.awt.EventQueue.invokeLater(new Runnable() {
         public void run() {
            new AddEmployee().setVisible(true);
         }
      });
   }
}
```

5 – Search Employee



SOURCE CODE

```
import java.sql.*;
import javax.swing.JOptionPane;
public class SearchEmp extends javax.swing.JFrame {
   Connection con = null;
   Statement st = null;
   ResultSet rs = null;


   /** Creates new form SearchEmp */
   public SearchEmp() {
      initComponents();
   }
```

```
private void btnClearActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      txtID.setText("");
         txtFName.setText("");
         txtLName.setText("");
         txtEmail.setText("");
         txtContact.setText("");
         txtAdd1.setText("");
         txtAdd2.setText("");
         txtAppn.setText("");
         txtLm.setText("");
         txtPost.setText("");
         txtDesignation.setText("");
         txtStatus.setText("");
         txtDate.setText("");
         txtBSal.setText("");
         txtDob.setText("");
         txtJob.setText("");
         optM.setSelected(false);
         optF.setSelected(false);
}
private void btnBackActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
      if(m == JOptionPane.YES_OPTION){
         dispose();
         MainMenu dm = new MainMenu();
         this.setVisible(false);
         dm.setVisible(true);
      } else this.setVisible(true);
}


   private void btnLogOutActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
      if(m == JOptionPane.YES_OPTION){
         dispose();
         LoginPage dp = new LoginPage();
         this.setVisible(false);
         dp.setVisible(true);
      }
 else
         if(m == JOptionPane.NO_OPTION)
            this.setVisible(true);
}
private void Display(java.awt.event.KeyEvent evt) {
      // TODO add your handling code here:
       try{
```

```
Class.forName("java.sql.Driver");
con = DriverManager.getConnection("jdbc:mysql://localhost/boardexamproject", "root", "1873");
st = con.createStatement();
txtFName.setEnabled(false);
txtLName.setEnabled(false);
optM.setEnabled(false);
optF.setEnabled(false);
txtEmail.setEnabled(false);
txtContact.setEnabled(false);
txtAdd1.setEnabled(false);
txtAdd2.setEnabled(false);
txtAppn.setEnabled(false);
txtLm.setEnabled(false);
txtPost.setEnabled(false);
txtDesignation.setEnabled(false);
txtStatus.setEnabled(false);
txtDate.setEnabled(false);
txtDob.setEnabled(false);
txtBSal.setEnabled(false);
txtJob.setEnabled(false);
String x = "Select * from employee_details where Employee_Id = " + txtID.getText() +";";
rs = st.executeQuery(x);
if (rs.next()){
   int xid = rs.getInt("Employee_Id");
   String xFn = rs.getString("Firstname");
   String xLn = rs.getString("Lastname");
   int xgen = rs.getInt("Gender");
   String xEmail = rs.getString("Email");
   int xCn = rs.getInt("Contact_no");
   String xAdd1 = rs.getString("Address1");
   String xAdd2 = rs.getString("Address2");
   int xhouse = rs.getInt("House");
   String xLand = rs.getString("Landmark");
   int xPost = rs.getInt("Postcode");
   String xDesig = rs.getString("Designation");
   String xStatus = rs.getString("Status");
   String xDate = rs.getString("DateH");
   double xSal = rs.getDouble("Salary");
   String xJob = rs.getString("JobT");
   String xDOB = rs.getString("DOB");
   txtID.setText(""+xid);
   txtFName.setText(xFn);
   txtLName.setText(xLn);
   if (xgen == 1){
      optM.setSelected(true);
   } else
      if(xgen == 2){
         optF.setSelected(true);
```

```
                }
            txtEmail.setText(xEmail);
            txtContact.setText(""+xCn);
            txtAdd1.setText(xAdd1);
            txtAdd2.setText(xAdd2);
            txtAppn.setText(""+xhouse);
            txtLm.setText(xLand);
            txtPost.setText(""+xPost);
            txtDesignation.setText(xDesig);
            txtStatus.setText(xStatus);
            txtDate.setText(xDate);
            txtBSal.setText(""+xSal);
            txtJob.setText(xJob);
            txtDob.setText(xDOB);
            rs.close();
            st.close();
            con.close();
          } else {
            JOptionPane.showMessageDialog(null, "No such Record Found", "Inform",
JOptionPane.INFORMATION_MESSAGE);
            txtID.setText("");
          txtFName.setText("");
          txtLName.setText("");
          txtEmail.setText("");
          txtContact.setText("");
          txtAdd1.setText("");
          txtAdd2.setText("");
          txtAppn.setText("");
          txtLm.setText("");
          txtPost.setText("");
          txtDesignation.setText("");
          txtStatus.setText("");
          txtDate.setText("");
          txtBSal.setText("");
          txtDob.setText("");
          txtJob.setText("");
          optM.setSelected(false);
          optF.setSelected(false);
          }
      } catch (Exception e){
          JOptionPane.showMessageDialog(null, "Error in Connectivity", "Error",
JOptionPane.ERROR_MESSAGE);
      }
    }
public static void main(String args[]) {
      java.awt.EventQueue.invokeLater(new Runnable() {
          public void run() {
              new SearchEmp().setVisible(true);
```

```
        }
    });
  }
}
```

6 – Allowance main



SOURCE CODE

```
import javax.swing.JOptionPane;
public class AllowanceMAin extends javax.swing.JFrame {


   /** Creates new form AllowanceMAin */
   public AllowanceMAin() {
      initComponents();
   }
private void addAllowanceActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
                  int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
      if(m == JOptionPane.YES_OPTION){
        dispose();
     Addallowance dm = new Addallowance();
     this.setVisible(false);
     dm.setVisible(true);
      }
      else
         if(m == JOptionPane.NO_OPTION)
         this.setVisible(true);
}
```

```
    private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
         int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
          dispose();
       Allowance dm = new Allowance();
       this.setVisible(false);
       dm.setVisible(true);
        }
        else
            if(m == JOptionPane.NO_OPTION)
            this.setVisible(true);
    }

    private void btnLogOutActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
            dispose();
            LoginPage dp = new LoginPage();
            this.setVisible(false);
            dp.setVisible(true);
        } else
            if(m == JOptionPane.NO_OPTION)
                this.setVisible(true);
}

    private void btnBackActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
            dispose();
            MainMenu dm = new MainMenu();
            this.setVisible(false);
            dm.setVisible(true);
        } else this.setVisible(true);
}
public static void main(String args[]) {
        java.awt.EventQueue.invokeLater(new Runnable() {
            public void run() {
                new AllowanceMAin().setVisible(true);
            }
        });
    }
}
```

6.1 – Add Allowance



SOURCE CODE

```
import java.sql.*;
import javax.swing.JOptionPane;
public class Addallowance extends javax.swing.JFrame {
   Connection con = null;
   Statement st = null;
   ResultSet rs = null;

   /** Creates new form Addallowance */
   public Addallowance() {
      initComponents();
   }
private void Display(java.awt.event.KeyEvent evt) {
      // TODO add your handling code here:
      try{
      Class.forName("java.sql.Driver");
```

```
        con = DriverManager.getConnection("jdbc:mysql://localhost/boardexamproject", "root", "1873");
        st = con.createStatement();
        lblName.setEnabled(false);
        String a = "Select concat(Firstname, Lastname) as Name from employee_details where
Employee_Id = " + empID.getText() +";";
        rs = st.executeQuery(a);
        if (rs.next()){
        String xName = rs.getString("Name");
        lblName.setText(xName);
        rs.close();
           st.close();
           con.close();
        }
        else{
        JOptionPane.showMessageDialog(null, "No such Record Found", "Inform",
JOptionPane.INFORMATION_MESSAGE);
        empID.setText("");
        lblName.setText("");
        }
      }
      catch(Exception e){
      JOptionPane.showMessageDialog(null, "Error in Connectivity", "Error",
JOptionPane.ERROR_MESSAGE);
      }
   }
private void btnAddActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      try{
      Class.forName("java.sql.Driver");
        con = DriverManager.getConnection("jdbc:mysql://localhost/boardexamproject", "root", "1873");
        st = con.createStatement();
        String b = "Insert into extrasal values(" + empID.getText() + ", "+ txtMed.getText() + ", "+
txtBonus.getText() + ", "+ txtOther.getText() + ", "+ txtOver.getText()+ ");";
        st.executeUpdate(b);
        JOptionPane.showMessageDialog(null, "Record Successfully added into table Extrasal", "Success",
JOptionPane.INFORMATION_MESSAGE);
        rs.close();
        st.close();
        con.close();
      }
      catch(Exception e){
      JOptionPane.showMessageDialog(null, "Error in Record addition into table Extrasal", "Error",
JOptionPane.ERROR_MESSAGE);
      }
   }


   private void btnLogOutActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
```

```
        int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
            dispose();
            LoginPage dp = new LoginPage();
            this.setVisible(false);
            dp.setVisible(true);
        } else
            if(m == JOptionPane.NO_OPTION)
                this.setVisible(true);
}

    private void btnBackActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
            dispose();
            AllowanceMAin dm = new AllowanceMAin();
            this.setVisible(false);
            dm.setVisible(true);
        } else this.setVisible(true);
}

    private void btnClearActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        empID.setText("");
        txtOver.setText("");
        txtMed.setText("");
        txtBonus.setText("");
        txtOther.setText("");
        lblName.setText("");
    }
public static void main(String args[]) {
        java.awt.EventQueue.invokeLater(new Runnable() {
            public void run() {
                new Addallowance().setVisible(true);
            }
        });
    }
}
```

6.2 – See Allownace



SOURCE CODE

```
import javax.swing.JOptionPane;
import java.sql.*;
public class Allowance extends javax.swing.JFrame {
    Connection con = null;
   Statement st = null;
   ResultSet rs = null;

   /** Creates new form Allowance */
   public Allowance() {
      initComponents();
   }
private void btnExitActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
      if(m == JOptionPane.YES_OPTION){
         dispose();
         LoginPage dp = new LoginPage();
         this.setVisible(false);
         dp.setVisible(true);
      } else
         if(m == JOptionPane.NO_OPTION)
            this.setVisible(true);
```

```
    }


  private void btnBackActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
      if(m == JOptionPane.YES_OPTION){
         dispose();
         AllowanceMAin dm = new AllowanceMAin();
         this.setVisible(false);
         dm.setVisible(true);
      } else this.setVisible(true);
}

   private void Display(java.awt.event.KeyEvent evt) {
      // TODO add your handling code here:
     txtID2.setEnabled(false);
     txtFname.setEnabled(false);
     txtLname.setEnabled(false);
     txtDob.setEnabled(false);
     txtBsal.setEnabled(false);
     txtDesignation.setEnabled(false);
      try{
         Class.forName("java.sql.Driver");
         con = DriverManager.getConnection("jdbc:mysql://localhost/boardexamproject", "root", "1873");
         st = con.createStatement();
         String x = "Select D.Employee_Id, D.Firstname, D.Lastname, D.DOB, D.Salary, D.Designation,
S.overtime, S.medical, S.bonus, S.other from employee_details D, extrasal S where D.Employee_Id = " +
txtID1.getText() +" and D.Employee_Id = S.Employee_Id ;";
         rs = st.executeQuery(x);
         if (rs.next()){
         int id = rs.getInt("D.Employee_Id");
         String xname1 = rs.getString("Firstname");
         String xname2 = rs.getString("Lastname");
         String  xDOB = rs.getString("DOB");
         double xsal = rs.getDouble("Salary");
         String  xDesignation = rs.getString("Designation");
         double xovertime = rs.getDouble("overtime");
         double xmed = rs.getDouble("Medical");
         double xbonus = rs.getDouble("Bonus");
         double xother = rs.getDouble("Other");
         txtID2.setText(""+ id);
         txtFname.setText(xname1);
         txtLname.setText(xname2);
         txtDob.setText(xDOB);
         txtBsal.setText(""+xsal);
         txtDesignation.setText(xDesignation);
         txtOver2.setText(""+xovertime);
         txtMed.setText(""+xmed);
```

```
            txtBonus.setText(""+ xbonus);
            txtOther.setText(""+xother);
            rs.close();
            st.close();
            con.close();
            }
            else{
            JOptionPane.showMessageDialog(null, "No such Record Found", "Inform",
JOptionPane.INFORMATION_MESSAGE);
            txtID2.setText("");
            txtFname.setText("");
            txtLname.setText("");
            txtDob.setText("");
            txtBsal.setText("");
            txtDesignation.setText("");
            txtOver.setText("");
            txtMed.setText("");
            txtOver2.setText("");
            txtBonus.setText("");
            txtOther.setText("");
            lblTotal.setText("");
            txtRate.setText("");
            txtBtotal.setText("");
            }
            }
        catch(Exception e){
        JOptionPane.showMessageDialog(null, "Error in Connectivity", "Error",
JOptionPane.ERROR_MESSAGE);
        }
    }
private void btnClearActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        txtID1.setText("");
        txtID2.setText("");
        txtFname.setText("");
        txtLname.setText("");
        txtDob.setText("");
        txtBsal.setText("");
        txtDesignation.setText("");
        txtOver.setText("");
            txtMed.setText("");
            txtOver2.setText("");
            txtBonus.setText("");
            txtOther.setText("");
            lblTotal.setText("");
            txtRate.setText("");
            txtBtotal.setText("");
           }
```

```
 private void btnCalculateActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      try{
         Class.forName("java.sql.Driver");
         con = DriverManager.getConnection("jdbc:mysql://localhost/boardexamproject", "root", "1873");
         st = con.createStatement();
         int m = 50;
         double total = 0, o, md, b, ot;
         o = Double.parseDouble(txtOver.getText());
         md = Double.parseDouble(txtMed.getText());
         b = Double.parseDouble(txtBonus.getText());
         ot = Double.parseDouble(txtOther.getText());
         txtRate.setText(""+m);
         total = o*m + md + b+ ot;
         lblTotal.setText(""+total);
         String y = "Update extrasal set overtime = overtime + "+ o+ ", medical  = "+ md+ ", Bonus = " +b+
", Other = "+ot+" where Employee_Id = " + txtID1.getText()+";";
         st.executeUpdate(y);
         String z = "Select Salary from employee_details where employee_Id = "+txtID1.getText()+";";
         rs = st.executeQuery(z);
         if(rs.next()){
         double sal =rs.getDouble("Salary");
         double ms = sal + total;
         txtBtotal.setText(""+ms);
         }
         rs.close();
         st.close();
         con.close();
         }
       catch(Exception e){
      JOptionPane.showMessageDialog(null, "Error in Connectivity", "Error",
JOptionPane.ERROR_MESSAGE);
      }
}
public static void main(String args[]) {
      java.awt.EventQueue.invokeLater(new Runnable() {
         public void run() {
            new Allowance().setVisible(true);
         }
      });
   }
}
```

7 – Update Salary



SOURCE CODE

```
import javax.swing.JOptionPane;
import java.sql.*;
public class UpdateSal extends javax.swing.JFrame {
   Connection con = null;
   Statement st = null;
   ResultSet rs = null;


   /** Creates new form UpdateSal */
   public UpdateSal() {
      initComponents();
   }
private void btnBackActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
```


```
        if(m == JOptionPane.YES_OPTION){
            dispose();
            MainMenu dm = new MainMenu();
            this.setVisible(false);
            dm.setVisible(true);
        } else this.setVisible(true);
}

    private void btnLogOutActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
            dispose();
            LoginPage dp = new LoginPage();
            this.setVisible(false);
            dp.setVisible(true);
        } else
            if(m == JOptionPane.NO_OPTION)
                this.setVisible(true);
}
private void btnClearActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        txtID1.setText("");
        txtID2.setText("");
        txtFname.setText("");
            txtLname.setText("");
            txtDOB.setText("");
            txtBsal.setText("");
            txtdesignation.setText("");
            txtPer.setText("");
            txtAmount.setText("");
     }
private void Display(java.awt.event.KeyEvent evt) {
        // TODO add your handling code here:
        try{
            Class.forName("java.sql.Driver");
            con = DriverManager.getConnection("jdbc:mysql://localhost/boardexamproject", "root", "1873");
            st = con.createStatement();
            String x = "Select Employee_Id, Firstname, Lastname, DOB, Salary, Designation from
employee_details where Employee_Id =   " +txtID1.getText()+";";
            rs = st.executeQuery(x);
            if (rs.next()){
            int id = rs.getInt("Employee_Id");
            String xname1 = rs.getString("Firstname");
            String xname2 = rs.getString("Lastname");
            String  xDOB = rs.getString("DOB");
            double xsal = rs.getDouble("Salary");
            String  xDesignation = rs.getString("Designation");
```

```
        txtID2.setText(""+ id);
        txtFname.setText(xname1);
        txtLname.setText(xname2);
        txtDOB.setText(xDOB);
        txtBsal.setText(""+xsal);
        txtdesignation.setText(xDesignation);
        rs.close();
        st.close();
        con.close();
        }
        else{
        JOptionPane.showMessageDialog(null, "No such Record Found", "Inform",
JOptionPane.INFORMATION_MESSAGE);
        txtID2.setText("");
        txtFname.setText("");
        txtLname.setText("");
        txtDOB.setText("");
        txtBsal.setText("");
        txtdesignation.setText("");
        }
        }
       catch(Exception e){
      JOptionPane.showMessageDialog(null, "Error in Connectivity", "Error",
JOptionPane.ERROR_MESSAGE);
      }
   }
   private void btnUpdateActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      int m = JOptionPane.showConfirmDialog(null, "Syrely want to modify record?");
      if(m == JOptionPane.YES_OPTION){
      try{
         Class.forName("java.sql.Driver");
         con = DriverManager.getConnection("jdbc:mysql://localhost/boardexamproject", "root", "1873");
         st = con.createStatement();
         if(optPer.isSelected() == true){
         if(optIncrease.isSelected() == true){
         String x = "Update employee_details set Salary = Salary + Salary*" + txtPer.getText() + "/100
where Employee_Id = " + txtID1.getText() + ";";
         st.executeUpdate(x);
         }
         else
            if(optDecrease.isSelected() == true){
         String y = "Update employee_details set Salary = Salary - Salary*" + txtPer.getText() + "/100
where Employee_Id = " + txtID1.getText() + ";";
      st.executeUpdate(y);
            }
       }
         else
```

```
            if(optAmount.isSelected() == true){
            if(optIncrease.isSelected() == true){
          String a = "Update employee_details set Salary = Salary + " + txtAmount.getText() + " where
Employee_Id = " + txtID1.getText() + ";";
          st.executeUpdate(a);
          }
            else
            if(optDecrease.isSelected() == true){
          String b = "Update employee_details set Salary = Salary -" + txtAmount.getText() + " where
Employee_Id = " + txtID1.getText() + ";";
       st.executeUpdate(b);
            }
            }
          JOptionPane.showMessageDialog(null, "Salary Successfully Updated into table
Employee_Details", "Success", JOptionPane.INFORMATION_MESSAGE);
          rs.close();
          st.close();
          con.close();
       }
       catch(Exception e){
       JOptionPane.showMessageDialog(null, "Error in Salary updation into table Employee_Details",
"Error", JOptionPane.ERROR_MESSAGE);
       }
       }
       else
          this.setVisible(true);
    }
public static void main(String args[]) {
       java.awt.EventQueue.invokeLater(new Runnable() {
          public void run() {
             new UpdateSal().setVisible(true);
          }
       });
    }
}
```

8 – Employee's Family Details



SOURCE CODE

```
import java.sql.*;
import javax.swing.JOptionPane;
public class family_details extends javax.swing.JFrame {
    Connection con = null;
   Statement st = null;
   ResultSet rs = null;

   /** Creates new form family_details */
   public family_details() {
      initComponents();
   }
private void display(java.awt.event.KeyEvent evt) {
```

```
        // TODO add your handling code here:
        try{
            Class.forName("java.sql.Driver");
            con = DriverManager.getConnection("jdbc:mysql://localhost/boardexamproject", "root", "1873");
            st = con.createStatement();
            txtFname.setEnabled(false);
            txtMname.setEnabled(false);
            txtName.setEnabled(false);
            txtBrother.setEnabled(false);
            txtSister.setEnabled(false);
            txtBank.setEnabled(false);
            String x = "Select *, concat(Firstname , Lastname) as Name from family F, employee_details D
where D.Employee_Id = " + txtID.getText() +" and F.Employee_Id = D.Employee_Id;";
            rs = st.executeQuery(x);
            if (rs.next()){
            int xid = rs.getInt("Employee_Id");
            String xFname = rs.getString("Father_Name");
            String xMname = rs.getString("Mother_Name");
            int xBank = rs.getInt("Bank");
            String xbrother = rs.getString("Brother");
            String xsister = rs.getString("Sister");
            String xName = rs.getString("Name");
            txtFname.setText(xFname);
            txtMname.setText(xMname);
            txtBank.setText(""+xBank);
            txtBrother.setText(xbrother);
            txtSister.setText(xsister);
            txtName.setText(xName);
            rs.close();
               st.close();
               con.close();
            }
            else {
               JOptionPane.showMessageDialog(null, "No such Record Found", "Inform",
JOptionPane.INFORMATION_MESSAGE);
               txtFname.setText("");
            txtMname.setText("");
            txtBank.setText("");
            txtBrother.setText("");
            txtSister.setText("");
            txtName.setText("");
            txtID.setText("");
            }
        }
        catch(Exception e){
           JOptionPane.showMessageDialog(null, "Error in Connectivity", "Error",
JOptionPane.ERROR_MESSAGE);
        }
```


```
    }

private void btnBackActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
            dispose();
            MainMenu dm = new MainMenu();
            this.setVisible(false);
            dm.setVisible(true);
        } else this.setVisible(true);
}

    private void btnLogOutActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
            dispose();
            LoginPage dp = new LoginPage();
            this.setVisible(false);
            dp.setVisible(true);
        } else
            if(m == JOptionPane.NO_OPTION)
                this.setVisible(true);
}

    private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        txtFname.setText("");
            txtMname.setText("");
            txtBank.setText("");
            txtBrother.setText("");
            txtSister.setText("");
            txtName.setText("");
            txtID.setText("");
    }
public static void main(String args[]) {
        java.awt.EventQueue.invokeLater(new Runnable() {
            public void run() {
                new family_details().setVisible(true);
            }
        });
    }
}
```

9 – Update Main Menu



SOURCE CODE


```
import javax.swing.JOptionPane;
public class Update_Main extends javax.swing.JFrame {

   /** Creates new form Update_Main */
   public Update_Main() {
      initComponents();
   }
private void btnBackActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
      if(m == JOptionPane.YES_OPTION){
         dispose();
         MainMenu dm = new MainMenu();
         this.setVisible(false);
         dm.setVisible(true);
      } else this.setVisible(true);
}
   private void btnLogOutActionPerformed(java.awt.event.ActionEvent evt) {
```

```
        // TODO add your handling code here:
        int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
           dispose();
           LoginPage dp = new LoginPage();
           this.setVisible(false);
           dp.setVisible(true);
        } else
           if(m == JOptionPane.NO_OPTION)
              this.setVisible(true);
}
private void btnUpdateActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
              int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
          dispose();
       UpdateRec dm = new UpdateRec();
       this.setVisible(false);
       dm.setVisible(true);
        }
        else
           if(m == JOptionPane.NO_OPTION)
           this.setVisible(true);
}
   private void btnDeleteActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
              int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
          dispose();
      Delete_Record dm = new Delete_Record();
      this.setVisible(false);
      dm.setVisible(true);
        }
        else
           if(m == JOptionPane.NO_OPTION)
           this.setVisible(true);
   }
   private void btnSearchActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
              int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
          dispose();
      SearchEmp dm = new SearchEmp();
      this.setVisible(false);
      dm.setVisible(true);
        }
        else
           if(m == JOptionPane.NO_OPTION)
```

```
        this.setVisible(true);
    }
public static void main(String args[]) {
        java.awt.EventQueue.invokeLater(new Runnable() {
            public void run() {
                new Update_Main().setVisible(true);
            }
        });
    }
}
```

9.1 - Update Record



SOURCE CODE

```
import javax.swing.JOptionPane;
import java.sql.*;
```

```
public class UpdateRec extends javax.swing.JFrame {
   Connection con = null;
   Statement st = null;
   ResultSet rs = null;


   /** Creates new form UpdateRec */
   public UpdateRec() {
      initComponents();
   }
private void btnClearActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      txtID3.setText("");
      txtFName3.setText("");
      txtLName3.setText("");
      txtEmail3.setText("");
      txtContact3.setText("");
      txtAdd1.setText("");
      txtAdd5.setText("");
      txtAppn.setText("");
      txtLm.setText("");
      txtPost.setText("");
      txtDesignation.setText("");
      txtStatus.setText("");
      txtDate.setText("");
      txtBSal.setText("");
      txtJob.setText("");
      txtDOB.setText("");
      optM3.setSelected(false);
      optF3.setSelected(false);
   }
  private void btnBackActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
      if(m == JOptionPane.YES_OPTION){
         dispose();
         Update_Main dm = new Update_Main();
         this.setVisible(false);
         dm.setVisible(true);
      } else this.setVisible(true);
}
   private void btnLogOutActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
      if(m == JOptionPane.YES_OPTION){
         dispose();
         LoginPage dp = new LoginPage();
         this.setVisible(false);
         dp.setVisible(true);
```

```
        } else
            if(m == JOptionPane.NO_OPTION)
                this.setVisible(true);
    }
    private void Display(java.awt.event.KeyEvent evt) {
        // TODO add your handling code here:
        try{
            Class.forName("java.sql.Driver");
            con = DriverManager.getConnection("jdbc:mysql://localhost/boardexamproject", "root", "1873");
            st = con.createStatement();
            String x = "Select * from employee_details where Employee_Id = " + txtID3.getText() +";";
            rs = st.executeQuery(x);
            if (rs.next()){
                int xid = rs.getInt("Employee_Id");
                String xFn = rs.getString("Firstname");
                String xLn = rs.getString("Lastname");
                int xgen = rs.getInt("Gender");
                String xEmail = rs.getString("Email");
                int xCn = rs.getInt("Contact_no");
                String xAdd1 = rs.getString("Address1");
                String xAdd2 = rs.getString("Address2");
                int xhouse = rs.getInt("House");
                String xLand = rs.getString("Landmark");
                int xPost = rs.getInt("Postcode");
                String xDesig = rs.getString("Designation");
                String xStatus = rs.getString("Status");
                String xDate = rs.getString("DateH");
                double xSal = rs.getDouble("Salary");
                String xJob = rs.getString("JobT");
                 String xDOB = rs.getString("DOB");
                txtID3.setText(""+xid);
                txtFName3.setText(xFn);
                txtLName3.setText(xLn);
                if (xgen == 1){
                    optM3.setSelected(true);
                } else
                    if(xgen == 2){
                        optF3.setSelected(true);
                    }
                txtEmail3.setText(xEmail);
                txtContact3.setText(""+xCn);
                txtAdd1.setText(xAdd1);
                txtAdd5.setText(xAdd2);
                txtAppn.setText(""+xhouse);
                txtLm.setText(xLand);
                txtPost.setText(""+xPost);
                txtDesignation.setText(xDesig);
                txtStatus.setText(xStatus);
```

```
            txtDate.setText(xDate);
            txtBSal.setText(""+xSal);
            txtJob.setText(xJob);
            txtDOB.setText(xDOB);
            txtBSal.setEnabled(false);
            rs.close();
            st.close();
            con.close();
         } else {
            JOptionPane.showMessageDialog(null, "No such Record Found", "Inform",
JOptionPane.INFORMATION_MESSAGE);
         }
      } catch (Exception e){
         JOptionPane.showMessageDialog(null, "Error in Connectivity", "Error",
JOptionPane.ERROR_MESSAGE);
      }
   }
   private void btnupdateActionPerformed(java.awt.event.ActionEvent evt) {
      // TODO add your handling code here:
      int m = JOptionPane.showConfirmDialog(null, "Syrely want to modify record?");
      if(m == JOptionPane.YES_OPTION){
      try{
         Class.forName("java.sql.Driver");
         con = DriverManager.getConnection("jdbc:mysql://localhost/boardexamproject", "root", "1873");
         st = con.createStatement();
         int n = 0;
         if (optM3.isSelected()==true)
            n = 1;
         else
            if (optF3.isSelected()==true)
               n = 2;
         String x = "Update employee_details set Employee_Id = " + txtID3.getText() + ", Firstname = '" +
txtFName3.getText() +
               "' , Lastname = '" + txtLName3.getText() + "' , Gender = " + n + ", Email = '" +
txtEmail3.getText() + "' , Contact_no = " +
               txtContact3.getText() + ", Address1 = '" + txtAdd1.getText() + "' , Address2 = '" +
txtAdd5.getText() + "' , House = " +
               txtAppn.getText() + ", Landmark = '" + txtLm.getText() + "' , Postcode = " + txtPost.getText() +
", Designation = ' " +
               txtDesignation.getText() + "' , Status = '" + txtStatus.getText() + "' , DateH = '" +
txtDate.getText() +
              "' , JobT = '" + txtJob.getText() +"', DOB = '"+txtDOB.getText()+ "' where Employee_Id = " +
txtID3.getText() + " ; ";
         st.executeUpdate(x);
         JOptionPane.showMessageDialog(null, "Record Successfully Updated into table
Employee_Details", "Success", JOptionPane.INFORMATION_MESSAGE);
         rs.close();
         st.close();
```

```
            con.close();
        }
        catch(Exception e){
        JOptionPane.showMessageDialog(null, "Error in Record addition into table Employee_Details",
"Error", JOptionPane.ERROR_MESSAGE);
        }
        }
}
  public static void main(String args[]) {
        java.awt.EventQueue.invokeLater(new Runnable() {
            public void run() {
                new UpdateRec().setVisible(true);
            }
        });
    }
}
```

9.2 - Delete Record



SOURCE CODE

```
import java.sql.*;
import javax.swing.JOptionPane;
public class Delete_Record extends javax.swing.JFrame {
    Connection con = null;
   Statement st = null;
   ResultSet rs = null;
   /** Creates new form Delete_Record */
   public Delete_Record() {
      initComponents();
   }
private void DISPLAY(java.awt.event.KeyEvent evt) {
       // TODO add your handling code here:
       try{
          Class.forName("java.sql.Driver");
          con = DriverManager.getConnection("jdbc:mysql://localhost/boardexamproject", "root", "1873");
          st = con.createStatement();
          String x = "Select concat(Firstname, Lastname) as Name, Designation, JobT from
employee_details where Employee_Id = " + txtID.getText() +";";
          rs = st.executeQuery(x);
          if (rs.next()){
          String xName = rs.getString("Name");
          String xDesignation = rs.getString("Designation");
          String xJob = rs.getString("JobT");
          txtEmp.setText(xName);
          txtDesignation.setText(xDesignation);
          txtTitle.setText(xJob);
          rs.close();
             st.close();
             con.close();
          }
          else{
          JOptionPane.showMessageDialog(null, "No such Record Found", "Inform",
JOptionPane.INFORMATION_MESSAGE);
          txtID.setText("");
          txtEmp.setText("");
          txtDesignation.setText("");
          txtTitle.setText("");
          }
       }
       catch(Exception e){
        JOptionPane.showMessageDialog(null, "Error in Connectivity", "Error",
JOptionPane.ERROR_MESSAGE);
       }
   }
private void btnDeleteActionPerformed(java.awt.event.ActionEvent evt) {
       // TODO add your handling code here:
      int m = JOptionPane.showConfirmDialog(null, "Syrely want to modify record?");
       if(m == JOptionPane.YES_OPTION){
```


```
        try{
            Class.forName("java.sql.Driver");
            con = DriverManager.getConnection("jdbc:mysql://localhost/boardexamproject", "root", "1873");
            st = con.createStatement();
            String x = "Delete from employee_details where Employee_Id = " + txtID.getText() + ";";
            st.executeUpdate(x);
            JOptionPane.showMessageDialog(null, "Record Successfully Deleted", "Delete Success",
JOptionPane.INFORMATION_MESSAGE);
            rs.close();
               st.close();
               con.close();
        }
        catch(Exception e){
        JOptionPane.showMessageDialog(null, "Error in Connectivity", "Error",
JOptionPane.ERROR_MESSAGE);
        }
        txtID.setText("");
            txtEmp.setText("");
            txtDesignation.setText("");
            txtTitle.setText("");}
    }
    private void btnBackActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
            dispose();
            Update_Main dm = new Update_Main();
            this.setVisible(false);
            dm.setVisible(true);
        } else this.setVisible(true);
}
    private void btnLogOutActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
            dispose();

            LoginPage dp = new LoginPage();
            this.setVisible(false);
            dp.setVisible(true);
        } else
            if(m == JOptionPane.NO_OPTION)
                this.setVisible(true);
}

    private void btnClearActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        txtID.setText("");
```

```
        txtEmp.setText("");
        txtDesignation.setText("");
        txtTitle.setText("");
}
public static void main(String args[]) {
      java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
          new Delete_Record().setVisible(true);
        }
      });
   }
}
```

9.3 – View Record



SOURCE CODE

```
import java.sql.*;
import javax.swing.JOptionPane;
public class SearchEmp extends javax.swing.JFrame {
   Connection con = null;
```

```
    Statement st = null;
    ResultSet rs = null;


    /** Creates new form SearchEmp */
    public SearchEmp() {
        initComponents();
    }
private void btnClearActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        txtID.setText("");
            txtFName.setText("");
            txtLName.setText("");
            txtEmail.setText("");
            txtContact.setText("");
            txtAdd1.setText("");
            txtAdd2.setText("");
            txtAppn.setText("");
            txtLm.setText("");
            txtPost.setText("");
            txtDesignation.setText("");
            txtStatus.setText("");
            txtDate.setText("");
            txtBSal.setText("");
            txtDob.setText("");
            txtJob.setText("");
            optM.setSelected(false);
            optF.setSelected(false);
}
private void btnBackActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
            dispose();
            MainMenu dm = new MainMenu();
            this.setVisible(false);
            dm.setVisible(true);
        } else this.setVisible(true);
}

    private void btnLogOutActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        int m = JOptionPane.showConfirmDialog(null,"Are you sure?");
        if(m == JOptionPane.YES_OPTION){
            dispose();
            LoginPage dp = new LoginPage();
            this.setVisible(false);
            dp.setVisible(true);
```

```
        }
 else
            if(m == JOptionPane.NO_OPTION)
               this.setVisible(true);
}
private void Display(java.awt.event.KeyEvent evt) {
        // TODO add your handling code here:
        try{
           Class.forName("java.sql.Driver");
           con = DriverManager.getConnection("jdbc:mysql://localhost/boardexamproject", "root", "1873");
           st = con.createStatement();
           txtFName.setEnabled(false);
           txtLName.setEnabled(false);
           optM.setEnabled(false);
           optF.setEnabled(false);
           txtEmail.setEnabled(false);
           txtContact.setEnabled(false);
           txtAdd1.setEnabled(false);
           txtAdd2.setEnabled(false);
           txtAppn.setEnabled(false);
           txtLm.setEnabled(false);
           txtPost.setEnabled(false);
           txtDesignation.setEnabled(false);
           txtStatus.setEnabled(false);
           txtDate.setEnabled(false);
           txtDob.setEnabled(false);
           txtBSal.setEnabled(false);
           txtJob.setEnabled(false);
           String x = "Select * from employee_details where Employee_Id = " + txtID.getText() +";";
           rs = st.executeQuery(x);
           if (rs.next()){
              int xid = rs.getInt("Employee_Id");
              String xFn = rs.getString("Firstname");
              String xLn = rs.getString("Lastname");
              int xgen = rs.getInt("Gender");
              String xEmail = rs.getString("Email");
              int xCn = rs.getInt("Contact_no");
              String xAdd1 = rs.getString("Address1");
              String xAdd2 = rs.getString("Address2");
              int xhouse = rs.getInt("House");
              String xLand = rs.getString("Landmark");
              int xPost = rs.getInt("Postcode");
              String xDesig = rs.getString("Designation");
              String xStatus = rs.getString("Status");
              String xDate = rs.getString("DateH");
              double xSal = rs.getDouble("Salary");
              String xJob = rs.getString("JobT");
              String xDOB = rs.getString("DOB");
```

```
            txtID.setText(""+xid);
            txtFName.setText(xFn);
            txtLName.setText(xLn);
            if (xgen == 1){
               optM.setSelected(true);
            } else
               if(xgen == 2){
                  optF.setSelected(true);
               }
            txtEmail.setText(xEmail);
            txtContact.setText(""+xCn);
            txtAdd1.setText(xAdd1);
            txtAdd2.setText(xAdd2);
            txtAppn.setText(""+xhouse);
            txtLm.setText(xLand);
            txtPost.setText(""+xPost);
            txtDesignation.setText(xDesig);
            txtStatus.setText(xStatus);
            txtDate.setText(xDate);
            txtBSal.setText(""+xSal);
            txtJob.setText(xJob);
            txtDob.setText(xDOB);
            rs.close();
            st.close();
            con.close();
         } else {
            JOptionPane.showMessageDialog(null, "No such Record Found", "Inform",
JOptionPane.INFORMATION_MESSAGE);
            txtID.setText("");
         txtFName.setText("");
         txtLName.setText("");
         txtEmail.setText("");
         txtContact.setText("");
         txtAdd1.setText("");
         txtAdd2.setText("");
         txtAppn.setText("");
         txtLm.setText("");
         txtPost.setText("");
         txtDesignation.setText("");
         txtStatus.setText("");
         txtDate.setText("");
         txtBSal.setText("");
         txtDob.setText("");
         txtJob.setText("");
         optM.setSelected(false);
         optF.setSelected(false);
         }
      } catch (Exception e){
```

```
            JOptionPane.showMessageDialog(null, "Error in Connectivity", "Error",
    JOptionPane.ERROR_MESSAGE);
        }
      }
    public static void main(String args[]) {
        java.awt.EventQueue.invokeLater(new Runnable() {
            public void run() {
                new SearchEmp().setVisible(true);
            }
        });
      }
    }
```

MYSQL COMMAND LINE CLIENT - CODES

Database: Boardexamproject

1. Table: Extrasal

```
| extrasal | CREATE TABLE `extrasal` (
  `Employee_Id` int(5) NOT NULL,
  `medical` double(8,2) DEFAULT NULL,
  `Bonus` double(8,2) DEFAULT NULL,
  `Other` double(8,2) DEFAULT NULL,
  `overtime` int(4) DEFAULT NULL,
  PRIMARY KEY (`Employee_Id`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 |
```

2. Table: Family

```
| family | CREATE TABLE `family` (
  `Father_Name` varchar(40) DEFAULT NULL,
  `Mother_Name` varchar(40) DEFAULT NULL,
  `Bank` int(16) DEFAULT NULL,
  `Brother` varchar(40) DEFAULT NULL,
  `Sister` varchar(40) DEFAULT NULL,
  `Employee_Id` int(5) NOT NULL,
```

```
  PRIMARY KEY (`Employee_Id`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 |
```

3. Table: Employee_details

```
| employee_details | CREATE TABLE `employee_details` (
  `Employee_Id` int(5) NOT NULL,
  `Firstname` varchar(20) NOT NULL,
  `Lastname` varchar(15) DEFAULT NULL,
  `Gender` int(2) DEFAULT NULL,
  `Email` varchar(40) DEFAULT NULL,
  `Contact_no` int(10) DEFAULT NULL,
  `Address1` varchar(50) DEFAULT NULL,
  `Address2` varchar(50) DEFAULT NULL,
  `House` int(4) DEFAULT NULL,
  `Landmark` varchar(30) DEFAULT NULL,
  `Postcode` int(6) DEFAULT NULL,
  `Designation` varchar(15) NOT NULL,
  `Status` varchar(13) DEFAULT NULL,
  `DateH` date DEFAULT NULL,
  `Salary` double(8,2) DEFAULT NULL,
  `JobT` varchar(15) NOT NULL,
  `DOB` date DEFAULT NULL,
  PRIMARY KEY (`Employee_Id`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 |
```