


RESQGO

Ride Safe. Help Faster.

Detailed App Changes & Feature Specification

Prepared from the RESQGO app concept and the five requested product changes.



1. Product Context

RESQGO is an AI-driven Android safety app designed to detect two-wheeler crashes on-device and automatically initiate an SOS to configured contacts and fleet systems. The existing concept uses Kotlin, TensorFlow Lite, Firebase, Twilio, Google Maps, and phone sensors including accelerometer, gyroscope, and GPS.

The requested updates focus on making the app more configurable, usable while other apps are open, and navigation-centric on the main screen. The goal is to preserve the core safety workflow while improving the rider experience before, during, and after a ride.

Existing safety flow

Rider goes Online → sensors are monitored → a possible crash is detected → a confirmation timer appears → if the rider does not respond, the app escalates to SOS calls/messages and fleet/family alerts.

Change 1 — Customizable Crash Confirmation Timer

The current concept uses a fixed 20-second confirmation window. Replace this fixed value with a rider-configurable timer. The rider should be able to choose the amount of time they want to receive the “Are you OK?” confirmation before RESQGO automatically escalates to SOS.

Detailed requirements

- Provide a timer setting inside the app's ride/safety settings.
- Offer selectable durations such as 30 seconds, 40 seconds, 1 minute, 2 minutes, 3 minutes, 4 minutes, and up to 5 minutes.
- Display the selected duration clearly before or during the ride.
- After a possible crash, trigger the loud alarm/vibration and start the selected countdown.
- Allow the rider to cancel the escalation by selecting “I’m OK.”
- If the rider does not respond before the selected timer expires, continue to the existing Auto-SOS workflow.

- Keep the maximum configurable confirmation period at 5 minutes as requested.

User flow

Crash suspected → “Are you OK?” prompt → selected timer (for example, 40 seconds) → rider responds → cancel SOS; or no response → Auto-SOS.

Area	Expected result
Configuration	Rider selects a confirmation duration up to 5 minutes.
Crash event	Selected timer starts after a possible crash.
Response	“I’m OK” cancels escalation.
No response	Auto-SOS begins after timer expires.

Change 2 — Replace the Default Android App Icon

The current phone launcher icon appears like a default Android app icon. Replace it with a custom RESQGO identity that is recognizable at a glance and communicates emergency safety and two-wheeler protection.

Detailed requirements

- Use a clean, high-contrast icon that remains recognizable at small launcher sizes.
- Prefer a simple symbol rather than a detailed illustration.
- Maintain a strong connection to RESQGO's safety/emergency purpose.
- Possible concept A: a rider/bike combined with a protective shield and emergency cross.
- Possible concept B: a location pin combined with an emergency/medical symbol.
- Possible concept C: a stylized RESQGO "Q" incorporating a location-pin or emergency element.
- Create launcher-ready variants for different Android icon contexts while keeping the same visual identity.

User flow

Recommended direction: rider + shield for direct two-wheeler safety; location + emergency for strong location-response communication.

Area	Expected result
Launcher	Default Android-style icon is replaced.
Brand	Icon communicates RESQGO safety.
Usability	Icon remains legible at small sizes.
Variants	Several concepts can be evaluated.

Change 3 — Background Crash Detection

RESQGO should remain operational when the rider leaves the RESQGO screen and opens another app. The requested experience is that the rider can use apps such as Rapido or Zomato while RESQGO continues the safety monitoring needed for crash detection.

Detailed requirements

- Starting a ride should establish an ongoing safety-monitoring session.
- Switching to another app should not terminate the active ride session.
- Continue monitoring the required accelerometer, gyroscope, and location signals in the background, subject to Android platform permissions and background-execution constraints.
- Consider a “Float on Other Apps” / floating overlay only if it improves usability; the core requirement is reliable background operation.
- Keep the interface unobtrusive during normal riding.
- If a crash is detected in the background, surface the confirmation prompt and alarm clearly enough for the rider to respond.
- If the rider remains unresponsive for the configured timer, continue with the existing SOS escalation.
- Provide clear ride status so the rider knows that RESQGO safety monitoring is active.

User flow

Start ride → open Rapido/Zomato → RESQGO remains active in background → crash detected → confirmation alarm → no response → SOS.

Area	Expected result
Background	Active ride remains operational after app switch.
Sensors	Required monitoring continues in background.
Crash	Background detection can trigger confirmation.
Escalation	Timer and SOS workflow continue.

Change 4 — Navigation-Centric Main Screen

The current main page exposes gyroscope, accelerometer, and other sensor-related information. Move these technical readings to a lower or secondary area and make navigation the primary experience on the front page. The intended interaction is similar to a Google Maps-style navigation screen, adapted for RESQGO and two-wheeler riders.

Detailed requirements

- Show the current location and selected destination prominently on the main map.
- Display the route from the rider's starting/current point to the destination.
- Offer multiple route choices where available.
- Include a shortest-route option.
- Include a toll-free option.
- Include a low-traffic option.
- Include a generally preferred/better route based on available travel information.
- Allow the rider to choose the route that best fits their preference.
- Once navigation begins, continuously update the rider's position in real time.
- Use a moving bike marker/icon to show the rider progressing along the route.
- Keep a live speedometer visible in a corner of the navigation screen.
- Move raw sensor readings to a secondary diagnostics area rather than letting them dominate the front page.

User flow

Google Maps is the UX reference for clear route visualization and moving-location navigation; RESQGO should retain its own branding and safety-focused interaction.

Area	Expected result
Main screen	Map/navigation becomes primary.
Routes	Multiple route choices can be displayed.
Live position	Bike marker updates in real time.
Speed	Current speed is visible.

Change 5 — Shared Location to Direct Navigation

Add a location handoff flow so that a location received through a social or messaging app can be opened or shared into RESQGO. Once RESQGO receives the shared destination, it should immediately connect that destination with the rider's current location and offer direct navigation.

Detailed requirements

- Accept a shared location/deep-link handoff from another app where supported.
- Identify the incoming destination coordinates or location information.
- Determine the rider's current location.
- Calculate and display the distance between the rider and the shared destination.
- Show the destination and useful surrounding-area information where map data is available.
- Present a clear route from the rider's current location to the shared destination.
- Provide route choices where available, consistent with the Change 4 navigation experience.
- Allow the rider to start navigation without manually re-entering the destination.
- Show the rider's real-time movement along the route using the moving bike marker.
- Keep the live speedometer visible during navigation.

User flow

Location received → Share/Open with RESQGO → destination identified → current location detected → distance shown → route displayed → navigation starts → live movement shown.

Area	Expected result
Handoff	Shared location can be opened/shared to RESQGO.
Distance	Current-to-destination distance is shown.
Routing	Direct route is generated.
Navigation	Live movement and speed are displayed.

2. Combined Rider Experience

The five changes should work together as one coherent ride experience rather than as isolated features.

1. Configure safety

Select the preferred crash-confirmation timer and confirm emergency contacts/settings.

2. Start ride

Start RESQGO and establish the active safety-monitoring session.

3. Navigate

Use the map, route choices, live bike position, destination information, and speedometer.

4. Use other apps

Move to another app such as Rapido or Zomato while RESQGO continues the active safety session in the background.

5. Crash detection

If a possible crash is detected, RESQGO presents the confirmation prompt and starts the selected timer.

6. SOS escalation

If the rider does not respond, RESQGO proceeds with the configured emergency call/message and fleet/family alert workflow.

7. Shared destination

Accept a location from another app, calculate the route, show distance, and begin navigation directly.

3. Main Screen — Proposed Information Hierarchy

Priority	Content	Purpose
1	Map + route	Primary navigation and route awareness.
2	Moving bike marker	Shows real-time rider position/progress.
3	Speedometer	Shows current speed at a glance.
4	Destination / distance	Keeps the rider oriented toward the destination.
5	Route options	Lets rider choose shortest, toll-free, low-traffic, or preferred route.
6	Safety status	Shows whether RESQGO monitoring is active.
7	Sensor diagnostics	Gyroscope/accelerometer details moved to a secondary section.

4. Technical Integration Notes

The original RESQGO concept identifies Kotlin Android, TensorFlow Lite for on-device inference, Firebase for alerts/database, Twilio for SMS/voice, and Google Maps for location/dashboard use. The requested changes should extend this architecture rather than replace the core stack.

Change 1 — Configuration

Store the rider's selected confirmation duration as a ride/safety preference and use that value when a possible crash triggers the confirmation state.

Change 3 — Background operation

Use an Android-supported background/foreground execution approach appropriate to the target Android versions, permissions, battery behavior, and device constraints. The requirement is reliable safety operation during an active ride; the exact implementation should be validated on target devices.

Change 4 — Routing

Route alternatives should be presented from available map/routing data. The app can rank or display alternatives according to distance, toll status, traffic information, and other available route attributes. Exact traffic/toll/road-quality data depends on the chosen routing services.

Change 5 — Shared-location handoff

Support an incoming location through the Android sharing/deep-link mechanism selected during implementation. Convert the received location into a destination object and pass it directly into the navigation flow.

Implementation note

This document defines the requested product behavior. It does not claim that every Android background, map, traffic, toll, or third-party-app integration detail is already implemented. Those platform- and service-specific details should be validated during development and testing.

5. Suggested Validation Checklist

- Confirm the timer can be changed and persists for the intended ride/session.
- Verify every supported timer option triggers the correct countdown.
- Verify "I'm OK" cancels the pending SOS action.
- Verify the active ride remains available after switching to another app.
- Test background monitoring on the Android versions and phone models targeted by RESQGO.
- Confirm the new launcher icon appears correctly in the phone launcher and app settings.
- Verify destination selection displays the route clearly.
- Verify route alternatives can be selected and the selected route becomes active.
- Verify the bike marker updates as the rider moves.
- Verify the speedometer updates correctly.
- Share a location from another app and confirm RESQGO receives the destination.
- Verify distance and direct route are generated without manually re-entering the location.

- Test the full end-to-end flow: start ride → navigate → switch apps → simulated crash → timer → SOS.

6. Final Product Direction

RESQGO should feel like a safety-first navigation companion for two-wheeler riders. The main interface should prioritize the rider's route and current movement, while crash detection remains active in the background. Configurable confirmation timing gives riders control, shared-location navigation reduces friction, and a dedicated brand icon strengthens product identity.

Core principle: Every feature should reduce rider distraction while preserving fast crash detection and emergency escalation.