

E-TENDERING

ORGANISATION : Tripura Institute of Technology

PROBLEM STATEMENT (DB126) : In order to simplify the process of e-tendering and to make the system cost effective and user friendly, the EVC (electronic verification code) system are required to be performed through Aadhaar based OTP, instead of existing Digital Signature Certificate. Design efficient solutions that enable use of Aadhaar OTP and DigiLocker for sharing the documents for eTendering.

TEAM NAME : Cookie Army

TEAM MEMBERS:

1) SHAIK FAYAZUDDIN (Team Leader)

2) TULASI DEVI

3) ASHUTOSH MISHRA

4) TEJA KRISHNA

5) SHAIK HANIFA

6) SAI SUMANTH

COLLEGE CODE : 1-4263427227

ABSTRACT

Electronic Tendering is the method of carrying out the traditional tendering process in an electronic form, using the internet. The tendering process is a key business process that helps businesses find a suitable contractor. In the building and construction of industries, clients invite tenderers to submit an estimate of prices, detailing the costs associated with completing a building. In this way, the client can base their decision on the result of the tenders to select the most suitable contractor. The tenderers need to collect the tender's booklet, price it, and bring it back to the client's office before the deadline. In this project, we present a design and implementation of an e-tendering system by using Web services for the automation of such tendering processes and replacing existing system which contains digital signature certificate for tender purpose with Aadhar based one time password(otp) and sharing documents through digilocker.

INTRODUCTION

1.1 Purpose of Project

This document contains a description for "**E-TENDERING**" enhancement. This document will contain the functional requirements of the project and how the Aadhar based OTP verification will simplify the process, achieving all the objectives, along with its simplification.

Scope: This Document depicts the Software development life cycle (SDLC) and describes the complete requirement of the system.

2.3 STUDY OF THE SYSTEM

Initially,

The GUI'S at the top level have been categorized as

1. Administrative user interface
2. The operational or generic user interface

The administrative user interface concentrates on the consistent information that is practically, part of the organizational activities and which needs proper authentication for the data collection. The interfaces help the administrations with all the transactional states like Data insertion, Data deletion and Data updating along with the extensive data search capabilities.

The operational or generic user interface helps the users upon the system in transactions through the existing data and required services. The operational user interface also helps the ordinary users in managing their own information helps the ordinary users in managing their own information in a customized manner as per the assisted flexibilities

Modules

The project is mainly divided into 4 modules:

1). Administrator

This administrator will maintain all the master information like Items Information, suppliers' information, Employee information.

2). Employee

He is going to prepare the indent for the required product to the purchase department, and also he checks indent status.

3). Purchase Department

Displaying indent information from different departments. Preparation of tenders for the indents, Invitation to the supplier for the tender

4). Bidder

Supplier is going to bid the amount for tender with in the stipulated time, and will know the final status of the tender once it is closed.

2.4 System Requirement Specifications

Hardware Requirements:

- PIV 2.8 GHz Processor and Above
- RAM 512MB and Above
- HDD 40 GB Hard Disk Space and Above

Software Requirements:

- WINDOWS OS (XP / 2000 / 2003 Server)
- Eclipse Enterprise Edition
- Bootstrap
- My SQL Server

PAGES

INDEX.JSP:

<!-- Cookie Army -->

```
<% @ page import = "java.sql.*" %>

<% @ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
    <title>Etender</title>
    <link rel="stylesheet" href="css/global.css">
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGsO3+Hhvx8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-
J6qa4849bIE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384-
wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>
    <script src="https://www.google.com/recaptcha/api.js" async defer></script>
    <script src="js/cities.js"></script>
    <script type="text/javascript" src="js/preferential.js"></script>
    <script type="text/javascript" src="js/bidderTypeLoc.js"></script>
    <script type="text/javascript">
        var onloadCallback = function() {
            grecaptcha.render('html_element', {
                'sitekey' : '6Lenzu0UAAAAANwru86INC1KaBKQ-llAVyRItx-s'
            });
        };
    </script>
<style>
    body{
        background-color: beige;
    }

</style>
</head>
<body>
```



```

        <span class="divider1" id="Insert_2_0">|</span>
    </span><span id="For_1">

        <span>
            <a id="link1" name="link1" title="Tenders by Closing Date" class="Menu"
href="/eprocure/app?page=FrontEndListTendersbyDate&service=page"
target="_self">Tenders by Closing Date</a>
        </span>
        <span class="divider1" id="Insert_2_1">|</span>
    </span><span id="For_2">

        <span>
            <a id="link1" name="link1" title="Corrigendum" class="Menu"
href="/eprocure/app?page=FrontEndLatestActiveCorrigendums&service=page"
target="_self">Corrigendum</a>
        </span>

    </span>
</span>
</div>

    <div class="main-body">
<!--Aside starts from here-->
        <div class="flex aside">
            <input type="button" class="links" value="Home"
onclick="window.location.href = 'index.jsp';"></button><br>
            <input type="button" class="links" value="Nodal Officer Login"
onclick="window.location.href = 'mislogin.jsp';"></button><br>
            <input type="button" class="links" value="Tender By Location"
onclick="window.location.href = 'tenderByLocation.jsp';"></button><br>
            <input type="button" class="links" value="Tender By Organisation"
onclick="window.location.href = 'tenderByOrg.jsp';"></button><br>
            <input type="button" class="links" value="Tender By Classification"
onclick="window.location.href = 'tenderByClass.jsp';"></button><br>
            <input type="button" class="links" value="Tenders in Archive"
onclick="window.location.href = 'tendersInArchive.jsp';"></button><br>
            <input type="button" class="links" value="Announcements"
onclick="window.location.href = 'announcement.jsp';"></button><br>
            <input type="button" class="links" value="Cancelled/Retendered"
onclick="window.location.href = 'cancelled.jsp';"></button><br>
        </div>
        <% session.removeAttribute("username"); %>
<!--Main starts from here-->
        <div class="flex main">
            <div class="card text-center">
                <div class="card-header">
                    <h4>Latest Tender</h4>
                </div>
                <div class="home-container">
                    <div class="flex item-1"> Tender Title</div>

```



```

No</div>
Date</div>
Date</div>
</div>
<div class="flex item-2"> Reference
<div class="flex item-3"> Closing
<div class="flex item-4"> Bid Opening
onmouseover="this.stop() ;" onmouseout="this.start() ;"> <p class="card-text">
<%
Class.forName("com.mysql.jdbc.Driver");
DriverManager.getConnection("jdbc:mysql://localhost:3307/etendering","root","tulasidevi@11");
con.createStatement();
st.executeQuery("select * from tenderdetails ");
class='home-container-1'>"+
1'>"+rs.getString(1)+"</div>"+
2'>"+rs.getString(2)+"</div>"+
3'>"+rs.getString(3)+"</div>"+
4'>"+rs.getString(4)+"</div>"+
"<div class='flex item-
"<div class='flex item-
"<div class='flex item-
"<div class='flex item-
"</div>"
);
}
con.close();
%>
</p></marquee>
</div>
</div><br>
<div class="card text-center">
<div class="card-header" >
<h4>Latest Corrigendums</h4>

```

```

        </div>
        <div class="home-container">
            <div class="flex item-1"> Tender Title</div>
            <div class="flex item-2"> Reference

No</div>

            <div class="flex item-3"> Closing

Date</div>

            <div class="flex item-4"> Bid Opening

Date</div>

        </div>

        <div class="card-body">
            <marquee direction="up"
onmouseover="this.stop() ;" onmouseout="this.start() ;"> <p class="card-text">
                <%

                    Class.forName("com.mysql.jdbc.Driver");

                    Connection con1 =
DriverManager.getConnection("jdbc:mysql://localhost:3307/etendering","root","tulasidevi@
11");

                    Statement st1 =

                    ResultSet rs1;
                    rs1 =
st1.executeQuery("select * from tenderdetails where classification=\"work\\\"");
                    while(rs1.next())
                    {
                        out.print
                        (
                            "<div
class='home-container-1'>"+
                            1'+rs1.getString(1)+"</div>"+
                            2'+rs1.getString(2)+"</div>"+
                            3'+rs1.getString(3)+"</div>"+
                            4'+rs1.getString(4)+"</div>"+

                            "<div class='flex item-
                            <div class='flex item-
                            <div class='flex item-
                            <div class='flex item-

                            "</div>"
                            );
                        }
                        con1.close();

                    %>

                </p></marquee>
            </div>

        </div>
    </div>

```

```

<!--Login starts from here-->
    <div class="flex login">
    <form class="login-form" method="POST" action="bidPortal.jsp">
    <div class="card-header"><h2>Login</h2></div>
    <div class="form-group">
    <label for="exampleInputEmail1">Email address</label>
    <input type="email" class="form-control" name="bid"
id="exampleInputEmail1" aria-describedby="emailHelp">
    <!-- <small id="emailHelp" class="form-text text-muted">We'll never share
your email with anyone else.</small> -->
    </div>
    <div class="form-group">
    <label for="exampleInputPassword1">Password</label>
    <input type="password" class="form-control" name="bpass"
id="exampleInputPassword1">
    </div>
    <div class="g-recaptcha" data-
sitekey="6Lenzu0UAAAAANwru86INC1KaBKQ-llAVyRItx-s"></div><br>
    &nbsp; &nbsp; &nbsp; <a href="bidderForgetPass.jsp">Forget
Password</a><br><br>&nbsp; &nbsp; &nbsp;
    <a href="bidderReg.jsp">New User? Register
Here!</a><br><br>&nbsp; &nbsp; &nbsp;
    <a href="onlineBidderEnrollment.jsp">Online Bidder
Enrollment</a><br><br>&nbsp; &nbsp; &nbsp;
    <button type="submit" class="btn btn-primary">Login</button>
    <br><br>
    </form>
    </div>
</div>
<footer class="footer-box">
    <div class="container">
    <span class="text-muted">Contents owned and maintained by concerned Departments in
coordination with Finance Department and Information Technology Department,
Government of India.</span>
    </div>
    </footer>
<script>
    var today = new Date();
    var dd = String(today.getDate()).padStart(2, '0');
    var mm = String(today.getMonth() + 1).padStart(2, '0'); //January is 0!
    var yyyy = today.getFullYear();
    today = mm + '/' + dd + '/' + yyyy;
    document.getElementById("date1").innerHTML=today;
</script>
</body>
</html>

```

Bidder Reg:

```
<!-- Cookie Army -->
<%@ page import = "java.sql.*" %>

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
    <title>Etender</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.
css" integrity="sha384-
Vkoo8x4CGsO3+HhXv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"
integrity="sha384-
J6qa4849b1E2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwjlyYfoRSJoZ+n"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js
" integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYdliqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>
<script src="https://www.google.com/recaptcha/api.js" async defer></script>
<script src="js/cities.js"></script>
<script type="text/javascript" src="js/preferential.js"></script>
<script type="text/javascript" src="js/bidderTypeLoc.js"></script>
<script type="text/javascript">
    var onloadCallback = function() {
        grecaptcha.render('html_element', {
            'sitekey' : '6Lenzu0UAAAAANwru86INC1KaBKQ-1lAVyRItx-s'
        });
    };
</script>
</script>

    <link rel="stylesheet" href="css/global.css">
</head>
<body>
<div class="navbar">
    <div class="flex item-12"></div>
    <div class="flex item-13"></div>
    <div class="flex item-14"></div>
</div>

<div class="datass">
<div class="flex datas1" id="date1"></div>
<div class="flex datas2"><marquee>eTendering System - Government of India
</marquee></div>
</div>
```

[illegible]

```

<!--Aside starts from here-->
    <div class="flex aside" style="margin-left: 50px;">
        <input type="button" class="links" value="Home"
onclick="window.location.href = 'index.jsp';"></button><br>
        <input type="button" class="links" value="Nodal Officer
Login" onclick="window.location.href = 'mislogin.jsp';"></button><br>
        <input type="button" class="links" value="Tender By
Location" onclick="window.location.href =
'tenderByLocation.jsp';"></button><br>
        <input type="button" class="links" value="Tender By
Organisation" onclick="window.location.href =
'tenderByOrg.jsp';"></button><br>
        <input type="button" class="links" value="Tender By
Classification" onclick="window.location.href =
'tenderByClass.jsp';"></button><br>
        <input type="button" class="links" value="Tenders in
Archive" onclick="window.location.href =
'tendersInArchive.jsp';"></button><br>
        <input type="button" class="links" value="Announcements"
onclick="window.location.href = 'announcement.jsp';"></button><br>
        <input type="button" class="links"
value="Cancelled/Retendered" onclick="window.location.href =
'cancelled.jsp';"></button><br>
    </div>
<!--Main starts from here-->
    <div class="flex main">
        <div class="jumbotron"><br>
            <h1 class="display-4" id="header" align="center">Bidder
Registration</h1>
            <div align="right"><a class="btn btn-light btn-lg"
href="index.jsp" role="button">Back</a></div>
            <br>
            <hr class="my-4">
            <h3 class="display-6" id="header" align="left">Personal
Information</h3><br>
                <form method="post" action="bidderReg2.jsp">
                    <div class="container">
                        <div class="row">
                            <div class="col-sm">
                                <div class="form-group">
                                    <label
for="exampleInputName1">First Name*</label>
                                    <input type="text"
class="form-control" name="bname" pattern="[a-zA-Z]{1,}" title="enter valid
name" id="exampleInputName1" aria-describedby="nameHelp"
placeholder="Enter your full name" required>
                                    <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your email with anyone
else.</small> -->
                                </div>
                                <div class="form-group">
                                    <label
for="exampleInputName1">Last Name*</label>
                                    <input type="text"
class="form-control" name="blname" pattern="[a-zA-Z]{1,}" title="enter
valid name" id="exampleInputName1" aria-describedby="nameHelp"
placeholder="Enter your full name" required>

```

```

class="form-text text-muted">We'll never share your email with anyone
else.</small> -->

</div>
</div>
<div class="col-sm">
  <div class="form-group">
    <label
for="exampleInputReg1">Aadhar number*</label>
    <input type="text"
class="form-control" name="badharno" pattern="[0-9]{12}" title="enter valid
12-digit aadhar no." id="exampleInputReg1" aria-describedby="regHelp"
placeholder="Enter your Aadhar number" required>
    <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your email with anyone
else.</small> -->

    </div>
  </div>
</div>
<div class="container">
  <div class="row">
    <div class="col-sm">
      <div class="form-group">
        <label for="exampleInputPoy1">Phone
ISD Code*</label>
        <input type="number" pattern="[1-
9]{2}" class="form-control" name="bisdcode" id="exampleInputPoy1" aria-
describedby="poyHelp" placeholder="Phone ISD Code" required>
        <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your contact number with
anyone else.</small> -->

        </div>
      </div>
    <div class="col-sm">
      <div class="form-group">
        <label
for="exampleInputPoy1">Phone Number*</label>
        <div class="form-row">
          <input type="text"
class="form-control" pattern="[0-9]{10}" title="enter 10-digit valid
number" name="bphno" id="exampleInputPoy1" aria-describedby="poyHelp"
placeholder="Phone Number" required>
          <small id="emailHelp"
class="form-text text-muted">We'll never share your contact number with
anyone else.</small>

          </div>
        </div>
      </div>
    </div>
  </div>
<div class="container">
  <div class="row">
    <div class="col-sm">
      <div class="form-group">
        <label
for="exampleInputmaill">Email Id*</label>
        <input type="email"
class="form-control" name="bemail" title="enter valid email"

```

```

id="exampleInputDes1" pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,}$"
aria-describedby="phoneHelp" placeholder="Eg : johndoe@gmail.com"
required>

                                <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your email with anyone
else.</small> -->

                                </div>
                                </div>
                                <div class="col-sm">
                                    <div class="form-group">
                                        <label for="exampleInputName1">PAN
Card Number*</label>
                                <input type="text" class="form-
control" name="bpanno" id="exampleInputName1" aria-describedby="nameHelp"
pattern="[A-Z]{5}[0-9]{4}[A-Z]{1}" title="enter valid PAN number"
placeholder="Permanent Account Number" required>
                                <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your email with anyone
else.</small> -->
                                </div>
                                </div>
                                </div>
                                </div>
                                <hr class="my-4">
                                <h3 class="display-6" id="header"
align="left">Address</h3><br>
                                <div class="container">
                                    <div class="row">
                                        <div class="col-sm">
                                            <div class="form-group">
                                                <label
for="exampleInputPoy1">State*</label>
                                                <select
onchange="print_city('state', this.selectedIndex);" id="sts" name ="bstate"
class="form-control" ></select><br>
                                                <label
for="exampleInputPoy1">City*</label>
                                                <select id ="state" name="bdist"
class="form-control" ></select>
                                                <script
language="javascript">print_state("sts");</script>
                                                </div>
                                            </div>
                                        </div>
                                    </div>
                                    <div class="container">
                                        <div class="row">
                                            <div class="col-sm">
                                                <div class="form-group">
                                                    <label for="exampleInputPoy1">Pin
Code*</label>
                                                    <input type="number" class="form-
control" pattern="[0-9]{6}" title="enter 6-digit valid pincode"
name="bpincode" id="exampleInputPoy1" aria-describedby="poyHelp"
placeholder="Pin Code" required>

```



```

                                <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your contact number with
anyone else.</small> -->

                                </div>
                                </div>
                                <div class="col-sm">
                                    <div class="form-group">
                                        <label
for="exampleInputPoyl">District*</label>
                                <input type="text"
class="form-control" name="bdist" id="exampleInputPoyl" aria-
describedby="poyHelp" placeholder="District" required>
                                <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your contact number with
anyone else.</small> -->

                                </div>
                                </div>
                                </div>
                                </div>
                                <div class="my-4">
                                    <h3 class="display-6" id="header"
align="left">Login Details</h3><br>
                                    <div class="container">
                                        <div class="form-group">
                                            <label for="exampleInputlink1">Login
ID*</label>
                                            <input type="text" class="form-control"
id="exampleInputlink1" name="bid" aria-describedby="linkHelp"
placeholder="Choose a Login ID">
                                            <!-- <small id="emailHelp" class="form-text
text-muted">We'll never share your email with anyone else.</small> -->
                                            </div>
                                        </div>
                                        <div class="container">
                                            <div class="row">
                                                <div class="col-sm">
                                                    <div class="form-group">
                                                        <label
for="exampleInputPasswr1">Password*</label>
                                                        <input type="password"
class="form-control" name="bpass" pattern="^(?=.*[0-9]+.*)(?=.*[a-zA-
Z]+.*)[0-9a-zA-Z]{6,8}$" title=""Must contain at least one number and one
uppercase and lowercase letter, and at least 6 ,atmost 8 characters"
id="exampleInputPasswr1" placeholder="Eg:Abcd123" required>
                                                        </div>
                                                    </div>
                                                    <div class="col-sm">
                                                        <div class="form-group">
                                                            <label
for="exampleInputCPasswr1">Confirm Password*</label>
                                                            <input type="password"
class="form-control" name="bcpass" id="exampleInputCPasswr1"
placeholder="Enter your confirm password" required>
                                                            </div>
                                                        </div>
                                                    </div>
                                                    </div>
                                                    <br>
                                                    <div class="text-center">

```

```

        <button type="submit" class="btn btn-
primary">Register as a bidder</button>
    </div>

    </form>
</div>
</div>
<!--Login starts from here-->

<footer class="footer-box">
    <div class="container">
        <span class="text-muted">Contents owned and maintained by concerned
Departments in coordination with Finance Department and Information
Technology Department, Government of India.</span>
    </div>
</footer>
<script>
    var today = new Date();
    var dd = String(today.getDate()).padStart(2, '0');
    var mm = String(today.getMonth() + 1).padStart(2, '0'); //January is 0!
    var yyyy = today.getFullYear();
    today = mm + '/' + dd + '/' + yyyy;
    document.getElementById("date1").innerHTML=today;
</script>
</body>
</html>
<!-- Cookie Army -->
<%@ page import = "java.sql.*" %>

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
    <title>Etender</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.
css" integrity="sha384-
Vkoo8x4CGsO3+Hhvx8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
        <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"
integrity="sha384-
J6qa4849b1E2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwjl1yYfoRSJoZ+n"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivrivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js
" integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYdliqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>
<script src="https://www.google.com/recaptcha/api.js" async defer></script>
<script src="js/cities.js"></script>
<script type="text/javascript" src="js/preferential.js"></script>
<script type="text/javascript" src="js/bidderTypeLoc.js"></script>
<script type="text/javascript">

```



```

href="/eprocure/app?page=FrontEndLatestActiveTenders&service=page"
target="_self">Active Tenders</a>
</span>
    <span class="divider1" id="Insert_2_0">|</span>
</span><span id="For_1">

    <span>
        <a id="link1" name="link1" title="Tenders by Closing Date"
class="Menu"
href="/eprocure/app?page=FrontEndListTendersbyDate&service=page"
target="_self">Tenders by Closing Date</a>
    </span>
    <span class="divider1" id="Insert_2_1">|</span>
</span><span id="For_2">

    <span>
        <a id="link1" name="link1" title="Corrigendum" class="Menu"
href="/eprocure/app?page=FrontEndLatestActiveCorrigendums&service=page"
target="_self">Corrigendum</a>
    </span>

</span>
</span>
</div>
    <div class="main-body">
<!--Aside starts from here-->
    <div class="flex aside" style="margin-left: 50px;">
        <input type="button" class="links" value="Home"
onclick="window.location.href = 'index.jsp';"></button><br>
        <input type="button" class="links" value="Nodal Officer
Login" onclick="window.location.href = 'mislogin.jsp';"></button><br>
        <input type="button" class="links" value="Tender By
Location" onclick="window.location.href =
'tenderByLocation.jsp';"></button><br>
        <input type="button" class="links" value="Tender By
Organisation" onclick="window.location.href =
'tenderByOrg.jsp';"></button><br>
        <input type="button" class="links" value="Tender By
Classification" onclick="window.location.href =
'tenderByClass.jsp';"></button><br>
        <input type="button" class="links" value="Tenders in
Archive" onclick="window.location.href =
'tendersInArchive.jsp';"></button><br>
        <input type="button" class="links" value="Announcements"
onclick="window.location.href = 'announcement.jsp';"></button><br>
        <input type="button" class="links"
value="Cancelled/Retendered" onclick="window.location.href =
'cancelled.jsp';"></button><br>
    </div>
<!--Main starts from here-->
    <div class="flex main">
        <div class="jumbotron"><br>
            <h1 class="display-4" id="header" align="center">Bidder
Registration</h1>
            <div align="right"><a class="btn btn-light btn-lg"
href="index.jsp" role="button">Back</a></div>
            <br>
            <hr class="my-4">

```

```

        <h3 class="display-6" id="header" align="left">Personal
Information</h3><br>
        <form method="post" action="bidderReg2.jsp">
            <div class="container">
                <div class="row">
                    <div class="col-sm">
                        <div class="form-group">
                            <label
for="exampleInputName1">First Name*</label>
                            <input type="text"
class="form-control" name="bname" pattern="[a-zA-Z]{1,}" title="enter valid
name" id="exampleInputName1" aria-describedby="nameHelp"
placeholder="Enter your full name" required>
                            <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your email with anyone
else.</small> -->
                        </div>
                        <div class="form-group">
                            <label
for="exampleInputName1">Last Name*</label>
                            <input type="text"
class="form-control" name="blname" pattern="[a-zA-Z]{1,}" title="enter
valid name" id="exampleInputName1" aria-describedby="nameHelp"
placeholder="Enter your full name" required>
                            <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your email with anyone
else.</small> -->
                        </div>
                    </div>
                    <div class="col-sm">
                        <div class="form-group">
                            <label
for="exampleInputReg1">Aadhar number*</label>
                            <input type="text"
class="form-control" name="badharno" pattern="[0-9]{12}" title="enter valid
12-digit aadhar no." id="exampleInputReg1" aria-describedby="regHelp"
placeholder="Enter your Aadhar number" required>
                            <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your email with anyone
else.</small> -->
                        </div>
                    </div>
                </div>
            </div>
            <div class="container">
                <div class="row">
                    <div class="col-sm">
                        <div class="form-group">
                            <label for="exampleInputPoy1">Phone
ISD Code*</label>
                            <input type="number" pattern="[1-
9]{2}" class="form-control" name="bisdcode" id="exampleInputPoy1" aria-
describedby="poyHelp" placeholder="Phone ISD Code" required>
                            <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your contact number with
anyone else.</small> -->
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="form-group">
            <label
for="exampleInputPoy1">Phone Number*</label>
            <div class="form-row">
                <input type="text"
class="form-control" pattern="[0-9]{10}" title="enter 10-digit valid
number" name="bphno" id="exampleInputPoy1" aria-describedby="poyHelp"
placeholder="Phone Number" required>
                <small id="emailHelp"
class="form-text text-muted">We'll never share your contact number with
anyone else.</small>
            </div>
        </div>
    </div>
</div>
<div class="container">
    <div class="row">
        <div class="col-sm">
            <div class="form-group">
                <label
for="exampleInputmaill">Email Id*</label>
                <input type="email"
class="form-control" name="bemail" title="enter valid email"
id="exampleInputDes1" pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,}$"
aria-describedby="phoneHelp" placeholder="Eg : johndoe@gmail.com"
required>
                <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your email with anyone
else.</small> -->
            </div>
        </div>
        <div class="col-sm">
            <div class="form-group">
                <label for="exampleInputName1">PAN
Card Number*</label>
                <input type="text" class="form-
control" name="bpanno" id="exampleInputName1" aria-describedby="nameHelp"
pattern="[A-Z]{5}[0-9]{4}[A-Z]{1}" title="enter valid PAN number"
placeholder="Permanent Account Number" required>
                <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your email with anyone
else.</small> -->
            </div>
        </div>
    </div>
</div>
<hr class="my-4">
<h3 class="display-6" id="header"
align="left">Address</h3><br>
    <div class="container">
        <div class="row">
            <div class="col-sm">
                <div class="form-group">
                    <label
for="exampleInputPoy1">State*</label>

```

```

                                <select
onchange="print_city('state', this.selectedIndex);" id="sts" name ="bstate"
class="form-control" ></select><br>
                                <label
for="exampleInputPoy1">City*</label>
                                <select id ="state" name="bdist"
class="form-control" ></select>
                                <script
language="javascript">print_state("sts");</script>
                                </div>
                                </div>
                                </div>
                                </div>
                                <div class="container">
                                <div class="row">
                                <div class="col-sm">
                                <div class="form-group">
                                <label for="exampleInputPoy1">Pin
Code*</label>
                                <input type="number" class="form-
control" pattern="[0-9]{6}" title="enter 6-digit valid pincode"
name="bpincode" id="exampleInputPoy1" aria-describedby="poyHelp"
placeholder="Pin Code" required>
                                <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your contact number with
anyone else.</small> -->
                                </div>
                                </div>
                                <div class="col-sm">
                                <div class="form-group">
                                <label
for="exampleInputPoy1">District*</label>
                                <input type="text"
class="form-control" name="bdist" id="exampleInputPoy1" aria-
describedby="poyHelp" placeholder="District" required>
                                <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your contact number with
anyone else.</small> -->
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                <hr class="my-4">
                                <h3 class="display-6" id="header"
align="left">Login Details</h3><br>
                                <div class="container">
                                <div class="form-group">
                                <label for="exampleInputlink1">Login
ID*</label>
                                <input type="text" class="form-control"
id="exampleInputlink1" name="bid" aria-describedby="linkHelp"
placeholder="Choose a Login ID">
                                <!-- <small id="emailHelp" class="form-text
text-muted">We'll never share your email with anyone else.</small> -->
                                </div>
                                </div>
                                <div class="container">
                                <div class="row">
                                <div class="col-sm">

```


EMPREG:

```
<!-- Cookie Army -->
<%@ page import = "java.sql.*" %>

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
    <title>Etender</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.
css" integrity="sha384-
Vkoo8x4CGsO3+Hhvx8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"
integrity="sha384-
J6qa4849b1E2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwjlyYfoRSJoZ+n"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js
" integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYdliqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>
<script src="https://www.google.com/recaptcha/api.js" async defer></script>
<script src="js/cities.js"></script>
<script type="text/javascript" src="js/preferential.js"></script>
<script type="text/javascript" src="js/bidderTypeLoc.js"></script>
<script type="text/javascript">
    var onloadCallback = function() {
        grecaptcha.render('html_element', {
            'sitekey' : '6Lenzu0UAAAAANwru86INC1KaBKQ-1lAVyRItx-s'
        });
    };
</script>
    <link rel="stylesheet" href="css/global.css">
</head>
<body>
<div class="navbar">
    <div class="flex item-12"></div>
    <div class="flex item-13"></div>
    <div class="flex item-14"></div>
</div>

<div class="datass">
<div class="flex datas1" id="date1"></div>
<div class="flex datas2"><marquee>eTendering System - Government of India
</marquee></div>
</div>
<div class="menu">
```

[illegible]

```

        <div class="flex aside" style="margin-left: 50px;">
            <input type="button" class="links" value="Home"
onclick="window.location.href = 'index.jsp';"></button><br>
            <input type="button" class="links" value="Nodal Officer
Login" onclick="window.location.href = 'mislogin.jsp';"></button><br>
            <input type="button" class="links" value="Tender By
Location" onclick="window.location.href =
'tenderByLocation.jsp';"></button><br>
            <input type="button" class="links" value="Tender By
Organisation" onclick="window.location.href =
'tenderByOrg.jsp';"></button><br>
            <input type="button" class="links" value="Tender By
Classification" onclick="window.location.href =
'tenderByClass.jsp';"></button><br>
            <input type="button" class="links" value="Tenders in
Archive" onclick="window.location.href =
'tendersInArchive.jsp';"></button><br>
            <input type="button" class="links" value="Announcements"
onclick="window.location.href = 'announcement.jsp';"></button><br>
            <input type="button" class="links"
value="Cancelled/Retendered" onclick="window.location.href =
'cancelled.jsp';"></button><br>
        </div>
<!--Main starts from here-->
        <div class="flex main">
            <div class="jumbotron">
                <h1 class="display-4" id="header" align="center">Nodal
Officer Registration</h1>
                <div align="right"><a class="btn btn-light btn-lg"
href="mislogin.jsp" role="button">Back</a></div>
                <br>
                <hr class="my-4">
                <h3 class="display-6" id="header" align="left">Personal
Information</h3><br>
                <form method="post" action="empReg2.jsp">
                    <div class="container">
                        <div class="row">
                            <div class="col-sm">
                                <div class="form-group">
                                    <label
for="exampleInputName1">First Name*</label>
                                    <input type="text"
class="form-control" name="ename" pattern="[a-zA-Z]{3,}"
id="exampleInputName1" aria-describedby="nameHelp" placeholder="Enter your
full name" required>
                                    <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your email with anyone
else.</small> -->
                                </div>
                            </div>
                            <div class="col-sm">
                                <div class="form-group">
                                    <label
for="exampleInputName1">Last Name*</label>
                                    <input type="text"
class="form-control" name="lname" id="exampleInputName1" pattern="[a-zA-
Z]{3,}" aria-describedby="nameHelp" placeholder="Enter your full name"
required>

```

```

class="form-text text-muted">We'll never share your email with anyone
else.</small> -->
</div>
</div>
<div class="col-sm">
  <div class="form-group">
    <label
for="exampleInputReg1">Aadhar number*</label>
    <input type="text"
class="form-control" name="eadharno" title="enter valid 12-digit aadhar
number" pattern="[0-9]{12}" id="exampleInputReg1" aria-
describedby="regHelp" placeholder="Enter your Aadhar number" required>
    <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your email with anyone
else.</small> -->
    </div>
  </div>
</div>
<div class="container">
  <div class="row">
    <div class="col-sm">
      <div class="form-group">
        <label for="exampleInputPoy1">Office
Landline Number*</label>
        <input type="text" class="form-
control" name="elandlineno" pattern="[0-9]{11}" title="enter valid landline
number" id="exampleInputPoy1" aria-describedby="poyHelp"
placeholder="Office Landline Number" required>
        <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your contact number with
anyone else.</small> -->
        </div>
      </div>
      <div class="col-sm">
        <div class="form-group">
          <label
for="exampleInputPoy1">Cell Number*</label>
          <input type="text"
class="form-control" name="ephno" pattern="[1-9]{1}[0-9]{9}" title="enter
valid 10-digit number" id="exampleInputPoy1" aria-describedby="poyHelp"
placeholder="Phone Number" required>
          <small id="emailHelp"
class="form-text text-muted">We'll never share your personal contact number
with anyone else.</small>
          </div>
        </div>
      </div>
    </div>
  <div class="container">
    <div class="row">
      <div class="col-sm">
        <div class="form-group">
          <label
for="exampleInputDes1">Email Id*</label>
          <input type="email"
class="form-control" name="email" title="Enter valid email id"
id="exampleInputDes1" pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,}$"

```

```

aria-describedby="phoneHelp" placeholder="Eg : johndoe@gmail.com"
required>

                                <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your email with anyone
else.</small> -->

                                </div>
                                </div>
                                <div class="col-sm">
                                    <div class="form-group">
                                        <label
for="exampleInputContact1">Govt ID Number*</label>
                                        <input type="text"
class="form-control" name="egid" pattern="[0-9]{5,10}" title="enter valid
govt-id" id="exampleInputDes1" aria-describedby="phoneHelp"
placeholder="Government Official ID Number" required>
                                        <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your mobile number with
anyone else.</small> -->

                                        </div>
                                    </div>
                                </div>
                                </div>
                                </div>
                                <div class="container">
                                    <div class="row">
                                        <div class="col-sm">
                                            <div class="form-group">
                                                <label
for="exampleInputName1">Department*</label>
                                                <input type="text" class="form-
control" name="edept" pattern="[a-zA-Z]{2,}" id="exampleInputName1" aria-
describedby="nameHelp" placeholder="Department Name" required>
                                                <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your email with anyone
else.</small> -->

                                                </div>
                                            </div>
                                            <div class="col-sm">
                                                <div class="form-group">
                                                    <label
for="exampleFormControlFile1">Submit Your Signature ( .jpg or .png format)
*</label>
                                                    <input type="file" class="form-control-
file" accept="image/*" id="exampleFormControlFile1">
                                                    </div>
                                                </div>
                                            </div>
                                        </div>
                                    </div>
                                    <hr class="my-4">
                                    <h3 class="display-6" id="header"
align="left">Address</h3><br>
                                    <div class="container">
                                        <div class="row">
                                            <div class="col-sm">
                                                <div class="form-group">
                                                    <label
for="exampleInputPoy1">State*</label>

```

```

                                <select
onchange="print_city('state', this.selectedIndex);" id="sts" name
="empstate" class="form-control" ></select><br>
                                <label
for="exampleInputPoy1">City*</label>
                                <select id ="state"
name="empdist" class="form-control" ></select>
                                <script
language="javascript">print_state("sts");</script>
                                </div>
                                </div>
                                </div>
                                </div>
                                <div class="container">
                                <div class="row">
                                <div class="col-sm">
                                <div class="form-group">
                                <label for="exampleInputPoy1">Pin
Code*</label>
                                <input type="number" class="form-
control" name="epincode" pattern="^[1-9]{1}[0-9]{2}\\s{0, 1}[0-9]{3}$"
title="enter valid pincode" id="exampleInputPoy1" aria-
describedby="poyHelp" placeholder="Pin Code" required>
                                <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your contact number with
anyone else.</small> -->
                                </div>
                                </div>
                                <div class="col-sm">
                                <div class="form-group">
                                <label
for="exampleInputPoy1">Division*</label>
                                <input type="text"
class="form-control" name="edivision" id="exampleInputPoy1" pattern="[a-zA-
Z]{2,}" aria-describedby="poyHelp" placeholder="Division" required>
                                <!-- <small id="emailHelp"
class="form-text text-muted">We'll never share your contact number with
anyone else.</small> -->
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                <hr class="my-4">
                                <h3 class="display-6" id="header"
align="left">Login Details</h3><br>
                                <div class="container">
                                <div class="form-group">
                                <label for="exampleInputlink1">Login
ID*</label>
                                <input type="text" class="form-control"
id="exampleInputlink1" pattern="^(?=[a-zA-Z0-
9._]{8,20}$)(?!.*[_]{2})[^_].*[^_].*$" title="Do not include special
symbols other than dot,underscore" name="eid" aria-describedby="linkHelp"
placeholder="Choose a Login ID">
                                <!-- <small id="emailHelp" class="form-text
text-muted">We'll never share your email with anyone else.</small> -->
                                </div>
                                </div>
                                <div class="container">

```

```

        <div class="row">
            <div class="col-sm">
                <div class="form-group">
                    <label
for="exampleInputPasswr1">Password*</label>
                    <input type="password"
pattern="^(?=.*[0-9]+.)*(?=.*[a-zA-Z]+.)*[0-9a-zA-Z]{6,8}$" class="form-
control" title="Must contain at least one number and one uppercase and
lowercase letter, and at least 6 ,atmost 8 characters" name="epass"
id="exampleInputPasswr1" placeholder="Eg:Abcd123S" required>
                    </div>
                </div>
                <div class="col-sm">
                    <div class="form-group">
                        <label
for="exampleInputCPasswr1">Confirm Password*</label>
                        <input type="password"
class="form-control" name="epass" id="exampleInputCPasswr1"
placeholder="Enter your confirm password" required>
                        </div>
                    </div>
                </div>
            </div>
            <br>
            <div class="text-center">
                <button type="submit" class="btn btn-
primary">Register as a Nodal Officer</button>
            </div>
        </form>
    </div>
<!--Login starts from here-->

</div>
<footer class="footer-box">
    <div class="container">
        <span class="text-muted">Contents owned and maintained by concerned
Departments in coordination with Finance Department and Information
Technology Department, Government of India.</span>
    </div>
</footer>
<script>
    var today = new Date();
    var dd = String(today.getDate()).padStart(2, '0');
    var mm = String(today.getMonth() + 1).padStart(2, '0'); //January is 0!
    var yyyy = today.getFullYear();
    today = mm + '/' + dd + '/' + yyyy;
    document.getElementById("date1").innerHTML=today;
</script>
</body>
</html>

```

OnlineBidderEnrollment.Jsp:

```
<!-- Cookie Army -->
<%@ page import = "java.sql.*" %>

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
    <title>Etender</title>
    <link rel="stylesheet" href="css/global.css">
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.
css" integrity="sha384-
Vkoo8x4CGsO3+HhXv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"
integrity="sha384-
J6qa4849b1E2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwjlyYfoRSJoZ+n"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js
" integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYdliqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>
    <script src="https://www.google.com/recaptcha/api.js" async defer></script>
    <script src="js/cities.js"></script>
    <script type="text/javascript" src="js/preferential.js"></script>
    <script type="text/javascript" src="js/bidderTypeLoc.js"></script>
    <script type="text/javascript">
        var onloadCallback = function() {
            grecaptcha.render('html_element', {
                'sitekey' : '6Lenzu0UAAAAANwru86INC1KaBKQ-1lAVyRItx-s'
            });
        };
    </script>
    <style>
        body{
            background-color: beige;
        }

    </style>
</head>
<body>
<div class="navbar">
    <div class="flex item-12"></div>
    <div class="flex item-13"></div>
    <div class="flex item-14"></div>
</div>
```


[illegible]

```

        </span><span id="For_3">

            <span>
                <a id="link1" name="link1" title="Results of Tenders"
class="Menu" href="/eprocure/app?page=ResultOfTenders&service=page"
target="_self">Bid Awards</a>
            </span>
            <span class="divider1" id="Insert_2_3">|</span>
        </span><span id="For_4">
            <span id="If_0_4">
                <a id="link1" name="link1" title="CPPP Home" class="Menu"
href="http://eprocure.gov.in/cppp/" target="_self">CPPP Home</a>
            </span>

        </span>
</span>
</div>

    <div class="main-body">
<!--Aside starts from here-->
        <div class="flex aside" style="margin-left: 50px;">
            <input type="button" class="links" value="Home"
onclick="window.location.href = 'index.jsp';"></button><br>
            <input type="button" class="links" value="Nodal Officer
Login" onclick="window.location.href = 'mislogin.jsp';"></button><br>
            <input type="button" class="links" value="Tender By
Location" onclick="window.location.href =
'tenderByLocation.jsp';"></button><br>
            <input type="button" class="links" value="Tender By
Organisation" onclick="window.location.href =
'tenderByOrg.jsp';"></button><br>
            <input type="button" class="links" value="Tender By
Classification" onclick="window.location.href =
'tenderByClass.jsp';"></button><br>
            <input type="button" class="links" value="Tenders in
Archive" onclick="window.location.href =
'tendersInArchive.jsp';"></button><br>
            <input type="button" class="links" value="Announcements"
onclick="window.location.href = 'announcement.jsp';"></button><br>
            <input type="button" class="links"
value="Cancelled/Retendered" onclick="window.location.href =
'cancelled.jsp';"></button><br>
        </div>
<!--Main starts from here-->
        <div class="flex main">
            <div class="jumbotron">
                <h1 class="display-4" id="header"
align="center">Online Bidder Enrollment</h1>
                <div align="right"><a class="btn btn-light btn-lg" href="index.jsp"
role="button">Back</a></div>
                <br>
                <hr class="my-4">
                <form method="post" action="onlineBidderEnrollment2.jsp"
id="CorporateTendererForm" autocomplete="off">
                    <div class="jumbotron">
                        <div class="container">
                            <div class="row">
                                <div class="col-sm">

```

```

class="form-group">
    <div>
        <label for="exampleInputName1">Login ID*</label>
        <input type="text" class="form-control" name="bid"
id="exampleInputName1" aria-describedby="nameHelp" placeholder="Enter your
Login ID" required>
        <small id="emailHelp" class="form-text text-muted">Enter Login Id
(Care may be taken to enter valid e-mail ID. This information will
be kept confidential. The login ID cannot be modified once
registered.)</small>
    </div>
</div>
</div>
<div class="col-sm">
    <div>
class="form-group">
    <label for="exampleInputReg1">Correspondence email*</label>
    <input type="text" class="form-control" name="cemail"
id="exampleInputReg1" aria-describedby="regHelp"
placeholder="Correspondence email" required>
    <small id="emailHelp" class="form-text text-muted">(Correspondence
Email ID can be same as your Login ID.)</small>
    </div>
</div>
</div>
</div>
<div class="container">
    <div class="row">
        <div class="col-sm">
            <div>
class="form-group">
    <label for="exampleInputReg1">Aadhar Number*</label>
    <input type="text" class="form-control" name="aadhar"
id="exampleInputReg1" aria-describedby="regHelp" placeholder="Enter your
aadhar number" required>
    <!-- <small id="emailHelp" class="form-text text-muted">We'll never
share your email with anyone else.</small> -->
    </div>
</div>
</div>
</div>
</div>
<div class="jumbotron">
    <h3 class="display-6" id="header"
align="left">Company Details</h3><br>
    <hr class="my-4">
    <div class="container">
        <div class="row">
            <div class="col-sm">
                <div>
class="form-group">

```

[illegible]

<small id="emailHelp" class="form-text text-muted">If you have selected MSME or Startup Company in Preference Category, visit MSME or Startup India icon under My Accounts--> Privileges menu and complete registration process.</small>

</div>

</div>

</div>

<div class="container">

<div class="row">

<div class="col-sm">

<div

class="form-group">

<label for="exampleInputName1">Establishment Year*</label>

<select class="form-control" name="estdyear"
id="exampleFormControlSelect2">

<option value="0">2020</option>

<option value="1">2019</option>

<option value="2">2018</option>

<option value="3">2017</option>

<option value="4">2016</option>

<option value="5">2015</option>

<option value="6">2014</option>

<option value="7">2013</option>

<option value="8">2012</option>

<option value="9">2011</option>

<option value="10">2010</option>

<option value="11">2009</option>

<option value="12">2008</option>

<option value="13">2007</option>

<option value="14">2006</option>

<option value="15">2005</option>

<option value="16">2004</option>

<option value="17">2003</option>

<option value="18">2002</option>

<option value="19">2001</option>

<option value="20">2000</option>
<option value="21">1999</option>
<option value="22">1998</option>
<option value="23">1997</option>
<option value="24">1996</option>
<option value="25">1995</option>
<option value="26">1994</option>
<option value="27">1993</option>
<option value="28">1992</option>
<option value="29">1991</option>
<option value="30">1990</option>
<option value="31">1989</option>
<option value="32">1988</option>
<option value="33">1987</option>
<option value="34">1986</option>
<option value="35">1985</option>
<option value="36">1984</option>
<option value="37">1983</option>
<option value="38">1982</option>
<option value="39">1981</option>
<option value="40">1980</option>
<option value="41">1979</option>
<option value="42">1978</option>
<option value="43">1977</option>
<option value="44">1976</option>
<option value="45">1975</option>
<option value="46">1974</option>
<option value="47">1973</option>
<option value="48">1972</option>

<option value="49">1971</option>
<option value="50">1970</option>
<option value="51">1969</option>
<option value="52">1968</option>
<option value="53">1967</option>
<option value="54">1966</option>
<option value="55">1965</option>
<option value="56">1964</option>
<option value="57">1963</option>
<option value="58">1962</option>
<option value="59">1961</option>
<option value="60">1960</option>
<option value="61">1959</option>
<option value="62">1958</option>
<option value="63">1957</option>
<option value="64">1956</option>
<option value="65">1955</option>
<option value="66">1954</option>
<option value="67">1953</option>
<option value="68">1952</option>
<option value="69">1951</option>
<option value="70">1950</option>
<option value="71">1949</option>
<option value="72">1948</option>
<option value="73">1947</option>
<option value="74">1946</option>
<option value="75">1945</option>
<option value="76">1944</option>
<option value="77">1943</option>

<option value="78">1942</option>
<option value="79">1941</option>
<option value="80">1940</option>
<option value="81">1939</option>
<option value="82">1938</option>
<option value="83">1937</option>
<option value="84">1936</option>
<option value="85">1935</option>
<option value="86">1934</option>
<option value="87">1933</option>
<option value="88">1932</option>
<option value="89">1931</option>
<option value="90">1930</option>
<option value="91">1929</option>
<option value="92">1928</option>
<option value="93">1927</option>
<option value="94">1926</option>
<option value="95">1925</option>
<option value="96">1924</option>
<option value="97">1923</option>
<option value="98">1922</option>
<option value="99">1921</option>
<option value="100">1920</option>
<option value="101">1919</option>
<option value="102">1918</option>
<option value="103">1917</option>
<option value="104">1916</option>
<option value="105">1915</option>
<option value="106">1914</option>

<option value="107">1913</option>
<option value="108">1912</option>
<option value="109">1911</option>
<option value="110">1910</option>
<option value="111">1909</option>
<option value="112">1908</option>
<option value="113">1907</option>
<option value="114">1906</option>
<option value="115">1905</option>
<option value="116">1904</option>
<option value="117">1903</option>
<option value="118">1902</option>
<option value="119">1901</option>
<option value="120">1900</option>
<option value="121">1899</option>
<option value="122">1898</option>
<option value="123">1897</option>
<option value="124">1896</option>
<option value="125">1895</option>
<option value="126">1894</option>
<option value="127">1893</option>
<option value="128">1892</option>
<option value="129">1891</option>
<option value="130">1890</option>
<option value="131">1889</option>
<option value="132">1888</option>
<option value="133">1887</option>
<option value="134">1886</option>
<option value="135">1885</option>

<option value="136">1884</option>
<option value="137">1883</option>
<option value="138">1882</option>
<option value="139">1881</option>
<option value="140">1880</option>
<option value="141">1879</option>
<option value="142">1878</option>
<option value="143">1877</option>
<option value="144">1876</option>
<option value="145">1875</option>
<option value="146">1874</option>
<option value="147">1873</option>
<option value="148">1872</option>
<option value="149">1871</option>
<option value="150">1870</option>
<option value="151">1869</option>
<option value="152">1868</option>
<option value="153">1867</option>
<option value="154">1866</option>
<option value="155">1865</option>
<option value="156">1864</option>
<option value="157">1863</option>
<option value="158">1862</option>
<option value="159">1861</option>
<option value="160">1860</option>
<option value="161">1859</option>
<option value="162">1858</option>
<option value="163">1857</option>
<option value="164">1856</option>

```

        <option value="165">1855</option>

        <option value="166">1854</option>

        <option value="167">1853</option>

        <option value="168">1852</option>

        <option value="169">1851</option>

        <option value="170">1850</option>

    </select>

    <!-- <small id="emailHelp" class="form-text text-muted">We'll
never share your email with anyone else.</small> -->

</div>

                                </div>
                                <div class="col-sm">
                                    <div
class="form-group">

                    <label for="exampleInputReg1">Nature of Business*</label>

                    <input type="text" class="form-control" name="compnature"
id="exampleInputReg1" aria-describedby="regHelp" placeholder="Enter the
nature of your Business" required>

                    <!-- <small id="emailHelp" class="form-text text-muted">We'll
never share your email with anyone else.</small> -->

                    </div>

                                </div>
                                </div>
                                </div>
                                <div class="container">
                                    <div class="row">
                                        <div class="col-sm">
                                            <div
class="form-group">

                            <label for="exampleInputName1">Legal Status*</label>

                            <select class="form-control" name="legalstatus"
id="exampleFormControlSelect2">

                                    <option value="1">Limited Company</option>

                                    <option value="2">Undertaking</option>

                                    <option value="3">Jointventure</option>

                                    <option value="4">Partnership</option>

                                    <option value="5">Others</option>

                                </select>

```

```

        <!-- <small id="emailHelp" class="form-text text-muted">We'll
never share your email with anyone else.</small> -->

</div>

</div>
<div class="col-sm">
    <div
class="form-group">

        <label for="exampleInputReg1">Company Category*</label>

        <select class="form-control" name="comcat"
id="exampleFormControlSelect2">

            <option value="1">Micro Unit as per
MSME</option>

            <option value="2">Small Unit as per
MSME</option>

            <option value="3">Medium Unit as per
MSME</option>

            <option value="4">Ancillary Unit</option>

            <option value="5">Project Affected Person of
this Company</option>

            <option value="6">SSI</option>

            <option value="7">Others</option>

        </select>

        <!-- <small id="emailHelp" class="form-text text-muted">We'll
never share your email with anyone else.</small> -->

</div>

        </div>
    </div>
</div>
    <div class="container">
        <div class="form-group">
            <label
for="exampleInputClg1">Name of Partners / Directors</label>
            <input type="text"
class="form-control" name="nameOfPartners" id="exampleInputClg1" aria-
describedby="colHelp">

            <!-- <small
id="emailHelp" class="form-text text-muted">We'll never share your email
with anyone else.</small> -->

        </div>
    </div>

    <hr class="my-4">
    <h4>Bidder Type*</h4><br>
    <div class="container">
        <div class="row">

```

[illegible]

```

</div>
</div>
<div
class="container">
    <div class="row">
        <div
class="col-sm">
            <div class="form-group">
                <label for="exampleInputPoy1">Pin Code*</label>
                <input type="number" class="form-control" name="cpincode"
id="exampleInputPoy1" aria-describedby="poyHelp" placeholder="Pin Code" >
                <!-- <small id="emailHelp" class="form-text text-muted">We'll
never share your contact number with anyone else.</small> -->
            </div>
        </div>
        <div
class="col-sm">
            <div class="form-group">
                <label for="exampleInputPoy1">City*</label>
                <input type="text" class="form-control" name="ccity"
id="exampleInputPoy1" aria-describedby="poyHelp" placeholder="District" >
                <!-- <small id="emailHelp" class="form-text text-
muted">We'll never share your contact number with anyone else.</small> -->
            </div>
        </div>
    </div>
</div>
</div>
<div
id="ForeignBidderDetails">
    <div
class="container">
        <div
class="row">
            <div
class="col-sm">
                <div class="form-group">
                    <label for="exampleInputPoy1">Country*</label>
                    <select class="form-control" name="ccountry"
id="exampleFormControlSelect2">
                        <option value="1">Afghanistan</option>
                        <option value="2">Albania</option>
                        <option value="3">Algeria</option>
                    </select>
                </div>
            </div>
        </div>
    </div>

```

<option value="4">Andorra</option>
 <option value="5">Angola</option>
 <option value="6">Antarctica</option>
 <option value="7">Argentina</option>
 <option value="8">Armenia</option>
 <option value="9">Aruba</option>
 <option value="10">Australia</option>
 <option value="11">Austria</option>
 <option value="12">Azerbaijan</option>
 <option value="13">Bahrain</option>
 <option value="14">Bangladesh</option>
 <option value="15">Belarus</option>
 <option value="16">Belgium</option>
 <option value="17">Belize</option>
 <option value="18">Benin</option>
 <option value="19">Bhutan</option>
 <option value="20">Bolivia</option>
 <option value="21">Bosnia and Herzegovina</option>
 <option value="22">Botswana</option>
 <option value="23">Brazil</option>
 Territory</option> <option value="24">British Indian Ocean
 <option value="25">Brunei Darussalam</option>
 <option value="26">Bulgaria</option>
 <option value="27">Burkina Faso</option>
 <option value="28">Burundi</option>
 <option value="29">Cambodia</option>
 <option value="30">Cameroon</option>
 <option value="31">Canada</option>
 <option value="32">Cape Verde</option>

<option value="33">Central African Republic</option>
<option value="34">Chad</option>
<option value="35">Chile</option>
<option value="36">China</option>
<option value="37">Christmas Island</option>
<option value="38">Cocos (Keeling) Islands</option>
<option value="39">Colombia</option>
<option value="40">Comoros</option>
<option value="41">Congo</option>
<option value="42">Cook Islands</option>
<option value="43">Costa Rica</option>
<option value="44">Croatia (Hrvatska)</option>
<option value="45">Cuba</option>
<option value="46">Cyprus</option>
<option value="47">Czech Republic</option>
<option value="48">Denmark</option>
<option value="49">Djibouti</option>
<option value="50">East Timor</option>
<option value="51">Ecuador</option>
<option value="52">Egypt</option>
<option value="53">El Salvador</option>
<option value="54">Equatorial Guinea</option>
<option value="55">Eritrea</option>
<option value="56">Estonia</option>
<option value="57">Ethiopia</option>
<option value="58">Falkland Islands
(Malvinas)</option>
<option value="59">Faroe Islands</option>
<option value="60">Fiji</option>
<option value="61">Finland</option>

<option value="62">France</option>
<option value="63">French Guiana</option>
<option value="64">French Polynesia</option>
<option value="65">Gabon</option>
<option value="66">Gambia</option>
<option value="67">Georgia</option>
<option value="68">Germany</option>
<option value="69">Ghana</option>
<option value="70">Gibraltar</option>
<option value="71">Greece</option>
<option value="72">Greenland</option>
<option value="73">Guadeloupe</option>
<option value="74">Guatemala</option>
<option value="75">Guinea</option>
<option value="76">Guinea-Bissau</option>
<option value="77">Guyana</option>
<option value="78">Haiti</option>
<option value="79">Honduras</option>
<option value="80">Hong Kong</option>
<option value="81">Hungary</option>
<option value="82">Iceland</option>
<option value="83">India</option>
<option value="84">Indonesia</option>
<option value="85">Iran (Islamic Republic
of)</option>
<option value="86">Iraq</option>
<option value="87">Ireland</option>
<option value="88">Israel</option>
<option value="89">Italy</option>
<option value="90">Ivory Coast</option>

<option value="91">Japan</option>
<option value="92">Jordan</option>
<option value="93">Kazakhstan</option>
<option value="94">Kenya</option>
<option value="95">Kiribati</option>
<option value="96">Korea Republic of</option>
<option value="97">Kosovo</option>
<option value="98">Kuwait</option>
<option value="99">Kyrgyzstan</option>
<option value="100">Latvia</option>
<option value="101">Lebanon</option>
<option value="102">Lesotho</option>
<option value="103">Liberia</option>
<option value="104">Libyan Arab Jamahiriya</option>
<option value="105">Liechtenstein</option>
<option value="106">Lithuania</option>
<option value="107">Luxembourg</option>
<option value="108">Macau</option>
<option value="109">Macedonia</option>
<option value="110">Madagascar</option>
<option value="111">Malawi</option>
<option value="112">Malaysia</option>
<option value="113">Maldives</option>
<option value="114">Mali</option>
<option value="115">Malta</option>
<option value="116">Marshall Islands</option>
<option value="117">Martinique</option>
<option value="118">Mauritania</option>
<option value="119">Mauritius</option>

<option value="120">Mayotte</option>
<option value="121">Mexico</option>
<option value="122">Monaco</option>
<option value="123">Mongolia</option>
<option value="124">Montenegro</option>
<option value="125">Morocco</option>
<option value="126">Mozambique</option>
<option value="127">Myanmar</option>
<option value="128">Namibia</option>
<option value="129">Nauru</option>
<option value="130">Nepal</option>
<option value="131">Netherlands</option>
<option value="132">Netherlands Antilles</option>
<option value="133">New Caledonia</option>
<option value="134">New Zealand</option>
<option value="135">Nicaragua</option>
<option value="136">Niger</option>
<option value="137">Nigeria</option>
<option value="138">Niue</option>
<option value="139">Norway</option>
<option value="140">Oman</option>
<option value="141">Pakistan</option>
<option value="142">Palau</option>
<option value="143">Panama</option>
<option value="144">Papua New Guinea</option>
<option value="145">Paraguay</option>
<option value="146">Peru</option>
<option value="147">Philippines</option>
<option value="148">Pitcairn</option>

<option value="149">Poland</option>
 <option value="150">Portugal</option>
 <option value="151">Qatar</option>
 <option value="152">Reunion</option>
 <option value="153">Romania</option>
 <option value="154">Russian Federation</option>
 <option value="155">Rwanda</option>
 <option value="156">Saint Helena</option>
 <option value="157">Saint Pierre and
 Miquelon</option>
 <option value="158">Samoa</option>
 <option value="159">San Marino</option>
 <option value="160">Sao Tome and Principe</option>
 <option value="161">Saudi Arabia</option>
 <option value="162">Senegal</option>
 <option value="163">Serbia</option>
 <option value="164">Seychelles</option>
 <option value="165">Sierra Leone</option>
 <option value="166">Singapore</option>
 <option value="167">Slovakia</option>
 <option value="168">Slovenia</option>
 <option value="169">Solomon Islands</option>
 <option value="170">Somalia</option>
 <option value="171">South Africa</option>
 <option value="172">Spain</option>
 <option value="173">Sri Lanka</option>
 <option value="174">Sudan</option>
 <option value="175">Suriname</option>
 <option value="176">Svalbard</option>
 <option value="177">Swaziland</option>

<option value="178">Sweden</option>
<option value="179">Switzerland</option>
<option value="180">Syria</option>
<option value="181">Taiwan</option>
<option value="182">Tajikistan</option>
<option value="183">Tanzania</option>
<option value="184">Thailand</option>
<option value="185">Togo</option>
<option value="186">Tokelau</option>
<option value="187">Tonga</option>
<option value="188">Tunisia</option>
<option value="189">Turkey</option>
<option value="190">Turkmenistan</option>
<option value="191">Tuvalu</option>
<option value="192">Uganda</option>
<option value="193">Ukraine</option>
<option value="194">United Arab Emirates</option>
<option value="195">United Kingdom</option>
<option value="196">United States</option>
<option value="197">Uruguay</option>
<option value="198">Uzbekistan</option>
<option value="199">Vanuatu</option>
<option value="200">Venezuela</option>
<option value="201">Vietnam</option>
<option value="202">Wallis and Futuna</option>
<option value="203">Western Sahara</option>
<option value="204">Yemen</option>
<option value="205">Zambia</option>
<option value="206">Zimbabwe</option>

```

        </select>

        <!-- <small id="emailHelp" class="form-text text-muted">We'll
never share your contact number with anyone else.</small> -->

    </div>

</div>

class="col-sm">

    <div class="form-group">

        <label for="exampleInputPoy1">State /
City*</label>

        <input type="text" class="form-control"
name="cscity" id="exampleInputPoy1" aria-describedby="poyHelp"
placeholder="Enter the City or State" >

        <!-- <small id="emailHelp" class="form-text text-
muted">We'll never share your contact number with anyone else.</small> -->

    </div>

</div>

                                </div>
                                </div>
                                <div
class="container">
                                <div class="form-group">

<label for="exampleInputClg1">Postal Code*</label>

<input type="number" class="form-control" name="cpostalcode"
id="exampleInputClg1" aria-describedby="colHelp" placeholder="Enter your
postal code" >

                                <!--
- <small id="emailHelp" class="form-text text-muted">We'll never share your
email with anyone else.</small> -->
                                </div>
                                </div>
                                </div>
                                <div
id="IndianBidderDetailsPan" >
                                <div
class="container">
                                <div class="form-group">

<label for="exampleInputClg1">PAN / TAN Number*</label>

<input type="text" class="form-control" name="cpanno" id="exampleInputClg1"
aria-describedby="colHelp" placeholder="PAN/TAN number must have 10
characters. For eg: AESTG2458A" >

<small id="emailHelp" class="form-text text-muted">For Bidders who do not
have PAN/TAN number may enter TEMPZ9999Z as the PAN/TAN number.</small>
                                </div>

```

```

        </div>
    </div>
    <div class="jumbotron">
        <h3 class="display-6" id="header"
align="left">Company Details</h3>
        <small id="emailHelp" class="form-
text text-muted">Enter Company's Contact Person Details</small>
        <hr class="my-4">
        <div class="container">
            <div class="row">
                <div class="col-sm">
                    <div
class="form-group">
                        <label
for="exampleInputPoy1">Title*</label>
                            <select class="form-control" name="ccountry"
id="exampleFormControlSelect2">
                                <option value="1">Mrs</option>
                                <option value="2">Mr</option>
                                <option value="3">Ms</option>
                                <option value="4">Dr</option>
                                <option value="5">Sri</option>
                            </select>
                        </div>
                    </div>
                <div class="col-sm">
                    <div
class="form-group">
                        <label for="exampleInputPoy1">Contact Name*</label>
                            <input type="text" class="form-control" name="ccname"
id="exampleInputPoy1" aria-describedby="poyHelp" placeholder="Enter
Contact Name" required>
                                <!-- <small id="emailHelp" class="form-text text-muted">We'll
never share your contact number with anyone else.</small> -->
                            </div>
                        </div>
                    </div>
                <div class="container">
                    <div class="row">
                        <div class="col-sm">
                            <div
class="form-group">
                                <label
for="exampleInputContact1">Date of Birth*</label>
                                    <input
type="text" class="form-control" name="ccdob" id="exampleInputDes1" aria-
describedby="phoneHelp" placeholder="Format - DD/MM//YYYY" required>

```

```

                                <!-- <small
id="emailHelp" class="form-text text-muted">We'll never share your contact
number with anyone else.</small> -->
                                </div>
                                </div>
                                <div class="col-sm">
                                <div
class="form-group">

                                <label for="exampleInputPoy1">Designation*</label>

                                <input type="text" class="form-control" name="disignation"
id="exampleInputPoy1" aria-describedby="poyHelp" placeholder="Enter the
contact person's designation" required>

                                <!-- <small id="emailHelp" class="form-text text-muted">We'll
never share your contact number with anyone else.</small> -->
                                </div>
                                </div>
                                </div>
                                </div>
                                <div class="container">
                                <div class="row">
                                <div class="col-sm">
                                <div
class="form-group">

                                <label for="exampleInputName1">Mobile Number ISD Code*</label>

                                <select class="form-control" name="ccisdcode"
id="exampleFormControlSelect2">

                                <option value="0">-Select-</option>

                                <option value="1">ABW (297)</option>

                                <option value="2">AFG (93)</option>

                                <option value="3">AGO (244)</option>

                                <option value="4">ALB (355)</option>

                                <option value="5">AND (376)</option>

                                <option value="6">ANT (599)</option>

                                <option value="7">ARE (971)</option>

                                <option value="8">ARG (54)</option>

                                <option value="9">ARM (374)</option>

                                <option value="10">ATA (672)</option>

                                <option value="11">AUS (61)</option>

                                <option value="12">AUT (43)</option>

                                <option value="13">AZE (994)</option>

```


<option value="14">BDI (257)</option>
<option value="15">BEL (32)</option>
<option value="16">BEN (229)</option>
<option value="17">BFA (226)</option>
<option value="18">BGD (880)</option>
<option value="19">BGR (359)</option>
<option value="20">BHR (973)</option>
<option value="21">BIH (387)</option>
<option value="22">BLR (375)</option>
<option value="23">BLZ (501)</option>
<option value="24">BOL (591)</option>
<option value="25">BRA (55)</option>
<option value="26">BRN (673)</option>
<option value="27">BTN (975)</option>
<option value="28">BWA (267)</option>
<option value="29">CAF (236)</option>
<option value="30">CAN (1)</option>
<option value="31">CCK (672)</option>
<option value="32">CHE (41)</option>
<option value="33">CHL (56)</option>
<option value="34">CHN (86)</option>
<option value="35">CIV (225)</option>
<option value="36">CMR (237)</option>
<option value="37">COG (242)</option>
<option value="38">COK (682)</option>
<option value="39">COL (57)</option>
<option value="40">COM (269)</option>
<option value="41">CPV (238)</option>
<option value="42">CRI (506)</option>

<option value="43">CUB (53)</option>
<option value="44">CXR (61)</option>
<option value="45">CYP (357)</option>
<option value="46">CZE (420)</option>
<option value="47">DEU (49)</option>
<option value="48">DJI (253)</option>
<option value="49">DNK (45)</option>
<option value="50">DZA (213)</option>
<option value="51">ECU (593)</option>
<option value="52">EGY (20)</option>
<option value="53">ERI (291)</option>
<option value="54">ESH (212)</option>
<option value="55">ESP (34)</option>
<option value="56">EST (372)</option>
<option value="57">ETH (251)</option>
<option value="58">FIN (358)</option>
<option value="59">FJI (679)</option>
<option value="60">FLK (500)</option>
<option value="61">FRA (33)</option>
<option value="62">FRO (298)</option>
<option value="63">GAB (241)</option>
<option value="64">GBR (44)</option>
<option value="65">GEO (995)</option>
<option value="66">GHA (233)</option>
<option value="67">GIB (350)</option>
<option value="68">GIN (224)</option>
<option value="69">GLP (590)</option>
<option value="70">GMB (220)</option>
<option value="71">GNB (245)</option>

<option value="72">GNQ (240)</option>
<option value="73">GRC (30)</option>
<option value="74">GRL (299)</option>
<option value="75">GTM (502)</option>
<option value="76">GUF (594)</option>
<option value="77">GUY (592)</option>
<option value="78">HKG (852)</option>
<option value="79">HND (504)</option>
<option value="80">HRV (385)</option>
<option value="81">HTI (509)</option>
<option value="82">HUN (36)</option>
<option value="83">IDN (62)</option>
<option value="84">IND (91)</option>
<option value="85">IOT (246)</option>
<option value="86">IRL (353)</option>
<option value="87">IRN (98)</option>
<option value="88">IRQ (964)</option>
<option value="89">ISL (354)</option>
<option value="90">ISR (972)</option>
<option value="91">ITA (39)</option>
<option value="92">JOR (962)</option>
<option value="93">JPN (81)</option>
<option value="94">KAZ (7)</option>
<option value="95">KEN (254)</option>
<option value="96">KGZ (996)</option>
<option value="97">KHM (855)</option>
<option value="98">KIR (686)</option>
<option value="99">KOR (82)</option>
<option value="100">KWT (965)</option>

<option value="101">LBN (961)</option>
<option value="102">LBR (231)</option>
<option value="103">LBY (218)</option>
<option value="104">LIE (423)</option>
<option value="105">LKA (94)</option>
<option value="106">LSO (266)</option>
<option value="107">LTU (370)</option>
<option value="108">LUX (352)</option>
<option value="109">LVA (371)</option>
<option value="110">MAC (853)</option>
<option value="111">MAR (212)</option>
<option value="112">MCO (377)</option>
<option value="113">MDG (261)</option>
<option value="114">MDV (960)</option>
<option value="115">MEX (52)</option>
<option value="116">MHL (692)</option>
<option value="117">MKD (389)</option>
<option value="118">MLI (223)</option>
<option value="119">MLT (356)</option>
<option value="120">MMR (95)</option>
<option value="121">MNE (382)</option>
<option value="122">MNG (976)</option>
<option value="123">MOZ (258)</option>
<option value="124">MRT (222)</option>
<option value="125">MTQ (596)</option>
<option value="126">MUS (230)</option>
<option value="127">MWI (265)</option>
<option value="128">MYS (60)</option>
<option value="129">MYT (269)</option>

<option value="130">NAM (264)</option>
<option value="131">NCL (687)</option>
<option value="132">NER (227)</option>
<option value="133">NGA (234)</option>
<option value="134">NIC (505)</option>
<option value="135">NIU (683)</option>
<option value="136">NLD (31)</option>
<option value="137">NOR (47)</option>
<option value="138">NPL (977)</option>
<option value="139">NRU (674)</option>
<option value="140">NZL (64)</option>
<option value="141">OMN (968)</option>
<option value="142">PAK (92)</option>
<option value="143">PAN (507)</option>
<option value="144">PCN (64)</option>
<option value="145">PER (51)</option>
<option value="146">PHL (63)</option>
<option value="147">PLW (680)</option>
<option value="148">PNG (675)</option>
<option value="149">POL (48)</option>
<option value="150">PRT (351)</option>
<option value="151">PRY (595)</option>
<option value="152">PYF (689)</option>
<option value="153">QAT (974)</option>
<option value="154">REU (262)</option>
<option value="155">ROM (40)</option>
<option value="156">RUS (70)</option>
<option value="157">RWA (250)</option>
<option value="158">SAU (966)</option>

<option value="159">SDN (249)</option>
<option value="160">SEN (221)</option>
<option value="161">SGP (65)</option>
<option value="162">SHN (290)</option>
<option value="163">SJM (47)</option>
<option value="164">SLB (677)</option>
<option value="165">SLE (232)</option>
<option value="166">SLV (503)</option>
<option value="167">SMR (378)</option>
<option value="168">SOM (252)</option>
<option value="169">SPM (508)</option>
<option value="170">SRB (381)</option>
<option value="171">STP (239)</option>
<option value="172">SUR (597)</option>
<option value="173">SVK (421)</option>
<option value="174">SVN (386)</option>
<option value="175">SWE (46)</option>
<option value="176">SWZ (268)</option>
<option value="177">SYC (248)</option>
<option value="178">SYR (963)</option>
<option value="179">TCD (235)</option>
<option value="180">TGO (228)</option>
<option value="181">THA (66)</option>
<option value="182">TJK (992)</option>
<option value="183">TKL (690)</option>
<option value="184">TKM (993)</option>
<option value="185">TLS (670)</option>
<option value="186">TON (676)</option>
<option value="187">TUN (216)</option>

```

        <option value="188">TUR (90)</option>
        <option value="189">TUV (688)</option>
        <option value="190">TWN (886)</option>
        <option value="191">TZA (255)</option>
        <option value="192">UGA (256)</option>
        <option value="193">UKR (380)</option>
        <option value="194">URY (598)</option>
        <option value="195">USA (1)</option>
        <option value="196">UZB (998)</option>
        <option value="197">VEN (58)</option>
        <option value="198">VNM (84)</option>
        <option value="199">VUT (678)</option>
        <option value="200">WLF (681)</option>
        <option value="201">WSM (684)</option>
        <option value="202">XKX (383)</option>
        <option value="203">YEM (967)</option>
        <option value="204">ZAF (27)</option>
        <option value="205">ZMB (260)</option>
        <option value="206">ZWE (263)</option>
    </select>

    <!-- <small id="emailHelp" class="form-text text-muted">We'll never
share your email with anyone else.</small> -->
    </div>
    </div>
    <div class="col-sm">
    <div
class="form-group">
    <label for="exampleInputReg1">Mobile number*</label>
    <input type="text" class="form-control" name="ccphno"
id="exampleInputReg1" aria-describedby="regHelp" placeholder="Enter your
phone number" required>
    <!-- <small id="emailHelp" class="form-text text-muted">We'll never
share your email with anyone else.</small> -->
    </div>
    </div>

```

```

        </div>
        <div class="container">

            </div>
            </div>

            </div>

            <center><div class="g-recaptcha" data-
sitekey="6Lenzu0UAAAAANwru86INC1KaBKQ-llAVyRItx-s"></div><center><br>

                <div class="text-center">
                <button type="submit" class="btn btn-primary">Submit</button>
                </div>

            </form>
        </div>
        </div>
    </div>
    <!--Login starts from here-->

</div>
<footer class="footer-box">
    <div class="container">
        <span class="text-muted">Contents owned and maintained by concerned
Departments in coordination with Finance Department and Information
Technology Department, Government of India.</span>
    </div>
</footer>
<script>
    var today = new Date();
    var dd = String(today.getDate()).padStart(2, '0');
    var mm = String(today.getMonth() + 1).padStart(2, '0'); //January is 0!
    var yyyy = today.getFullYear();
    today = mm + '/' + dd + '/' + yyyy;
    document.getElementById("date1").innerHTML=today;
</script>
</body>
</html>

```


ViewBidder.jsp:

```
<!-- Cookie Army -->
<%@ page import = "java.sql.*" %>

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
    <title>Etender</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.
css" integrity="sha384-
Vkoo8x4CGsO3+Hhvxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"
integrity="sha384-
J6qa4849b1E2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js
" integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYdliqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>
    <script src="https://www.google.com/recaptcha/api.js" async defer></script>
    <script src="js/cities.js"></script>
    <script type="text/javascript" src="js/preferential.js"></script>
    <script type="text/javascript" src="js/bidderTypeLoc.js"></script>
    <script type="text/javascript">
        var onloadCallback = function() {
            grecaptcha.render('html_element', {
                'sitekey' : '6Lenzu0UAAAAANwru86INC1KaBKQ-1lAVyRItx-s'
            });
        };
    </script>
<style>
    .item-1
    {
        flex: 1;
    }
    .item-2
    {
        flex: 1;
    }
    .item-3
    {
        flex: 1;
    }
    .item-4
    {
```



```

        </span>
        <span class="divider1" id="Insert_2_0">|</span>
    </span><span id="For_1">

        <span>
            <a id="link1" name="link1" title="Tenders by Closing Date"
class="Menu"
href="/eprocure/app?page=FrontEndListTendersbyDate&amp;service=page"
target="_self">Tenders by Closing Date</a>
        </span>
        <span class="divider1" id="Insert_2_1">|</span>
    </span><span id="For_2">

        <span>
            <a id="link1" name="link1" title="Corrigendum" class="Menu"
href="/eprocure/app?page=FrontEndLatestActiveCorrigendums&amp;service=page"
target="_self">Corrigendum</a>
        </span>
        <span class="divider1" id="Insert_2_2">|</span>
    </span><span id="For_3">

        <span>
            <a id="link1" name="link1" title="Results of Tenders"
class="Menu" href="/eprocure/app?page=ResultOfTenders&amp;service=page"
target="_self">Bid Awards</a>
        </span>
        <span class="divider1" id="Insert_2_3">|</span>
    </span><span id="For_4">
        <span id="If_0_4">
            <a id="link1" name="link1" title="CPPP Home" class="Menu"
href="http://eprocure.gov.in/cppp/" target="_self">CPPP Home</a>
        </span>

    </span>

</span>
</span>
</div>
<!--Aside starts from here-->

<!--Main starts from here-->
<div class="jumbotron" style="width: 50%; margin-left: 450px;">
    <div class="text-center">
        <h1 class="display-4">Your Tenders</h1>
    </div>
    <div align="right"><a class="btn btn-light btn-lg" href="empPortal.jsp"
role="button">Back</a></div>
    <hr class="my-4">
    <div class="card">
        <div class="card-header">
            List View
        </div>
        <div class="home-container">
            <div class="flex item-1"> Tender Title</div>
            <div class="flex item-2"> Amount he Bids</div>
            <div class="flex item-3"> Company Reference Number</div>
            <div class="flex item-4"> Establishment Year</div>
            <div class="flex item-5"> Bidder-ID</div>

        </div>
    </div>

```

```

        <div class="card-body">
            <p class="card-text">
                <%
                    Class.forName("com.mysql.jdbc.Driver");
                    Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3307/sih","root","tulas
idevi@11");

                    Statement st = con.createStatement();
                    ResultSet rs;
                    rs = st.executeQuery("select * from tenderdetails where
empId='SESSIONVARIABLE EMPID'");
                    while(rs.next())
                    {
                        out.print
                        (
                            "<div class='home-container-1'>" +
                                "<div class='flex item-1'><a
href='viewTenderdetail.jsp'>" + rs.getString(1) + "</a></div>" +
                                "<div class='flex item-
2'>" + rs.getString(2) + "</div>" +
                                "<div class='flex item-
3'>" + rs.getString(3) + "</div>" +
                                "<div class='flex item-
4'>" + rs.getString(4) + "</div>" +
                                "<div class='flex item-
5'>" + rs.getString(5) + "</div>" +
                                    "</div>"
                        );
                    }

                %>
            </p>
        </div>
        <div class="card">
            <div class="card-header">
                Uploaded Documents
            </div>
            <div class="card-body">
                <p class="card-text">
                    <%
                        Class.forName("com.mysql.jdbc.Driver");
                        Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3307/sih","root","tulas
idevi@11");

                        Statement st = con.createStatement();
                        ResultSet rs;
                        rs = st.executeQuery("select * from tenderdetails
where empId='SESSIONVARIABLE EMPID'");
                        while(rs.next())
                        {
                            out.print
                            (
                                "<div class='home-container-1'>" +
                                    "<div class='flex item-
1'>" + rs.getString(1) + "</div>" +
                                    "</div>"
                            );
                        }
                    %>
                </p>
            </div>
        </div>
    </div>

```

```

        %>
    </p>
</div>
</div>
    <a class="btn btn-dark btn-lg" href="selectBidder.jsp"
role="button">Select This Bidder</a>
</div>
<!--Login starts from here-->

<footer class="footer-box">
    <div class="container">
        <span class="text-muted">Contents owned and maintained by concerned
Departments in coordination with Finance Department and Information
Technology Department, Government of India.</span>
    </div>
</footer>
<script>
    var today = new Date();
    var dd = String(today.getDate()).padStart(2, '0');
    var mm = String(today.getMonth() + 1).padStart(2, '0'); //January is 0!
    var yyyy = today.getFullYear();
    today = mm + '/' + dd + '/' + yyyy;
    document.getElementById("date1").innerHTML=today;
</script>
</body>
</html>

```

VIEW TENDER.JSP:

```
<!-- Cookie Army -->
<%@ page import = "java.sql.*" %>

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
    <title>Etender</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.
css" integrity="sha384-
Vkoo8x4CGsO3+HhXv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"
integrity="sha384-
J6qa4849b1E2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwjlYfoRSJoZ+n"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js
" integrity="sha384-
wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYdliqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>
    <script src="https://www.google.com/recaptcha/api.js" async defer></script>
    <script src="js/cities.js"></script>
    <script type="text/javascript" src="js/preferential.js"></script>
    <script type="text/javascript" src="js/bidderTypeLoc.js"></script>
    <script type="text/javascript">
        var onloadCallback = function() {
            grecaptcha.render('html_element', {
                'sitekey' : '6Lenzu0UAAAAANwru86INC1KaBKQ-1lAVyRItx-s'
            });
        };
    </script>
    <link rel="stylesheet" href="css/global.css">
</head>
<body>
<div class="navbar">
    <div class="flex item-12"></div>
    <div class="flex item-13"></div>
    <div class="flex item-14"></div>
</div>

<div class="datass">
<div class="flex datas1" id="date1"></div>
<div class="flex datas2"><marquee>eTendering System - Government of India
</marquee></div>
</div>
<div class="menu">
```

[illegible]

```

        </span>
        <span class="divider1" id="Insert_2_3">|</span>
    </span><span id="For_4">
        <span id="If_0_4">
            <a id="link1" name="link1" title="CPPP Home" class="Menu"
href="http://eprocure.gov.in/cppp/" target="_self">CPPP Home</a>
        </span>

    </span>
</span>
</div>
<!--Aside starts from here-->

<!--Main starts from here-->
<div class="jumbotron" style="width: 50%; margin-left: 450px;">
    <div class="text-center">
        <h1 class="display-4">Your Tenders</h1>
    </div>
    <div align="right"><a class="btn btn-light btn-lg" href="empPortal.jsp"
role="button">Back</a></div>
    <hr class="my-4">
    <div class="card">
        <div class="card-header">
            List View
        </div>
        <div class="home-container">
            <div class="flex item-1"> Tender Title</div>
            <div class="flex item-2"> Reference No</div>
            <div class="flex item-3"> Closing Date</div>
            <div class="flex item-4"> Bid Opening Date</div>
        </div>
        <div class="card-body">
            <p class="card-text">
                <%
                    Class.forName("com.mysql.jdbc.Driver");
                    Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3307/etendering","root"
,"tulasidevi@11");
                    Statement st = con.createStatement();
                    ResultSet rs;
                    rs = st.executeQuery("select * from tenderdetails where
empid='"+session.getAttribute("username")+"'");
                    while(rs.next())
                    {

                        %>
                        <div class='home-container-1'>

                                <div class='flex item-
1'><a href='viewTenderdetail.jsp?id=<%=rs.getString(2)%>'><%=
rs.getString(1)%></a></div>

                                <div class='flex item-
2'><%=rs.getString(2)%></div>

                                <div class='flex item-
3'><%= rs.getString(3)%></div>

                                <div class='flex item-
4'><%= rs.getString(4)%></div>

                                </div>

```



```

        <%
        /*      out.print
        (
            "<div class='home-container-1'>" +
                "<div class='flex item-1'><a
href='viewTenderdetail.jsp'>" + rs.getString(1) + "</a></div>" +
                "<div class='flex item-
2'>" + rs.getString(2) + "</div>" +
                "<div class='flex item-
3'>" + rs.getString(3) + "</div>" +
                "<div class='flex item-
4'>" + rs.getString(4) + "</div>" +
                "</div>"
            );
        */
    }

    %>
    </p>
</div>
</div>
<!--Login starts from here-->

<footer class="footer-box" >
    <div class="container" >
        <span class="text-muted">Contents owned and maintained by concerned
Departments in coordination with Finance Department and Information
Technology Department, Government of India.</span>
    </div>
</footer>
<script>
    var today = new Date();
    var dd = String(today.getDate()).padStart(2, '0');
    var mm = String(today.getMonth() + 1).padStart(2, '0'); //January is 0!
    var yyyy = today.getFullYear();
    today = mm + '/' + dd + '/' + yyyy;
    document.getElementById("date1").innerHTML=today;
</script>
</body>
</html>

```

ALGORITHMS

AES:

```
import java.io.File;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.FileOutputStream;
import java.io.IOException;
import java.io.InputStream;
import java.security.Key;
import java.security.NoSuchAlgorithmException;

import javax.crypto.Cipher;
import javax.crypto.KeyGenerator;

public class ImageEncDec {

    public static byte[] getFile() {

        File f;
        f = new File("C:/Users/vasam/123.png");
        InputStream is = null;
        try {
            is = new FileInputStream(f);
        } catch (FileNotFoundException e2) {
            // TODO Auto-generated catch block
            e2.printStackTrace();
        }
        byte[] content = null;
        try {
            content = new byte[is.available()];
        } catch (IOException e1) {
            // TODO Auto-generated catch block
            e1.printStackTrace();
        }
        try {
            is.read(content);
        } catch (IOException e) {
            // TODO Auto-generated catch block
            e.printStackTrace();
        }

        return content;
    }

    public static byte[] encryptPdfFile(Key key, byte[] content) {
        Cipher cipher;
        byte[] encrypted = null;
```

```

    try {
        cipher = Cipher.getInstance("AES/ECB/PKCS5Padding");
        cipher.init(Cipher.ENCRYPT_MODE, key);
        encrypted = cipher.doFinal(content);
    } catch (Exception e) {
        e.printStackTrace();
    }
    return encrypted;
}

public static byte[] decryptPdfFile(Key key, byte[] textCryp) {
    Cipher cipher;
    byte[] decrypted = null;
    try {
        cipher = Cipher.getInstance("AES/ECB/PKCS5Padding");
        cipher.init(Cipher.DECRYPT_MODE, key);
        decrypted = cipher.doFinal(textCryp);
    } catch (Exception e) {
        e.printStackTrace();
    }

    return decrypted;
}

public static void saveFile(byte[] bytes) throws IOException {

    FileOutputStream fos = new FileOutputStream("C:/Users/vasam/789.png");
    fos.write(bytes);
    fos.close();

}

public static void main(String args[])
    throws NoSuchAlgorithmException, InstantiationException, IllegalAccessException,
IOException {

    KeyGenerator keyGenerator = KeyGenerator.getInstance("AES");
    keyGenerator.init(128);
    Key key = keyGenerator.generateKey();
    System.out.println(key);

    byte[] content = getFile();
    System.out.println(content);

    byte[] encrypted = encryptPdfFile(key, content);
    System.out.println(encrypted);

    byte[] decrypted = decryptPdfFile(key, encrypted);

```

```
        System.out.println(decrypted);

        saveFile(decrypted);
        System.out.println("Done");
    }
}
```




Fig.1.1:home page




Fig.1.2:Nodal officer Login page





Fig.1.3:View Tender page





Fig.1.4:Update Tender page





Fig.1.5: Wrong Credentails

Fig.1.6:Response Tender Page

The screenshot displays the 'RESPONSE TO TENDER' page on the Central Public Tendering Portal (eTendering) of the Government of India. The page header includes the portal's name and navigation links. The main content area contains a form for submitting a response, with fields for 'Enter Quotation Ref.No#', 'Currency in which you are quoting#', 'ITEM CODE', 'RATE#', 'GRAND TOTAL#', and 'REMARKS'. A 'Submit' button is located at the bottom right of the form. Below the form, there is a section for 'TERMS AND CONDITIONS' and a link to 'UPLOAD DOCUMENTS'. A 'Show all' button is visible in the bottom right corner of the page.

Fig.1.7:Digilocker Login page

The screenshot shows the Digilocker Login page. The page features the Digilocker logo and the tagline 'Your documents anytime, anywhere'. Below the logo, there is a 'Login' section with fields for 'Username' and 'Password', and a 'Login' button. A link for 'New User? Register Here!' is also present. The page is displayed in a web browser window, with the address bar showing 'localhost:9080/etendering/digilocker/index.jsp'.





Fig.1.8:Digilocker Registration page







Fig.1.9:Upload page






Fig.2.0:Tender Search By Location page

