Computer Science & DA

2024

WAREHOUSING

By- Astha Ma'am

DPP-03 Discussion Notes

[MCQ]

#Q. Which of the following clustering algorithms is sensitive to outliers?

A. K-means

B. DBSCAN

C. Hierarchical clustering

D. PCA

[MCQ]

#Q. In hierarchical clustering, which of the following methods involves merging clusters based on the closest pair of clusters?

A. Ward's method

B. Complete linkage

C. Single linkage

also known as nearest-neighbour clustering

Smallest-distance b/w point-

D. Average linkage

[MCQ]

#Q. What is the time complexity of the K-means clustering algorithm?

A. O(n)

B. O(n log n)

C. O(n^2)

D. O(n*k)

k → no. of clusters

[MCQ]

#Q. Which of the following is NOT a level in the concept hierarchy of a data warehouse?

A. Basel level

B. Aggregation level

C. Detail level

D. Composite level

[MCQ]

#Q. Concept hierarchies in data mining are used for:

A. Reducing dimensionality

B. Handling missing data

C. Organizing data into meaningful categories

D. Evaluating classifier performance

[MCQ]

#Q. Which of the following sampling methods ensures that each element in the population has an equal chance of being selected?

A. Stratified sampling

B. Convenience sampling

C. Snowball sampling

D. Simple random sampling = probability

[MCQ]

#Q. When is systematic sampling most appropriate?

A. When the population is homogeneous

B. When the population size is small

C. When the sampling frame is not available

D. When the sampling interval is known

[MCQ]

#Q. Which of the following compression techniques is lossless?

A. JPEG lossy

B. MP3 lossy

C. GIF Lossless

D. MPEG lossy

[MCQ]

#Q. Which step is NOT typically involved in lossless data compression?

A. Quantization — Reduce the precision of data

B. Run-length encoding

C. Huffman coding

D. Dictionary-based compression

THANK - YOU