VibeProof

Website verification for the vibe-coding era

Find what breaks. Understand the risk. Verify the fix.

Mainframe Hustlers
Sairaj Dhuri
Ashutosh Swamy

IDEA SUBMISSION



A working demo can hide a broken product

Polished interfaces can still mask critical failures.
Without verification, real users pay the price.

01	02	03
Sign up button that does nothing	**Login flow without effective throttling**	**Form collecting information without a clear privacy notice**
Users hit the button, but no account is created.	Attackers can try unlimited logins with no meaningful challenge.	Users share data without knowing how it will be used.

The builder needs evidence and a next action.

A verification layer for non-programmers

01
Enter URL and describe expected user journeys

→

02
Verify ownership and define test scope

→

03
Run checks and inspect evidence

→

04
Copy repair prompt into coding tool

→

05
Rerun the same test

Every finding links to a fix and a verification step.

Exportable report available

Not a security certification or guarantee

Four areas of launch readiness

01	Functionality	Broken links, dead buttons, form errors, missing steps across user journeys.	Passed	Failed	Needs Review	Untested
02	Security	Session checks, access-control tests with test accounts, headers, rate-limit behavior.	Passed	Failed	Needs Review	Untested
03	UX and Accessibility	Mobile layout, labels, keyboard navigation, clear and helpful error states.	Passed	Failed	Needs Review	Untested
04	Policy Readiness	Flag missing privacy notices, terms, contact, and refund info relevant to site type.	Passed	Failed	Needs Review	Untested

Policy checks flag potential gaps for human review. They do not certify legal compliance.

The report becomes a repair prompt

ILLUSTRATIVE FINDING

Issue

Login throttling was not observed within the agreed test window

Impact

Repeated login attempts may increase account risk

Evidence

A timestamped test trace with the configured request budget and observed responses

REPAIR PROMPT — COPY READY

Add server-side login throttling with per-account and per-IP controls.

Return a **clear retry response**.

Preserve account recovery and add **regression tests**.

Re-run the recorded **VibeProof** check.

A fix stays unverified until the test passes again.

Controlled red teaming by design

PROPOSED SAFEGUARDS


Rate limiting and brute-force resistance using test accounts with bounded invalid-login attempts

Ownership verification via DNS or uploaded token

Explicit scan scope, request caps, timeouts, stop on instability

Staging environment first, no destructive tests or real-user credentials

Results disclose coverage and uncertainty




Testing reference: OWASP WSTG v4.2, Weak Lock Out Mechanism

https://wstg.owasp.org/v4.2/4-Web_Application_Security_Testing/04-Authentication_Testing/03-Testing_for_Weak_Lock_Out_Mechanism/

Proposed architecture

Web app and npm package share one test engine.
AI explains findings and proposes scoped fixes.



CANDIDATE STACK

Next.js
Playwright
Node.js workers
PostgreSQL
LLM API

DATA HANDLING

Redact sensitive data before AI processing.

DISCLAIMER

URL-only scans cannot inspect private source code or prove complete security.

A focused hackathon MVP

WE WILL BUILD

Web app and npm package with CLI
One verified staging URL
Signup, login and contact journeys
Broken controls, links and header checks
Bounded login-throttle test
Policy page presence checks
Reports, repair prompts and retests

DEMO PLAN


Scan a deliberately flawed sample app
Run via web app or npm CLI
Inspect a finding and apply its fix
Rerun locally or in CI

VALIDATION TARGETS

Detect seeded defects
Minimize false positives
Measure successful retests and time to first useful report


OUT OF SCOPE

Broader red teaming
Source scanning
Jurisdiction-specific policy mapping



Built around the builder's next action

WHO IT'S FOR	Nontechnical founders, student hackathon teams, small agencies delivering AI-built sites
WHAT IT IS	VibeProof combines browser behavior, scoped security evidence and repair prompts in one feedback loop.
HOW WE'LL ADOPT	Pilot with hackathon teams, learn from failed journeys, expand to agency pre-launch checks.
HOW IT CAN WORK	Free scan with paid deeper scans, report history, recurring regression checks.



START
Pilot with hackathon teams

→

LEARN
Understand failed journeys

→

EXPAND
Offer pre-launch checks to agencies

→

SCALE
Recurring scans and deeper reports

Mainframe Hustlers

Sairaj Dhuri & Ashutosh Swamy

We build VibeProof.

Make website verification understandable to the people building with AI.

