

Steps to invoke RESTApi CRUD Operations using RestMan

POST: For adding a record

The screenshot displays the RestMan application interface. At the top, a header bar shows the method 'POST' and the URL 'http://localhost:8080/api/employees'. Below this, a summary table provides key metrics:

STATUS	TIME	SIZE	TYPE
200	1053.50 ms	59 bytes	application/json

Below the summary, the 'Headers' section is expanded, showing 'Content-Type' as 'application/json'. At the bottom, the 'Body' and 'Response' sections are visible. The 'Body' section is in 'RAW' mode, showing the request payload:

```
1 {  
2   "id": 103,  
3   "name": "Anil",  
4   "department": "IT",  
5   "salary": 75000  
6 }
```

The 'Response' section is also in 'RAW' mode, showing the JSON response:

```
1 {  
2   "department": "IT",  
3   "id": 103,  
4   "name": "Anil",  
5   "salary": 75000  
6 }
```

GET: To get all records

The screenshot shows the RestMan Chrome extension interface. The top bar displays the method 'GET' and the URL 'http://localhost:8080/api/employees'. Below this, a summary row shows the status '200', time '32.40 ms', size '121 bytes', and type 'application/json'. The 'Headers' section is expanded, showing 'Content-Type: application/json'. The 'Body' section is split into 'FORM' and 'RAW' tabs, with 'RAW' selected. The 'Response' section is also split into 'BODY' and 'HEADERS' tabs, with 'BODY' selected. The response body is a JSON array with two employee records.

```
1 [
2   {
3     "department": "IT",
4     "id": 102,
5     "name": "Ajay",
6     "salary": 76000
7   },
8   {
9     "department": "IT",
10    "id": 103,
11    "name": "Anil"
```

GET: To get single record

RestMan chrome-extension://fhgpcfpkpmcdghlnaofdmjkoemnljdi/index.html

GET http://localhost:8080/api/employees/102

STATUS	TIME	SIZE	TYPE
200	21.40 ms	82 bytes	application/json

Headers

Content-Type application/json

ADD HEADER ADD BASIC AUTHENTICATION CLEAR ALL

Body

FORM RAW

```
1
```

Response

BODY HEADERS

```
1 {
2   "department": "IT",
3   "id": 102,
4   "name": "Ajay",
5   "salary": 79000
6 }
```

PUT: Update a record

RestMan chrome-extension://ihgpcfpkpmcdcglnaofdmykoemnljdi/index.html

PUT http://localhost:8080/api/employees/102

STATUS	TIME	SIZE	TYPE
200	56.20 ms	59 bytes	application/json

^ Headers

Content-Type application/json

ADD HEADER ADD BASIC AUTHENTICATION CLEAR ALL

Body

FORM RAW

```
1 {
2   "department": "IT",
3   "id": 102,
4   "name": "Ajay",
5   "salary": 79000
6 }
```

Response

BODY HEADERS

```
1 {
2   "department": "IT",
3   "id": 102,
4   "name": "Ajay",
5   "salary": 79000
6 }
```

DELETE: Delete record

RestMan chrome-extension://ihgpcfpkpmcdgghlhaofdmjkoemnljdi/index.html

DELETE http://localhost:8080/api/employees/102

STATUS	TIME	SIZE	TYPE
204	65.90 ms	0 bytes	

^ Headers

Content-Type application/json

ADD HEADER ADD BASIC AUTHENTICATION CLEAR ALL

Body

FORM RAW

1

Response

BODY HEADERS

1