

## **TABLE DESIGN**

### **1.Tbl\_users\_login**

Primary key: **loginid**

| <b>No:</b> | <b>Fieldname</b> | <b>Datatype (Size)(Size)</b> | <b>Key Constraints</b> | <b>Description of the field</b>                |
|------------|------------------|------------------------------|------------------------|--|
| 1          | login_id         | int                          | Primary Key            | Unique User Identifier                         |
| 2          | username         | varchar(100)                 | Not Null               | User's Username                                |
| 3          | user_type        | PositiveSmallIntegerField    | Not Null               | User Type (e.g., User, Admin, Merchant, Agent) |
| 4          | login_status     | boolean                      | Not null               | User status                                    |

### **2.tbl\_register**

Primary key: **user\_id**

Foreign key: **login\_id** references table **tbl\_login**

| <b>No:</b> | <b>Fieldname</b> | <b>Datatype (Size)(Size)</b> | <b>Key Constraints</b> | <b>Description of the field</b> |
|------------|------------------|------------------------------|------------------------|---------------------------------|
| 1          | user_id          | int(11)                      | Primary Key            | Unique User Identifier          |
| 2          | login_id         | int(11)                      | Foreign Key            | References table tbl_login      |
| 3          | username         | varchar(100)                 | Not Null               | User's Username                 |
| 4          | first_name       | varchar(100)                 | Not Null               | User's First Name               |
| 5          | last_name        | varchar(100)                 | Not Null               | User's Last Name                |
| 6          | email            | varchar(100)                 | Not Null               | User's Email Address            |
| 7          | phone_no         | varchar(12)                  | Not Null               | User's Phone Number             |

### 3.tbl\_product

Primary key: **product\_id**

Foreign key: **user\_id** references table **tbl\_reg**

| No: | Field name | Datatype (Size) | Key Constraints | Description of the field |
|-----|------------|-----------------|-----------------|--------------------------|
| 1   | product_id | int(11)         | Primary Key     | Unique product ID        |
| 2   | user_id    | int(11)         | Foreign Key     | References table tbl_reg |
| 4   | Category   | varchar(100)    | Not Null        | Category of the product  |
| 5   | Quantity   | int(11)         | Primary Key     | Quantity of the Spices   |

### 4.tbl\_cart

Primary key: **cart\_id**

Foreign key: **product\_id** references table **tbl\_product** and **user\_id** references table **tbl\_reg**

| No: | Field name | Datatype (Size)  | Key Constraints | Description of the field                     |
|-----|------------|------------------|-----------------|--|
| 1   | cart_id    | int(11)          | Primary Key     | Unique identifier for each cart item         |
| 2   | product_id | int(11)          | Foreign Key     | References table tbl_product                 |
| 3   | user_id    | int(11)          | Foreign Key     | References table tbl_reg                     |
| 4   | Quantity   | positive integer | Not Null        | Quantity of the product in the shopping cart |

### 5.tbl\_stock

Primary key: **stock\_id**

Foreign key: **product\_id** references table **tbl\_product**

| No: | Field name     | Datatype (Size)  | Key Constraints | Description of the field   |
|-----|----------------|------------------|-----------------|--|
| 1   | stock_id       | int(11)          | Primary Key     | Unique identifier for each stock item                              |
| 2   | product_id     | int(11)          | Foreign Key     | Reference to the product for which the size stock is being tracked |
| 3   | Size           | positive integer | Not Null        | Size for which the stock quantity is being tracked                 |
| 4   | stock_quantity | int(11)          | Not Null        | Quantity of stock available for the specified size                 |

### 7.tbl\_shipping\_address

Primary key: **shipping\_id**

Foreign key: **user\_id** references table **tbl\_reg**

| No: | Field name  | Datatype (Size) | Key Constraints | Description of the field                           |
|-----|-------------|-----------------|-----------------|--|
| 1   | shipping_id | int(11)         | Primary Key     | Unique shipping ID                                 |
| 2   | Name        | varchar(100)    | Not Null        | Name associated with the shipping address          |
| 3   | Email       | varchar(100)    | Not Null        | Email address associated with the shipping address |
| 4   | phone_no    | varchar(12)     | Not Null        | Primary phone number for the shipping address      |
| 5   | phone_no2   | varchar(12)     | Not Null        | Secondary phone number for the shipping address    |
| 6   | Address     | textfield(200)  | Foreign Key     | Detailed address information                       |
| 7   | Country     | varchar(100)    | Not Null        | Country of the shipping address                    |
| 8   | State       | varchar(100)    | Not Null        | State of the shipping address                      |
| 9   | City        | varchar(100)    | Not Null        | District of the shipping address                   |
| 10  | Pin_code    | varchar(100)    | Not Null        | PIN code of the shipping address                   |
| 11  | Land        | varchar(100)    | Not Null        | Landmark information for the shipping address      |
| 12  | user_id     | int(11)         | Foreign Key     | References table tbl_reg                           |

### 8.tbl\_payment

Primary key: **payment\_id**

Foreign key: **user\_id** references table **tbl\_reg** and **product\_id** references table **tbl\_product**

| No: | Field name     | Datatype (Size) | Key Constraints | Description of the field  |
|-----|----------------|-----------------|-----------------|---|
| 1   | payment_id     | int(11)         | Primary Key     | Unique product ID   |
| 2   | user_id        | int(11)         | Foreign Key     | References table tbl_reg  |
| 3   | product_id     | int(11)         | Foreign Key     | References table tbl_product  |
| 4   | total_amount   | decimal         | Not Null        | Total amount for the order  |
| 5   | payment_status | boolean         | Not Null        | Status indicating whether the payment for the order is completed or not |
| 6   | created_at     | date time field | Not Null        | Date and time when the order was created                                |

### 9.tbl\_order

Primary key: **order\_id**

Foreign key: **payment\_id** references table **tbl\_payment** and **product\_id** references table **tbl\_product**

| No: | Field name | Datatype (Size)  | Key Constraints | Description of the field                  |
|-----|------------|------------------|-----------------|---|
| 1   | order_id   | int(11)          | Primary Key     | Unique order ID                           |
| 2   | payment_id | int(11)          | Foreign Key     | References table tbl_payment              |
| 3   | product_id | int(11)          | Foreign Key     | References table tbl_product              |
| 4   | Quantity   | int(11)          | Not Null        | Quantity of the product in the order item |
| 5   | item_total | decimal          | Not Null        | Total cost for the order item             |
| 6   | Size       | positive integer | Not Null        | Size of the product in the order item     |

## 10.tbl\_delivery

Primary key: **delivery\_id**

Foreign key: **order\_id** references table **tbl\_order** and **Address** references table **shipping\_address**

| No: | Field name  | Datatype (Size) | Key Constraints | Description of the field                      |
|-----|-------------|-----------------|-----------------|---|
| 1.  | devivery_id | int(10)         | Primary key     | Delivery_id                                   |
| 2.  | order_id    | int(10)         | Foreign key     | References table tbl_order                    |
| 3.  | Name        | varchar(100)    | Foreign key     | Name of customer                              |
| 4.  | Address     | int(5)          | Foreign key     | Address of customer                           |
| 5.  | phone_no    | varchar(12)     | Foreign key     | Phone number of customer                      |
| 6.  | Country     | varchar(100)    | Foreign key     | Country of the delivery address               |
| 7.  | State       | varchar(100)    | Foreign key     | State of the delivery address                 |
| 8.  | City        | varchar(100)    | Foreign key     | District of the delivery address              |
| 9.  | Pin_code    | varchar(100)    | Foreign key     | PIN code of the delivery address              |
| 10. | Land        | varchar(100)    | Foreign key     | Landmark information for the delivery address |