Queries used in the video lecture

```
-- PRIMARY KEY

-- SYSTEM NAMED CONSTRAINT
CREATE TABLE test1
(
testcolumn1 DECIMAL(20) PRIMARY KEY,
testcolumn2 BIGINT,
testcolumn3 INT,
testcolumn4 SMALLINT,
testcolumn5 SMALLINT,
testcolumn6 SMALLINT
);

DESC test1;

DROP TABLE test1;

CREATE TABLE test1
(
testcolumn1 DECIMAL(20),
testcolumn2 BIGINT,
testcolumn3 INT,
testcolumn4 SMALLINT,
testcolumn5 SMALLINT,
testcolumn6 SMALLINT,
CONSTRAINT my_pk PRIMARY KEY(testcolumn1)
);

DESC test1;

DROP TABLE test1;


-- User NAMED CONSTRAINT
CREATE TABLE test1
(
testcolumn1 DECIMAL(20),
testcolumn2 BIGINT,
```

```
testcolumn3 INT,
testcolumn4 SMALLINT,
testcolumn5 SMALLINT,
testcolumn6 SMALLINT,
CONSTRAINT my_pk PRIMARY KEY(testcolumn1, testcolumn2)
);

DESC test1;

DROP TABLE test1;

CREATE TABLE test1
(
testcolumn1 DECIMAL(20),
testcolumn2 BIGINT,
testcolumn3 INT,
testcolumn4 SMALLINT,
testcolumn5 SMALLINT,
testcolumn6 SMALLINT
);

DESC test1;

ALTER TABLE test1
ADD CONSTRAINT my_pk PRIMARY KEY(testcolumn1,
testcolumn2);

DESC test1;

DROP TABLE test1;
```