HUSKY®

HOT RUNNER AND CONTROLLER TRAINING COURSES 2024



HUSKY'S TRAINING LOCATIONS



AMERICAS

Husky TechnologiesTM Hot Runners 288 North Road Milton, Vermont, USA, 05468 Tel (802) 859-8000 Fax (802) 859-8499



EUROPE


Husky TechnologiesTM Zone d'activité économique Wolser H, 170 3451 Dudelange Luxembourg Tel (352) 52 1151 Fax (352) 52 6010





LIST OF AVAILABLE COURSES

E L. OE L . L (L. C M.L. O.H.	4
 Foundations & Fundamentals of Injection Molding Cells 	4
 Foundations & Fundamentals of Hot-Runners & Controllers 	5
Designing Hot-runner Systems with HUSKY	6
Maintenance-Training	7
Advanced-Training	8
Custom-Training	10
Custom-Training	12



Course duration:

Depending on the training selected, the duration varies between 1 and 4 days. Please refer to the detailed Training-Description for further information.

Customizing training courses is always possible.

Number of Participants:

We always want to deliver an efficient training experience to our students. Therefore, we try to limit the number of students joining the training session.

Practical Lessons:

Even, if the training sessions are mainly theory-based, the practical part is important and makes it more interactive for the students.

Most of the training can be delivered in sevaral languages like English, German, French. Other language requirements must be verified prior to training scheduling.



FOUNDATIONS & FUNDAMENTALS OF INJECTION MOLDING CELLS







Recommended Audience:

Machine Operators, Mold-Maintenance- & Assembly-Teams

Number of Participants:

Minimum number of participants: 3 Maximum number of participants: 5

Course Content

This training course provides fundamental knowledge about Injection Molding Cells and their operation.

- Euipment-Interface identification and process flow understanding
- · Mold startup & Injection-Molding-Process
- Fundamentals of Polymers
- Hot-Runner fundamentals
- · Air supply configuration and maintenance
- · Mold Controller setting overview

Training objectives

By the end of this training the participants:

- · Can install and startup the mold
- Understand Hot-Runner Technology
- · Will have basic knowledge of polymers
- · Are aware of the requirements for air treatment

Note: Participants require to wear their own safety shoes. Additional PPE will be provided as required when the training is done at a Husky facility.



Inclusive Services:

- Refreshments provided
- Lunch
- · Training Certificate





FOUNDATIONS & FUNDAMENTALS OF HOT-RUNNERS





Recommended Audience:

Machine Operators, Mold Makers, Engineers

Number of Participants:

Minimum number of participants: 5 Maximum number of participants: 8

Course Content

This training course provides fundamental knowledge about the use of Hot-Runners and their operation.

- · Hot-Runner fundamentals
- Single-Cavity-Systems for prototypes
- · Nozzle-Technology and part-gating techniques
- · Air supply configuration and maintenance
- Introduction to "HUSKY Customer Support" capabilities

Training objectives

By the end of this training the participants:

- Understand Hot-Runner Technology and their benefits
- Can differentiate the Nozzle Technologies and understand part-gating techniques
- Are aware of the requirements for air treatment
- Understand the capabilities of HUSKY to support on custom solutions for Hot-Runners

Course Duration: 2 days

Inclusive Services:


- Refreshments provided
- Lunch
- · Training Certificate





DESIGNING HOT-RUNNER SYSTEMS WITH HUSKY





Recommended Audience:

Mold Design Engineers

Background / Knowledge:

Designer with CAD experience (3D)

Number of Participants:

Minimum number of participants: 5 Maximum number of participants: 8

Course Content

This training course provides insights into the layouts, rules and calculations required to engineer a well performing Hot-Runner-System.

- · HUSKY's FEA Capabilities
- · CAD and drawing package delivered by HUSKY and required supporting documents
- Introduction to HUSKY's design process and project handling
- · Nozzle-Technology and part-gating techniques
- · Air supply configuration and maintenance
- · Introduction to "HUSKY Customer Support" capabilities

Training objectives

By the end of this training the participants:

- Gained understanding of the required FEA results to optimize the design.
- Can differentiate the Nozzle Technologies and understand part-gating techniques
- Are aware of the requirements for air treatment
- Understand the capabilities of HUSKY, to support on custom solutions for Hot-Runners

Course Duration: 2 days

Inclusive Services:

- Refreshments provided
- Lunch
- · Training Certificate





MAINTENANCE-TRAINING





Recommended Audience:

Maintenance Technicians, Machine Operators

Background / Knowledge:

Basic Mechanical and Electrical knowledge.

Number of Participants:

Minimum number of participants: 5 Maximum number of participants: 8

Course Content

This training course explaines how to service and maintain HUSKY Hot-Runner Systems. The course contains practical and theoretical sessions including:

- Component identification and function explanation
- · How to perform maintenance of a Hot-Runner
- · Introduction to preventive maintenance
- Set-up and troubleshoot an Altanium Controller

Training objectives

By the end of this training the participants will be able to:

- · Identify the function of the Hot-Runner and it's components
- · Assemble, disassemble and maintain a HUSKY Hot-Runner-System
- Visually inspect the components
- · Inspect the System by checking against engineering drawings and specifications
- Set-up and troubleshoot an Altanium Controller

Note:

Participants require to wear their own safety shoes. Additional PPE will be provided as required when the training is done at a Husky facility.

Course Duration: 1.5 days

Inclusive Services:

- Refreshments provided*
- Lunch*
- · Training Certificate

* at HUSKY-Facility







ADVANCED-TRAINING




FEA Analysis




Thermal FEA




Structual FEA



Fluid Flow Analysis





Recommended Audience:

Mold Design Engineers, Mold-Makers, Machine Operators, Project Engineers, ...

Number of Participants:

Minimum number of participants: 5 Maximum number of participants: 10

Course Content

This course focuses on all the essential points for initial construction and design of Hot-Runner systems. The course includes everything from the concept to the finished Hot-Runner system.

- HUSKY's FEA Capabilities
- Nozzle-Technology and part-gating techniques
- Best-practice for Balancing & Color-Change
- Introduction to HUSKY's design process and project handling
- Overview of HUSKY's advanced Hot-Runner technologies (Stack Molds, Side Gate, Multi-Material, UltraSync, UltraShot Systems)
- Air supply configuration and maintenance
- Introduction to "HUSKY Customer Support" capabilities



ADVANCED-TRAINING (CONTINUATION)



Training objectives

By the end of this training the participants:

- Gained understanding of the required CAE analyses to optimize the design.
- · Can differentiate the Nozzle Technologies and understand part-gating techniques
- Will be familiar with the features and benefits of the advanced HUSKY Hot-Runner technologies.
- Are aware of the requirements for air treatment
- Understrand the needed signals to safely control the UltraSync-E System.
- · Know how to safely connect the controller to the motors and IMM
- · Understand the capabilities of HUSKY, to support with custom solutions for Hot-Runners

Course Duration: 3.5 days

Inclusive Services:

- Refreshments provided
- Lunch
- · Training Certificate

Technology







UltraSync



Stack



UltraShot







CUSTOM-TRAINING





Course Content

This course can be tailored to your individual needs and requirements by electing the topics that are relevant to you.

The program includes practical as well as theoretical exercises and ranges from the basic knowledge of injection molding to the design and layout of hot runner systems, to the control and regulation of mold temperatures and actuators.

Note:

Participants require to wear their own safety shoes. Additional PPE will be provided as required when the training is done at a Husky facility.

Course Duration: depends on the choice of seminars

Inclusive Services:

- Refreshments provided *
- Lunch*
- · Training Certificate

* Training Location: at HUSKY



CUSTOM-TRAINING (CONTINUATION)



Sessions available:

	Location (if restricted)	Practi- cal Part [h]	Theoreti- cal Part [h]	Course Duration [h]
The HUSKY Environment (free of charge)				
☑ HUSKY Today				0.5
☐ Campus Tour	HUSKY-Facility			1.5
✓ Introduction to HRC-Customer Support				0.5
☑ Product Handbook				0.5
Basic Classes				
☐ Basics of Injection Molding	HUSKY-Facility	16		16
☐ Hot-Runner Fundamentals			2	2
☐ Basics of Polymers			4	4
☐ Maintenance Training Hot-Runner-H	HUSKY-Facility	4		4
☐ Maintenance Training Hot-Runner-C	Customer Location	*		
☐ Air-Cirquit Requirements			0.5	0.5
Layout and Design				
☐ Gating Styles			3	3
☐ Balancing			1	1
☐ FEA Analysis			2	2
☐ Color Change			1	1
☐ Designing a Hot-Runner			2	2
□ Designing with HUSKY				
Product Highlights				
☐ Single-Cavity Systems			0.5	0.5
☐ Stack-Systems			2	2
☐ UltraSync-Systems			1.5	1.5
☐ UltraShot-Systems (Basic-Introduction)			1.5	1.5
☐ UltraShot-Systems (Advanced)**	DER CONSTRUCTION	7	8	
☐ UltraShot-Systems (Maintenance)	NUERCONSTRUCTION			
☐ SideGate			1.5	1.5
☐ Multi-Material			2	2
☐ Helix & Helix Packaging			1	1
☐ LSR-Cold Deck			1	1
Controller Technology				
☐ Heat setup			3.5	5
□ UltraSync-E UNDE	R CONSTRUCT	TON	2	4
☐ Servo Control (ASC) Setup			3	6



^{*} Duration to be verified based on the System provided by the customer. ** Training will be customized based on customer requirements.

CUSTOM-TRAINING



Campus Tour

We offer detailed tours of our advanced manufacturing facilities.

Basics of Injection Molding

provides the basic knowledge required to install a mold in the injection molding machine as well as the knowledge required for preparation and startup.

Hot Runner Fundamentals

covers the pros and cons of the different distribution concepts (hot-runner vs. cold-runner) and how they affect the efficiency of the system. It also goes into hot runner details including gating methods, manifold pitch layouts, actuation options, design customizations, etc.

Basic of Polymers

mediates basic knowledge about the polymer, the microscopical structure, the additives and fillers used in the industry.

We focus on the microscopic structure of the polymer in order to understand the macroscopic behavior

Hot Runner Maintenance Training-H /-C

provides the necessary knowledge and skills to maintain and service HUSKY hot runner systems. This is a hands-on training and requires you to wear your own safety shoes. Additional PPE will be provided as required when the training is done at a Husky facility.

Air-Cirquit Requirements

The required quality of the compressed air used is often underestimated. Poorly prepared compressed air can have a significant impact on the quality and production process of the part to be manufactured in the long term.

In this training, the requirements for the compressed air are explained.

Gating Styles

In this course, HUSKY's thermal and mechanical gating solutions will be discussed and the impact to plastic part quality will be reviewed. In addition, the setup and operation of the HUSKY hot runner nozzles will be explained.

Balancing

The objective of this training is to learn about the factors that influence the balancing of a hot runner manifold system, the methods of balancing testing, and the influence of the temperature control device.



CUSTOM-TRAINING (CONTINUATION)



FEA Analysis

will provide insight into the required thermal, structural and fluidic simulations that HUSKY uses to engineer a high performance hot runner.

Color Change

In this training course, we would like to address the topic of color change and provide assistance in order to carry out an optimized color change with the correct design of the system and the installed components.

Designing a Hot-Runner

provides you with insights into our engineering procedures to design a high performance, reliable, yet easy to maintain hot runner system.

Designing with HUSKY

provides an overview of the Drawing-Package and 3D-Data provided by HUSKY, the possibilities for Data-Exchange and how this data can be further processed.

Single Cavity Systems

This seminar covers the topic of single nozzles and highlights the differences between ETO (Engineering to Order) and CTO (Configure to Order).

Stack-Systems

Part of this training session is to:

- · Discuss reasons for the existence of stack molds
- Show the existing variants, their structure and operation.
- Present nozzle technologies available as stack molds.
- · Discuss the connection to the IMM.

UltraSync-Systems

During this training, the impact of an individually closed valve gate system to the plate-activated valve gate will be discussed and the qualitative differences on the part will be highlighted. The various factors influencing the process, such as the cavity pressure curves, the reaction time of the valve stems, their closing speed and closing profile, will also be compared.



Training-Location

CUSTOM-TRAINING

UltraShot-Systems

A combination of a hot runner melt delivery system with integrated injectors offers enormous advantages in terms of manufacturable part geometries and high-pressure applications while maintaining material properties.

This technology improves injection control, reduces compressible melt volume, reduces required runner channel size (lower residence time) & reduces pressure loss during injection. Companies using the UltraShot technology see a major reduction in scrap rate plus higher performance and improved part quality.

This seminar is for anyone looking to learn more about this technology.

SideGate-Systems

this product, which was specially developed for direct side control, is explained in detail at this seminar.

Design, integration, maintenance and available variants as well as compatibility with the resins to be processed will be covered.

Multi-Material

Several injection units per mold are nothing unusual for us! During this seminar, we will address this topic and share our experience in this area, common applications and Husky's internal design process for these systems.

Ultra Helix

Is an introduction to Ultra-Helix technology where a permanent Valve-Stem-Guidance guarantees best gate quality and service life. As well discussed is their easy integration into the tool.


There are different application specific solutions based on the Helix-Technology availabe and they will be explained during this training session.

LSR-Cold-Deck

deals with the topic of liquid silicone injection molding and the Cold-Deck system specially developed by us for this purpose.



NOTES







Husky Technologies™ husky.co

Head Office Canada • Tel (905) 951 5000 • Fax (905) 951 5384 Asia Pacific China • Tel (86) 21 2033 1000 • Fax (86) 21 5048 4900 Europe Luxembourg • Tel (352) 52 11 51 • Fax (352) 52 60 10



Please recycle

Husky Technologies" is the owner of registered trademark "Husky" as well as trademarks "Commitment Made, Delivered and Maintained", "Schöttli" and "Husky Advantage+Elite" in the United States and other countries, and these trademarks may be used by certain of its affiliated companies under license. All Husky products or service names or logos referenced in these materials are trademarks of Husky Technologies" and may be used by certain of its affiliated companies under License.

© 2022 Husky Technologies™. All rights are reserved.

Disclaimer: Information is made available in this flyer "as is" and no warranties are given or liabilities of any kind are assumed with respect to the quality of such Information, including, but not limited to, its fitness for a purpose, non-infringement of third party rights, accuracy, completeness or its correctness. Except as set forth in Husky's written warranty, Husky makes no additional warranties, whether express, implied or statutory. Certain conditions may apply. For more details please request a copy of Husky's written warranty and Standard Terms and Conditions."