27: Rejected Payment Report

Aim

To write a COBOL program to validate payment records, count accepted and rejected payments, and display the IDs of rejected payments in input order.

Algorithm

1. Start the program.
2. Read the number of payment records `N`.
3. Initialize accepted and rejected counters to zero.
4. Read each payment ID, amount, and status code.
5. Check whether the amount is positive and the status is `READY`.
6. If both conditions are true, increment the accepted counter.
7. Otherwise, increment the rejected counter and store the payment ID.
8. Display the accepted count and rejected count.
9. Display all rejected payment IDs in input order.

Program

```
IDENTIFICATION DIVISION.
PROGRAM-ID. PAYMENT-REPORT.
DATA DIVISION.
WORKING-STORAGE SECTION.
01 N PIC 9(5).
01 I PIC 9(5).
01 A PIC 9(5) VALUE 0.
01 R PIC 9(5) VALUE 0.
```

```
01 P-TABLE.
  05 P OCCURS 10000 TIMES.
    10 P-ID PIC X(10).
    10 P-AMT PIC S9(9).
    10 P-STATUS PIC X(10).
01 R-TABLE.
  05 R-ID OCCURS 10000 TIMES PIC X(10).
PROCEDURE DIVISION.
   ACCEPT N
   PERFORM VARYING I FROM 1 BY 1 UNTIL I > N
      ACCEPT P-ID(I)
      ACCEPT P-AMT(I)
      ACCEPT P-STATUS(I)
      IF P-AMT(I) > 0 AND P-STATUS(I) = "READY"
         ADD 1 TO A
      ELSE
         ADD 1 TO R
         MOVE P-ID(I) TO R-ID(R)
      END-IF
   END-PERFORM
   DISPLAY "Accepted: " A
   DISPLAY "Rejected: " R
   PERFORM VARYING I FROM 1 BY 1 UNTIL I > R
      DISPLAY FUNCTION TRIM(R-ID(I))
   END-PERFORM
   STOP RUN.
```

Sample Input :

3

P01

500

READY

P02

0

READY

P03

200

HOLD

Output:

```
Accepted: 00001
Rejected: 00002
P02
P03
```