


11-01-2025


Resnet34 - code

MobileNet -

Annotations - project

Q/A






64 $\rightarrow$ $\square\square$



$$\underline{28}, 3 \rightarrow \underline{28}$$

o/p $\rightarrow \left[\frac{\text{Input size} - f + 2^{\text{P}}}{s} + 1 \right] \rightarrow$





$$\frac{28 - 3 + 2^1}{2} + 1$$


$$\frac{27}{2} + 1 = 12$$





$[[1]] [25] [$







$$\text{Input size} = 60 \times 60 \times 128$$

$$= 3 \times 3$$

$$\text{o/p} = 256$$



laptop
pc
aws




110 mb
850 mb


computationally
expensive

MobileNet

Depth wise Convolution →




$C=3$



o/p di 128

S:
P:
out-channel
= 128



$C=3$

S:
P:
out-channels →
input-channels = 3




3x3x3

28x28x3

3x3x3

$K_1 \rightarrow R$
 $K_2 \rightarrow S$
 $K_3 \rightarrow B$



28

Input

3x3x128 × 128

[1] → [1]
[2] → [2]
[3] → [3]

①



→ [1x1]


14x14x1

②


folder →

→ robust →





KNCK/BOO1_001.jpg
txt



reverse search

