

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
1	(R)-(-)-Linezolid and (S)-(+)-Linezolid	Human Plasma	(R)-(-)-Linezolid : 50.288 ng/mL to 10057.682 ng/mL (S)-(+)-Linezolid : 50.986 ng/mL to 10097.144 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2013
2	21-Hydroxy Deflazacort	Human Plasma.	1.000 ng/mL to 250.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2010
3	2-Pyridyl acetic acid	Human Plasma.	3.000 ng/mL to 1499.888 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2012
4	6-Mercaptopurine	Human Plasma	2.006 ng/mL to 100.004 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2011
5	6-Mercaptopurine	Human Plasma	2.001 ng/mL to 300.085 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2018
6	6-MNA	Human Plasma	499.996 ng/mL to 49999.600 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2014
7	4-methylamino antipyrine	Human plasma	100.000 ng/mL to 10000.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2020
8	Abacavir + Lamivudine	Human Plasma	100.036 ng/mL to 7002.518 ng/mL for Abacavir 80.148 ng/mL to 5009.263 ng/mL for Lamivudine	LC-MS/MS	EDTA	-20	MUM	2008
9	Abacavir + Lamivudine	Human Plasma.	Abacavir : 100.000 ng/mL to 7000.000 ng/mL Lamivudine: 80.000 ng/mL to 5000.000 ng/mL	LC-MS/MS	K2 EDTA	-20	AHD	2008
10	Abacavir + Lamivudine	Human Plasma.	For Abacavir - 100.015 ng/mL to 9991.548 ng/mL For Lamivudine - 50.010 ng/mL to 5000.970 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2015
11	Abacavir + Lamivudine	Human Plasma.	For Abacavir: 20.006 ng/mL to 10003.212 ng/mL For Lamivudine: 50.016 ng/mL to 5001.645 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2018
12	Abiraterone	Human Plasma.	0.201 ng/mL to 100.018 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2015
13	Abiraterone in presence of Abiraterone Sulphate & Abiraterone N- Oxide Sulfate	Human Plasma.	0.401 ng/mL to 200.238 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2019
14	Aceclofenac	Human Plasma.	99.688 to 29906.419 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
15	Aceclofenac	Human Plasma.	100.000 ng/mL to 18000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2010
16	Acetazolamide	Human Plasma	400.097 ng/mL to 40459.257 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2010
17	Acetazolamide	Human Plasma	100.101 ng/mL to 30005.255 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2012
18	Acetazolamide	Human Plasma.	100.000 ng/mL to 20000.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2007
19	Acetazolamide	Human Plasma.	25.014 ng/mL to 11986.498 ng/mL	LC-MS/MS	K3 EDTA Plasma	-20	MUM	2015
20	Acetyl salicylic acid and Salicylic acid	Human Plasma	Acetyl salicylic acid 5.041 ng/mL to 2000.560 ng/mL Salicylic acid 216.041 ng/mL to 8001.530 ng/mL	LC-MS/MS	Sodium heparin containing 50% potassium fluoride	-70	AHD	2018
21	Aciclovir	Human Plasma.	5.001 ng/mL to 5001.144 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2015
22	Aciclovir	Human Plasma.	10.000 ng/mL to 1500.010 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2018

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
23	Aciclovir	Human Plasma	5.000 ng/mL to 1500.010 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2018
24	Acitretin	Human Plasma.	2.036 ng/mL to 202.408 ng/mL for Acitretin 2.026 ng/mL to 201.375 ng/mL for 13-Cis Acitretin	LC-MS/MS	Sodium Heparin	-20	MUM	2009
25	Acitretin	Human Plasma.	1.021 ng/mL to 407.840 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2010
26	Acyclovir	Human Plasma.	0.500 ng/mL to 1500.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2010
27	Afatinib	Human Plasma	0.400 ng/mL to 80.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2018
28	Albendazole	Human Plasma.	1.000 ng/mL to 399.952 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2013
29	Albendazole	Human Plasma.	Albendazole : 1.000 ng/mL to 400.000 ng/mL Albendazole Sulfoxide: 7.000 ng/mL to 2800.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2013
30	Albendazole	Human Plasma.	Albendazole : 0.200 ng/mL to 50.000 ng/mL Albendazole Sulfoxide: 3.000 ng/mL to 600.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2013
31	Albendazole	Human Plasma	Albendazole : 0.200 ng/mL to 50.000 ng/mL Albendazole Sulfoxide: 3.000 ng/mL to 599.995 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2020
32	Alectinib	Human Plasma	2.000 ng/mL to 400.020 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2019
33	Alfuzosin + Dutasteride	Human Plasma.	0.251 ng/mL to 19.994 ng/mL for Alfuzosin 0.100 ng/mL to 10.000 ng/mL for Dutasteride	LC-MS/MS	Sodium Heparin	-20	MUM	2008
34	Alfuzosin+Solifenacin	Human Plasma.	Alfuzosin: 0.250 ng/mL to 25.000 ng/mL Solifenacin : 0.600 ng/mL to 60.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2007
35	Alitretinoin	Human Plasma.	2.001 ng/mL to 199.923 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2019
36	Alitretinoin	Human Plasma.	2.002 ng/mL to 2000.101 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2026
37	Allopurinol	Human Plasma.	Allopurinol: 60.000 ng/mL to 6000.000 ng/mL , Oxypurinol: 80.000 ng/mL to 8000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2011
38	Allopurinol	Human Plasma.	60.000 ng/mL to 6000.026 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2021
39	Allopurinol and Oxypurinol	Human Plasma.	60.799 ng/mL to 6070.761 ng/mL for Allopurinol 80.658 ng/mL to 8053.693 ng/mL for Oxypurinol	LC-MS/MS	Sodium Heparin	-20	MUM	2011
40	Almotriptan	Human Plasma.	0.5 ng/mL to 100 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2012
41	Almotriptan	Human Plasma	1.000 ng/mL to 100.002 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2020

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
42	Alogliptin benzoate in presence of metformine hydrochloride	Human Plasma	1.000 ng/mL to 200.003 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2025
43	Alosetron	Human Plasma.	0.100 ng/mL to 14.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2013
44	Alpha Dihydotetabenazine and Beta Dihydotetabenazine	Human Plasma.	For Alpha Dihydotetabenazine- 0.502 ng/mL to 149.987 ng/mL For Beta Dihydotetabenazine - 0.502 ng/mL to 79.967 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2015
45	Alpha Lipoic acid	Human Plasma.	25.000 ng/mL to 10000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2016
46	Alverine	Human Plasma	Alverine 50.418 pg/mL to 2012.676 pg/mL Para Hydroxy Alverine 50.265 pg/mL to 5006.476 pg/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
47	Alverine	Human Plasma	Alverine 100.269 pg/mL to 10047.061 pg/mL Para Hydroxy Alverine 100.077 pg/mL to 10027.812 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2008
48	Alverine	Human Plasma	Alverine: 150.594 pg/mL to 14919.612 pg/mL Para Hydroxy Alverine : 152.245 pg/mL to 15083.197 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2009
49	Alverine + Para Hydroxy Alverine	Human Plasma	Alverine: 15.001 pg/mL to 15000.375 pg/mL , Para Hydroxy Alverine: 30.004 pg/mL to 15002.100 pg/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2015
50	Alverine + Para Hydroxy Alverine	Human Plasma	Alverine : 14.988 pg/mL to 10006.813 pg/mL Para Hydroxy Alverine: 30.087 pg/mL to 10004.050 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2023
51	Amantadine	Human Plasma	5.100 ng/mL to 1000.044 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2018
52	Ambrisentan	Human Plasma	20.000 ng/mL to 1400.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2017
53	Amiloride+Hydrochlorothiazide	Human Plasma.	Amiloride: 0.100 to 10.000 ng/mL Hydrochlorothiazide : 5.000 to 500.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2010
54	Amiloride+Hydrochlorothiazide	Human Plasma.	Amiloride : 0.101 ng/mL to 15.098 ng/mL Hydrochlorothiazide: 5.010 ng/mL to 400.321 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2022
55	Amino caproic acid	Human Plasma.	200.040 ng/mL to 20004.001 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2017
56	Amitriptyline + Nortriptyline	Human Plasma.	0.401 ng/mL to 24.982 ng/mL for Amitriptyline 0.414 ng/mL to 10.035 ng/mL for Nortriptyline	LC-MS/MS	Sodium Heparin	-70	MUM	2009

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
57	Amitriptyline + Nortriptyline	Human Plasma.	Amitriptyline : 0.100 ng/mL to 100.156 ng/mL Nortriptyline: 0.100 ng/mL to 19.950 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
58	Amitriptyline + Nortriptyline	Human Plasma.	0.398 ng/mL to 39.820 ng/mL for Amitriptyline 0.396 ng/mL to 39.614 ng/mL for Nortriptyline	LC-MS/MS	Sodium Heparin	-70	MUM	2008
59	Amitriptyline + Nortriptyline	Human Plasma.	Amitriptyline : 0.8 ng/mL to 80.0 ng/ml Nortriptyline : 0.120ng/mL to 12.0 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2012
60	Amlodipine	Human Plasma.	0.100 ng/mL to 15.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2009
61	Amlodipine	Human Plasma.	0.100 ng/mL to 15.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2013
62	Amlodipine	Human Plasma.	50.067 pg/mL to 9988.500 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
63	Amlodipine	Human Plasma.	0.050 ng/mL to 20.047 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2012
64	Amlodipine	Human Plasma.	0.050 ng/mL to 9.993 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2023
65	S-Amlodipine (Levamlodipine) and R-Amlodipine	Human Plasma.	S-Amlodipine (Levamlodipine) : 0.205 ng/mL to 7.912 ng/mL R-Amlodipine: 0.206 ng/mL to 7.930 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2019
66	Amlodipine in presence of Atorvastatin	Human Plasma.	50.046 pg/mL to 14963.621 pg/mL	LC-MS/MS	K3 EDTA	-70	MUM	2017
67	Amlodipine in presence of Celecoxib	Human Plasma	0.100 ng/mL to 15.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2018
68	Amlodipine in presence of Valsartan	Human Plasma.	0.050 ng/mL to 14.985 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2016
69	Amlodipine in presence of Valsartan	Human Plasma.	0.050 ng/mL to 20.035 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2019
70	Amlodipine in presence of Telmisartan	Human Plasma.	0.050 ng/mL to 15.032 ng/mL	LC-MS/MS	LC-MS/MS	-70	MUM	2017
71	Amlodipine	Human Plasma	50.648 pg/mL to 15043.879 pg/mL	LC-MS/MS	K3 EDTA	-70	MUM	2013
72	Amlodipine + HCTZ	Human Plasma.	For Hydrochlorothiazide- 0.500 ng/mL to 499.044 ng/mL For S(-) Amlodipine - 0.050 ng/mL to 15.000 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2015
73	Amlodipine + HCTZ in presence of Valsartan	Human Plasma.	Amlodipine : 0.050 ng/mL to 20.100 ng/mL Hydrochlorothiazide: 2.001 ng/mL to 500.123 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2022
74	Amlodipine (in presence of LOS+LCA)	Human Plasma	50.000 pg/mL to 10005.000 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2016

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
75	Amlodipine + Olmesartan	Human Plasma	119.986 pg/mL to 14998.300 pg/mL for Amlodipine, 10.001ng/mL to 4000.360 ng/mL for Olmesartan	LC-MS/MS	K3 EDTA	-70	AHD	2019
76	Amodiaquine +Artesunate	Human Plasma.	Amodiaquine: 0.250 ng/mL to 30.000 ng/mL, N-Desethyl Amodiaquine: 1.500 ng/mL to 180.000 ng/mL Artesunate: 2.000 ng/mL to 600.000 ng/mL Dihydroartemisinin: 5.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2010
77	Amodioquine	Human Plasma.	For Amodiaquine - 0.251 ng/mL to 30.160 ng/mL For N-Desethyl Amodiaquine - 1.501 ng/mL to 300.116 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
78	Amodioquine	Human Plasma.	0.050 ng/mL to 20.098 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2018
79	Amodioquine in presence of sulfadoxine and pyrimethamine	Human Plasma.	0.051 ng/mL to 20.071 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2023
80	Amoxicillin	Human Plasma.	100.045 ng/mL to 15002.631 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
81	Amoxicillin	Human Plasma.	50.000 ng/mL to 10000.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2021
82	Amoxicillin	Human Plasma.	50.052 ng/mL to 15000.528 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2024
83	Amoxicillin + Clavulanic Acid	Human Plasma.	99.618ng/mL to 15019.784ng/mL for Amoxicillin 49.853ng/mL to 2132.737ng/mLfor Clavulanic acid	LC-MS/MS	Sodium Heparin	-70	MUM	2007
84	Amoxicillin + Clavulanic Acid	Human Plasma.	100.154 to 10063.831 ng/mL for Amoxicillin 75.085 to 7508.460 ng/mL for Clavulanic acid	LC-MS/MS	Sodium Heparin	-70	MUM	2011
85	Amoxicillin + Clavulanic Acid	Human Plasma.	Amoxicillin: 150.000 ng/mL to 15000.000 ng/mL Clavulanic Acid: 75.000 ng/mL to 7500.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2012
86	Amoxicillin + Clavulanic acid	Human Plasma.	300.010 to 20000.674 ng/mL for Amoxicillin 75.023 to 7502.314 ng/mL for Clavulanic acid	LC-MS/MS	Sodium Heparin	-70	MUM	2011
87	Amoxicillin + Clavulanic acid	Human Plasma.	Amoxicillin: 50.000 ng/mL to 30000.000 ng/mL Clavulanic Acid: 10.000 ng/mL to 6000.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2016
88	Anagrelide	Human Plasma.	99.904 pg/mL to 7530.417 pg/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
89	Anagrelide	Human Plasma.	101.474 pg/mL to 8067.202 pg/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2013
90	Anastrozole	Human Plasma.	0.350 ng/mL to 35.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2014
91	Anastrozole	Human Plasma.	0.351 ng/mL to 35.088 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2022
92	Apixaban	Human Plasma	1.000 ng/mL to 300.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2017
93	Aprepitant	Human Plasma.	10.040 ng/mL to 3004.470 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2011
94	Aprepitant	Human Plasma	20.000 ng/mL to 4000.020ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2018
95	Aprimilast	Human Plasma	5.000 ng/mL to 1000.025ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2018
96	Aprimilast	Human Plasma	5.000 ng/mL to 1000.010ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2019
97	Aripiprazole	Human Plasma	0.100 ng/mL to 80.008 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2012
98	Artemether	Human Plasma.	Artemether: 2.000 ng/mL to 200.000 ng/mL Dihydroartemisinin: 6.000 ng/mL to 300.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2013
99	Artemether + DHA	Human Plasma.	1.015 ng/mL to 50.248 ng/mL for Artemether 2.005 ng/mL to 19.999 ng/mL for Dihydroartemisinin	LC-MS/MS	K2EDTA	-20	MUM	2009
100	Artemether + DHA	Human Plasma.	2.009 ng/mL to 200.499 ng/mL for Artemether 6.073 ng/mL to 300.636 ng/mL for Dihydroartemisinin	LC-MS/MS	Sodium Heparin	-20	MUM	2011
101	Artemether + DHA	Human Plasma.	2.001 ng/mL to 200.384 ng/mL for Artemether 6.007 ng/mL to 300.447 ng/mL for Dihydroartemisinin	LC-MS/MS	Sodium Heparin	-20	MUM	2016
102	Artemether + DHA in presence of Lumefantrine	Human Plasma.	1.020 ng/mL to 400.111 ng/mL for Artemether 3.043 ng/mL to 300.297 ng/mL for Dihydroartemisinin	LC-MS/MS	Sodium Heparin	-20	MUM	2023
103	Artesunate + DHA	Human Plasma.	For Artesunate: 2.018 ng/mL to 599.385 ng/mL For Dihydroartemisinin: 5.046 ng/mL to 1398.812 ng/mL	LC-MS/MS	NaF and Potassium Oxalate	-70	MUM	2015
104	Ascorbic acid	Human Plasma.	200.546 ng/mL to 30019.170 ng/mL (Baseline corrected) 2269.495 ng/mL to 32088.119 ng/mL	LC-MS/MS	Na-Heparin	-70	MUM	2015
105	Ascorbic acid	Human Plasma.	200.103 ng/mL to 29999.770 ng/mL (Baseline corrected) 1019.033 ng/mL to 30818.700 ng/mL	LC-MS/MS	Na-Heparin	-70	MUM	2016

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
106	Asenapine and its metabolite Desmethyl Asenapine	Human Plasma	0.051 ng/mL to 20.127 ng/mL for Asenapine 0.020 ng/mL to 2.987 ng/mL for Desmethyl Asenapine	LC-MS/MS	K2 EDTA	-70	MUM	2012
107	Aspirin	Human Plasma.	5.007 ng/mL to 1000.809 ng/mL for Aspirin	LC-MS/MS	NaHeparin with KF	-70	MUM	2016
108	Aspirin and Salicylic acid	Human Plasma.	5.023 ng/mL to 1003.667 ng/mL for Aspirin 250.569 ng/mL to 4978.943 ng/mL for Salicylic acid	LC-MS/MS	NaHeparin with KF	-70	MUM	2011
109	Aspirin and Salicylic acid	Human Plasma.	Aspirin : 5.041 ng/mL to 1200.119 ng/mL Salicylic acid : 250.055 ng/mL to 7001.537 ng/mL	LC-MS/MS	NaHeparin with KF	-70	MUM	2012
110	Atazanavir	Human Plasma.	10.002 ng/mL to 5000.853 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2007
111	Atazanavir	Human Plasma.	50.026 ng/mL to 7003.709 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
112	Atazanavir	Human Plasma.	5.002 ng/mL to 4001.680 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2014
113	Atazanavir + Ritonavir	Human Plasma.	For Atazanavir - 50.119 ng/mL to 7006.610 ng/mL For Ritonavir - 10.075 ng/mL to 3521.319 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
114	Atazanavir + Ritonavir	Human Plasma.	Atazanavir: 50.035 ng/mL to 10996.757 ng/mL Ritonavir: 10.010 ng/mL to 6000.237 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2018
115	Atenolol	Human Plasma.	10.004 ng/mL to 1500.535 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2011
116	Atenolol	Human Plasma.	10.000 ng/mL to 1500.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2011
117	Atenolol + Chlorthalidone	Human Plasma.	Atenolol: 10.000 ng/mL to 1400.000 ng/mL Chlorthalidone: 1.500 ng/mL to 150.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2012
118	Atomoxetine	Human Plasma.	5.000 ng/mL to 999.995 ng/mL	LC-MS/MS	Heparinised Plasma.	-70	AHD	2015
119	Atomoxetine	Human Plasma.	1.002 ng/mL to 1000.454 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2021
120	Atorvastatin	Human Plasma.	0.253 ng/mL to 60.732 ng/mL for Atorvastatin 0.253 ng/mL to 50.527 ng/mL for 4-Hydroxy Atorvastatin 0.507 ng/mL to 50.668 ng/mL for 2-Hydroxy Atorvastatin	LC-MS/MS	Sodium Heparin	-70	MUM	2008

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
121	Atorvastatin	Human Plasma.	Atorvastatin - 0.250ng/mL to 150.028ng/mL Ortho-hydroxy-Atorvastatin -0.100ng/mL to 12.022ng/mL Para-hydroxy -Atorvastatin -0.501ng/mL to 150.102ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2012
122	Atorvastatin	Human Plasma.	0.150 ng/mL to 150.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011
123	Atorvastatin in presence of 4-Hydroxy Atorvastatin,2-Hydroxy Atorvastatin, Ezetimibe and ezetimibe glucuronide	Human Plasma.	0.501 ng/mL to 250.424 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2021
124	Atorvastatin in presence of 4-Hydroxy Atorvastatin,2-Hydroxy Atorvastatin	Human Plasma.	0.500 ng/mL to 249.953 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2022
125	Atorvastatin + Para Hydroxy Atorvastatin + Ortho Hydroxy Atorvastatin	Human Plasma.	For Atorvastatin- 0.152 ng/mL to 151.991 ng/mL For p-Hydroxy Atorvastatin- 0.101 ng/mL to 10.132 ng/mL For o-Hydroxy Atorvastatin- 0.500 ng/mL to 99.956 ng/mL	LC-MS/MS	K3 EDTA Plasma	-70	MUM	2015
126	Atorvastatin + Para Hydroxy Atorvastatin + Ortho Hydroxy Atorvastatin	Human Plasma.	For Atorvastatin- 0.050ng/mL to 10.031ng/mL For p-Hydroxy Atorvastatin- 0.025ng/mL to 5.001 ng/mL For o-Hydroxy Atorvastatin- 0.050ng/mL to 9.979 ng/mL	LC-MS/MS	K3 EDTA Plasma	-70	MUM	2016
127	Atorvastatin and it's metabolites in presence of Aspirine and salicylic acid	Human Plasma	Atorvastatin 0.350 ng/mL to 69.995 ng/mL O-Hydroxy Atorvastatin 0.300 ng/mL to 29.990 ng/mL P-Hydroxy Atorvastatin 30.000 pg/mL to 2999.925 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2018
128	Atorvastatin and it's metabolites in presence of Aspirine and salicylic acid	Human Plasma	Atorvastatin : 0.204 ng/mL to 249.787 ng/mL p-Hydroxy Atorvastatin : 0.050 ng/mL to 15.002 ng/mL o-Hydroxy Atorvastatin : 0.102 ng/mL to 149.664 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2020

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
129	Atovaquone	Human Plasma.	0.202 µg/mL to 20.056 µg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2010
130	Atovaquone	Human Plasma.	200.081 ng/mL to 30012.159 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2007
131	Azathioprine	Human Plasma	1.015 ng/mL to 101.456 ng/mL for Azathioprine 2.018 ng/mL to 100.898 ng/mL for 6-Mercaptopurine Monohydrate	LC/MS/MS	K3 EDTA	-70	MUM	2010
132	Azathioprine and 6-Mercaptopurine	Human Plasma	Azathioprine : 1.021 ng/mL to 100.050 ng/mL 6-Mercaptopurine: 1.023 ng/mL to 100.227 ng/mL	LC/MS/MS	K3 EDTA	-70	MUM	2019
133	Azilsartan	Human Plasma	50.014-10002.820 ng/ml	LC-MS/MS	Sodium Heparin	-20	AHD	2019
134	Azilsartan+Chlorthalidone	Human Plasma	Azilsartan: 49.998 ng/mL to 4999.820 ng/mL Chlorthalidone: 4.000 ng/mL to 400.040 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	
135	Azithromycin	Human Plasma.	2.000 ng/mL to 1000.026 ng/ml	LC/MS/MS	Sodium Heparin	-70	AHD	2013
136	Azithromycin	Human Plasma.	2.004 ng/mL to 1000.967 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2016
137	Azithromycin	Human Plasma.	2.000 ng/mL to 1000.010 ng/ml	LC/MS/MS	Sodium Heparin	-70	AHD	2017
138	Baclofen	Human Plasma.	2.010 ng/mL to 249.954 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2013
139	Baclofen	Human Plasma.	3.500 ng/mL to 350.007 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2018
140	Bedaquiline	Human Plasma.	25.004 ng/mL to 3000.432 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2022
141	Bempedoic acid and its metabolite ESP15228	Human Plasma.	Bempedoic acid : 500.009 ng/mL to 40080.870 ESP15228 : 50.020 ng/mL to 6002.371 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2022
142	Bempedoic acid and its metabolite ESP15228	Human Plasma.	Bempedoic Acid : 250.095 ng/mL to 49998.911 ng/mL Bempedoic Acid ESP15228: 25.010 ng/mL to 3997.583 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2023
143	Benserazide and its metabolite Trihydroxybenzyl Hydrazine in presence of Levodopa	Human Plasma.	For Benserazide: 0.300 ng/mL to 25.021 ng/mL For Trihydroxybenzyl Hydrazine: 0.301 ng/mL to 25.028 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2025
144	Benzbromarone, 6-OH benzbromarone	Human Plasma.	Benzbromarone : 20.012 ng/mL to 5000.578 ng/mL 6-Hydroxy Benzbromarone: 20.096 ng/mL to 5021.562 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2021
145	Betamethasone + Dexchlorpheniramine	Human Plasma.	Betamethasone : 0.200 ng/mL to 8.000 ng/mL ; Dexchlorpheniramine : 0.250 ng/mL to 15.000 ng/mL	LC-MS/MS	K3 EDTA with NaF	-20	AHD	2009

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
146	Betahistine hydrochloride (2-Pyridyl acetic acid)	Human Plasma.	3.002 ng/mL to 1501.076 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2017
147	Bicalutamide	Human Plasma.	10.004 ng/mL to 1500.599 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
148	Bicalutamide	Human Plasma.	10.020ng/mL to 601.200ng/mL for (R)-(-)-Bicalutamide	LC-MS/MS	Sodium Heparin	-20	MUM	2007
149	Bicalutamide	Human Plasma.	10.002 ng/mL to 3009.318 ng/mL for (R)-(-)-Bicalutamide 1.995 ng/mL to 200.553 ng/mL for (S)-(+)-Bicalutamide	LC-MS/MS	Sodium Heparin	-20	MUM	2010
150	Bilastine	Human Plasma	3.000 ng/mL to 500.010 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2021
151	Bisoprolol	Human Plasma.	0.500 ng/mL to 80.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2012
152	Bisoprolol	Human Plasma.	0.500 ng/mL to 99.937 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2023
153	Bismuth	Human Plasma.	0.100 ng/mL to 10.010 ng/mL	ICP-OES mass analyzer	Sodium Heparin	-20	MUM	2017
154	Bismuth	Human Plasma.	0.100 ng/mL to 40.000 ng/mL	ICP-MS	K2 EDTA	-70	MUM	2019
155	Bosentan	Human Plasma.	20.083 ng/mL to 4016.577 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2010
156	Bosentan	Human Plasma.	20.010 ng/mL to 7998.789 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2016
157	Brexpiprazole	Human Plasma	0.250 ng/mL to 50.001 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2019
158	Bucizine	Human Plasma.	Bucizine 1.500 ng/mL to 300.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2013
159	Bucizine	Human Plasma.	1.502 ng/mL to 300.304 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2018
160	Budesonide	Human Plasma.	19.932 pg/mL to 5009.426 pg/mL	LC-MS/MS	K3 EDTA	-20	MUM	2014
161	Bumetanide	Human Plasma.	0.500 ng/mL to 200.039 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2020
162	Buprenorphine	Human Plasma	0.102 ng/mL to 5.027 ng/mL for Buprenorphine 0.101 ng/mL to 5.009 ng/mL for Norbuprenorphine	LC-MS/MS	EDTA	-70	MUM	2007
163	Buprenorphine	Human Plasma	0.201 ng/mL to 10.034 ng/mL for Buprenorphine 0.100 ng/mL to 4.982 ng/mL for Norbuprenorphine	LC-MS/MS	K2 EDTA	-70	MUM	2011
164	Bupropion	Human Plasma.	Bupropion: 1.004 ng/mL to 150.588 ng/mL Hydroxybupropion: 5.012 ng/mL to 501.186 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2009
165	Bupropion	Human Plasma.	Bupropion 1.500 ng/mL to 300.000 ng/mL Hydroxybupropion: 5.000 ng/mL to 500.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2011

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
166	Bupropion	Human Plasma.	Bupropion 1.500 ng/mL to 300.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2013
167	Bupropion	Human Plasma.	Bupropion 0.500 ng/mL to 499.993 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2016
168	Bupropion + Hydroxy + Erythro + Threo	Human Plasma	For Bupropion – 0.510 ng/mL to 499.995 ng/mL For Hydroxy Bupropion - 2.030 ng/mL to 1990.362 ng/mL For Erythro Hydrobupropion - 2.039 ng/mL to 1999.381 ng/mL For Threo Hydrobupropion - 2.040 ng/mL to 2000.385 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2013
169	Bupropion + Hydroxy + Erythro + Threo	Human Plasma	For Bupropion – 0.500 ng/mL to 499.735 ng/mL For Hydroxy Bupropion - 2.002 ng/mL to 999.776 ng/mL For Erythro Hydrobupropion - 2.002 ng/mL to 999.802 ng/mL For Threo Hydrobupropion - 2.006 ng/mL to 1001.808 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2020
170	Butylscopolamine	Human Plasma	1.000 pg/mL to 400.040 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2020
171	Cabozantinib	Human Plasma	5.012 ng/mL to 900.313 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2025
172	Caffeine	Human Plasma	10.008 ng/mL to 3000.351 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2019
173	Calcitriol	Human Plasma.	90.000 pg/ml to 290.000 pg/ml	LC-MS/MS	Sodium Heparin	-70	MUM	2011
174	Calcitrol	Human Plasma.	5.003 pg/mL to 200.323 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2011
175	Candesartan	Human Plasma.	5.074 ng/mL to 507.439 ng/mL	LC-MS/MS	Sodium Heparin		MUM	2009
176	Candesartan	Human Plasma.	5.000 ng/mL to 600.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011
177	Candesartan + HCTZ	Human Plasma.	5.015 ng/mL to 802.410 ng/mL	LC-MS/MS	Sodium Heparin		MUM	2012
178	Candesartan + Amlodipine	Human Plasma.	Candesartan : 5.000 ng/mL to 600.000 ng/mL ; Amlodipine : 0.100 ng/mL to 6.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2011
179	Candesartan+ Chlorthalidone	Human Plasma.	Candesartan : 5.000 ng/mL to 600.000 ng/mL ; Chlorthalidone : 2.000 ng/mL to 200.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2013

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
180	Candesartan+ Hydrochlorothiazide	Human Plasma.	Candesartan : 3.000 ng/mL to 300.000 ng/mL ; Hydrochlorothiazide : 2.000 ng/mL to 200.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011
181	Captopril	Human Plasma.	5.012 ng/mL to 1001.998 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
182	Captopril	Human Plasma.	5.000 ng/mL to 1002.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2012
183	Captopril	Human Plasma.	5.002 ng/mL to 2995.047 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2019
184	Capecitabine + 5-Fluoro Uracil	Human Plasma.	For Capecitabine: 5.032 ng/mL to 2506.139 ng/mL For 5-Fluoro Uracil: 10.098 ng/mL to 1007.765 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2015
185	Carbamazepine	Human Plasma.	50.845 ng/mL to 6101.382 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2010
186	Carbamazepine	Human Plasma.	50.008 ng/mL to 6000.943 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2015
187	Carbamazepine	Human Plasma.	50.000 ng/mL to 6000.000 ng/mL	LC-MS/MS	K2 EDTA	-70	AHD	2011
188	Carbimazole (Methimazole)	Human Plasma.	10.012 ng/mL to 600.719 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2010
189	Carbimazole (Methimazole)	Human Plasma.	2.000 ng/mL to 150.027 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2012
190	Carbimazole (Methimazole)	Human Plasma.	10.000 ng/mL to 600.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2014
191	Carbimazole (Methimazole)	Human Plasma	5.002 ng/mL to 500.160 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2020
192	Carbocysteine	Human Plasma	100.074 ng/mL to 20014.788 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2018
193	Carvedilol	Human Plasma.	1.000 ng/mL to 160.000 ng/mL	LC-MS/MS	K2 EDTA Plasma	-20	AHD	2010
194	Carvedilol	Human Plasma.	0.200 ng/mL to 80.004 ng/mL	LC-MS/MS	K2 EDTA Plasma	-20	AHD	2013
195	Carvedilol	Human Plasma.	0.498 ng/mL to 200.899 ng/mL	LC-MS/MS	EDTA	-20	MUM	2007
196	Carvedilol	Human Plasma.	0.500 ng/mL to 60.009 ng/mL for Carvedilol 0.050 ng/mL to 5.017 ng/mL for 4-Hydroxy Phenyl Carvedilol	LC-MS/MS	K2 EDTA	-20	MUM	2011
197	Carvedilol+4-OH phenyl carvedilol	Human Plasma.	Carvedilol 0.500 ng/mL to 100.005 ng/mL 4-OH phenyl carvedilol: 0.050 ng/mL to 10.005 ng/mL	LC-MS/MS	K2 EDTA Plasma	-20	AHD	2012
198	Carvedilol+4-OH phenyl carvedilol	Human Plasma.	Carvedilol : 0.500 ng/mL to 150.120 ng/mL 4-Hydroxyphenyl Carvedilol : 0.050 ng/mL to 15.114 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2019

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
199	Cefdinir	Human Plasma.	10.078 ng/mL to 3993.323 ng/mL	LC-MS/MS	K2EDTA	-70	MUM	2011
200	Cefixime	Human Plasma.	60.078 ng/mL to 6088.943 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2010
201	Cefixime	Human Plasma.	60.805 ng/mL to 10002.416 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2013
202	Cefixime	Human Plasma.	20.027 ng/mL to 10000.832 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2019
203	Celecoxib	Human Plasma.	25.030 ng/mL to 3003.581 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2009
204	Celecoxib	Human Plasma.	10.002 ng/mL to 4000.761 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
205	Celecoxib	Human Plasma.	5.000 ng/mL to 5000.195 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2013
206	Celecoxib	Human Plasma.	5.002 ng/mL to 2000.789 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2024
207	Cephalexin	Human Plasma.	200.106 ng/mL to 29995.869 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2017
208	Cetirizine	Human Plasma.	1.002 ng/mL to 598.460 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2012
209	Cetirizine+Hydroxyzine	Human Plasma.	Cetirizine: 1.500 ng/mL to 300.000 ng/mL , Hydroxyzine: 1.000 ng/mL to 200.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2010
210	Cetirizine	Human Plasma.	6.000 ng/mL to 600.015 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2013
211	Cetirizine	Human Plasma.	1.001 ng/mL to 599.947 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2018
212	Chlormadinone acetate	Human Plasma.	50.000 pg/mL to 10000.000 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2015
213	Chlormadinone acetate (in presence of EE)	Human Plasma	50.010 pg/mL to 10001.900 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2016
214	Chlorthalidone	Human Plasma.	2.005 ng/mL to 300.712 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
215	Chlorthalidone	Human Plasma.	2.500 ng/mL to 500.010 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2015
216	Chlorthalidone	Human Plasma.	3.006 ng/mL to 600.015 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2021
217	Chlorzoxazone	Human Plasma.	100.280 ng/mL to 30184.280 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2019
218	Cilostazol	Human Plasma.	10.000 ng/mL to 5000.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2012
219	Cilostazol	Human Plasma.	5.000 ng/mL to 600.024 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2016
220	Cinacalcet	Human Plasma.	0.202 ng/mL to 60.420 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2014
221	Cinacalcet	Human Plasma.	0.200 ng/mL to 80.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2012

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
222	Cinitapride	Human Plasma.	20.118 pg/mL to 2011.797 pg/mL	LC-MS/MS	Sodium Heparin		MUM	2007
223	Cinnarizine	Human Plasma.	2.000 ng/mL to 400.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2012
224	Cinnarizine	Human Plasma.	0.501 ng/mL to 59.983 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2021
225	Cinnarizine and Diphenhydramine	Human Plasma.	Cinnarizine : 0.500 ng/mL to 169.813 ng/mL Diphenhydramine: 1.001 ng/mL to 99.939 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2021
226	Ciprofloxacin	Human Plasma.	25.032 ng/mL to 5006.479 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
227	Ciprofloxacin	Human Plasma.	25.000ng/mL to 5000.000ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2010
228	Ciprofloxacin	Human Plasma.	25.000ng/mL to 5999.994 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2018
229	Citalopram	Human Plasma.	1.004ng/mL to 100.449ng/mL for Citalopram 0.510ng/mL to 20.408ng/mL for Desmethylocitalopram	LC-MS/MS	Sodium Heparin	-20	MUM	2007
230	Citalopram	Human Plasma.	1.002 ng/mL to 100.085 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2024
231	Clarithromycin	Human Plasma.	24.998 ng/mL to 4999.680 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
232	Clarithromycin	Human Plasma.	20.001 ng/mL to 5000.150 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2013
233	Clarithromycin	Human Plasma.	20.129 ng/mL to 5007.140 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2019
234	Clindamycin	Human Plasma.	200.204 ng/mL to 7507.654 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2010
235	Clindamycin	Human Plasma.	49.999 ng/mL to 9999.817 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2017
236	Clobazam	Human Plasma.	0.800 ng/mL to 349.890 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2013
237	Clobazam	Human Plasma.	0.800 ng/mL to 350.012 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2015
238	Clobazam and N-Desmethyl Clobazam	Human Plasma.	For Clobazam: 2.015 ng/mL to 1409.924 ng/mL For N-Desmethyl Clobazam: 1.007 ng/mL to 400.733 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2016
239	Clofazimine	Human Plasma	2.000 ng/mL-800.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2016
240	Clomifene	Human Plasma.	Zu-clomifene: 0.102 ng/mL to 15.225 ng/mL ; Eu-clomifene: 0.149 ng/mL to 22.275 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2009
241	Clomifene	Human Plasma.	Zu-clomifene: 0.200 ng/mL to 40.000 ng/mL ; Eu-clomifene: 0.150ng/mL to 30.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2018

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
242	Clomifene	Human Plasma	Zu-clomifene: 0.200 ng/mL to 40.000 ng/mL ; Eu-clomifene: 0.150ng/mL to 30.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2019
243	Clomipramine	Human Plasma	Clomipramine - 0.500 ng/mL to 200.000 ng/mL N-Desmethyldomipramine - 0.500 ng/mL to 200.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2016
244	Clomipramine	Human Plasma	Clomipramine - 0.250 ng/mL to 50.000 ng/mL N-Desmethyldomipramine - 0.100 ng/mL to 20.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2018
245	Clonazepam	Human Plasma.	0.501 ng/mL to 29.986 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
246	Clonazepam	Human Plasma.	0.301 ng/mL to 29.842 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2014
247	Clonazepam	Human Plasma.	0.500 ng/mL to 30.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2008
248	Clonazepam	Human Plasma.	0.101 ng/mL to 30.172 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2016
249	Clonidine	Human Plasma.	5.000 pg/mL to 500.000 pg/mL	LC-MS/MS	Heparinised	-20	AHD	2015
250	Clopidogrel	Human Plasma.	Clopidogrel - 49.927 pg/mL to 3025.865 pg/mL Clopidogrel carboxy acid - 39.952 ng/mL to 3945.919 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
251	Clopidogrel	Human Plasma.	75.392 pg. mL to 15028.076 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
252	Clopidogrel	Human Plasma.	49.724 pg/mL to 15116.175 pg/mL	LC-MS/MS	K2 EDTA	-70	MUM	2017
253	Clozapine	Human Plasma.	0.201 ng/mL to 100.147 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2013
254	Clozapine	Human Plasma.	5.000 ng/ml to 999.970 ng/ml	LC-MS/MS	Sodium Heparin	-20	AHD	2014
255	Colchicine	Human Plasma.	0.042 ng/mL to 5.058 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2014
256	Colchicine	Human Plasma.	40.000 pg/mL to 5000.000 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2012
257	Colchicine	Human Plasma.	25.016 pg/mL to 5003.150 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2021
258	Cyclizine	Human serum	2.502 ng/mL to 99.947 ng/mL	LC-MS/MS	-----	-70	MUM	2010
259	Cyclobenzaprine	Human Plasma.	0.255 ng/mL to 74.506 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2010
260	Cyclobenzaprine	Human Plasma.	0.201 ng/mL to 50.004 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2014
261	Cyclobenzaprine	Human Plasma.	0.100 ng/mL to 15.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2011

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
262	Cyclobenzaprine	Human Plasma.	0.150 ng/mL to 16.989 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2023
263	Cyclophosphamide	Human Plasma.	5.004 ng/mL to 4013.014 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2016
264	Cycloserine	Human Plasma.	250.0 ng/mL to 20000.0 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2008
265	Cyclosporine	Whole Blood	5.000 ng/mL to 2000.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2007
266	Cyclosporine	Human Whole Blood	20.0 ng/mL to 2499.990 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2016
267	Cyproterone acetate	Human Plasma.	0.250 ng/mL to 50.045 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2012
268	Daclatasvir	Human Plasma.	5.005 ng/mL to 4003.617 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2018
269	Dapagliflozin	Dapagliflozin	2.000 ng/mL to 300.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2016
270	Dapagliflozin in presence of Metformin	Human Plasma	0.500 ng/mL to 250.234 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2017
271	Dapoxetine	Human Plasma.	5.023 ng/mL to 1505.862 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2014
272	Dapsone	Human Plasma.	50.081 pg/mL to 25040.500 pg/mL	LC-MS/MS	NaF / K ₂ C ₂ O ₄	-70	MUM	2017
273	Darolutamide	Human Plasma.	10.005 ng/mL to 3997.027 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2021
274	Darunavir	Human Plasma.	99.993 ng/mL to 19998.594 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
275	Darunavir	Human Plasma.	0.100 ng/mL to 20.000 ng/mL	LC-MS/MS	Heparinised	-70	AHD	2015
276	Dasatinib	Human Plasma.	1.006 ng/mL to 502.853 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2016
277	Dasatinib	Human Plasma	1.000 ng/mL to 300.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2018
278	Dasatinib	Human Plasma	2.000 ng/mL to 400.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2019
279	Deferiprone	Human Plasma	201.210 ng/mL to 19991.668 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2021
280	Desipramine and 2-Hydroxy Desipramine	Human Plasma.	0.304 ng/mL to 60.739 ng/mL for Desipramine 0.202 ng/mL to 40.149 ng/mL for 2-Hydroxy Desipramine	LC-MS/MS	K3 EDTA	-70	MUM	2012
281	Desvenlafaxine	Human Plasma	3.000 ng/mL to 600.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2018
282	Dexamethasone	Human Plasma	0.200 ng/mL to 40.010ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2017
283	Dexketoprofen	Human Plasma.	0.050 µg/mL to 6.000 µg/mL	LC-MS/MS	K2 EDTA	-70	MUM	2014

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
284	Dextromethorphan	Human Plasma.	0.010 ng/mL to 24.968 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
285	Dextromethorphan	Human Plasma.	0.011 ng/mL to 10.649 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2012
286	Dextromethorphan	Human Plasma.	10.039 pg/mL to 10013.647 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2020
287	Dextromethorphan and Dextrorphan	Human Plasma.	0.010 ng/mL to 10.168 ng/mL for Dextromethorphan 0.010 ng/mL to 10.198 ng/mL for Dextrorphan	LC-MS/MS	Sodium Heparin	-70	MUM	2009
288	Diazepam	Human Plasma.	2.001 ng/mL to 299.671 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2019
289	Diclofenac	Human Plasma.	4.955 ng/mL to 2001.943 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
290	Diclofenac	Human Plasma.	5.010 ng/mL to 4002.710 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2012
291	Diclofenac	Human Plasma.	4.000 ng/mL to 2000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2012
292	Diclofenac	Human Plasma.	50.744 pg/mL to 5013.504 pg/mL	LC-MS/MS	Na Heparinised Plasma.	-70	MUM	2015
293	Diclofenac	Human Plasma.	5.044 ng/mL to 5043.849 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2010
294	Diclofenac	Human Plasma	2.000 ng/mL to 2000.190 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2016
295	Diclofenac	Human Plasma	40.000 ng/mL to 40000.220 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2018
296	Diclofenac	Human Plasma	10.003 ng/mL to 5001.225 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2018
297	Didanosine	Human Plasma.	25.000 ng/mL to 2500.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2008
298	Dienogest (in presence of estradiol and total estrone)	Human Plasma	1.000 ng/mL to 120.006 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2021
299	Dihydroartemisinin	Human Plasma.	4.005 ng/mL to 400.217 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
300	Dihydroartemisinin	Human Plasma.	1.011 ng/mL to 513.358 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
301	Dihydratetrabenazine	Human Plasma.	0.502 ng/mL to 200.117 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2015
302	Dihydratetrabenazine	Human Plasma.	0.503 ng/mL to 200.691 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2018
303	Diltiazem	Human Plasma.	3.500 ng/mL to 350.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011
304	Diltiazem	Human Plasma.	0.500 ng/mL to 100.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2012

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
305	Diltiazem	Human Plasma.	5.085 ng/mL to 508.458 ng/mL for Diltiazem 5.020 ng/mL to 501.994 ng/mL for N-Desmethyl Diltiazem 5.043 ng/mL to 504.259 ng/mL for Desacetyl Diltiazem	LC-MS/MS	K3 EDTA	-70	MUM	2011
306	Diltiazem+N-Desmethyl Diltiazem +Desacetyl Diltiazem	Human Plasma.	Diltiazem: 5.000 to 999.960 ng/mL N-Desmethyl Diltiazem : 1.000 to 200.020 ng/mL , Desacetyl Diltiazem : 0.500 to 100.030 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2015
307	Diosmetin	Human Plasma.	5.000 ng/mL to 1000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2011
308	Dipyridamole	Human Plasma.	5.060 ng/mL to 3035.961 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2009
309	Dipyridamole	Human Plasma.	5.001 ng/mL to 4000.471 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2016
310	Dolutegravir	Human Plasma	25.000 ng/mL to 6000.030 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2016
311	Dolutegravir	Human Plasma	20.022 ng/mL to 8006.210 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2018
312	Dolutegravir + Lamivudine	Human Plasma	Dolutegravir : 25.047 ng/mL to 7499.230 ng/mL Lamivudine: 50.115 ng/mL to 6001.772 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2019
313	Dolutegravir, Emtricitabine and Tenofovir Alafenamide	Human Plasma	For Dolutegravir: 20.011 ng/mL to 8000.376 ng/mL For Emtricitabine: 40.043 ng/mL to 4000.290 ng/mL For Tenofovir Alafenamide: 2.003 ng/mL to 600.393 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2024
314	Domperidone	Human Plasma.	0.100 ng/mL to 25.096 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2013
315	Donepezil	Human Plasma.	0.200 ng/mL to 60.011 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2017
316	Doxepine and Nordoxepine	Human Plasma.	For Doxepin : 5.000 pg/mL to 1995.113 pg/mL For Nordoxepin: 5.002 pg/mL to 499.163 pg/mL	LC-MS/MS	K2 EDTA	-70	MUM	2019
317	Doxycycline	Human Plasma.	15.000 ng/mL to 5000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2013
318	Drospirenone	Human Plasma.	1.200 ng/mL to 120.005 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2014
319	Drospirenone in presence of estradiol	Human Plasma	1.200 ng/mL to 120.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2017
320	Drospirenone in presence of estradiol	Human Plasma	1.000 ng/mL to 120.146 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2025
321	Droxidopa	Human Plasma	125000 ng/mL to 2500.030 ng/mL	LC-MS/MS	NaF+K2C2O4	-20	AHD	2018

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
322	Duloxetine	Human Plasma.	0.500 ng/mL to 100.000ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2013
323	Duloxetine	Human Plasma.	0.500 ng/mL to 100.000ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2017
324	Dutasteride	Human Plasma.	0.100 ng/mL to 10.013 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2011
325	Dutasteride	Human Plasma.	0.102 ng/mL to 8.141 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
326	Dutasteride	Human Plasma.	0.101 ng/mL to 8.002 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2017
327	Edoxaban	Human Plasma.	5.010 ng/mL to 600.690 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2018
328	Efavirenz	Human Plasma.	50.355 ng/mL to 5000.155 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2012
329	Efavirenz	Human Plasma.	50.00 to 5000.00ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
330	Efavirenz	Human Plasma.	40.180 ng/mL to 5012.437 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
331	Efavirenz	Human Plasma.	50.006 ng/mL to 5000.620 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2013
332	Efavirenz	Human Plasma.	15.000 ng/mL to 1500.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2010
333	Elagolix	Human Plasma.	5.001 ng/mL to 1999.725 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2022
334	Eletriptan	Human Plasma.	0.500 ng/mL to 250.501 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2012
335	Eletriptan	Human Plasma.	5.004 ng/mL to 500.397 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
336	Eltrombopag	Human Plasma.	100.000 ng/mL to 20000.077 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2024
337	Empagliflozin	Human Plasma.	5.003 ng/mL to 700.351 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2021
338	Empagliflozin in presence of Metformin	Human Plasma.	5.002 ng/mL to 999.438 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2018
339	Empagliflozin and Linagliptin	Human Plasma.	Empagliflozin : 5.001 ng/mL to 1000.232 ng/mL Linagliptin: 0.100 ng/mL to 15.088 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2021
340	Emtricitabine	Human Plasma.	50.067 ng/mL to 5004.711 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2011
341	Emtricitabine	Human Plasma.	40.076 ng/mL to 4003.592 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
342	Emtricitabine + Tenofovir	Human Plasma.	For Tenofovir: 10.016ng/mL to 600.442ng/mL For Emtricitabine: 25.525ng/mL to 2502.470ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
343	Emtricitabine + Tenofovir	Human Plasma.	10.173 ng/mL to 610.399 ng/mL for Tenofovir 49.969 ng/mL to 2998.155 ng/mL for Emtricitabine	LC-MS/MS	Sodium Heparin	-70	MUM	2011
344	Emtricitabine + Tenofovir	Human Plasma.	Tenofovir: 5.000 ng/mL to 600.000 ng/mL Emtricitabine: 20.000 ng/mL to 4000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2013
345	Emtricitabine + Tenofovir	Human Plasma.	Tenofovir: 5.011 ng/mL to 600.282 ng/mL Emtricitabine: 40.408 ng/mL to 4000.767 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2017
346	Enalapril & Enalaprilate	Human Plasma.	Enalapril: 0.499 ng/mL to 400.685 ng/mL Enalaprilate: 0.998 ng/mL to 201.590 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
347	Entacapone	Human Plasma.	20.000 ng/mL to 5000.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2013
348	Entacapone	Human Plasma.	20.048 ng/mL to 5022.111 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2020
349	Enzalutamide	Human Plasma.	20.079 ng/mL to 5999.756 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2020
350	Eplerenone	Human Plasma.	19.999 ng/mL to 1999.908 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2009
351	Eplerenone	Human Plasma.	25.000 ng/mL to 2000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2008
352	Eplerenone	Human Plasma	20.000 ng/mL to 2000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2016
353	Erdosteine	Human Plasma	Erdosteine : 49.998 ng/mL to 4999.640 ng/mL Erdosteine M 1: 149.998 ng/mL to 14999.800 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2017
354	Erdosteine + Erdosteine M1	Human Plasma	Erdosteine : 10.000 ng/mL to 2499.990 ng/mL Erdosteine M 1: 10.000 ng/mL to 2500.010 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2018
355	Erlotinib	Human Plasma.	5.004 ng/mL to 5001.793 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2012
356	Erlotinib	Human Plasma	5.000 ng/mL to 2500.000 ng/mL	LC-MS/MS	K2EDTA	-70	AHD	2018
357	Erthromycin ethylsuccinate	Human Plasma.	10.000 ng/mL to 1500.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2009
358	Erythromycin	Human Plasma.	20.017 ng/mL to 6000.215 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2015
359	Escitalopram	Human Plasma.	1.015 ng/mL to 101.547 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2008

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
360	Esmolol and it's Metabolite Esmolol Acid	Human Plasma.	10.041 ng/mL to 1004.120 ng/mL for Esmolol 10.011 ng/mL to 1001.140 ng/mL for Esmolol Acid	LC-MS/MS	Sodium Heparin	-70	MUM	2012
361	Esomeprazole	Human Plasma.	5.001 ng/mL to 3000.285 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2014
362	Esomeprazole	Human Plasma.	5.089 ng/mL to 1017.704 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2008
363	Esomeprazole	Human Plasma.	5.001 ng/mL to 1500.387 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2012
364	Esomeprazole	Human Plasma.	5.223 ng/mL to 3012.988 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2016
365	Esomeprazole in presence of Naproxen	Human Plasma.	5.014 ng/mL to 3000.745 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2019
366	Estetrol in presence of Drospirenone	Human Plasma.	0.501 ng/mL to 50.034 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2025
367	Estradiol	Human Plasma.	2.000 pg/mL to 250.000 pg/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011
368	Estradiol	Human Plasma.	2.004 pg/ml -150.299 pg/ml	LC-MS/MS	K3 EDTA	-70	AHD	2013
369	Estradiol	Human Plasma	2.001 pg/mL -700.105 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2021
370	Estrone (Total)	Human Plasma	0.200 ng/mL to 40.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2015
371	Estrone Total (In presence of Drospirenone)	Human Plasma	0.200 ng/mL to 50.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2017
372	Eszopiclone	Human Plasma.	0.500 ng/mL to 100.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2012
373	Ethacrynic acid	Human Plasma.	100.00 ng/mL to 25000.00 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2011
374	Ethambutol	Human Plasma.	150.029 ng/mL to 12002.290 ng/mL		NaF and Potassium Oxalate	-70	MUM	2017
375	Ethambutol + Isoniazide	Human Plasma.	For Ethambutol - 150.473 ng/mL to 12012.737 ng/mL For Isoniazid - 200.799 ng/mL to 15009.706 ng/mL	LC-MS/MS	K3 EDTA with NaF	-70	MUM	2014
376	Ethambutol + Isoniazide + Pyrazinamide	Human Plasma.	50.918 ng/mL to 2268.643 ng/mL for Ethambutol 100.804 ng/mL to 5495.659 ng/mL for Isoniazid 1001.380 ng/mL to 39980.097 ng/mL for Pyrazinamide	LC-MS/MS	K3 EDTA with NaF	-20	MUM	2009
377	Ethambutol& Isoniazide	Human Plasma.	50.288 ng/mL to 4023.046 ng/mL for Ethambutol 100.095 ng/mL to 5505.224 ng/mL for Isoniazid	LC-MS/MS	K3EDTA with NaF	-70	MUM	2010
378	Ethinyl estradiol	Human Plasma.	3.000 pg/mL to 300.000 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2011

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
379	Ethinyl estradiol	Human Plasma.	1.500 pg/mL to 300.000 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2012
380	Ethinyl estradiol	Human Plasma	1.000 pg/mL to 301.467 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2016
381	Ethionamide	Human Plasma.	25.087 to 5996.882 ng/mL for Ethionamide, 50.049 to 2999.952 ng/mL for Ethionamide Sulfoxide	LC-MS/MS	Sodium Heparin	-70	MUM	2011
382	Ethionamide	Human Plasma.	10.038 ng/mL to 5111.100 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2016
383	Etodolac	Human Plasma.	0.500 µg/mL to 59.950 µg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2012
384	Etodolac	Human Plasma.	0.500 µg/mL to 50.000 µg/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2013
385	Etodolac	Human Plasma.	0.501 µg /mL to 120.158 µg /mL	LC-MS/MS	Sodium Heparin	-20	MUM	2025
386	Etonogestrel	Human Plasma.	20.005 pg/mL to 2998.714 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2013
387	Etonogestrel (in presence of Ethinyl Estradiol)	Human Plasma.	20.038 pg/mL to 3001.616 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2013
388	Etonogestrel	Human Plasma	30.006 pg/mL to 3500.650 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2016
389	Etoricoxib	Human Plasma	20.008 ng/mL to 5001.909 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2017
390	Etravirine	Human Plasma	5.001 ng/mL to 1500.341 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2019
391	Everolimus	Human Plasma.	0.201 ng/mL to 20.079 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2013
392	Everolimus	Human whole blood	1.004 ng/mL to 300.321 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2018
393	Exemestane	Human Plasma.	200.239 pg/mL to 30035.808 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2009
394	Exemestane	Human Plasma.	0.202 ng/mL to 40.109 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
395	Exemestane	Human Plasma.	200.310 pg/mL to 30136.500 pg/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2012
396	Exemestane	Human Plasma	0.200 ng/mL to 40.004 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2018
397	Ezetimib	Human Plasma.	0.101 ng/mL to 14.943 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2013
398	Ezetimibe	Human Plasma.	40.105 pg/mL to 10006.133 pg/mL	LC-MS/MS	K3 EDTA	-70	MUM	2014
399	Ezetimibe	Human Plasma.	0.040 ng/mL to 20.004 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2016

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
400	Ezetimibe +Ezetimibe glucuronide (with stablizer)	Human Plasma.	Ezetimibe : 0.050 ng/mL to 15.000 ng/mL Ezetimibe Glucuronide : 2.000 ng/ mL to 400.000 ng/	LC-MS/MS	K3 EDTA	-70	AHD	2015
401	Ezetimibe +Ezetimibe glucuronide (without stablizer)	Human Plasma.	Ezetimibe : 0.050 ng/mL to 15.000 ng/mL Ezetimibe Glucuronide : 2.000 ng/ mL to 400.000 ng/ mL	LC-MS/MS	K3 EDTA	-70	AHD	2015
402	Ezetimibe and Ezetimibe Glucuronide	Human Plasma.	For Ezetimibe - 0.050 ng/mL to 14.995 ng/mL For Ezetimibe Glucuronide - 2.009 ng/mL to 401.478 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2015
403	Ezetimibe and Ezetimibe Glucuronide	Human Plasma.	For Ezetimibe - 0.051 ng/mL to 20.200 ng/mL For Ezetimibe Glucuronide - 2.003 ng/mL to 400.440 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2017
404	Ezetimibe and Ezetimibe Glucuronide in presence of simvastatin and simvastatin acid	Human Plasma.	Ezetimibe : 0.050 ng/mL to 20.020 ng/mL Ezetimibe Glucuronide: 2.017 ng/mL to 400.223 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2021
405	Ezetimibe and Ezetimibe Glucuronide in presence of Atorvastatin, P-Hydroxy Atorvastatin, O-Hydroxy Atorvastatin	Human Plasma.	Ezetimibe : 0.050 ng/mL to 20.052 ng/mL Ezetimibe Glucuronide: 2.016 ng/mL to 400.052 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2021
406	Ezetimibe and Ezetimibe Glucuronide in presence of Bempedoic acid and its metabolite Bempedoic acid ESP15228	Human Plasma.	Ezetimibe : 0.050 ng/mL to 30.024 ng/mL Ezetimibe Glucuronide: 2.001 ng/mL to 600.201ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2023
407	Ezetimibe Unconjugated	Human Plasma.	50.000 pg/mL to 15000.000 pg/mL	LC-MS/MS	K3 EDTA		AHD	2014
408	Famotidine	Human Plasma.	1.002 ng/mL to 399.720 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2021
409	Fampridine	Human Plasma	0.400 to 60.005 ng/mL	LC-MS/MS	K3EDTA	-20	AHD	2017
410	Febuxostat	Human Plasma.	15.011 ng/mL to 8003.559 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2015
411	Febuxostat	Human Plasma.	20.022 ng/mL to 8000.657 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2018
412	Felodipine	Human Plasma.	0.201 ng/mL to 20.106 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2007
413	Felodipine	Human Plasma.	0.100 ng/mL to 20.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2014
414	Felodipine	Human Plasma.	0.101 ng/mL to 40.060 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2017

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
415	Fenofibric acid	Human Plasma.	25.000 ng/mL to 14999.790 ng/ml	LC-MS/MS	K3 EDTA	-70	AHD	2014
416	Fenofibric Acid	Human Plasma.	50.046 ng/mL to 15013.715 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2012
417	Fenofibric acid	Human Plasma	25.000-15000.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2019
418	Fenofibric acid	Human Plasma	25.002 ng/mL to 12000.990 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2024
419	Fesoterodine + 5-Hydroxy methyl tolterodine (with Stabilizer)	Human Plasma	Fesoterodine: 24.979 pg/mL to 4995.750 pg/mL , 5-Hydroxy Methyl Tolterodine:75.042 pg/mL to 15008.400 pg/mL	LC-MS/MS	NaF+K2C2O4	-70	AHD	2018
420	Fexofenadine	Human Plasma.	5.000 ng/mL to 1000.010 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2014
421	Fexofenadine	Human Plasma.	10.003 ng/mL to 2000.510 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2021
422	Fexofenadine	Human Plasma.	2.001 ng/mL to 500.054 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2022
423	Finasteride	Human Plasma.	0.504 ng/mL to 100.216 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2013
424	Fingolimod	Human Blood	20.006 pg/mL to 2002.570 pg/mL	LC-MS/MS	K2 EDTA	-70	MUM	2018
425	Flavoxate	Human Plasma.	Flavoxate : 2.000 ng/mL to 1000.000 ng/mL MFC : 100.000 ng/mL to 10000.000 ng/mL	LC-MS/MS	K3 EDTA+NAF	-70	AHD	2011
426	Flavoxate (MFC)	Human Plasma.	MFC 100.019 ng/mL to 16003.072 ng/mL	LC-MS/MS	K3 EDTA+NAF	-70	AHD	2013
427	Flecainide	Human Plasma.	5.087 ng/mL to 500.684 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2013
428	Flecainide	Human Plasma	3.000 to 499.980 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2016
429	Flucloxacillin	Human Plasma.	0.200 µg/mL to 40.000 µg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2011
430	Fluconazole	Human Plasma.	25.000 ng/mL to 7000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2010
431	Fluconazole	Human Plasma	50.000 ng/mL to 8000.032 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2016
432	Fluconazole	Human Plasma	25.002 ng/mL to 10000.894 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2025
433	Fludrocortisone	Human Plasma	20.000 pg/mL to 2500.00 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2018
434	Fluoxetine	Human Plasma.	Fluoxetine : 0.100 ng/mL to 20.000 ng/ mL Norfluoxetine : 0.100 ng/mL to 20.000 ng/ mL	LC-MS/MS	Heparinised Plasma.	-20	AHD	2015

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
435	Fluoxetine	Human Plasma.	0.500 ng/mL to 50.050 ng/mL for Fluoxetine 0.500 ng/mL to 50.021 ng/mL for Norfluoxetine	LC-MS/MS	Sodium Heparin	-20	MUM	2011
436	Fluoxetine	Human Plasma	0.500 ng/mL to 60.012 ng/ mL	LC-MS/MS	Sodium Heparin	-20	AHD	2020
437	Fluticasone propionate	Human Plasma.	1.000 pg/mL to 60.000 pg/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011
438	Frovatriptan	Human Plasma	0.100 ng/mL to 15.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2018
439	Furosemide	Human Plasma.	10.047 ng/mL to 2009.419 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
440	Furosemide	Human Plasma.	20.000 ng/mL to 2000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2008
441	Gabapentine	Human Plasma.	100.116 ng/mL to 8011.810 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2010
442	Gabapentine	Human Plasma.	100.003 ng/mL to 8000.227 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2012
443	Gabapentine	Human Plasma.	40.023 ng/mL to 5953.357 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
444	Gabapentine	Human Plasma.	40.005 ng/mL to 8000.960 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2014
445	Gabapentine	Human Plasma.	40.011 ng/mL to 10000.151 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2018
446	Galantamine	Human Plasma.	0.500 ng/mL to 80.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2014
447	Gefitinib	Human Plasma.	1.002 ng/mL to 500.750 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2016
448	Gestodene	Human Plasma.	100.000 pg/mL to 5000.000 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2012
449	Glibenclamide	Human Plasma.	3.000 ng/mL to 300.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2010
450	Gliclazide	Human Plasma.	10.000 ng/mL to 4500.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2012
451	Gliclazide	Human Plasma.	30.167 ng/mL to 8077.719 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2017
452	Gliclazide	Human Plasma	10.000 ng/mL to 4500.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2019
453	Glimepiride	Human Plasma.	1.500 ng/mL to 499.938 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2016
454	Glipizide	Human Plasma.	10.091 ng/mL to 1059.081 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
455	Glipizide	Human Plasma.	14.997 ng/mL to 1499.677 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
456	Glipizide	Human Plasma.	4.999 ng/mL to 999.790 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2015

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
457	Glucosamine	Human Plasma.	74.840 ng/mL to 6083.104 ng/mL 10.108 ng/mL to 6064.666 ng/mL (Baseline corrected)	LC-MS/MS	Sodium Heparin	-70	MUM	2013
458	Glyburide	Human Plasma.	2.501 ng/mL to 500.192 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2013
459	Glycopyrrolate	Human Plasma.	5.021 pg/mL to 600.169 pg/mL	LC-MS/MS	K3 EDTA	-20	MUM	2017
460	Granisetron	Human Plasma.	0.100 ng/mL to 20.033 ng/mL	LC-MS/MS	EDTA	-70	MUM	2007
461	GRC 10693	Dog Plasma	50.280 pg/mL to 10055.926 pg/mL	LC-MS/MS	K3 EDTA		MUM	2007
462	Griseofulvin	Human Plasma.	20.030 ng/mL to 3004.570 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2011
463	Griseofulvin	Human Plasma.	20.021 ng/mL to 3000.199 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2020
464	Guaifenesin	Human Plasma.	5.014 ng/mL to 5013.640 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2009
465	Guaifenesin	Human Plasma.	5.011 ng/mL to 5011.442 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
466	Guaifenesin	Human Plasma.	10.014 ng/mL to 5004.426 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2019
467	Guanfacine	Human Plasma.	70.000 pg/mL to 7000.000 pg/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2015
468	Guanfacine	Human Plasma	100.000 pg/mL to 15000.250 pg/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2019
469	Guanfacine	Human Plasma	50.000 pg/mL to 10000.000 pg/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2019
470	Haloperidol in presence of Benzotropine	Human Plasma	10.056 pg/mL to 3001.644 pg/mL	LC-MS/MS	K3 EDTA	-70	MUM	2022
471	Haloperidol in presence of Benzotropine	Human Plasma	5.010 pg/mL to 1500.636 pg/mL	LC-MS/MS	K3 EDTA	-70	MUM	2024
472	Hydrochlorothiazide	Human Plasma.	2.000 ng/mL to 200.987 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
473	Hydrochlorothiazide	Human Plasma.	2.002 ng/mL to 200.234 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2009
474	Hydrocortisone	Human Plasma.	2.002 ng/mL to 700.194 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2014
475	Hydrocortisone	Human Plasma.	4.003 ng/mL to 700.015 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2016
476	Hydrocortisone	Human Plasma.	4.001 ng/mL to 699.134 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2026
477	Hydroxyurea	Human Plasma.	0.500 µg/mL to 499.000 µg/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2012
478	Hydroxyzine	Human Plasma.	0.500 ng/mL to 60.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2014

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
479	Hydroxyzine	Human Plasma.	0.200 ng/mL to 60.006 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2017
480	Hydroxyzine	Human Plasma	0.500 ng/mL to 140.014 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2020
481	Ibandronic Acid	Human Plasma	0.501 ng/mL to 250.233 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2023
482	Ibrutinib	Human Plasma.	1.000 ng/mL to 200.039 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2020
483	Ibuprofen	Human Plasma.	0.251 µg/mL to 99.940 µg/mL	LC-MS/MS	EDTA	-20	MUM	2007
484	Ibuprofen	Human Plasma.	0.504 µg/mL to 50.364 µg/mL	LC-MS/MS	K2 EDTA	-20	MUM	2008
485	Ibuprofen	Human Plasma.	0.401 µg/mL to 40.000 µg/mL	LC-MS/MS	K3 EDTA	-70	MUM	2014
486	Ibuprofen	Human Plasma.	400.072 ng/mL to 49958.974 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2016
487	Ibuprofen in presence of paracetamol	Human Plasma.	100.194 ng/mL to 25048.464 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2021
488	Ibuprofen (R-Ibuprofen & S-Ibuprofen)	Human Plasma.	For R-Ibuprofen : 0.200 µg/mL to 20.011 µg/mL For S-Ibuprofen: 0.201 µg/mL to 20.043 µg/mL	LC-MS/MS	K2 EDTA	-70	MUM	2019
489	Ibuprofen + Diphenhydramine	Human Plasma.	Ibuprofen 0.508 µg/mL to 40.031 µg/mL Diphenhydramine 2.015 ng/mL to 302.213 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2009
490	Ibuprofen + Methocarbamol	Human Plasma.	Ibuprofen 0.503µg/mL to 40.222µg/mL Methocarbamol 0.136µg/mL to 10.902µg/mL	LC-MS/MS	EDTA	-20	MUM	2008
491	Ibuprofen and Diphenhydramine	Human Plasma.	Ibuprofen : 0.500 µg/mL to 40.001 µg/mL Diphenhydramine: 1.000 ng/mL to 100.022 ng/mL	LC-MS/MS	K2 EDTA	-70	AHD	2013
492	Idelalisib	Human Plasma	20.000 ng/mL to 4000.004 ng/mL	LC-MS/MS	K3 EDTA	-20°C	AHD	2018
493	Imatinib	Human Plasma.	25.004 ng/mL to 5000.660 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2013
494	Imatinib	Human Plasma.	25.052 ng/mL to 5000.296 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2025
495	Imipramine	Human Plasma	0.500 ng/ml to 200.004 ng/ml	LC-MS/MS	Sodium Heparin	-20	AHD	2016
496	Indapamide	Human Whole Blood	1.009 ng/mL to 50.433 ng/mL	LC-MS/MS	-----	-70	MUM	2010
497	Indapamide	Human whole blood	1.003 ng/mL to 60.018 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
498	Indapamide	Human Plasma.	1.000 ng/ml to 79.992 ng/ml	LC-MS/MS	Sodium Heparin	-70	AHD	2013
499	Indomethacin	Human Plasma.	19.988 ng/mL to 1202.295 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
500	Indomethacin	Human Plasma.	25.022 ng/mL to 5004.371 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
501	Indomethacin	Human Plasma.	24.987 ng/mL to 7491.136 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2012
502	Indomethacin	Human Plasma.	25.000 ng/mL to 5000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2009
503	Irbesartan	Human Plasma.	50.036 ng/mL to 10007.192 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2009
504	Irbesartan	Human Plasma.	50.380 ng/ml to 10070.876 ng/ml	LC-MS/MS	Sodium Heparin	-70	MUM	2013
505	Irbesartan	Human Plasma.	35.000 ng/mL to 7000.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011
506	Irbesartan	Human Plasma.	50.003 ng/ml to 10000.596 ng/ml	LC-MS/MS	Sodium Heparin	-70	MUM	2017
507	Irbesartan+HCTZ	Human Plasma	Irbesartan : 40.000 ng/mL to 7999.970 ng/mL HCTZ: 3.000 ng/mL to 300.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2016
508	Isoniazid	Human Plasma	24.998 ng/mL to 9999.304 ng/mL	LC-MS/MS	NaF+K ₂ C ₂ O ₄	-70	AHD	2016
509	Isoniazid	Human Plasma	25.018 ng/mL to 5003.511 ng/mL	LC-MS/MS	K ₃ EDTA with NaF	-70	MUM	2017
510	Isoniazid	Human Plasma	100.207 ng/mL to 12000.882 ng/mL	LC-MS/MS	K ₂ EDTA with NaF	-70	MUM	2023
511	Isoniazid and Rifapentine	Human Plasma	Isoniazid : 100.180 ng/mL to 12001.564 ng/mL Rifapentine: 500.945 ng/mL to 24997.146 ng/mL	LC-MS/MS	K ₂ EDTA-NaF	-70	MUM	2023
512	Isosorbide mono- nitrate	Human Plasma.	9.974 ng/mL to 1001.458 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
513	Isosorbide mono- nitrate	Human Plasma.	5.009 ng/mL to 2003.678 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2014
514	Itraconazole	Human Plasma.	0.500 ng/mL to 199.880 ng/mL for Itraconazole 2.006 ng/mL to 250.294 ng/mL for Hydroxyitraconazole	LC-MS/MS	K ₂ EDTA	-20	MUM	2011
515	Itraconazole + Hydroxyitraconazole	Human Plasma.	For Itraconazole - 0.500 ng/mL to 200.157 ng/mL For Hydroxy Itraconazole - 2.000 ng/mL to 250.061 ng/mL	LC-MS/MS	K ₂ EDTA	-70	MUM	2014
516	Itraconazole + Hydroxyitraconazole	Human Plasma.	Itraconazole : 0.502 ng/mL to 601.857 ng/mL Hydroxy Itraconazole : 0.502 ng/mL to 701.682 ng/mL	LC-MS/MS	K ₂ EDTA	-20	MUM	2019

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
517	Itraconazole + Hydroxyitraconazole	Human Plasma.	Itraconazole : 0.504 ng/mL to 402.041 ng/mL Hydroxy Itraconazole : 0.503 ng/mL to 401.703 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2021
518	Ivabradine	Human Plasma.	0.499 ng/mL to 149.640 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
519	Ivermectine	Human Plasma.	0.500 ng/mL to 50.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011
520	Ivermectine	Human Plasma.	0.201 ng/mL to 25.060 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2017
521	KCl	Human Urine	1000.000 µg/mL to 4000.000µg/mL	AAS	Human Urine	-20	MUM	2009
522	KCl	Human urine	200.301 µg/mL to 6503.288 µg/mL	ICP-OES	Human urine	-20	MUM	2012
523	Ketoprofen	Human Plasma.	40.000 ng/mL to 7999.980 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2014
524	L-methyl folate (Levomefolic acid)	Human Plasma	2.000 ng/mL to 200.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2018
525	Lami + Zido + Nevi	Human Plasma.	24.954ng/mL to 2989.534 ng/mL for Lamivudine 24.954ng/mL to 3007.579 ng/mL for Zidovudine 50.119ng/mL to 4024.611 ng/mL for Nevirapine	LC-MS/MS	Sodium Heparin	-20	MUM	2008
526	Lamivudine	Human Plasma.	40.189 ng/mL to 6023.388 ng/mL	LC-MS/MS	EDTA	-20	MUM	2007
527	Lamivudine	Human Plasma.	50.000 ng/mL to 5000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2015
528	Lamivudine + Nevirapine + Zidovudine	Human Plasma.	Lamivudine: 15.000 ng/mL to 2500.000 ng/mL Nevirapine: 20.000 ng/mL to 4000.000 ng/mL Zidovudine: 15.000 ng/mL to 3500.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2012
529	Lamivudine + Zidovudine	Human Plasma.	Lamivudine: 15.009 ng/mL to 2500.244 ng/mL Zidovudine: 15.049 ng/mL to 3500.263 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2013
530	Lamivudine and Zidovudine	Human Plasma.	30.141 ng/mL to 4018.819 ng/mL for Lamivudine 430.042 ng/mL to 4005.590 ng/mL for Zidovudine	LC-MS/MS	Sodium Heparin	-20	MUM	2010
531	Lamivudine and Nevirapine	Human Plasma.	40.084 ng/mL to 4008.404 for Lamivudine 40.025 ng/mL to 4002.453 ng/mL for Nevirapine	LC-MS/MS	Sodium Heparin	-20	MUM	2011
532	Lamotrigine	Human Plasma.	5.000 ng/mL to 1000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2014
533	Lamotrigine	Human Plasma	10.000 ng/mL to 3499.923 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2017

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
534	Lansoprazole	Human Plasma.	5.003 ng/mL to 2501.701 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2011
535	Lansoprazole	Human Plasma.	2.004 ng/mL to 2500.120 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2023
536	Larotrectinib	Human Plasma.	4.001 ng/mL to 1599.400 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2022
537	Lenvatinib	Human Plasma.	2.003 ng/mL to 299.508 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2021
538	Lercanidipine	Human Plasma.	50.000 pg/mL to 18000.000 pg/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011
539	Letrozole	Human Plasma.	0.800 ng/mL to 79.985 ng/mL	LC-MS/MS	K2 EDTA	-20	AHD	2013
540	Leucovorin	Human Plasma.	10.006 ng/mL to 1000.589 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2017
541	Leucovorin (calcium folinate)	Human Plasma.	10.012 ng/mL to 1000.227 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2025
542	Levetiracetam	Human Plasma.	496.785 ng/mL to 49777.808 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
543	Levetiracetam	Human Plasma.	500.000 ng/mL to 55000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2010
544	Levetiracetam	Human Plasma.	500.136 ng/mL to 59916.255 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2022
545	Levocloperastine	Human Plasma.	0.101 ng/mL to 20.060ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2022
546	Levocetizine	Human Plasma.	5.033 ng/mL to 503.262 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2009
547	Levocetizine	Human Plasma.	4.000 ng/mL to 400.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2012
548	Levocetizine	Human Plasma.	5.022 ng/mL to 500.177 ng/mL	LC-MS/MS	Heparinised Plasma.	-70	MUM	2015
549	Levodopa in presence of Benserazide and its metabolite Trihydroxybenzyl Hydrazine	Human Plasma.	50.015 ng/mL to 6001.740 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2025
550	Levofloxacin	Human Plasma.	0.050 µg/mL to 12.002 µg/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2013
551	Levofloxacin	Human Plasma.	0.050 µg/mL to 12.001 µg/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2013
552	Levofloxacin	Human Plasma.	50.017 ng/mL to 12003.969 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2019
553	Levomepromazine	Human Plasma.	0.500 ng/mL to 200.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2016
554	Levomepromazine	Human Plasma	39.994 pg/mL to 11998.080 pg/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2018
555	Levomepromazine	Human Plasma	0.200 ng/mL to 250.020 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2023
556	Levonorgestrel	Human Plasma.	0.300 ng/mL to 60.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2010

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
557	Levonorgestrel	Human Plasma.	0.150 ng/mL to 40.067 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2014
558	Levonorgestrel	Human Plasma	0.150 ng/mL 40.005 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2018
559	Levonorgestrel in presence of EE		50.085 pg/mL to 15025.275 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2017
560	Levothyroxine	Human Plasma.	10.049 ng/mL to 251.224 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2010
561	Levothyroxine	Human Serum	20.000 ng/mL to 240.000 ng/mL	LC-MS/MS	NA	-20	AHD	2016
562	Levothyroxine + Liothyronine	Human Serum	20.000 ng/mL to 250.000 ng/mL for Levothyroxine (T4) and 0.400 ng/mL to 5.000 ng/mL for Liothyronine (T3)	LC-MS/MS	NA	-20	AHD	2019
563	Lidocaine	Human Plasma.	0.505 ng/mL to 499.942 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2017
564	Lidocaine	Human Plasma.	0.501 ng/mL to 499.779 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2020
565	Linagliptin	Human Plasma	0.100 ng/mL to 10.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2018
566	Linalidomide	Human Plasma	2.004 ng/mL to 1001.487 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2018
567	Lincomycin	Human Plasma	150.450 ng/mL to 15032.481 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2020
568	Linezolid	Human Plasma.	100.010 ng/mL to 20002.037 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2011
569	Linezolid	Human Plasma.	100.071 ng/mL to 20014.228 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2014
570	Liothyronine	Human Plasma	0.500 ng/mL to 20.009 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2016
571	Lisinopril	Human Plasma.	2.007 ng/mL to 249.603 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2012
572	Lisinopril	Human Plasma.	2.500 ng/mL to 500.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2010
573	Lisinopril	Human Plasma.	1.003 ng/mL to 150.413 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2012
574	Lisinopril + HCTZ	Human Plasma.	1.002 ng/mL to 152.004 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2014
575	Lisinopril + Hydrochlorothiazide	Human Plasma.	1.005 ng/mL to 149.942 ng/mL for Lisinopril 2.005 ng/mL to 400.065 ng/mL for Hydrochlorothiazide	LC-MS/MS	K3 EDTA	-70	MUM	2012
576	Lisinopril +HCTZ	Human Plasma.	Lisinopril: 1.009 ng/mL to 151.298 ng/mL HCTZ: 2.001 ng/mL to 300.180 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2012
577	Loperamide	Human Plasma.	Loperamide : 20.000 pg/mL to 1200.000 pg/mL ; Desmethyl Loperamide : 40.000 pg/mL to 1200.000 pg/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2009

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
578	Loperamide	Human Plasma.	10.067 pg/mL to 1001.685 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2021
579	Lopinavir & Ritonavir	Human Plasma.	200.359 ng/mL to 12021.566 ng/mL for Lopinavir 20.012 ng/mL to 1200.713 ng/mL for Ritonavir	LC-MS/MS	K2 EDTA	-20	MUM	2010
580	Lopinavir & Ritonavir	Human Plasma.	Lopinavir : 198.880 ng/mL to 24024.732 ng/mL Ritonavir : 20.133 ng/mL to 2406.319 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2012
581	Lopinavir & Ritonavir	Human Plasma.	Lopinavir: 50.035 ng/mL to 9996.927 ng/mL Ritonavir: 5.016 ng/mL to 801.609 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2018
582	Loratadine and its metabolite Desloratadine	Human Plasma.	50.080 pg/mL to 9965.907 pg/mL for Loratadine 50.185 pg/mL to 9986.803 pg/mL for Desloratadine	LC-MS/MS	Sodium Heparin	-70	MUM	2012
583	Loratidine+ Desloratidine	Human Plasma.	Loratidine: 0.100 ng/mL to 9.974 ng/mL Desloratidine: 0.102 ng/mL to 10.115 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2007
584	Loratidine and Betamethasone	Human Plasma.	Loratidine : 100.199 pg/mL to 20069.912 pg/mL Betamethasone: 200.414 pg/mL to 20132.220 pg/mL	LC-MS/MS	K3 EDTA	-20	MUM	2020
585	Loratadine and Descarboethoxyloratadine in presence of Pseudophedrine	Human Plasma.	Loratadine : 40.077 pg/mL to 12006.445pg/mL Descarboethoxyloratadine: 40.091 pg/mL to 12002.661 pg/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2021
586	Loratadine and Descarboethoxyloratadine in presence of Pseudophedrine	Human Plasma.	Loratadine : 100.105 pg/mL to 34986.594 pg/mL Descarboethoxyloratadine: 100.045 pg/mL to 12005.338 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2023
587	Lorazepam	Human Plasma.	0.202 ng/mL to 20.122 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
588	Lorazepam	Human Plasma.	0.200 ng/mL to 50.083 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2018
589	Lornoxicam	Human Plasma.	10.000 ng/mL to 1600.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
590	Lornoxicam	Human Plasma	10.000 ng/mL to 1600.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2020
591	Losartan	Human Plasma.	2.000 ng/m to 300.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2010
592	Losartan	Human Plasma	5.000 to 1999.956 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2018
593	Losartan + HCTZ	Human Plasma.	Losartan 10.001 ng/mL to 1500.075 ng/mL Losartan Carboxy Acid:10.001 ng/mL to 1999.598 ng/mL Hydrochlorothiazide 3.000 ng/mL to 300.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2013
594	Losartan + Losartan Carboxy Acid	Human Plasma.	Losartan : 15.337 ng/mL to 2512.656 ng/mL Losartan Carboxy acid: 15.160 ng/mL to 2483.660 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2009
595	Losartan + Losartan Carboxy Acid + HCTZ	Human Plasma.	For Losartan: 10.004 ng/mL to 1500.665 ng/mL For Losartan carboxy acid: 10.004 ng/mL to 2000.821 ng/mL For HCTZ: 3.008 ng/mL to 300.421 ng/mL	LC-MS/MS	Na-Heparin	-70	MUM	2015
596	Losartan+Losartan carboxylic acid in presence of Amlodipine	Human Plasma	Losartan 5.000 ng/mL to 1499.993 ng/mL Losartan Carboxy Acid: 5.000 to 2024.985 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2016
597	Losartan + Losartan Carboxy Acid	Human Plasma.	Losartan : 10.005 ng/mL to 2501.295 ng/mL Losartan Carboxylic acid: 10.006 ng/mL to 2501.470 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2019
598	Lovastatin & Lovastatin Hydroxy Acid	Human Plasma.	For Lovastatin - 0.052 ng/mL to 20.713 ng/mL For Lovastatin Hydroxy Acid - 0.207 ng/mL to 20.485 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2013
599	Lumefantrine	Human Plasma.	100.010 ng/mL to 15001.522 ng/mL	LC/MS/MS	Sodium Heparin	-20	MUM	2011
600	Lumefentrine	Human Plasma.	100.000 ng/mL to 12000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2013
601	Lumefantrine	Human Plasma.	100.014 ng/mL to 15027.133 ng/mL	LC/MS/MS	Sodium Heparin	-20	MUM	2016
602	Lumefantrine in presence of Artemether and DHA	Human Plasma.	50.015 ng/mL to 15001.918 ng/mL	LC/MS/MS	Sodium Heparin	-20	MUM	2023
603	Lurasidone	Human serum	0.249 ng/mL to 150.184 ng/mL	LC-MS/MS	Human serum	-70	MUM	2014
604	Lurasidone	Human Plasma	0.300 ng/mL to 150.008 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
605	Mebendazole	Human Plasma	0.150 ng/mL to 30.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2019
606	Mebeverine Acid and O-Desmethyl Mebeverine Acid in presence of Veratric Acid and O-Desmethyl mebeverine alcohol	Human Plasma	Mebeverine Acid : 1.000 ng/mL to 300.066 ng/mL O-Desmethyl Mebeverine Acid: 5.004 ng/mL to 2001.622 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2023
607	Mecitentan	Human Plasma	3.501 ng/mL to 350.090 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2016
608	Mecillinam	Human Plasma	49.997 ng/mL to 5999.592 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2020
609	Medroxyprogesterone Acetate	Human Plasma.	0.150 ng/mL to 15.001 ng/mL	LC-MS/MS	K ₃ EDTA	-70	AHD	2015
610	Medroxyprogesterone Acetate	Human Plasma	50.016 pg/mL to 5001.620 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2016
611	Medroxyprogesterone	Human Plasma	50.095 pg/mL to 5004.511 pg/mL	LC-MS/MS	K3 EDTA	-20	MUM	2018
612	Mefenamic acid	Human Plasma.	35.000 ng/mL to 7000.000 ng/mL	LC-MS/MS	Sodium Heparin		AHD	2009
613	Mefenamic acid	Human Plasma.	35.038 ng/mL to 7007.616 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
614	Melatonin	Human Plasma.	5.023 pg/mL to 1506.810 pg/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2016
615	Melatonin	Human Plasma.	5.000 pg/mL to 2500.065 pg/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2017
616	Melatonin	Human Plasma.	25.000 pg/mL to 15000. 150 pg/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2021
617	Memantine	Human Plasma.	0.202 ng/mL to 50.168 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2012
618	Memantine	Human Plasma.	0.201 ng/mL to 60.163 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2017
619	Memantine + Donepezil	Human Plasma.	For Memantine- 0.200 ng/mL to 60.007 ng/mL For Donepezil- 0.200 ng/mL to 60.054 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2015
620	Memantine+ Donepezil	Human Plasma.	For Mementin 0.200 ng/mL to 60.000 ng/mL For Donepezil 0.200 ng/mL to 60.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2015
621	Mesalamine	Human Plasma.	10.017 ng/mL to 701.185 ng/mL	LC/MS/MS	K2 EDTA	-70	MUM	2012
622	Mesalamine	Human Plasma.	1.001 ng/mL to 1999.507 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2014
623	Mesalamine	Human Plasma.	0.252 ng/mL to 200.332 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2015
624	Mesna	Human Plasma.	502.506 ng/mL to 20100.226 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2015

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
625	Metaclopramide	Human Plasma.	0.601 ng/mL to 60.057 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2013
626	Metaxalone	Human Plasma.	39.868 ng/mL to 4011.888 ng/mL	LC-MS/MS	EDTA	-70	MUM	2008
627	Metaxalone	Human Plasma.	40.024 ng/mL to 8000.770 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2016
628	Metformin	Human Plasma.	10.000 ng/mL to 1600.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2013
629	Metformin	Human Plasma.	10.006 ng/mL to 1599.948 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2015
630	Metformin	Human Plasma	10.000 ng/mL to 2000.030 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2019
631	Metformin	Human Plasma	10.006 ng/mL to 3502.118 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2019
632	Metformin in presence of Alogliptin	Human Plasma	10.023 ng/mL to 3006.830 ng/mL	LC-MS/MS	K3EDTA	-20	MUM	2025
633	Metformin in presence of Dapagliflozin	Human Plasma	10.001 ng/mL to 2001.020 ng/mL	LC-MS/MS	K3EDTA	-20	AHD	2017
634	Metformin + Glimepiride	Human Plasma.	Metformin: 20.000 ng/mL to 2000.000 ng/mL Glimepiride: 5.000 ng/mL to 500.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2008
635	Metformin 1 gm	Human Plasma.	49.737 ng/mL to 3014.357ng/mL	LC-MS/MS	EDTA	-20	MUM	2007
636	Metformin 750 mg	Human Plasma.	50.302 ng/mL to 2012.067 ng/mL	LC-MS/MS	EDTA	-20	MUM	2007
637	Metformin in presence of Empagliflozin	Human Plasma.	10.014 ng/mL to 2000.872 ng/mL	LC-MS/MS	K3EDTA	-20	MUM	2022
638	Metformin, Pioglitazone and Hydroxy Pioglitazone MIV	Human Plasma.	Metformin : 10.000 ng/mL to 3500.000 ng/mL Pioglitazone : 10.000 ng/mL to 1200.000 ng/mL Hydroxy Pioglitazone MIV : 10.000 ng/mL to 1200.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2014
639	Metformin+ Glibenclamide	Human Plasma.	Metformin: 49.615 ng/mL to 1999.500 ng/mL Glibenclamide: 4.997 ng/mL to 499.700 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
640	Metformin + Sitagliptin	Human Plasma.	For Metformin: 10.000 ng/mL to 3000.000 ng/mL For Sitagliptin: 2.000 ng/mL to 800.000 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2025
641	Methimazole (Carbimazole)	Human Plasma.	10.052 ng/mL to 600.145 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2017
642	Methocarbamol	Human Plasma.	0.250 µg/mL to 25.000 µg/mL	LC-MS/MS	K3 EDTA	-20	AHD	2010
643	Methoxalen	Human Plasma.	0.996 ng/mL to 100.120 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2007
644	Methylphenidate	Human Plasma.	0.101 ng/mL to 20.068 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2013

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
645	Methylphenidate	Human Plasma.	0.101 ng/mL to 80.063 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2016
646	Methylphenidate	Human Plasma.	0.100 ng/mL to 80.004 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2019
647	Methylprednisolone	Human Plasma.	4.027 ng/mL to 400.233 ng/mL	LC-MS/MS	NaF/Potassium Oxalate	-70	MUM	2014
648	Methylprednisolone	Human Plasma.	1.003 ng/mL to 200.223 ng/mL	LC-MS/MS	NaF and Potassium Oxalate	-70	MUM	2014
649	Metoclopramide	Human Plasma.	0.505 ng/mL to 60.106 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2011
650	Metoprolol	Human Plasma.	2.003 ng/mL to 300.378 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2011
651	Metoprolol	Human Plasma.	5.000 ng/mL to 500.048 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
652	Metoprolol	Human Plasma.	0.501 ng/mL to 199.913 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
653	Metoprolol	Human Plasma.	5.003 ng/mL to 999.649 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
654	Metoprolol	Human Plasma.	0.200 ng/mL to 150.489 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
655	Metoprolol	Human Plasma.	0.100 ng/mL to 50.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2014
656	Metoprolol	Human Plasma.	0.100 ng/mL to 50.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2014
657	Metoprolol	Human Plasma.	0.501 ng/mL to 199.740 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2016
658	Metoprolol + Felodipine	Human Plasma.	Metoprolol : 0.502 ng/mL to 99.999 ng/mL Felodipine: 0.101 ng/mL to 20.026 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2019
659	Metoprolol + HCTZ	Human Plasma.	1.998 ng/mL to 201.011 ng/mL for Metoprolol 7.997 ng/mL to 800.721 ng/mL for Hydrochlorothiazide	LC-MS/MS	Sodium Heparin	-70	MUM	2007
660	Metronidazole	Human Plasma.	50.060 ng/mL to 8004.594 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2016
661	Methazolamide	Human whole blood	100.169 ng/mL to 18005.312 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2021
662	S-(+)-Mexiletine and (R)-Mexiletine	Human Plasma.	S-(+)-Mexiletine : 10.025 ng/mL to 1001.531 ng/mL (R)-Mexiletine: 10.053 ng/mL to 1004.319 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2019
663	Midazolam	Human Plasma.	0.500 ng/mL to 150.476 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2014
664	Midodrine	Human Plasma.	1.028 ng/mL to 99.672 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2010
665	Midodrine	Human Plasma.	1.028 ng/mL to 99.672 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2014

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
666	Midodrine	Human Plasma.	0.300 ng/mL to 50.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2014
667	Mifepristone	Human Plasma.	20.499 ng/mL to 4999.655 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
668	Mifepristone + N-demethyl mifepristone + hydroxy mifepristone	Human Plasma	Mifepristone : 25.000 ng/mL to 5000.020 ng/mL N-demethyl mifepristone : 25.008 ng/mL to 5001.540 ng/mL Hydroxy mifepristone: 10.004 ng/mL to 2000.820 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2016
669	Miglustat	Human Plasma.	10.000 ng/mL to 2500.000 ng/mL	LC-MS/MS	K3EDTA	-20	AHD	2015
670	Milnacipran	Human Plasma.	1.499 ng/mL to 299.843 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2010
671	Minocycline	Human Plasma.	25.103 ng/mL to 3012.394 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
672	Minocycline	Human Plasma.	25.000 ng/mL to 3000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2007
673	Minocycline	Human Plasma	20.000 ng/mL to 3000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2018
674	Mirabegron	Human Plasma.	250.143 pg/mL to 25014.271 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2016
675	Mirtazepine	Human Plasma.	1.400 ng/mL to 140.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2009
676	Misoprostic acid	Human Plasma.	15.007 pg/mL to 1494.675 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2010
677	Misoprostic acid	Human Plasma.	15.000 pg/mL to 1557.081 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
678	Mizolastine	Human Plasma	2.000 ng/mL to 750.030 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2018
679	Modafinil	Human Plasma.	100.508ng/mL to 15001.176ng/mL	LC-MS/MS	K3EDTA	-20	MUM	2018
680	Monomethyl fumarate	Human Plasma.	40.031 ng/mL to 5002.891 ng/mL	LC-MS/MS	NaF/Potassium oxalate	-70	MUM	2014
681	Monomethyl fumarate	Human Plasma.	40.042 ng/mL to 5000.218 ng/mL	LC-MS/MS	NaF/Potassium oxalate	-70	MUM	2024
682	Monomethyl fumarate and Monoethyl fumarate	Human Plasma.	20.007 ng/mL to 2500.916 ng/mL for Monomethyl Fumarate 20.022 ng/mL to 2502.775 ng/mL for Monoethyl Fumarate	LC-MS/MS	NaF/Potassium oxalate	-70	MUM	2018
683	Montelukast	Human Plasma.	5.003 ng/mL to 999.020 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2009
684	Montelukast	Human Plasma.	5.000 ng/mL to 1000.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2010
685	Mycophenolate Mofetil	Human Plasma.	0.041 ng/mL to 15.082 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2012
686	Mycophenolate Mofetil	Human Plasma.	10.000 pg/mL to 15016.250 pg/mL	LC-MS/MS	K2 EDTA	-70	AHD	2015

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
687	Mycophenolate Mofetil in presence of mycophenolic acid	Human Plasma	10.000 to 15000.000 pg/mL	LC-MS/MS	K2 EDTA	-70	AHD	2019
688	Mycophenolic Acid	Human Plasma.	75.098 ng/mL to 24992.666 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2013
689	Mycophenolic acid	Human Plasma.	74.999 ng/mL to 24999.610 ng/mL	LC-MS/MS	K2 EDTA	-70	AHD	2014
690	Mycophenolic acid	Human Plasma.	75.005 ng/mL to 25001.770 ng/mL	LC-MS/MS	K2 EDTA	-70	AHD	2017
691	Mycophenolic acid in presence of Mycophenolate Mofetil	Human Plasma	75.002 to 25000.470 ng/mL	LC-MS/MS	K2 EDTA	-70	AHD	2019
692	Nabumetone	Human Plasma.	Nabumetone: 1.000 ng/mL to 400.140 ng/ml;	LC-MS/MS	K2 EDTA	-70	MUM	2011
693	Nabumetone	Human Plasma.	Nabumetone: 0.151 ng/mL to 30.216 ng/ml;	LC-MS/MS	K2 EDTA	-70	MUM	2011
694	Nadolol	Human Plasma.	1.000 ng/mL to 499.750 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2016
695	Naproxen	Human Plasma	1.000 µg/mL to 150.002µg/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2018
696	Naproxen	Human Plasma	0.401 µg/mL to 80.083 µg/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2024
697	Naproxen in presence of Esomeprazole	Human Plasma	1.005 µg/mL to 150.374 µg/mL	LC-MS/MS	K3 EDTA	-20	MUM	2019
698	N-Acetyl mesalamine	Human Plasma.	20.038 ng/mL to 1406.160 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2012
699	Nefopam	Human Plasma.	1.001 ng/mL to 251.374 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2019
700	Nefopam and N-Desmethyl nefopam in presence of paracetamol, Paracetamol sulphate, and paracetamol B -D Glucuronide	Human Plasma.	Nefopam : 1.047 ng/mL to 309.152 ng/mL N-Desmethyl Nefopam: 1.028 ng/mL to 303.528 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2021
701	Nevirapine	Human Plasma.	50.000 ng/mL to 5000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2009
702	N-Hydroxycytidine	Human Plasma.	10.005 ng/mL to 2001.051 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2022
703	Nicergoline + MMDL + MDL	Human Plasma.	Nicergoline : 5.024 pg/mL to 2001.599 pg/mL MMDL: 109.861 pg/mL to 100072.958 pg/mL MDL: 109.806 pg/mL to 100023.714 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2019
704	Nicorandil	Human Plasma.	2.000 ng/mL to 800.030 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2015
705	Nicorandil + Metoprolol	Human Plasma.	Nicorandil : 4.005 ng/mL to 1500.037 ng/mL Metoprolol: 0.501 ng/mL to 150.027 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2021

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
706	Nifedipine	Human Plasma.	1.994 ng/mL to 300.021 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
707	Nifedipine	Human Plasma.	2.005 ng/mL to 601.520 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2010
708	Nifedipine	Human Plasma.	0.401ng/mL to 60.013ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2013
709	Nifedipine	Human Plasma.	0.500 ng/mL to 200 ng/mL	LC-MS/MS	Heparinised Plasma.	-20	AHD	2015
710	Nifedipine	Human Plasma.	1.001 ng/mL to 300.259 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2017
711	Nimesulide	Human Plasma.	49.620 ng/mL to 5011.586 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2007
712	Nimesulide	Human Plasma.	49.990 ng/mL to 9997.960 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2014
713	Nimesulide	Human Plasma.	0.100 ng/mL to 100.140 ng/mL	LC-MS/MS	Na Heparinised Plasma.	-70	MUM	2015
714	Nimesulide	Human Plasma.	50.018 ng/mL to 12004.309 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2020
715	Nimodipine	Human Plasma.	0.101 ng/mL to 80.510 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
716	Nintedanib	Human Plasma	0.200 ng/mL to 30.099 ng/mL	LC-MS/MS	K3 EDTA	-70°C	AHD	2021
717	Nirmatrelvir and Ritonavir	Human Plasma	Nirmatrelvir : 50.225 ng/mL to 4015.985 ng/mL Ritonavir: 10.019 ng/mL to 2002.772 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2022
718	Nisoldipine	Human Plasma.	25.029 pg/mL to 5005.784 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2009
719	Nisoldipine	Human Plasma.	0.100 ng/mL to 30.00 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2008
720	Nitrazepam	Human Plasma.	0.501 ng/mL to 150.450 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2020
721	Nitrendipine	Human Plasma.	0.200 ng/mL to 50.00 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2014
722	Nitrofurantine	Human Plasma.	1.005 ng/mL to 501.867 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2013
723	Nitrofurantoin	Human Plasma.	1.005 ng/mL to 2000.268 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2019
724	Nizatidine	Human Plasma.	25.062 to 4009.920ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
725	Nomegestrol acetate	Human Plasma.	0.100 ng/mL to 15.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2014
726	Norethidrone	Human Plasma.	100.000 pg/mL to 18000.000 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2011
727	Norethidrone (In presence of Estradiol)	Human Plasma	50.000 pg/mL to 18000.00 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2018
728	Norfloxacin	Human Plasma.	25.000 ng/mL to 3500.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2010

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
729	Obeticholic Acid	Human Plasma.	2.204 ng/mL to 271.690 ng/mL for Obeticholic Acid 2.090 ng/mL to 254.085 ng/mL for Glyco-Obeticholic Acid 0.566 ng/mL to 26.510 ng/mL for Tauro-Obeticholic Acid	LC-MS/MS	Sodium Heparin	-70	MUM	2018
730	Olanzapine	Human Plasma.	0.100 ng/mL to 30.047 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
731	Olanzapine	Human Plasma.	0.101 ng/mL to 15.114 ng/mL	LC-MS/MS	Sodium Heparin		MUM	2013
732	Olanzapine	Human Plasma.	0.150 ng/mL to 15.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2011
733	Olanzapine	Human Plasma.	0.500 ng/mL to 150.068 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2017
734	Olanzapine	Human Plasma.	0.201 ng/mL to 50.076 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2023
735	Olmesartan	Human Plasma.	5.004 ng/mL to 1999.263 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2014
736	Olmesartan	Human Plasma.	10.000 ng/mL to 2001.150 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2012
737	Olmesartan	Human Plasma.	5.080 ng/mL to 3017.710 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2016
738	Olmesartan and Hydrochlorothiazide	Human Plasma.	Olmesartan: 10.024 ng/mL to 2004.790 ng/mL Hydrochlorothiazide: 1.501 ng/mL to 300.110 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2017
739	Omeprazole	Human Plasma.	1.997 ng/mL to 2022.052 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
740	Omeprazole	Human Plasma.	2.009 ng/mL to 3005.306 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2011
741	Omeprazole	Human Plasma.	2.000 ng/mL to 2000.000 ng/mL	LC-MS/MS	K2 EDTA	-20	AHD	2014
742	Omeprazole	Human Plasma.	2.005 ng/mL to 2500.760 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2018
743	Ondansetron	Human Plasma.	0.994 ng/mL to 248.403 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2008
744	Ondansetron	Human Plasma.	0.600 ng/mL to 60.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011
745	Ondansetron	Human Plasma.	0.400 ng/mL to 100.068 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2022
746	Oseltamivir	Human Plasma.	Oseltamivir: 2.006 ng/mL to 501.451 ng/mL Oseltamivir Carboxylate: 15.023 ng/mL to 1502.340 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2012
747	Oseltamivir and Oseltamivir carboxylic acid	Human Plasma.	Oseltamivir: 2.001 ng/mL to 500.200 ng/mL Oseltamivir Carboxylic acid: 10.010 ng/mL to 1000.010 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2017

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
748	Oxcarbazepine	Human Plasma.	19.985 ng/mL to 2959.729 ng/mL for Oxcarbazepine 101.886 ng/mL to 10099.352 ng/mL for 10-Hydroxy Carbazepine	LC-MS/MS	K3 EDTA	-70	MUM	2010
749	Oxcarbazepine	Human Plasma.	Oxcarbazepine: 30.000 ng/mL to 3000.000 ng/mL , 10-Hydroxycarbazepine: 150.000 ng/mL to 15000.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2007
750	Oxcarbazepine and Licarbazepine	Human Plasma.	Oxcarbazepine: 20.060 ng/mL to 3004.928 ng/mL Licarbazepine: 100.173 ng/mL to 10012.291 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2017
751	Oxybutynin and its metabolite N-Desethyl Oxybutynin	Human Plasma.	0.050 ng/mL to 10.061 ng/mL for Oxybutynin 0.100 ng/mL to 50.100 ng/mL for N-Desethyl Oxybutynin	LC-MS/MS	K2 EDTA	-70	MUM	2012
752	Oxybutynin and its metabolite N-Desethyl Oxybutynin	Human Plasma.	0.050 ng/mL to 10.009 ng/mL for Oxybutynin 0.100 ng/mL to 49.985 ng/mL for N-Desethyl Oxybutynin	LC-MS/MS	K2 EDTA	-70	MUM	2017
753	Palbociclib	Human Plasma	1.000 ng/mL to 150.030 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2018
754	Paliperidone	Human Plasma.	Paliperidone : 0.250 ng/mL to 25.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2014
755	Pantoprazole	Human Plasma.	49.962 ng/mL to 4996.189 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
756	Pantoprazole	Human Plasma.	10.000 ng/mL to 6000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2012
757	Pantoprazole	Human Plasma.	25.003 ng/mL to 7501.046 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2016
758	Paracetamol	Human Plasma.	200.214 ng/mL to 25006.711 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2012
759	Paracetamol	Human Plasma.	200.524 ng/mL to 25045.471 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2014
760	Paracetamol	Human Plasma	150.008 ng/mL to 15000.728 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2018
761	Paracetamol in presence of Ibuprofen	Human Plasma	50.112 ng/mL to 8001.924ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2021
762	Paracetamol + Caffeine + Dextropropoxyphene + Diphenhydramine	Human Plasma.	Paracetamol : 200.000 ng/mL to 16000.000 ng/mL ; Caffeine : 37.500 ng/mL to 3000.000 ng/mL ; Dextropropoxyphene :1.250 ng/mL to 100.000 ng/mL ; Diphenhydramine :0.150 ng/mL to 12.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2009

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
763	Paracetamol + Diclofenac	Human Plasma.	Paracetamol : 45.057 ng/mL to 9003.416 ng/mL Diclofenac: 20.048 ng/mL to 7002.714 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2019
764	Paracetamol, Paracetamol Glucuronide, Paracetamol sulfate	Human Plasma.	Paracetamol : 51.373 ng/mL to 35120.065 ng/mL Paracetamol Glucuronide : 51.946 ng/mL to 35104.973 ng/mL Paracetamol Sulfate : 51.000 ng/mL to 15184.704 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2021
765	Paracetamol + Pheniramine	Human Plasma.	For Paracetamol - 200.900 ng/mL to 20003.370 ng/mL For Pheniramine - 5.002 ng/mL to 500.209 ng/mL	LC-MS/MS	Na-Heparin	-70	MUM	2015
766	Paracetamol + Chlorpheniramine	Human Plasma.	For Paracetamol - 150.225 ng/mL to 15002.786 ng/mL For Chlorpheniramine - 0.201 ng/mL to 10.029 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2019
767	Paroxetine	Human Plasma.	0.100 ng/mL to 20.092 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2019
768	Pazopanib	Human Plasma.	100.030 ng/mL to 39971.971 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2022
769	Penicillin V (Phenoxymethyl Penicillin)	Human Plasma.	300.823 ng/mL to 30065.106 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2011
770	Perphenazine	Human Plasma.	15.098 pg/mL to 754.378 pg/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
771	Perphenazine	Human Plasma.	40.079 pg/mL to 4007.904 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
772	Perphenazine	Human Plasma.	40.560 pg/mL to 4005.330 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
773	Phenobarbital	Human Plasma.	20.052 ng/mL to 2001.233 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2021
774	Phenteramine in presence of Topiramate	Human Plasma.	0.500 ng/mL to 149.800 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2019
775	Phenylamidol	Human Plasma	1.000 ng/mL to 300.135 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2018
776	Phenytoin	Human Plasma.	100.003 ng/mL to 10000.310 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2009
777	Phenytoin	Human Plasma.	100.00 ng/mL to 10000.00 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2013
778	Phenytoin	Human Plasma.	100.208 ng/mL to 10071.121 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2016
779	Phosphorus	Human Urine	10.000 µg/mL to 1000.000 µg/mL	ICP Mass Analyzer	NA	-70	MUM	2018

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
780	Phytonadione (Cis and Trans Vitamin K)	Human Plasma.	For Cis-Phytonadione - 0.253 ng/mL to 100.736 ng/mL For Trans-Phytonadione - 0.252 ng/mL to 100.176 ng/mL (Baseline Corrected) For Cis-Phytonadione - 0.253 ng/mL to 100.736 ng/mL For Trans-Phytonadione - 0.657 ng/mL to 100.581 ng/mL	LC-MS/MS	K3 EDTA Plasma	-70	MUM	2015
781	Phytonadione (Cis and Trans Vitamin K)	Human Plasma.	For Cis-Phytonadione - 0.253 ng/mL to 99.166 ng/mL For Trans-Phytonadione - 0.252 ng/mL to 700.110 ng/mL (Baseline Corrected) For Cis-Phytonadione - 0.071 ng/mL to 99.166 ng/mL For Trans-Phytonadione - 0.072 ng/mL to 410.622 ng/mL	LC-MS/MS	K3 EDTA Plasma	-70	MUM	2017
782	Pioglitazone	Human Plasma.	25.018 ng/mL to 3002.127 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
783	Pioglitazone	Human Plasma.	Pioglitazone: 10.031 ng/mL to 3992.401 ng/mL Hydroxy Pioglitazone: 9.805 ng/mL to 3921.847 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2009
784	Pioglitazone	Human Plasma.	Pioglitazone: 30.000 ng/mL to 3000.030 ng/mL , Hydroxy Pioglitazone: 15.001 ng/mL to 1500.130 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2013
785	Pioglitazone+Glimepiride	Human Plasma.	Pioglitazone: 10.000 ng/mL to 2000.000 ng/mL , Hydroxy Pioglitazone: 5.000 ng/mL to 1000.000 ng/mL Glimepiride: 5.000 ng/mL to 400.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011
786	Piperaquine	Human Plasma.	0.504 ng/mL to 400.270 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
787	Piperaquine	Human Plasma.	0.300 ng/mL to 150.047 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
788	Piroxicam	Human Plasma.	30.056 ng/mL to 4004.961 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2013
789	Pirfenidone	Human Plasma	149.990 to 14998.878 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2019
790	Pitavastatin	Human Plasma.	1.003 ng/mL to 200.328 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2013

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
791	Pitavastatin and Pitavastatin Lactone	Human Plasma.	For Pitavastatin - 1.001 ng/mL to 200.172 ng/mL For Pitavastatin Lactone - 1.002 ng/mL to 199.954 ng/mL	LC-MS/MS	K3 EDTA Plasma	-70	MUM	2015
792	Posaconazole	Human Plasma.	4.053 ng/mL to 800.608 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2016
793	Posaconazole	Human Plasma.	4.023 ng/mL to 804.029 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2016
794	Posaconazole	Human Plasma.	4.005 ng/mL to 800.086 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2019
795	Posaconazole	Human Plasma.	10.042 ng/mL to 3000.043 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2021
796	Potassium Chloride (KCl)	Human Urine	99.974 µg/mL to 3999.0 µg/mL	ICP-OES	Human Urine	-20	MUM	2010
797	Potassium Chloride (KCl)	Human Urine	200.325 µg/mL to 6500.668 µg/mL	ICP-OES	Human Urine	-20	MUM	2015
798	Potassium	Human Urine	200.446 µg/mL to 4005.017 µg/mL	ICP-OES	Human Urine	-20	MUM	2016
799	Pramipexole	Human Urine	4.999 pg/mL to 2012.465 pg/mL	LC-MS/MS	K2 EDTA	-20	MUM	2017
800	Pravastatin	Human Plasma.	0.302 ng/mL to 80.224 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2012
801	Pravastatin	Human Plasma.	0.504 ng/mL to 251.389 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2014
802	Prednisolone	Human Plasma.	10.006 ng/mL TO 899.581 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2010
803	Pregabalin	Human Plasma.	40.000 ng/mL to 8000.040 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2014
804	Pregabalin	Human Plasma.	40.020 ng/mL to 15003.498 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2018
805	Primaquine	Human Plasma.	1.002 ng/mL to 199.824 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2022
806	Primidone	Human plasma	120.002 ng/mL to 12000.180 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2019
807	Prochlorperazine	Human Plasma.	50.064 pg/mL to 10012.788 pg/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2021
808	Progesterone	Human Plasma.	1.002 ng/mL to 125.275ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
809	Progesterone	Human Plasma.	0.100 ng/mL to 100.101 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2010
810	Progesterone	Human Plasma.	0.194 ng/mL to 100.092 ng/mL (Baseline corrected)	LC-MS/MS	Sodium Heparin	-70	MUM	2013
811	Progesterone	Human Plasma.	0.100 ng/ml to 100.000 ng/ml	LC-MS/MS	Sodium Heparin	-70	AHD	2014
812	Progesterone	Human Plasma.	25.015 pg/mL to 5002.998 pg/mL (in Surrogate Blank Plasma)	LC-MS/MS	Sodium Heparin	-70	MUM	2019

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
813	Promazine	Human Plasma.	0.400 ng/ml to 120.012 ng/ml	LC-MS/MS	Sodium Heparin	-20	AHD	2019
814	Promethazine	Human Plasma.	0.300 ng/ml to 30.000 ng/ml	LC-MS/MS	Sodium Heparin	-20	AHD	2008
815	Propafenone	Human Plasma.	5.000 ng/mL to 1000.018 ng/mL	LC-MS/MS	K2 EDTA	-70	AHD	2013
816	Propafenone and 5-Hydroxy propafenone	Human Plasma.	For Propafenone : 1.991 ng/mL to 1085.915 ng/mL For 5-Hydroxy Propafenone : 2.014 ng/mL to 1096.802 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2016
817	Propofol	Human plasma	5.023 ng/mL to 2000.975 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2017
818	Prothionamide	Human Plasma.	25.078 to 3009.386 ng/mL for Prothionamide 25.016 to 2501.550 ng/mL for Prothionamide Sulfoxide	LC-MS/MS	Sodium Heparin	-70	MUM	2011
819	Prothionamide	Human Plasma.	50.041 ng/mL to 3500.859 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2019
820	Pseudoephedrine	Human Plasma.	0.999 ng/mL to 699.259 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2009
821	Pseudoephedrine	Human Plasma.	1.000 ng/mL to 700.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2009
822	Pseudoephedrine in presence of Loratadine and Descarboethoxyloratadine	Human Plasma.	5.006 ng/mL to 1000.163 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2021
823	Pyrazinamide	Human Plasma.	500.000 ng/mL to 20000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2008
824	Pyrazinamide	Human Plasma.	252.807 ng/mL to 25270.582 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2012
825	Pyrazinamide	Human Plasma	0.500 µg/mL to 20.002 µg/mL	LC-MS/MS	K2 EDTA	-70	AHD	2018
826	Pyrimethamine	Human Plasma.	5.011 ng/mL to 800.753 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2016
827	Quetiapine	Human Plasma.	2.002 ng/mL to 500.501 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2008
828	Quetiapine	Human Plasma.	5.000 ng/mL to 2500.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011
829	Quetiapine	Human Plasma.	1.500 ng/mL to 1500.084 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2015
830	Quetiapine	Human Plasma	5.000 ng/mL to 2499.830 ng/mL	LC-MS/MS	Na Heparin	-20	AHD	2017
831	Quetiapine	Human Plasma	1.001 ng/mL to 500.009 ng/mL	LC-MS/MS	Na Heparin	-70	MUM	2022
832	Quetiapine + Nor Quetiapine	Human Plasma	Quetiapine: 1.500 ng/mL to 1500.012 ng/mL , Nor Quetiapine: 1.500 ng/mL to 499.998 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2016

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
833	Quinapril and Hydrochlorothiazide	Human Plasma.	Quinapril: 4.943ng/mL to 1513.217ng/mL Quinaprilat: 4.928ng/mL to 1508.458ng/mL Hydrochlorothiazide: 4.943ng/mL to 504.409ng/mL	LC-MS/MS	Sodium Heparin		MUM	2007
834	Quinidine	Human Plasma.	Quinidine: 200.00 ng/mL to 8000.00 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2012
835	Quinine	Human Plasma.	25.028 ng/mL to 5000.578 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2022
836	R(+) PANTOPRAZOLE AND S(-) PANTOPRAZOLE	Human Plasma.	For R(+) Pantoprazole - 20.064 ng/mL to 4002.730 ng/mL For S(-) Pantoprazole - 20.070 ng/mL to 4003.989 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2015
837	Rabeprazole	Human Plasma.	10.005 ng/mL to 1200.547 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2011
838	Rabeprazole	Human Plasma.	15.049 ng/mL to 1504.944 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2010
839	Rabeprazole	Human Plasma.	5.002 ng/mL to 1498.573 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
840	Rabeprazole	Human Plasma.	2.002 ng/mL to 1501.620 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2021
841	Raloxifen	Human Plasma.	5.000 pg/mL to 1500.054 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2014
842	Raloxifen	Human Plasma.	Raloxifen: 15.000 pg/mL to 1499.964 pg/mL RAL 4'G : 1.500 pg/mL to 299.910 pg/mL RAL 6'G : 0.301 ng/mL to 60.112 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2013
843	Raloxifen (PMV)	Human Plasma.	For Raloxifene – 5.003 pg/mL to 600.346 pg/mL For RAL4'G - 1.505 ng/mL to 299.829 ng/mL For RAL6'G - 0.301 ng/mL to 59.972 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2014
844	Raloxifene, 4-Glucuronide, 6-Glucuronide	Human Plasma.	Raloxifene : 5.007 pg/mL to 800.353 pg/mL Raloxifene 4'-Glucuronide: 1.503 ng/mL to 300.001 ng/mL Raloxifene 6'-Glucuronide: 0.303 ng/mL to 60.049 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2022
845	Ramipril	Human Plasma.	0.250 ng/mL to 50.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2010
846	Ramipril + Ramiprilate	Human Plasma.	0.353 ng/mL to 70.308 ng/mL for Ramipril 1.002 ng/mL to 40.061 ng/mL for Ramiprilat	LC-MS/MS	Sodium Heparin	-20	MUM	2007
847	Ramipril + Ramiprilate	Human Plasma.	Ramipril: 0.502 ng/mL to 100.302 ng/mL Ramiprilat: 1.001 ng/mL to 40.035 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2009

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
848	Ramipril + Ramiprilate	Human Plasma.	For Ramipril: 0.509 ng/mL to 101.600 ng/mL For Ramiprilate: 1.012 ng/mL to 49.986 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2014
849	Ramipril and Hydrochlorothiazide	Human Plasma.	Ramipril: 0.250 ng/mL to 80.000 ng/mL HCTZ : 1.500 ng/mL to 300.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2014
850	Ranitidine	Human Plasma.	20.009 ng/mL to 2501.069 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2007
851	Ranitidine	Human Plasma.	15.003 ng/mL to 2200.390 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2014
852	Ranitidine	Human Plasma.	10.007 ng/mL to 2501.810 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2017
853	Ranolazine	Human Plasma.	10.006 ng/mL to 4998.182 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2018
854	Ranolazine	Human Plasma.	10.023 ng/mL to 3002.898 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2023
855	Rasagiline	Human Plasma.	50.000 pg/mL to 10000.000 pg/mL	LC-MS/MS	K2 EDTA	-70	AHD	2013
856	Rasagiline	Human Plasma.	50.030 pg/mL to 20012.161 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2012
857	Rasagiline	Human Plasma.	50.063 pg/mL to 10012.501 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
858	R-Cinacalcet	Human Plasma.	0.200 ng/mL to 80.008 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2013
859	Repaglinide	Human Plasma.	0.250 ng/mL to 50.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2013
860	R-ibuprofen and S-ibuprofen	Human Plasma.	R-ibuprofen - 0.200ng/mL to 22.180ng/mL S-ibuprofen - 0.200ng/mL to 22.181ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2014
861	Rifabutin	Human Plasma.	25.104 ng/mL to 2008.337 ng/mL	LC-MS/MS	NaF-KO	-70	MUM	2017
862	Rifampicin	Human Plasma.	100.282 ng/mL to 9996.868 ng/mL for Rifampicin 20.026 ng/mL to 1996.359 ng/mL for Desacetyl Rifampicin	LC-MS/MS	Sodium Heparin	-20	MUM	2009
863	Rifampicin +Desacetyl rifampicin	Human Plasma	Rifampicin: 100.000 ng/mL to 14999.955 ng/mL Desacetyl rifampicin : 20.000 ng/mL to 2000.000 ng/mL	IC-MS/MS	NAF+K2C2O4	-70	AHD	2016
864	Rifaximin	Human Plasma.	50.019 pg/mL to 20007.696 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
865	Rifaximin	Human Plasma.	20.082 pg/mL to 5097.063 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2018
866	Rifaximin	Human Plasma.	50.007 pg/mL to 9986.286 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2019
867	Rifaximin in presenceof Thiorphan	Human Plasma.	15.006 pg/mL to 5001.829 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2020
868	Risedronic acid	Human Plasma	0.500 ng/mL to 100.000 ng/mL	IC-MS/MS	K3 EDTA	-70	AHD	2019

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
869	Risperidone	Human Plasma.	Risperidone For Risperidone: 0. 501 ng/mL to 30.035ng/mL 9-Hydroxy Risperidone: 0.502 ng/mL to 30.106 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2007
870	Risperidone	Human Plasma.	0.150 ng/mL to 30.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2010
871	Risperidone	Human Plasma	0.150 ng/mL to 39.996 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2016
872	Risperidone	Human Plasma.	Risperidone For Risperidone: 0. 101 ng/mL to 20.141 ng/mL 9-Hydroxy Risperidone: 0.101 ng/mL to 20.132 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2017
873	Ritonavir	Human Plasma.	5.072 ng/mL to 3515.185 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2013
874	Ritonavir	Human Plasma.	5.009 ng/mL to 1999.715 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2023
875	Rivaroxaban	Human Plasma.	2.016 ng/mL to 1005.484 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2014
876	Rivaroxaban	Human Plasma.	0.501 ng/mL to 199.690 ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2018
877	Rivastigmine	Human Plasma.	50.000 pg/mL to 5000.000 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2014
878	Roflumilast	Human Plasma.	Roflumilast : 0.100 ng/mL to 20.000 ng/ mL Roflumilast N-oxide : 0.200 ng/mL to 20.000 ng/ mL	LC-MS/MS	K3 EDTA	-20	AHD	2015
879	Ropinirole	Human Plasma.	0.200 ng/mL to 8.001 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2012
880	Ropinirole	Human Plasma.	50.260 pg/mL to 5020.979 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2016
881	Rosuvastatin	Human Plasma.	0.500 ng/mL to 100.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2010
882	Rosuvastatin	Human Plasma.	0.100 ng/mL to 199.653 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2012
883	Rosuvastatin	Human Plasma.	0.050 ng/mL to 101.122 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2013
884	Rosuvastatin	Human Plasma.	0.050 ng/mL to 99.912 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2013
885	Rosuvastatin	Human Plasma.	0.100 ng/mL to 100.606 ng/mL	LC-MS/MS	K3 EDTA Plama	-70	MUM	2015
886	Rosuvastatin in presence of Rosuvastatin Lactone	Human Plasma.	0.200 ng/mL to 39.916 ng/mL	LC-MS/MS	K3 EDTA Plama	-70	MUM	2021
887	Rosuvastatin in presence of Rosuvastatin Lactone and Valsartan	Human Plasma.	0.200 ng/mL to 49.958 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2025
888	Roxadustat	Human Plasma.	50.030 ng/mL to 15008.908 ng/mL	LC-MS/MS	Lithium Heparin	-70	MUM	2021

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
889	RP5063+ RP5063-M5	Human Plasma.	1.012 ng/mL to 500.360 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
890	Sacubitril	Human Plasma.	10.007 ng/mL to 4000.662 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2018
891	Sacubitril in presence of its metabolite LBQ657 and valsartan	Human Plasma.	10.006 ng/mL to 4002.240 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2020
892	S-Amlodipine+ Nebivolol	Human Plasma.	25.000 pg/mL to 4000.000 pg/mL for S-Amlodipine 25.000 pg/mL to 4000.000 pg/mL for Nebivolol	LC-MS/MS	K3 EDTA Plama	-70	AHD	2015
893	Saxagliptin	Human Plasma	0.200 ng/mL to 50.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2019
894	Secnidazole	Human Plasma.	0.400 µg/mL to 40.000 µg/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2011
895	Selexipag and Selexipag AM (ACT-333679)	Human Plasma.	Selexipag : 50.095 pg/mL to 25047.500 pg/mL Selexipag AM (ACT-333679): 50.135 pg/mL to 25067.500 pg/mL	LC-MS/MS	K3 EDTA	-70	MUM	2021
896	Sertraline	Human Plasma.	0.251 ng/mL to 150.307 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2010
897	Sertraline	Human Plasma.	0.201 ng/mL to 100.108 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2019
898	Sibutramine	Human Plasma.	Sibutramine: 0.202 ng/mL to 24.708 ng/mL Monomethyl Sibutramine: 0.201 ng/mL to 50.255 ng/mL Didesmethyl Sibutramine: 0.204 ng/mL to 50.063 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2009
899	Sibutramine	Human Plasma.	0.202 ng/mL to 14.907 ng/mL of Sibutramine 0.203 ng/mL to 14.906 ng/mL of Desmethyl Sibutramine 0.411 ng/mL to 25.467 ng/mL of Didesmethyl Sibutramine	LC-MS/MS	Sodium Heparin	-70	MUM	2009
900	Sildenafil	Human Plasma.	15.004 ng/mL to 1500.413 ng/mL for Sildenafil 15.009 ng/mL to 1500.870 ng/mL N-Desmethyl Sildenafil	LC-MS/MS	K3 EDTA	-70	MUM	2010
901	Sildenafil	Human Plasma.	10.000 ng/ml to 1500.00 ng/ml	LC-MS/MS	Sodium Heparin	-70	AHD	2013
902	Sildenafil + N-desmethyl Sildenafil	Human Plasma.	For Sildenafil - 5.036 ng/mL to 1510.667 ng/mL For N-Desmethyl Sildenafil - 2.500 ng/mL to 1000.197 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2013

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
903	Sildenafil + N-desmethyl Sildenafil	Human Plasma.	For Sildenafil - 5.006 ng/mL to 1501.832 ng/mL For N-Desmethyl Sildenafil - 2.503 ng/mL to 1001.324 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2018
904	Sildenafil and it's Metabolite Desmethyl Sildenafil	Human Plasma.	1.005 ng/mL to 1004.919 ng/mL for Sildenafil 1.026 ng/mL to 512.989 ng/mL for Desmethyl Sildenafil	LC-MS/MS	K3 EDTA	-70	MUM	2012
905	Simvastatin	Human Plasma.	0.200 ng/mL to 80.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2010
906	Simvastatin	Human Plasma.	Simvastatin: 0.995 ng/mL to 100.543ng/mL Simvastatin Acid: 0.496 ng/mL to 50.104 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2007
907	Simvastatin + Ezetimibe	Human Plasma.	Simvastatin : 0.200 ng/mL to 100 ng/mL, Ezetimibe : 0.050 ng/mL to 15.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2014
908	Simvastatin + Simvastatin acid + Ezetimibe	Human Plasma.	Simvastatin : 0.200 ng/mL to 100.000 ng/mL Simvastatin acid : 0.200 ng/mL to 30.000 ng/mL Ezetimibe : 50.000 pg/mL to 15000.000 pg/mL	LC-MS/MS	K3 EDTA	-70	AHD	2014
909	Simvastatin + Simvastatin acid in presence of Ezetimibe and Ezetimibe Glucuronide	Human Plasma.	Simvastatin : 0.103 ng/mL to 120.449 ng/mL Simvastatin acid: 0.104 ng/mL to 30.320 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2021
910	Sirolimus	Human Whole Blood	0.200 ng/mL to 22.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2012
911	Sitagliptin	Human Plasma	2.000 ng/mL to 800.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2018
912	Solifenacin	Human Plasma.	0.501 ng/mL to 300.339 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2012
913	Solifenacin	Human Plasma.	0.503 ng/mL to 100.509 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2014
914	Sorafenib	Human Plasma	25.004 ng/mL to 5000.670 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2018
915	Sotalol	Human Plasma	5.001 ng/mL to 3000.406 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2022
916	Spiranolactone	Human Plasma.	Spironolactone: 1.000 ng/mL to 250.000 ng/mL ; Canrenone : 1.200 ng/mL to 300.000 ng/mL ; 7 α -Thiomethyl spironolactone : 2.800 ng/mL to 700.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2010

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
917	Spiranolactone	Human Plasma.	1.005 ng/mL to 251.234 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2018
918	Stavudine	Human Plasma.	20.00 ng/mL to 1600.00 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	
919	Stavudine + Lamivudine + Nevirapine	Human Plasma.	For Stavudine : 20.000 ng/mL to 2000.000 ng/mL ; For Lamivudine : 25.000 ng/mL to 3000.000 ng/mL ; For Nevirapine : 50.000 ng/mL to 5000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2006
920	Strontium	Human Serum	0.506 µg/mL to 16.176 µg/mL	ICP-OES	Human Serum	-70	MUM	2011
921	Sulfadoxine and Pyrimethamine	Human Plasma.	For Sulfadoxine – 1203.319 ng/mL to 99916.770 ng/mL For Pyrimethamine – 5.016 ng/mL to 1003.229 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2014
922	Sulfadoxine and Pyrimethamine	Human Plasma.	Sulfadoxine : 1199.414 ng/mL to 99951.183 ng/mL Pyrimethamine: 10.009 ng/mL to 999.944 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2022
923	Sulfadoxine and Pyrimethamine	Human Plasma.	Sulfadoxine : 1200.107 ng/mL to 100008.941 ng/mL Pyrimethamine: 10.008 ng/mL to 499.890 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2023
924	Sumatriptan	Human Plasma.	1.501 ng/mL to 150.065 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011
925	Sumatriptan	Human Plasma.	0.750 ng/mL to 149.975 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2017
926	Sumatriptan + Naproxen	Human Plasma.	Sumatriptan :1.000 ng/mL to 130.000 ng/mL Naproxen :1.000 µg/mL to 139.997 µg/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2014
927	Sunitinib	Human Plasma	0.300 ng/mL to 60.003 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2018
928	Sunitinib	Human Plasma	0.101 ng/mL to 12.076 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2026
929	Tacrolimus	Human Whole Blood	0.250 ng/mL to 60.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2011
930	Tacrolimus	Human whole blood	0.497 ng/mL to 50.218 ng/mL	LC-MS/MS	EDTA	-70	MUM	2007
931	Tacrolimus	Human Plasma.	0.501 ng/mL to 100.128 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2014

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
932	Tacrolimus	Human Serum	50.024 pg/mL to 10004.650 pg/mL	LC-MS/MS	NA	-20	AHD	2018
933	Tacrolimus	Human Whole Blood	0.200 ng/mL to 80.015 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2018
934	Tacrolimus	Human Whole Blood	40.045 pg/mL to 15016.894 pg/mL	LC-MS/MS	K3 EDTA	-70	MUM	2023
935	Tadalafil	Human Plasma.	1.526 ng/mL to 800.719 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2014
936	Tadalafil	Human Plasma.	1.508 ng/mL to 1000.193 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2021
937	Tamoxifen	Human Plasma.	0.700 ng/mL to 70.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2009
938	Tamsulosin	Human Plasma.	0.300-29.998 ng/ml	LC-MS/MS	Sodium Heparin	-70	AHD	2014
939	Tamsulosin and Dutasteride	Human Plasma.	For Tamsulosin: 0.201 ng/mL to 40.028 ng/mL For Dutasteride: 0.101 ng/mL to 8.010 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2024
940	Tazarotene and Tazarotenic acid	Human Plasma.	Tazarotene : 20.017 pg/mL to 3998.295 pg/mL Tazarotenic acid: 20.024 pg/mL to 3999.694 pg/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2019
941	Telmisartan	Human Plasma.	1.012 ng/mL to 600.518 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2010
942	Telmisartan	Human Plasma.	2.00 ng/mL to 1000.00 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2013
943	Telmisartan	Human Plasma.	1.008 ng/mL to 1005.567 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2017
944	Telmisartan in presence of Amlodipine	Human Plasma	1.001 ng/mL to 1001.032 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2017
945	Telmisartan+Amlodipine	Human Plasma	Telmisartan : 2.000 ng/mL to 1000.000 ng/mL ; Amlodipine : 0.100 ng/mL to 15.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2015
946	Telmisartan+Hydrochlorothiazide	Human Plasma.	Telmisartan : 2.000 ng/mL to 1000.000 ng/mL ; Hydrochlorothiazide : 3.000 ng/mL to 300.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2013
947	Temozolomide	Human Plasma	100.000 ng/mL to 20000.040 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2019
948	Tenofovir	Human Plasma.	9.998 ng/mL to 599.853 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2010
949	Tenofovir	Human Plasma.	5.052 ng/mL to 606.288 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
950	Tenofovir	Human Plasma.	5.004 ng/mL to 599.932 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
951	Tenofovir	Human Serum	5.000 ng/mL to 600.020 ng/mL	LC-MS/MS	NA	-20	AHD	2017
952	Tenofovir in presence of Tenofovir Alafenamide	Human Plasma.	0.501 ng/mL to 80.003 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2024
953	Tenofovir Alafenamide in presence of Tenofovir	Human Plasma.	2.001 ng/mL to 600.438 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2024
954	Tenofovir + Lamivudine	Human Plasma.	For Tenofovir - 10.069 ng/mL to 599.111 ng/mL For Lamivudine - 80.366 ng/mL to 5002.755 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2014
955	Tenofovir + Lamivudine	Human Plasma.	Tenofovir : 5.004 ng/mL to 600.430 ng/mL ; Lamivudine : 50.010 ng/mL to 5001.030 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2008
956	Tenofovir + Lamivudine in presence of Dolutegravir	Human Plasma.	For Tenofovir - 4.001 ng/mL to 1101.146 ng/mL For Lamivudine - 20.000 ng/mL to 5504.920 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2018
957	Tenoxicam	Human Plasma.	50.000 ng/mL to 5000.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2010
958	Terbinafine	Human Plasma.	20.005ng/mL to 1995.543ng/mL	LC-MS/MS	K2 EDTA	-20	MUM	2014
959	Teriflunomide	Human Plasma.	25.008 ng/mL to 5006.492 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2017
960	Tetrabenazine	Human Plasma.	10.206 pg/mL to 5103.240 pg/mL	LC-MS/MS	K2 EDTA	-70	MUM	2015
961	Tetrabenazine	Human Plasma.	10.111 pg/mL to 4012.379 pg/mL	LC-MS/MS	K2 EDTA	-70	MUM	2018
962	Tetracycline	Human Plasma.	10.001 ng/mL to 5000.313 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2017
963	Thiorphan (Racecadotril)	Human Plasma.	1.007 ng/mL to 201.338 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2016
964	Thiorphan (Racecadotril)	Human Plasma.	3.005 ng/mL to 799.634 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2024
965	Thiorphan in presence of Rifaximin	Human Plasma.	2.011 ng/mL to 600.264 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2020
966	Tibolone	Human Plasma.	α -Tibolone 0.100 ng/mL to 35.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2010
967	Ticagrelor	Human Plasma.	Ticagrelor : 10.000 ng/mL to 1500.000 ng/mL , deshydroxy ethoxy Ticagrelor: 3.000 ng/mL to 300.010 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2014
968	Ticagrelor	Human Plasma	Ticagrelor : 10.000ng/mL to 1500.050 ng/mL , deshydroxy ethoxy Ticagrelor: 3.000 ng/mL to 300.040 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2020
969	Ticlopidine	Human Plasma.	4.962 ng/mL to 601.498 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2007
970	Ticlopidine	Human Plasma.	5.000 ng/mL to 1100.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
971	Tinidazole	Human Plasma.	100.244 ng/mL to 19998.642 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2016
972	Tipiracil	Human Plasma.	0.500 ng/mL to 200.014 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2019
973	Tizanidine	Human Plasma.	50.248 pg/mL to 9999.394 pg/mL	LC-MS/MS	K2 EDTA		MUM	2012
974	Tizanidine	Human Plasma.	0.100 ng/ml to 10.000 ng/ml	LC-MS/MS	K2 EDTA	-70	AHD	2008
975	Tizanidine	Human Plasma.	50.043 pg/mL to 12005.262 pg/mL	LC-MS/MS	K2 EDTA	-70	MUM	2016
976	Tofacitinib	Human Plasma	0.500 Ng/mL-100.005 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2016
977	Tofacitinib	Human Plasma	0.200 ng/mL to 300.005 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2022
978	Tolterodine	Human Plasma.	25.028 pg/mL to 19972.646 pg/mL for Tolterodine 25.037 pg/mL to 19979.311 pg/mL for 5-Hydroxymethyl Tolterodine	LC-MS/MS	K3 EDTA	-70	MUM	2012
979	Tolterodine	Human Plasma.	24.941 pg/mL to 10225.932 pg/mL for Tolterodine 24.951 pg/mL to 10286.112 pg/mL for 5-Hydroxymethyl Tolterodine	LC-MS/MS	K3 EDTA	-70	MUM	2018
980	Tolterodine	Human Plasma.	For Tolterodine: 25.025 pg/mL to 15000.152 pg/mL For 5-Hydroxy methyl Tolterodine: 25.052 pg/mL to 15001.322 pg/mL	LC-MS/MS	K3 EDTA	-70	MUM	2026
981	Topiramate	Human Plasma.	10.162 to 1016.236 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2007
982	Topiramate	Human Plasma.	50.000 ng/mL to 3000.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2009
983	Topiramate	Human Plasma.	50.047 ng/mL to 6999.528 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2018
984	Topiramate in presence of phenteramine	Human Plasma.	10.008 ng/mL to 2997.521 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2019
985	Toremifene	Human Plasma.	5.000 ng/mL to 998.924 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2010
986	Traimterene	Human Plasma	2.001 ng/mL to 400.130 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2017
987	Traimterene	Human Plasma	0.500 ng/mL to 300.075ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2019
988	Traimterene+HCTZ	Human Plasma.	Triamterene: 2.000 ng/mL to 200.000 ng/mL, HCTZ: 3.000 ng/mL to 300.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2013
989	Traimterene+HCTZ	Human Plasma.	Triamterene: 5.005 ng/mL to 500.550 ng/mL, HCTZ: 8.000 ng/mL to 799.925 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2013

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
990	Tramadol	Human Plasma.	1.003 ng/mL to 300.869 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2011
991	Tramadol	Human Plasma.	For (+) Tramadol - 1.003 ng/mL to 501.378 ng/mL For (-) Tramadol - 1.001 ng/mL to 500.580 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2014
992	Tramadol	Human Plasma.	For (+) Tramadol: 1.002 ng/mL to 500.517 ng/mL For (-) Tramadol: 1.002 ng/mL to 500.264 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2014
993	Tramadol	Human Plasma.	2.000 ng/mL to 300.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2013
994	Tramadol	Human Plasma.	Tramadol : 7.000 ng/mL to 630.000 ng/mL ; O- Des methyl Tramadol : 1.000 ng/mL to 90.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2011
995	Tramadol	Human Plasma.	1.000 ng/mL to 500.174 ng/mL	LC-MS/MS	Na-Heparin	-20	MUM	2015
996	Tramadol + Acetaminophen	Human Plasma.	1.001 ng/mL to 200.189 ng/mL for Tramadol 100.014 ng/mL to 10001.379 ng/mL for Acetaminophen	LC-MS/MS	Sodium Heparin	-20	MUM	2009
997	Tramadol + Acetaminophen	Human Plasma.	Tramadol: 1.008 ng/mL to 200.075 ng/mL O-Desmethyl Tramadol : 0.510 ng/mL to 49.524 ng/mL Acetaminophen: 100.361 ng/mL to 9986.200 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2009
998	Tramadol + Paracetamol	Human Plasma.	Tramadol - 1.000 ng/mL to 200.000 ng/mL ODT - 0.250 ng/mL to 50.000 ng/mL Paracetamol - 45.000 ng/mL to 9000.000 ng/mL	LC-MS/MS	Heparinised Plasma.	-20	AHD	2015
999	Tramadol and O- Des Methyl Tramadol (New)	Human Plasma.	7.508 ng/mL to 760.973 ng/mL for Tramadol 1.003 ng/mL to 148.892 ng/mL for O- Des Methyl Tramadol	LC-MS/MS	Sodium Heparin	-20	MUM	2008
1000	Tramadol and O- Des Methyl Tramadol (Old)	Human Plasma.	2.002 ng/mL to 300.030 ng/mL for Tramadol 1.002 ng/mL to 100.199 ng/mL for O- Des Methyl Tramadol	LC-MS/MS	Sodium Heparin	-20	MUM	2008
1001	Tramadol and O- Des Methyl Tramadol	Human Plasma.	2.001 ng/mL to 200.116 ng/mL for Tramadol 1.001 ng/mL to 100.075 ng/mL for O- Des Methyl Tramadol	LC-MS/MS	Sodium Heparin	-20	MUM	2019
1002	O-Desmethyl Tramadol	Human Plasma.	0.250 ng/mL to 50.198 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2018

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
1003	Tranexamice acid	Human Plasma.	0.12 µg/mL to 12.000 µg/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2013
1004	Trazodone	Human Plasma	10.000 ng/mL to 2500.020 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2020
1005	Trazodone	Human Plasma	10.008 ng/mL to 4999.202 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2024
1006	Treprostinil	Human Plasma.	20.140 pg/mL to 5009.930 pg/mL	LC-MS/MS	K3 EDTA	-20	MUM	2016
1007	Tretinoin	Human Plasma.	0.505 ng/mL to 100.036 ng/mL (in Surrogate Blank Plasma)	LC-MS/MS	Sodium Heparin	-70	MUM	2019
1008	Trifluridine & Trifluorothymine	Human Plasma.	Trifluridine : 5.017 ng/mL to 5005.067 ng/mL Trifluorothymine: 5.015 ng/mL to 5002.765 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2019
1009	Trimetazidine	Human Plasma.	1.500 ng/mL to 300.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2006
1010	Trimetazidine	Human Plasma.	1.000 ng/mL to 301.243 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2025
1011	Trimethoprim	Human Plasma.	20.014 ng/mL to 3002.150 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2025
1012	Trimethoprim +Sulphamethoxazole	Human Plasma.	Trimethoprim:0.030 µg/mL to 3.000 µg/mL Sulphamethoxazole:0.875 µg/mL to 80.000 µg/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2008
1013	Trimethoprim +Sulphamethoxazole	Human Plasma	Trimethoprim: 35.000 ng/mL to 3500.000 ng/mL Sulphamethoxazole:1.000 µg/mL to 100.000 µg/mL	LC-MS/MS	Sodium Heparin	-20°C	AHD	2018
1014	Trospium	Human Plasma.	0.050 ng/mL to 10.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2008
1015	Trospium	Human Plasma.	50.034 pg/mL to 3002.010 pg/mL	LC/MS/MS	Sodium Heparin	-70	MUM	2009
1016	Trospium	Human Plasma.	0.050 ng/mL to 15.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2009
1017	Ulipristal Acetate	Human Plasma.	0.050 ng/mL to 15.000 ng/mL	LC-MS/MS	Heparinised Plasma.	-20	AHD	2015
1018	Ursodiol	Human Plasma.	For Ursodiol : 200.293 ng/mL to 10014.666 ng/mL For Glycoursodeoxycholic Acid 471.801 ng/mL to 9436.012 ng/mL For Tauroursodeoxycholic Acid : 47.656 ng/mL to 9531.292 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2007

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
1019	Ursodiol	Human Plasma.	For Ursodiol : 10.000 to 10000.000 ng/mL. For Glycoursodeoxycholic Acid 10.00 to 10000.00 ng/mL For Tauroursodeoxycholic Acid : 5.000 to 500.00 ng/mL.	LC-MS/MS	Sodium Heparin	-70	MUM	2010
1020	Ursodeoxycholic acid, Glyco-Ursodeoxycholic acid & Tauro-Ursodeoxycholic acid	Human Plasma.	For Ursodeoxycholic Acid : 32.666 ng/mL to 10006.641 ng/mL For Glyco - Ursodeoxycholic Acid : 74.695 ng/mL to 10079.737 ng/mL For Tauro - Ursodeoxycholic Acid : 6.274 ng/mL to 501.645 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2018
1021	Valganciclovir	Human Plasma.	Valganciclovir : 7.000 ng/mL to 700.000 ng/mL; Ganciclovir : 60.000 ng/mL to 9000.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2011
1022	Valganciclovir + Ganciclovir	Human Plasma.	Valganciclovir: 7.036 ng/mL to 700.131 ng/mL Ganciclovir: 60.298 ng/mL to 11999.554 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2018
1023	Valproic Acid	Human Plasma.	0.500 µg/mL to 99.983 µg/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2014
1024	Valproic Acid	Human Plasma.	2.000 µg/mL to 100.000 µg/mL	LC-MS/MS	K2 EDTA	-20	MUM	2007
1025	Valproic Acid	Human Plasma.	0.502 µg/mL to 100.384 µg/mL	LC-MS/MS	K2 EDTA	-70	MUM	2015
1026	Valproic Acid	Human Plasma.	0.200 µg/mL to 50.003 µg/mL	LC-MS/MS	K2 EDTA	-70	AHD	2021
1027	Valproic Acid	Human Plasma.	1.003 µg/mL to 119.845 µg/mL	LC-MS/MS	K2 EDTA	-70	MUM	2022
1028	Valsartan	Human Plasma.	60.000 ng/mL to 12000.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2012
1029	Valsartan	Human Plasma.	10.010 ng/mL to 10000.337 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2018
1030	Valsartan in presence of Amlodipine	Human Plasma.	20.277 ng/mL to 10135.916 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2016
1031	Valsartan in presence of Amlodipine	Human Plasma.	10.011 ng/mL to 11988.173 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2019
1032	Valsartan in presence of Amlodipine and HCTZ	Human Plasma.	100.014 ng/mL to 20002.754 ng/mL	LC-MS/MS	Sodium Heparin	-70	MUM	2022
1033	Valsartan + HCTZ	Human Plasma.	Valsartan : 100.00 ng/ml to 12000.00 ng/ml HCTZ : 5.00 ng/mL to 300.00 ng/ml	LC-MS/MS	K2 EDTA	-70	MUM	2009
1034	Valsartan + HCTZ	Human Plasma.	Valsartan : 100.00 ng/ml to 12000.00 ng/ml HCTZ : 5.00 ng/mL to 400.00 ng/ml	LC-MS/MS	K2 EDTA	-70	MUM	2009
1035	Valsartan + HCTZ	Human Plasma.	Valsartan : 100.00 ng/ml to 12000.00 ng/ml HCTZ : 5.00 ng/mL to 300.00 ng/ml	LC-MS/MS	Sodium Heparin	-70	MUM	2012

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
1036	Valsartan + Hydrochlorothiazide	Human Plasma.	Valsartan : 75.000 ng/mL to 15000.000 ng/mL HCTZ : 3.000 ng/mL to 300.000 ng/mL	LC-MS/MS	Sodium Heparin	-70	AHD	2013
1037	Valsartan and Hydrochlorothiazide	Human Plasma.	100.031 ng/mL to 15004.627 ng/mL for Valsartan 5.000 ng/ml to 499.998 ng/ml for Hydrochlorothiazide	LC-MS/MS	Sodium Heparin	-70	MUM	2012
1038	Valsartan and Sacubitril in presence of metabolite of sacubitril LBQ 657	Human Plasma.	For Valsartan: 40.004 ng/mL to 10001.111 ng/mL For Sacubitril: 10.002 ng/mL to 4000.905 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2024
1039	Valsartan and sacubitril in presence of metabolite of Sacubitril, LBQ657	Human Plasma.	For Valsartan: 10.023 ng/mL to 2500.862 ng/mL For Sacubitril: 2.004 ng/mL to 1500.209 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2024
1040	Valsartan, sacubitril and Sacubitril metabolite LBQ657	Human Plasma.	For Valsartan: 20.003 ng/mL to 10001.585 ng/mL For Sacubitril: 10.022 ng/mL to 4000.863 ng/mL For Sacubitril Metabolite LBQ657: 10.001 ng/mL to 20001.513 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2025
1041	Valsartan in presence of Sacubitril	Human Plasma.	10.006 ng/mL to 9993.549 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2020
1042	Valsartan in presence of Rosuvastatin and Rosuvastatin Lactone	Human Plasma.	100.016 ng/mL to 20003.171 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2025
1043	Veratric Acid and Odesmethyl mebeverine alcohol in presence of mebeverine acid and odesmethyl mebeverine acid	Human Plasma.	Veratric Acid : 50.071 ng/mL to 10001.622 ng/mL O-Desmethyl Mebeverine Alcohol: 0.101 ng/mL to 25.120 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2023
1044	Varenicline	Human Plasma.	0.100 ng/mL to 20.003 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2018
1045	Venlafaxine	Human Plasma.	Venlafaxine: 1.000 ng/mL to 100.000 ng/mL D-Venlafaxine: 1.000 ng/mL to 100.00 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2007
1046	Venlafaxine	Human Plasma	1.000 ng/mL to 300.048 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2018
1047	Venlafaxine and O-Desmethyl Venlafaxine	Human Plasma.	Venlafaxine 1.00 ng/mL to 100.00 ng/mL O-Desmethyl Venlafaxine 1.00 ng/mL to 100.00 ng/mL	LC-MS/MS	EDTA	-70	MUM	2007
1048	Venlafaxine and O-Desmethyl Venlafaxine	Human Plasma.	Venlafaxine 1.996 ng/mL to 150.193 ng/mL O-Desmethyl Venlafaxine 1.993 ng/mL to 200.336 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
1049	Venlafaxine and O-Desmethyl Venlafaxine	Human Plasma.	Venlafaxine 1.002 ng/mL to 400.159 ng/mL O-Desmethyl Venlafaxine 1.002 ng/mL to 600.600 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2017

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
1050	Verapamil	Human Plasma	Verapamil 2.000 ng/mL to 300.000 ng/mL Norverapamil 2.000 ng/mL to 300.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2015
1051	Verapamil	Human Plasma	2.005 ng/mL to 500.237 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2019
1052	Verapamil + Nor Verapamil	Human Plasma.	Verapamil : 2.007 ng/mL to 702.569 ng/mL Nor Verapamil : 2.007 ng/mL to 500.858 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2013
1053	Verapamil	Human Plasma	Verapamil 2.000 ng/mL to 300.015 ng/mL Norverapamil 2.000 ng/mL to 300.015 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2019
1054	Vilazodone	Human Plasma	0.200 ng/mL to 100.000 ng/mL	LC-MS/MS	K3EDTA	-20	AHD	2017
1055	Vonoprazan	Human Plasma	0.200 ng/mL to 60.091 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2024
1056	Voriconazole	Human Plasma.	25.068 ng/mL to 5013.568 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2013
1057	Vortioxetine	Human Plasma.	0.100 ng/mL to 20.016 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2018
1058	Warfarin	Human Plasma.	20.044 ng/mL to 999.685 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2008
1059	Warfarin	Human Plasma.	10.013 ng/mL to 801.073 ng/mL for R-Warfarin 10.012 ng/mL to 800.935 ng/mL for S-Warfarin	LC-MS/MS	Sodium Heparin	-20	MUM	2010
1060	Warfarin	Human Plasma.	10.000 ng/mL to 700.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2008
1061	Warfarin	Human Plasma.	20.112 ng/mL to 2010.179 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2016
1062	Zanubrutinib	Human Plasma.	2.010 ng/mL to 400.038 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2022
1063	Zidovudine	Human Plasma.	30.076 ng/mL to 6007.712 ng/mL	LC-MS/MS	Sodium Heparin	-20	MUM	2011
1064	Zileuton	Human Plasma.	150.500 ng/mL to 1000.014 ng/mL	LC-MS/MS	K2 EDTA	-70	MUM	2013
1065	Zileuton	Human Plasma.	25.000 TO 5000.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2014
1066	Zolmitriptan	Human Plasma.	Zolmitriptan : 0.100 ng/mL to 20.000 ng/mL ; N-Desmethyl Zolmitriptan : 0.100 ng/mL to 12.000 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2011
1067	Zolmitriptan & N-Desmethyl Zolmitriptan	Human Plasma.	Zolmitriptan : 0.101 ng/mL to 20.053 ng/mL ; N-Desmethyl Zolmitriptan : 0.101 ng/mL to 12.037 ng/mL	LC-MS/MS	K3 EDTA	-70	MUM	2017
1068	Zolpidem	Human Plasma.	2.000 ng/mL to 350.000 ng/mL	LC-MS/MS	K3 EDTA	-20	AHD	2012

Sr. No.	Compound (metabolite)	Matrix	Calibration Range	Mode of Detection	Anticoagulant	Storage Temp °C	Lab site	Year
1069	Zolpidem	Human Plasma.	2.005 ng/mL to 350.116 ng/mL	LC-MS/MS	K3 EDTA	-20	MUM	2023
1070	Zonisamide	Human Plasma.	25.008 ng/mL to 2500.820 ng/mL	LC-MS/MS	K3 EDTA	-70	AHD	2013
1071	Zopiclone	Human Plasma.	Zopiclone: 0.500 ng/mL to 150.000 ng/mL , N-desmethyl zopiclone: 0.500 ng/mL to 150.000 ng/mL	LC-MS/MS	Sodium Heparin	-20	AHD	2007