

EX.NO.7d	SHOPPING PURCHASE AMOUNT
DATE: 24.08.26	

AIM:

To write a JavaScript program that reads the prices of four products, finds the total purchase amount and applies a discount for bills of Rs. 2000 or more.

ALGORITHM:

1. Start the program and create an array for the product prices.
2. Read the price of each of the four products from the user.
3. Add the prices to find the total purchase amount.
4. Check whether the total is Rs. 2000 or more.
5. If it is, give a 10 percent discount; otherwise give no discount.
6. Display the total, the discount and the final amount to pay.

CODE:**exp7d.js:**

```
const readline = require("readline");
const rl = readline.createInterface({ input: process.stdin, output: process.stdout });
const ask = (q) => new Promise((res) => rl.question(q, res));

(async () => {
  const prices = [];
  for (let i = 1; i <= 4; i++) {
    prices.push(Number(await ask("Price of product " + i + ": ")));
  }
  const total = prices.reduce((a, b) => a + b, 0);
  const discount = total >= 2000 ? total * 0.10 : 0;
  console.log("Total Amount : Rs. " + total);
  console.log("Discount : Rs. " + discount.toFixed(2));
  console.log("Amount to Pay : Rs. " + (total - discount).toFixed(2));
  rl.close();
})();
```

OUTPUT:**Output - total below Rs. 2000 (no discount)**

```
D:\WT_LAB\Programs\Exp7>node exp7d.js
Price of product 1: 450
Price of product 2: 900
Price of product 3: 300
Price of product 4: 250
Total Amount : Rs. 1900
Discount : Rs. 0.00
Amount to Pay : Rs. 1900.00
```

Output - total of Rs. 2000 or more (10% discount)

```
D:\WT_LAB\Programs\Exp7>node exp7d.js
Price of product 1: 899
Price of product 2: 1250
Price of product 3: 640
Price of product 4: 410
Total Amount : Rs. 3199
Discount : Rs. 319.90
Amount to Pay : Rs. 2879.10
```

RESULT:

Thus, the JavaScript program to find the shopping purchase amount with discount was executed successfully.