

EX.NO.8c	JAVASCRIPT DOM (KEYBOARD INTERACTION)
DATE: 07.09.26	

AIM:

To handle keyboard events in JavaScript so that pressing specific keys changes the border style of a table.

ALGORITHM:


1. Create a page with a short instruction and a small marks table.
2. Register a keydown listener on the document object.
3. If the key G is pressed, give the table a thick green border.
4. If the key R is pressed, remove the border from the table.
5. Display the last pressed key below the table.
6. Press the keys in the browser and check the result.

CODE:

```
<!DOCTYPE html>
<html>
<head>
  <title>Keyboard Events</title>
  <style>
    body { font-family: Arial; margin: 30px; }
    table { border-collapse: collapse; width: 420px; }
    th, td { border: 1px solid #555; padding: 9px; }
  </style>
</head>
<body>
  <h2>Keyboard Interaction</h2>
  <p>Press G for a green border</p>
  <p>Press R to remove the border</p>
  <table id="mark">
    <tr><th>Subject</th><th>Marks</th></tr>
    <tr><td>Web Technologies</td><td>92</td></tr>
    <tr><td>Microcontrollers</td><td>88</td></tr>
  </table>
  <p id="msg"></p>
  <script>
    var t = document.getElementById("mark");
    document.addEventListener("keydown", function (e) {
      var k = e.key.toUpperCase();
      if (k === "G") t.style.border = "4px solid green";
      if (k === "R") t.style.border = "";
      document.getElementById("msg").innerHTML = "Last key pressed: " + k;
    });
  </script>
</body>
</html>
```

OUTPUT:

Before pressing a key


**Keyboard Interaction**

Press G for a green border

Press R to remove the border

Subject	Marks
Web Technologies	92
Microcontrollers	88

After pressing the G key

**Keyboard Interaction**

Press G for a green border

Press R to remove the border

Subject	Marks
Web Technologies	92
Microcontrollers	88

Last key pressed: G

RESULT:

Thus, keyboard events were handled with JavaScript to change the style of the table dynamically.