Status	Finished
Started	Thursday, 8 October 2026, 8:57 AM
Completed	Thursday, 8 October 2026, 9:00 AM
Duration	3 mins 3 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

- a. move the file pointer five characters ahead from the current position ✓
- b. move the file pointer five characters behind from the current position
- c. moves the file pointer to the end of a file
- d. move the file pointer to beginning of the file

The correct answer is:
move the file pointer five characters ahead from the current position

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

- a. readline() ✓
- b. read()
- c. readline(size)
- d. readlines()

The correct answer is: readline()

Question **3**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

- a. readline()
- b. read(size) ✓
- c. readlines()
- d. readchar()

The correct answer is: read(size)

Question **4**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

- a. Binary
- b. Read ✓
- c. Write
- d. Append

The correct answer is: Read

Question **5**

Correct

Mark 1.00 out of 1.00

Select the correct method to write a list of lines to a file

- a. write(list)
- b. None of the mentioned
- c. writelist(list)
- d. writelines(list) ✓

The correct answer is: writelines(list)

Question **6**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

- a. To automatically close the file after its suite finishes ✓
- b. To read data from a file
- c. To write data to a file
- d. To delete a file

The correct answer is: To automatically close the file after its suite finishes

Question **7**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

- a. Moves the file cursor to the beginning
- b. Closes the file
- c. Flushes the internal buffer to the file ✓
- d. Deletes the file content

The correct answer is: Flushes the internal buffer to the file

Question **8**

Correct

Mark 1.00 out of 1.00

Which function is used to open a file in Python?

- a. file()
- b. openfile()
- c. open() ✓
- d. open_file()

The correct answer is: open()

Question **9**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Opens the file in read mode

b. Raises an error because the file is opened in append mode

c. Overwrites the file with "Adding new data"

d. Appends "Adding new data" to the end of the file ✓

The correct answer is: Appends "Adding new data" to the end of the file

Question **10**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for binary read and write, w+ is for text read and write

b. r+ is for read and write without truncating, w+ is for read and write with truncating ✓

c. r+ is for read and write, w+ is for append only

d. r+ is for read and append, w+ is for read and write

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **11**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Moves the file cursor to the specified position ✓

b. Reads the file line by line

c. Deletes the file

d. Writes data to the file

The correct answer is: Moves the file cursor to the specified position

Question **12**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

- a. a list of lines ✓
- b. a list of single characters
- c. str
- d. a list of integers

The correct answer is:
a list of lines

Question **13**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

- a. writelines() ✓
- b. write_list()
- c. write_all()
- d. write()

The correct answer is: writelines()

Question **14**

Correct

Mark 1.00 out of 1.00

Which method is used to get the current file position?

- a. tell() ✓
- b. locate()
- c. current()
- d. position()

The correct answer is: tell()

Question **15**

Incorrect

Mark 0.00 out of 1.00

What is the use of seek() method in files?

- a. sets the file's current position within the file ✕
- b. sets the file's current position at the offset
- c. none of the mentioned
- d. sets the file's previous position at the offset

The correct answer is:
sets the file's current position at the offset