

W5 - PRACTICE


JSX - Dynamic Data - Components

 *At the end of this practice, you should be able to...*


- ✓ Create a new **component** from HTML
- ✓ Translate HTML to **JSX**
- ✓ Understand the basic of **nested components**
- ✓ Draw a **diagram** component from some given code
- ✓ Understand how to display **data dynamically** using curly braces `{xx}` in JSX

 *How to work?*

- ✓ Download **the start code** from the Google classroom ✓ For each exercise you can either:
 - Run `npm install`
 - Or move an existing `node_modules` to the exercise folder (*fastest option!*)

 *How to submit?*

- ✓ **Create a repository on GitHub** with the name of this practice:
Ex: `C2-S1-PRACTICE`
- ✓ **Push your final code** on this GitHub repository (if you are lost, [follow this tutorial](#))
- ✓ Finally, submit on **Google classroom** your GitHub repository URL
Ex: `https://github.com/thebest/C2-S1-PRACTICE.git`

 *Are you lost?*

You can read the following documentation to be ready for this practice:

https://www.w3schools.com/react/react_jsx.asp https://www.w3schools.com/react/react_props.asp
<https://www.gatsbyjs.com/docs/how-to/images-and-media/importing-assets-into-files/>



EXERCISE 1

Your task is to create your first React **component**!


You have an App component, containing the header and the body.

- Create a component **Header** containing the header of the file.
- Change the code in the App component to use this new component


Notes:

- You can create the component directly in the App file.

The finished app could look like this:



The finished app diagram component:



EXERCISE 2

Well done!

Now your challenge is to **convert some vanilla HTML** into some React JS code!

Q1 – Research on internet and list down the **main differences** between **HTML** and **JSX** syntax

- HTML is static, JSX is dynamic
- HTML use class, JSX use className
- HTML the self closing tag is opt for most element while JSX is a must

```
html:
<h1>Hello</h1>
<p>World</p>
jsx:
return (
  <>
    <h1>Hello</h1>
    <p>World</p>
  </>
)
```

Q2 – The first part is to create an **empty React project** which display Hello


- **Create a new React project** using the following command:
`npm create vite exercise2 -- --template react`
- On the root folder, **remove** the following useless file:
`.eslintrc.cjs`
`README.md`
`.gitignore`
- On /src folder remove, **remove** the following useless file:
`/assets`
`App.css`
- Edit the `index.css` and **remove all styles**
- Edit the `App.jsx` and just write a simple code:

```
function App()
{
  return (
    <>
      <p>Hello</p>
    </>
  );
}
export
default App;
```
- From the root folder, launch `npm install` and `npm run dev`
- You have now a very simple ReactJS code that displays Hello:

Hello

Q3 – On this second part you need to **adapt** the original HTML code to your new created project:

Your code should be composed of 4 components, as bellow:



- Create a folder /components
- In this folder create 3 additional JSX files:
 - o Header.jsx
 - o Main.jsx
 - o Footer.jsx
- Adapt the code from the original HTML code to those 4 compomers (App, header, Body and Footer) o Do not forget to **export** your components to use them outside!
- Finally, you can copy the original CSS code to your new project

The finished app could look like this:



EXERCISE 3

Amazing!

Q1 - Now your challenge is to **draw a diagram component** from some existing React JS code.

1. Read the code
2. Identify components
3. Draw the diagram component *(using power point or another tool)*


ATOMIC CLOCK

The date now is:

12/13/2023, 12:12:55 PM

Did you know ?

The implementation of Greenwich Mean Time was the first step to determine the time zone of other countries in regard to GMT+0, while the concept of Coordinated Universal Time (UTC) was designed to provide a more accurate timekeeping system. Nevertheless, both of these time standards are widely used in the world for a similar purpose of time coordination. The differences in the terminology of GMT and UTC still create confusion in international cooperation. Even though UTC was introduced as a more accurate time standard, the occurrence of the leap seconds demonstrated the flaws for the universal time synchronisation.



Q2 – Let's **play with dynamic data**:

- In **Header**, change the title to: "The amazing atomic clock"
- In **Time** component, change the code to display only the **time** only (not **date + time**)

The date now is:
12:12:55 PM

EXERCISE 4

Amazooooome!

For this last exercise, your challenge is to provide the dynamic data for the 2 following fields:

- The value (15 dollars) converted in Dong
- The value (15 dollars) converted in Euro

Important

- You need to implement and call the functions already provided for you to convert dollar to other devices
- All inputs are disabled: we use them for display only, not to enter any value...

