

1.5B

5QGO2803+USA+HMK9730 [Q2616709668_1]

AOQL 1.5% - Lot 2001-7000 • Inspection reference: 2062619

Inspection date:

11-Jul-2026

Planned date:

11-Jul-2026

Workmanship

Defective rate: 0.00% (0/90)

Pass

CRI

0

MAJ

0

MIN

0

Tests & checkpoints

4 passed checklists, 1 N/A checklist

Pass

1. HMK - Document Availability - EN

Pass

3. HMK - 2D & 3D Packaging - EN

Pass

4. HMK - DAS/VAS Check - EN

Pass

6. HMK - Test 3D Product - EN

Pass

7. HMK - Remark for Report Modification

N/A

Overall result

Pass

Inspector's remark

1. This is for QIMA order Q2616709668 - 1

2. Inspector name: Quynh Tran

3. The factory has provided SR test, FR test and Product Spec on-site

4. Inspected sample is not Re-Packed in front of QIMA inspectors due to extra time needed by supplier for the process

5. All the defects were shown to, agreed by, and handed over to Ms. Lam - QA

PO & Product details

PO ref: 455537602+6206093

Entity responsible: VIETNAM GIA NHUAN THANH LIABILITY CO.LTD

Production site: VIETNAM GIA NHUAN THANH LIABILITY CO.LTD

Name (Main identifier)

5QGO2803+USA+HMK9730 [Q2616709668_1]

Shipment date

11-Jul-2026

Ordered quantity

Produced quantity

Packed quantity

3,960 Pcs

3,960

100.00 %

3,960

100.00 %

Expected: 3,960 (100.00 %)

Expected: 3,960 (100.00 %)

SKU

5QGO2803

Description

5QGO2803+USA+HMK9730 [Q2616709668_1]



Inspection site

VIETNAM GIA NHUAN THANH LIABILITY CO.LTD

Address

Plot CN-3A.3, Lot CN-3A-Bao Minh Expanded Industrial Park, Lien Minh Commune, Ninh Binh Province, Vietnam

Nam Dinh

Vietnam

Site representative

Hoàng Thị Ngọc Lâm.

Inspection coordinates

Inspection site address coordinates

Could not retrieve coordinates

Start inspection coordinates

20.341003, 106.097702

Complete inspection coordinates

20.459878, 106.142606

Inspector

QIMA Inspector

From: Hallmark

41 pictures/videos

Generated on QIMAAone

QIMA © 2026

Page 1 of 13



Workmanship

Pass

Inspection standards

Workmanship sampling method
Fixed quantities

CRITICAL DEFECTS		MAJOR DEFECTS		MINOR DEFECTS	
AQL	0	AQL	2	AQL	0
Sample size	90	Sample size	90	Sample size	90
Acceptance point	0	Acceptance point	2	Acceptance point	0

Sample size 90	Defective pieces 0 (0.00%)	Total defects found Total defects allowed	CRITICAL 0 0	MAJOR 0 2	MINOR 0 0
-------------------	-------------------------------	--	--------------------	-----------------	-----------------

Defects checklist

5. Visual & Function Defect List - EN

Total defects found	CRITICAL 0	MAJOR 0	MINOR 0
---------------------	---------------	------------	------------

Tests & checkpoints

Pass

Tests checklist

1. HMK - Document Availability - EN

Result
Pass

High Attention Product (HA)	1) Follow the instruction in specs to check if it's a High Attention (HA) Product./ 2) If this a HA item, then select "Yes"; if not, then select "No", it will not cause failed result./ 3) Normally only KC orders have the classification of HA and Non-HA. If the BU/client don't classify the item as HA or Non-HA item, then select "NA"./ No
-----------------------------	---

Highly Confidential Licensing Product (HCLP)	1) Follow the instruction in specs to check if it's a Highly Confidential Licensing Product (HCLP)./ 2) If this a HCLP item, then select "Yes"; if not, then select "No", it will not cause failed result./ 3) Normally only KC orders have the classification of HCLP and Non-HCLP. If the BU/client don't classify the item as HCLP or Non-HCLP item, then select "NA"./ No
--	--

Specific Checkpoints for HA & HCLP N/A	1. Check if there is any instruction under "Products Integrity Notes" in products spec. 2. Adopt a Single sampling plan for high attention item. 3. Ask factory to provide PP report (Production Pilot Report) 4. Contact Hallmark Engineer to understand the specific checkpoints if it's 1st lot inspection. 5.1 For HCLP, DO NOT show entire product picture in the report. Use plank pic in report and remark "HCLP, no photo" 5.2 For HCLP defect: focus on the defect area, DO not show entire product
---	---

Documents and Sample Availability Pass 1	Ask for following inspection doc and remark what was provided. Mandatory: IRF, VAS or DAS (product and PKG), Specs, PO, Ship test, FR, SR Report; Commit sheet (or commit list) - for Hallmark Ornaments (HO) only. Optional: PP Report, Limit sample Passed
---	---

SR Test Report Check Pass	Ask for the SR Report from the factory, check the instruction photo for detailed checkpoint. Pass
------------------------------	--



FR Test Report Check

✓ Pass

Ask for the FR Report from the factory.
For FR test, the valid date for non-high attention SKU is 1 year; for Hight attention item, besides the 1 year valid requirement, FR also need to be tested by each PO.
让工厂提供FR报告。
对于非高关注度产品，其FR报告有效期为1年；而高关注度产品的FR测试，除了1年有效期外，同时也需要居于每个PO来做，过期则该检查点不合格。
Pass

Business Unit

Please select appropriate BU, Hallmark uses the responsible procurement team to identify the BU name:

Print Specialty: Rosanna Ling, Dana Wong, Ting Yeung, Winnie Wong, Janice Lam, Candy Lee, Sissi Fu, Cloe Nguyen, Kristi Tran, Emma Tran, Rachel Nguyen, June Nguyen

Greetings: Sandra Lee, Queenie Chan, Jessica Chow, Becky Leung, Phoenix Chong, Cynthia Kwan, Sophia Tran, Sarah Truong, Haley Nguyen, Mia Vo, Harper Nguyen, Tiara Tran, Lina Pham

International: Debby Hui, Joyce Choy, Tina Yan, Cathy Lam, May Kam, Rita Nguyen, Truc Tran, Freya Le, Snow Bui

Gifts: Douglas Au, Wan Chan, Harris Wong, Sophia Huynh, Stella Phan, Kate Bui, Joyce Le, Vinh Hoang, Cindy Nguyen

HO (Hallmark Ornaments): Marvin Wang, Virginia Li, Fion Lu, Sara Nguyen, Jason Tieu, Steven Pham

KPS (Keepsakes): Hermit Wong, Ellie Chau, Phyllis Lai, Kate Nguyen, Emmy Bui, Alice Nguyen, Iris Dang

KC Direct: All KC direct orders, Hallmark KC handles directly, no Hallmark HKBO procurement and engineering involved

Crayola: All Crayola orders
KPS (Keepsake Ornaments)

🗨

Client/Destination

KC HKBO

SAP Group Number

Other (please specify in the Comments)
🗨 HMK9730

HMK Inspection Reason

For all inspections which conducted by Hallmark inspectors, HMK Inspection agents and 3rd party inspectors (e.g., QIMA): please select the reason to show why the item need Hallmark inspection. You can check the reason with using the IRF, you can also verify with the supplier. This is for data analytics purpose. Supplier internal inspection is not applicable.

Notes: if you select "CQS/SEP - Retailer/licensor request - Other (cmnt)", please specify the retailer or licensor name in the "Comments" section.

Notes: if you select the last one "CQS/SEP - Other reason (must get HMK mgr approval)", it means the inspection is out of the scope of Hallmark inspection, please get Hallmark Quality Manager's approval prior to inspection, and specify why the item need Hallmark inspection.
Non-CQS or Non-SEP supplier

Tests checklist

3. HMK - 2D & 3D Packaging - EN

Result

Pass

Carton Range

Check the range of cartons range, example 1~24
1-44



Shipper Dimensions & Weight & Marks



18 Carton

✓ Pass 4

Measure the shipper and remark Length x Width x Height in the comment section, check ship marks against spec.

General Requirements for Hallmark Orders (updated on 2025.08.27):

1/ Minimum dimensions (O.D./Outer Dimensions): L12" x W8" x D5" (305mm x 203mm x 127mm). (D: Deep = Height, distance from bottom to top).

2/ Maximum dimensions (O.D.): L22" x W21" x D32" (559mm x 533mm x 813mm).

3/ Min 5 lbs & Max 50lbs (prefer less than 35 lbs).

//For both Dayspring and Mary & Martha:

1/ Maximum dimensions: 24" (609 mm) Tall or height x 24"(609 mm) Width x 14.5" (368 mm)

Length/Deep (front to back on a top load shipper), refer to attachment Dayspring and Mary & Martha Carton Dimension and Weight Requirements for reference.

2/ Max weight 30 lbs.

//For Keepsakes Australia and UK orders, please refer to the attachment "Packaging Guideline for Keepsakes Australia (AUS) Orders" and "Packaging Guideline for Keepsakes UK Orders" for details.

//For Walgreens FOB order, please follow below carton dimensions and weight requirements:

Maximum L48" (121.9CM) x W40" (101.6CM) x H/D46" (116.8CM), 50lbs (22.68KGS), no need to consider the minimum limit.

How to identify if the order is Walgreens FOB order?

See attached "Walgreens shipping carton example" - there are "Inspiration from Hallmark" logo and WIC# printed in shipping carton which are designed for Walgreens FOB orders in general.

YES

Carton Labels & UPC Check



1 Carton

✓ Pass 5

1/ Content Verification: Check all the info on the label against PO & Specification on SKU#, barcode, item number, SAP material number, wholesale quantity, etc.

2/ UPC Numeric Validation: The UPC code must correctly match the SKU or material number.

3/ UPC Scannability: Solid ink density and line width must be printed to meet the ANSI specification outlined in the Universal Product Code Symbol manual from the UPC Council.

YES

Partially Filled Carton



1 Carton

– N/A

Check with factory if they have partially filled carton and check following points:

1.If have partially filled label as per manual.

2.If the quantity & assortment inside carton match corner lable.

3.If the barcode can be scanable.

4.Quantity on corner label is printed instead of write by hand.

Shipper Packaging



18 Carton

✓ Pass 5

Check 18 carton for the following points:

1. Shipper quality

2. Wholesale QTY in shipper must consistent with specs, ship test report and carton label (corner label)

3. Carton quality: 5 layers

YES

Wholesale Packaging



18 Wholesale package

✓ Pass 6

Check 18 wholesale package for following points:

1. Wholesale label content

2. Retail unit packed in wholesale package

3. Orientation and packaging material

4. Details should conform to Specs, PO, ship test report and commit sheet

5. If the product is being shipped through a Hallmark DC (Distribution Center) and then being shipped to other place, the supplier must follow the new wholesale labeling guidelines (check instruction PDF file "New Wholesale Label Guidelines.pdf" for more detailed checkpoints & explanations) to use UPC wholesale label, and check UPC scan-ability; if the product is being shipped directly to a customer and NOT going through Hallmark DC, the supplier can follow previous practice (check instruction photo "wholesales pack.jpg for details).

YES



Retail Qty per Wholesale

✓ Pass

The retail qty per wholesale should conform to Specs, PO, ship test report and commit sheet (for Hallmark Ornaments only).
2 pieces

Retail Packaging

18 Retail pckage

✓ Pass 4

Match with DAS; Check PO, Spec and PASS ship test report:

1. Retail quantity and package
2. Packing component & sequence
3. Pull more samples if any issue
4. Ceramic tableware: care instructions align with product, specs and actual performance
5. HO (Hallmark Ornaments): check specs and commit sheet on product/colorway, UPC, package, price, copyright, photo
6. Verify the instructions on package against actual function
7. Battery must be packed separately for Keepsake
8. CARB label check
9. Spell check

YES

Retail Labeling, UPC & COO

1 Retail pckage

✓ Pass 2

1. Check the label&logo placement and content on retails package and retail products, report the discrepancy in the comment.
2. For labeling on product, remove the label to verify and make sure it is strong enough but removable.
3. Correct COO (Country of Origin) on retail package
4. UPC validation and scan-ability
5. Correct price (if applicable)

YES

Warning Statement and License

1 Retail pckage

✓ Pass 2

Verify the warning statements and licensing info per PLM specs if applicable.
YES

Customer Special Package Requirement

1 Retail pckage

– N/A

Amazon

1. 1 pcs retail per wholesale
2. Wholesale should be shippable & with special w/s label
3. Wholesale label refers to guideline: SKU#, Item description, Scannable UPC with numbers printed below, a word "New" to identify the product as new and not refurbished or used.
4. Shipper size follow COP and max size guideline, # of retails in a shipper should same as "1XXXXXX" version
5. HMK corner label on shipper
6. Follow HMK shipmark, no other labels
7. ISTA 3A and change to 36" height with 16 drops

Dayspring (label on both product and white box)
Mary & Martha (label on white box only)

Polybag

1 Piece

– N/A

Compare with approved sample and check following points:

1. Quality: PP or PE
2. Thickness: must be greater than 1 mil (0.0254mm) except for Toys.(refer to SR or FR report)
3. Vent hole.
4. Warning content: in English, French and Spanish

Check instruction photo for more detailed checkpoints & explanation.

Tests checklist

4. HMK - DAS/VAS Check - EN

Result

Pass



VAS/DAS Check

✓ **Pass** 4

Compare the DAS/VAS on:

1. Color: 1/Press Sign report $\geq 90\%$ or Color target or first print sheet; 2/Delta E 2000 (for solid color) < 2
 2. Style: construction & material
 3. Content & Attachment: pages and bindary, correct pagination, signatures and no missing page, attachments
 4. Cardback Info and label must match spec, position and regulations
 5. Date Code: children products have CPSIA tracking code
 6. Copyright info & COO
 7. Check product dimension
 8. 3D product: check instruction photo
- YES**

Spell Check

– N/A

Check the spell on the product, add a comment if you found obvious incorrect spelling.
Such as FRIEND -> FRIAND, KINDNESS -> KINDESS, FLOWER->FLOWAR.

PID Number (For KC Card Items Only)

– N/A

Check PID number and content on 2D products only, select N/A for 3D products or other products.

Plastic Free Policy Check (for HMK UK, M&S & Lego)

– N/A

For Hallmark UK and M&S shipments:

The products and DAS must meet plastic free requirements:

- (1) Plastic material is not allowed on product or retail package.
- (2) Occasionally supplier still use plastic material on specific product or retail package with Hallmark special approval, in such scenario, supplier need to show the approval records; if supplier cannot provide the approval record, please rate it "Failed" and send an email to HKBO/PE team to clarify.
- (3) Below products are exempted unless the specs or retail package require "100% Recyclable", "Plastic Free" etc.: Gifts Items, Keepsakes Ornaments (KPS), Hallmark Ornaments (HO) and Electronic Cards.

For Lego shipments:

No single use plastic (SUP) on retail packaging unless we have Lego's exception.

- (1) Use sustainable materials only in is packaging by 2025 (on shelf Jan 2025)
- (2) Eliminate all single use plastic (SUP) packaging on retail products in retail outlets or online by 2025
- (3) SUP is defined as any type of plastic format that is intended to be used only once before it is discarded by the end user. Recycled and bio-based plastics are not considered sustainable and are not permitted.
- (4) Exception: LEGO kits in greeting cards, LEGO is responsible for the plastic packaging for the bricks.
- (5) For all wood and paper-based material only FSC certified materials are accepted. These requirements are for products, packaging, marketing and in-store materials.
- (6) Sustainable retail packaging is defined by the LEGO Group as:
 - Sourced from recycled and/or renewable materials
 - Recyclable by the consumer
 - Removes single use plastic and
 - Optimized for efficiency

Reece's Law Check (for item w/button cell battery)

– N/A

1. Scope: For item with button cell battery which ship to US and Canada only; for items without button cell battery or for non-US/Canada items, select "Mark as N/A".
2. Requirements: Both product and retail packaging need to include visible warning statements to compliance with the Reece's Law.
3. Exemption: Heavy embossed or textured product WILL NOT have a product marking.
4. Please refer to the attachment for details.
5. Recommend inserting photo to show the button cell battery warning statements and product marking if applicable.

Tests checklist

6. HMK - Test 3D Product - EN

Result

Pass



Function Test (1 cycle for all inspected samples)

✓ **Pass**

Check Full Sample Size

Function properly as design (electronic, mechanical, assembly, weighting, usage, writing function etc)
Apply this test to products that have a functional attribute that is designed and intended for consumer use.

The product must perform its intended function properly for 1 cycle.

Fitting Test (cards with envelope): insert cards to envelopes to see if they insert smoothly - 5 pcs.
YES

Function Test (25 cycles)

1 PCS

✓ **Pass** 2

Apply this test to products that have a functional attribute that is designed and intended for consumer use The product must perform its intended function properly for 25 times.

Remarks: Product that is designed and intended for one-time-used is not applicable for this test. The one-time-used products include candles, paper bags, paper plates, paper cups and napkin etc. - which is not content any functional component. Please mark "N/A" for these kinds of products on this test. Please communicate with the Hallmark responsible engineer when needed.

YES

Battery Powered Product Evaluation

5 PCS

– N/A

(For items have electrical function only)

Check following Parameters on 5 samples and compare the result with spec or FR report.

1) Operation current

2) Standby current

3) Voltage (V)

4) dB

Operation current, Voltage and dB should conform to spec and record in FR report; standby current should be <10uA as per FR report.

Take a picture of each test report.

Adhesion Tape Test

1 PCS

✓ **Pass** 2

For non-paper with secondary use attachments on greeting cards only. It apply to plastic or metal material.

Test the adhesion of the coating to the product - firmly apply tape (3M #810) to the painted or coated surface and remove rapidly in an attempt to remove the paint or coating from the substrate.

Disclaimer: Does not apply to fabric and/or plush items.

YES

Glue Joint Test

1 PCS

✓ **Pass** 1

1. All glue joints will be separated to determine bonding strength and if sufficiently glued.

2. The glue joint surface must not have paint, antiquing or other surface coatings.

3. Pegs must be the correct size and must fit properly.

YES

Pull Test

3 PCS

✓ **Pass** 1

All assembly joints that hold the ornament together must withstand a 5 lb pull force.

All fragile/decorative attachments to the ornament must withstand a 2 lb. pull force.

Record the pull strength and add a comment

YES

Carton Drop Test

12 retailers minimum, (maximum 3 shipping cartons)

– N/A

Proceed the drop test in 1st lot if the product fall into one of the below criteria:

1) Special request from HMK ENG mentioned in spec

2) Ceramic & glass product

3) One of the product dimension exceed 16"

4) Item failed for 1 or more than 1 time during ship test

Fill in 65%-75% shipper carton by wholesale box, check transport environment test procedure #1301 & do 14 times drop test

If the production products meet drop test requirement in 1st lot, no need to proceed the drop test in sequence lots.



Hanger Test

1 PCS

Pass 1

For products that have a Hanger, hook, or cutout strength on retail packaging (product and package)
The sample shall be suspended from the packaging hanger as intended and a tension force equal to 3 times the weight of the packaged product shall be gradually applied and held for a period of 1 minute, pulling downward on the product.
YES

Ceramic Tablewares

3 PCS

N/A

1. check supplier record for internal acidic, dishwasher, microwave and high temperature high pressure test;
2. use cutter cutting the decorated areas to quick check the decal firing quality, should be no obvious scratch./
3. Hot & Cold Water Test
Sample size = 3
1 cycle = Room temperature (23+/-2 C) -> fill 90-100 C boiling water into container (fill with at least 90% of capacity of the testing sample, hold for 30 seconds -> pour out the hot water & immediately immerse in 0-4 C cold water (water + ice) for 30 seconds -> move to room temperature, hold in room temperature for 5 minutes -> check quality, no crack or damage.
Repeat 3 cycles.

Fabric and Plush Item

1 PCS

N/A

No bleeding risk, check test record and see if a pair of high contrast fabric had been conducted and passed on the bleed test; check stuffing cleanness for plush item, all stuffing materials must be new and clean.

Paper/plastic labeling or lamination on product

1 PCS

N/A

For lamination, the laminated layer should be secured and permanently adhered on product, discuss with PE if the lamination is easily to be removed.

Moisture Test (Natural Material)

1 PCS

N/A

Natural materials: test moisture, it should be 8 -12%. Require to pack with sufficient desiccant to avoid possible moldy issue if higher than 12%.

Sharp Point & Sharp Edge Check

Pass

Check Full Sample Size
Check if there is sharp point or sharp edge on products
YES

Safety Test (For Toys only)

10 Piece

N/A

Conduct and get acceptable results on the safety tests such as pull, torque and drop test etc./

For 3 years and below, pull 15+5 (or 21 + 5 for EU) lbs per HQR, No small part for product intend to 3 years and below, no sharp point or sharp edge for product intend to 8 years and below (as receive and after abuse)./

For plush item, after finishing the safety test, please also conduct below tests:
(1) Stuffing cleanness, sample size is 1;
(2) Metal detection, sample size is 10.

Ventilated Holes

3 Pieces

N/A

Ventilated holes on art closers like marker caps, the holes must be completely opened.



Odor/Smell Check

✓ Pass 1

Check Full Sample Size.

Open the packaging (either poly bags, vac-form, corrugated inner/retails boxes or other packaging materials) to check the odor/smell, any offensive odor left on retail products or packages is not acceptable.

An offensive odor is any odor, or aroma, of such intensity that it becomes apparent and is offensive or disruptive to others. Offensive odor include but not limit to: musty smell, petroleum smell, strong pungent paint smell or any aroma that not design/intend to add in products.

YES

Additional Tests

– N/A

Perform the additional tests if applicable but not list in above checkpoint, mention the test name in the comment field. The additional tests include but not limited to:

1. Tearing Test for product with gluing process, for example: product with glued component, book, album, multiple pages card, paper box. Tear the gluing seam to check if glue was applied sufficient and appropriate, ensure gluing quality during use an possible abuse. Sample size = 1.

2. 6" Table Drop Test (if the specs requires, and follow the test requirements in the specs). Sample size =1.

3. Incline Test (if the specs requires, and follow the test requirements in the specs). Sample size =1.

4. ...

Tests checklist
7. HMK - Remark for Report Modification

Result
N/A

Remark for Report Modification

– N/A

Fill in the additional remark when you are modifying the report only, it's not applicable for the 1st report writing.

Pictures/Videos

Tests & checkpoints: 1. HMK - Document Availability - EN (1)



Documents and Sample Availability Pass

Tests & checkpoints: 3. HMK - 2D & 3D Packaging - EN (28)



Shipper Dimensions & Weight & Marks



Shipper Dimensions & Weight & Marks

Pass



Shipper Dimensions & Weight & Marks Pass



Shipper Dimensions & Weight & Marks



Carton Labels & UPC Check Pass



Carton Labels & UPC Check Pass



Carton Labels & UPC Check Pass



Carton Labels & UPC Check Pass



Carton Labels & UPC Check Pass



Shipper Packaging Pass



Shipper Packaging Pass



Shipper Packaging Pass



Shipper Packaging

Pass



Shipper Packaging

Pass



Wholesale Packaging

Pass



Wholesale Packaging

Pass



Wholesale Packaging

Pass



Wholesale Packaging

Pass



Wholesale Packaging

Pass



Wholesale Packaging

Pass



Retail Packaging

Pass



Retail Packaging

Pass



Retail Packaging

Pass



Retail Packaging

Pass



Retail Labeling, UPC & COO Pass



Retail Labeling, UPC & COO Pass



Warning Statement and License Pass



Warning Statement and License Pass

Tests & checkpoints: 4. HMK - DAS/VAS Check - EN (4)




VAS/DAS Check Pass



VAS/DAS Check Pass



VAS/DAS Check Pass



VAS/DAS Check Pass

Tests & checkpoints: 6. HMK - Test 3D Product - EN (8)



Function Test (25 cycles) **Pass**



Function Test (25 cycles) **Pass**



Adhesion Tape Test **Pass**



Adhesion Tape Test **Pass**



Glue Joint Test **Pass**



Pull Test **Pass**



Hanger Test **Pass**



Odor/Smell Check **Pass**

Acknowledgments & signatures

2. Hallmark carton selection

QIMA Inspector
Inspector

✓ Acknowledged on 11-Jul-2026
1:20 PM (Timezone: UTC +07:00)

Summary review

QIMA Inspector
Inspector

✓ Acknowledged on 11-Jul-2026
5:30 PM (Timezone: UTC +07:00)

✓ Signed on 11-Jul-2026
5:30 PM (Timezone: UTC +07:00)

HMK - 3D Products