No.	Signature	Interpretation	Attack Labels	Individual Precision
1	Average segment size (forward): $\langle 6.0, 6.0 \rangle$ $\wedge$ Standard deviation of packets' lengths (forward): $\langle 0.0, 0.0 \rangle$ $\wedge$ Total number of packets per second (forward): $\langle 4.0, 4.0 \rangle$	Fixed-size automated requests, consistent with DoS but not attack-specific. Verify cross-flow recurrence, request volume, and server responses.	DDoS, DoS Hulk	99%
2	Maximum packet length (backward): $\langle 6.0, 6.0 \rangle$, $\wedge$Flow duration: $\langle 43.0, 44.0 \rangle$, $\wedge$Minimum of inter-arrival time (forward): $\langle 0.0, 0.0 \rangle$	Bursty, asymmetric traffic shared by probing and connection exhaustion. Verify TCP flags, destination-port fan-out, and incomplete connections.	Bot, DDoS, DoS Slowhttptest, PortScan	94%
3	Destination port: $\langle 80, 80 \rangle$ Total number of bytes in response packets to total number of bytes in request packets: $\langle 0.0, 0.0 \rangle$ Number of packets containing payload: $\langle 4.0, 4.0 \rangle$	Unanswered HTTP-like requests, consistent with incomplete requests, flooding, or connection exhaustion. Verify message completeness, missing responses, and open connections.	DDoS, DoS GoldenEye, DoS Hulk, DoS Slowhttptest, DoS slowloris, PortScan, Web Attack	97%

Table 3: Representative CICIDS2017 signatures, attack labels, and individual precision.